Treatment Episode Data Set (TEDS) 2020

Admissions to and Discharges from Publicly Funded Substance Use Treatment Facilities

DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration

Acknowledgments

This report was prepared for the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS) under Contract No. 75S20320C00001. The Contracting Officer's Representative (COR) at SAMHSA's Center for Behavioral Health Statistics and Quality (CBHSQ) was Heydy Juarez.

SAMHSA complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. *SAMHSA cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad, o sexo.*

Public Domain Notice

All material appearing in this report is in the public domain and may be reproduced or copied without permission from SAMHSA. Citation of the source is appreciated. However, this publication may not be reproduced or distributed for a fee without the specific, written authorization of the Office of Communications, SAMHSA, HHS.

Recommended Citation

Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality. *Treatment Episode Data Set (TEDS): 2020. Admissions to and Discharges from Publicly Funded Substance Use Treatment Facilities.* Rockville, MD: Substance Abuse and Mental Health Services Administration, 2022.

Electronic Access and Copies of Publication

This publication may be downloaded at
https://www.samhsa.gov/data/data-we-collect/teds-treatment-episode-data-set.

Originating Office

Center for Behavioral Health Statistics and Quality
Substance Abuse and Mental Health Services Administration
5600 Fishers Lane, Room 15SEH03
Rockville, Maryland 20857

October 2022

Table of Contents

List of Tables vi

List of Figures xxxvi

Introduction 1

Executive Summary 3

Chapter 1. Characteristics of Admissions: 2020 9
All Admissions Aged 12 Years and Older 9

Chapter 2. Type of Treatment Services: 2020 11

Chapter 3. Trends in Substance Use Treatment Admissions Aged 12 Years and Older: 2010–2020 13
Trends in Primary Substance Use: 2010–2020 13
Trends in Concurrent Alcohol and Drug Use 14
Trends in Demographic Characteristics 14
Trends in Employment Status 16

Chapter 4. Treatment Admissions Aged 12 Years and Older, by State or Jurisdiction, Primary Substance Use, and Selected Characteristics: 2010–2020 19

Chapter 5. Discharge Data Overview for All Types of Treatment Services: 2020 35
Type of Treatment Service 35
Reason for Discharge by Type of Treatment Service 36
Median Length of Stay (LOS) by Type of Treatment Service and Reason for Discharge 37
Socio-Demographic and Substance Use Characteristics at Time of Admission 38
Treatment Completion 38

Chapter 6. Treatment Discharges Aged 12 Years and Older, by Reason for Discharge and by State or Jurisdiction: 2020 39

Tables 41
National Admissions 43
State Admissions 163
National Discharge 319
State Discharge 749

Appendix A. About the Treatment Episode Data Set (TEDS) 849
Introduction 849
History 850
State Data Collection Systems 850
Report-Specific Considerations 853
Appendix B. TEDS Data Elements 873
TEDS Minimum Data Set 873
TEDS Supplemental Data Set 881
TEDS Linked Discharge Data Set 886
Appendix C. List of Contributors 889

LIST OF TABLES

National Admissions

1.1a. Admissions aged 12 years and older, by primary substance use: Number, 2010-2020 44

1.1b. Admissions aged 12 years and older, by primary substance use: Column percent distribution, 2010-2020 45

1.2. Admissions aged 12 years and older, by concurrent use of alcohol and drugs: Number and column percent distribution, 2010-2020 46

1.3a. Admissions aged 12 years and older, by gender and age at admission: Number and average age at admission, 2010-2020 47

1.3b. Admissions aged 12 years and older, by gender and age at admission: Column percent distribution, 2010-2020, and 2020 U.S. aged 12 years and older 48

1.4a. Admissions aged 12 years and older, by race and ethnicity: Number, 2010-2020, and 2020 U.S. population aged 12 years and older 49

1.4b. Admissions aged 12 years and older, by race and ethnicity: Column percent distribution, 2010-2020, and 2020 U.S. population aged 12 years and older 50

1.5a. Admissions aged 18 years and older, by employment status, number and column percent distribution: 2010-2020, and 2020 U.S. population aged 18 years and older 51

1.5b. Admissions aged 18 years and older per 100,000 population, by employment status: 2010-2020, adjusted for age, gender, and race/ethnicity 52

2.1a. Gender and age at admission among admissions aged 12 years and older, by primary substance use: Number and average age at admission, 2020 53

2.1b. Gender and age at admission among admissions aged 12 years and older, by primary substance use: Column percent distribution and average age at admission, 2020 54

2.1c. Gender and age at admission among admissions aged 12 years and older, by primary substance use: Row percent distribution, 2020 55

2.2a. Race and ethnicity among admissions aged 12 years and older, by primary substance use: Number, 2020 56

2.2b. Race and ethnicity among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 57

2.2c. Race and ethnicity among admissions aged 12 years and older, by primary substance use: Row percent distribution, 2020 58

2.3a. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Number, 2020 59

2.3b. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 66

2.3c. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Row percent distribution, 2020 73

2.4a. Frequency of use and usual route of administration among admissions aged 12 years and older, by primary substance use: Number, 2020 80

2.4b. Frequency of use and usual route of administration among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 81

2.5a. Frequency of use and usual route of administration among admissions aged 12 years and older, by secondary substance use: Number, 2020.....82

2.5b. Frequency of use and usual route of administration among admissions aged 12 years and older, by secondary substance use: Column percent distribution, 2020.....83

2.6a. Frequency of use and usual route of administration among admissions aged 12 years and older, by tertiary substance use: Number, 2020 84

2.6b. Frequency of use and usual route of administration among admissions aged 12 years and older, by tertiary substance use: Column percent distribution, 2020 85

2.7a. Age of first use and number of prior treatment episodes among admissions aged 12 years and older, by primary substance use: Number, 2020.....86

2.7b. Age of first use and number of prior treatment episodes among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 87

2.8a. Treatment referral source and detailed criminal justice referral among admissions aged 12 years and older, by primary substance use: Number, 2020 88

2.8b. Treatment referral source and detailed criminal justice referral among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 89

2.9a. Type of treatment service at admission and planned medication-assisted opioid therapy among admissions aged 12 years and older, by primary substance use: Number, 2020 90

2.9b. Type of treatment service at admission and planned medication-assisted opioid therapy among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 91

2.10a. Employment status and detailed not in labor force among admissions aged 18 years and older, by primary substance use: Number, 2020 92

2.10b. Employment status and detailed not in labor force among admissions aged 18 years and older, by primary substance use: Column percent distribution, 2020 93

2.11a. Education, marital status, living arrangements, and pregnancy status among admissions aged 12 to 17 years, by primary substance use: Number, 2020 94

2.11b. Education, marital status, living arrangements, and pregnancy status among admissions aged 12 to 17 years, by primary substance use: Column percent distribution, 2020 95

2.12a. Education, marital status, living arrangements, pregnancy status, and veteran status among admissions aged 18 years and older, by primary substance use: Number, 2020 96

2.12b. Education, marital status, living arrangements, pregnancy status, and veteran status among admissions aged 18 years and older, by primary substance use: Column percent distribution, 2020 98

2.13a. Co-occurring mental and substance use disorders and DSM criteria diagnosis among admissions aged 12 years and older, by primary substance use: Number, 2020 100

2.13b. Co-occurring mental and substance use disorders and DSM criteria diagnosis among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 101

2.14a. Source of income/support among admissions aged 18 years and older, by primary substance use: Number, 2020 102

2.14b. Source of income/support among admissions aged 18 years and older, by primary substance use: Column percent distribution, 2020 103

2.15a. Type of health insurance and expected/actual primary source of payment among admissions aged 12 years and older, by primary substance use: Number, 2020 104

2.15b. Type of health insurance and expected/actual primary source of payment among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 105

2.16a. Arrests in 30 days prior to admission and days waiting to enter treatment among admissions aged 12 years and older, by primary substance use: Number, 2020 106

2.16b. Arrests in 30 days prior to admission and days waiting to enter treatment among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 107

2.17a. Frequency of attendance at self-help programs among admissions aged 12 years and older, by primary substance use: Number, 2020 108

2.17b. Frequency of attendance at self-help programs among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 109

2.18. Admissions aged 12 years and older, by primary, secondary, and tertiary detailed drug: Number and column percent distribution, 2020 110

2.19a. Admissions aged 12 years and older reporting detailed drugs, by primary, secondary, and tertiary substance use: Number, 2010-2020.....112

2.19b. Admissions aged 12 years and older reporting detailed drugs, by primary, secondary, and tertiary substance use: Column percent distribution, 2010-2020.....114

3.1a. Admissions aged 12 to 14 years, by primary substance use: Number, 2010-2020.....116

3.1b. Admissions aged 12 to 14 years, by primary substance use: Column percent distribution, 2010-2020 117

3.2a. Admissions aged 15 to 17 years, by primary substance use: Number, 2010-2020.....118

3.2b. Admissions aged 15 to 17 years, by primary substance use: Column percent distribution, 2010-2020 119

3.3a. Gender, race, and ethnicity among admissions aged 12 to 14 years, by primary substance use: Number, 2020.....120

3.3b. Gender, race, and ethnicity among admissions aged 12 to 14 years, by primary substance use: Column percent distribution, 2020 121

3.4a. Gender, race, and ethnicity among admissions aged 15 to 17 years, by primary substance use: Number, 2020.....122

3.4b. Gender, race, and ethnicity among admissions aged 15 to 17 years, by primary substance use: Column percent distribution, 2020 123

3.5a. Age at admission and treatment referral source among admissions aged 12 to 17 years, by primary substance use: Number, 2020 124

3.5b. Age at admission and treatment referral source among admissions aged 12 to 17 years, by primary substance use: Column percent distribution, 2020.....125

3.6a. Admissions aged 12 to 14 years, by marijuana involvement and treatment referral source: Number, 2010-2020 126

3.6b. Admissions aged 12 to 14 years, by marijuana involvement and treatment referral source: Column percent distribution, 2010-2020 127

3.7a. Admissions aged 15 to 17 years, by marijuana involvement and treatment referral source: Number, 2010-2020.....128

3.7b. Admissions aged 15 to 17 years, by marijuana involvement and treatment referral source: Column percent distribution, 2010-2020 129

3.8a. Heroin admissions aged 12 years and older, by age group, race, and ethnicity: Number, 2010-2020.....130

3.8b. Heroin admissions aged 12 years and older, by age group, race, and ethnicity: Column percent distribution, 2010-2020.....134

3.9a. Heroin admissions aged 12 years and older, by usual route of administration, age group, and characteristics of treatment episode: Number, 2010-2020 138

3.9b. Heroin admissions aged 12 years and older, by usual route of administration, age group, and characteristics of treatment episode: Column percent distribution, 2010-2020 140

3.10a. Heroin admissions aged 12 years and older with and without planned medication-assisted opioid therapy, by usual route of administration and age group: Number, 2010-2020 142

3.10b. Heroin admissions aged 12 years and older with and without planned medication-assisted opioid therapy, by usual route of administration and age group: Column percent distribution, 2010-2020 144

3.11a. Primary substance use among admissions aged 12 years and older, by additional substance use: Number, 2020 146

3.11b. Primary substance use among admissions aged 12 years and older, by additional substance use: Column percent distribution, 2010-2020 147

3.11c. Primary substance use among admissions aged 12 years and older, by additional substance use: Row percent distribution, 2010-2020 148

3.12. Substance use combinations, by selected primary substance use: Number and column percent distribution, 2020 149

4.1a. Primary substance use and age at admission among admissions aged 12 years and older, by type of treatment service: Number and average age at admission, 2020 151

4.1b. Primary substance use and age at admission among admissions aged 12 years and older, by type of treatment service: Column percent distribution and average age at admission, 2020 153

4.1c. Primary substance use and age at admission among admissions aged 12 years and older, by type of treatment service: Row percent distribution, 2020 155

4.2a. Gender, race, and ethnicity among admissions aged 12 years and older, by type of treatment service: Number, 2020 157

4.2b. Gender, race, and ethnicity among admissions aged 12 years and older, by type of treatment service: Column percent distribution, 2020 158

4.2c. Gender, race, and ethnicity among admissions aged 12 years and older, by type of treatment service: Row percent distribution, 2020 159

4.3a. Treatment referral source, frequency of use, and number of prior treatment episodes among admissions aged 12 years and older, by type of treatment service: Number, 2020 160

4.3b. Treatment referral source, frequency of use, and number of prior treatment episodes among admissions aged 12 years and older, by type of treatment service: Column percent distribution, 2020 161

4.3c. Treatment referral source, frequency of use, and number of prior treatment episodes among admissions aged 12 years and older, by type of treatment service: Row percent distribution, 2020 162

State Admissions

5.1a. Admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 164

5.1b. Admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 166

5.1c. Admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020, adjusted for age, gender, and race/ethnicity 169

5.2a. Primary alcohol admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 172

5.2b. Primary alcohol admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 174

5.3a. Primary marijuana/hashish admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 177

5.3b. Primary marijuana/hashish admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 .. 179

5.4b. Primary cocaine admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 .. 184

5.5a. Primary methamphetamine/amphetamine admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 187

5.5b. Primary methamphetamine/amphetamine admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 189

5.6a. Primary opiates (heroin and non-heroin) admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 192

5.6b. Primary opiates (heroin and non-heroin) admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 194

5.7a. Primary heroin admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 197

5.7b. Primary heroin admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 199

5.8a. Primary non-heroin opiates/synthetics admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Numer, 2010-2020 202

5.8b. Primary non-heroin opiates/synthetics admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 204

6.1a. Admissions aged 12 years and older, by type of service at admission and Census region, Census division, and state or jurisdiction: Number, 2020 207

6.1b. Admissions aged 12 years and older, by type of service at admission and Census region, Census division, and state or jurisdiction: Row percent distribution, 2020 210

6.2a. Admissions aged 12 years and older, by primary substance use and Census region, Census division, and state or jurisdiction: Number, 2020 213

6.2b. Admissions aged 12 years and older per 100,000 population, by primary substance use and Census region, Census division, and state or jurisdiction: 2020 215

6.2c. Admissions aged 12 years and older per 100,000 population, by primary substance use and Census region, Census division, and state or jurisdiction: 2020, adjusted for age, gender, and race/ethnicity 218

7.1a. Alabama admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 221

7.1b. Alabama admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 222

7.2a. Alaska admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 223

7.2b. Alaska admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 224

7.3a. Arizona admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 225

7.3b. Arizona admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 226

7.4a. Arkansas admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 227

7.4b. Arkansas admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 228

7.5a. California admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....229

7.5b. California admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 230

7.6a. Colorado admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 231

7.6b. Colorado admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 232

7.7a. Connecticut admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....233

7.7b. Connecticut admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 234

7.8a. Delaware admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 235

7.8b. Delaware admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 236

7.9a. District of Columbia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....237

7.9b. District of Columbia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020.....238

7.10a. Florida admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 239

7.10b. Florida admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 240

7.11a. Georgia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 241

7.11b. Georgia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 242

7.12a. Hawaii admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 243

7.12b. Hawaii admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 244

7.13a. Illinois admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 245

7.13b. Illinois admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 246

7.14a. Indiana admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 247

7.14b. Indiana admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 248

7.15a. Iowa admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 249

7.15b. Iowa admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 250

7.16a. Kansas admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 251

7.16b. Kansas admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 252

7.17a. Kentucky admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....253

7.17b. Kentucky admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 254

7.18a. Louisiana admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....255

7.18b. Louisiana admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 256

7.19a. Maine admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 257

7.19b. Maine admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 258

7.20a. Massachusetts admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 259

7.20b. Massachusettsa. admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 260

7.21a. Michigan admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....261

7.21b. Michigan admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 262

7.22a. Minnesota admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....263

7.22b. Minnesota admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 264

7.23a. Mississippi admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....265

7.23b. Mississippi admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 266

7.24a. Missouri admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....267

7.24b. Missouri admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 268

7.25a. Montana admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....269

7.25b. Montana admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 270

7.26a. Nebraska admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....271

7.26b. Nebraska admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 272

7.27a. Nevada admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 273

7.27b. Nevada admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 274

7.28a. New Hampshire admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 275

7.28b. New Hampshire admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 276

7.29a. New Jersey admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....277

7.29b. New Jersey admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 278

7.30a. New York admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....279

7.30b. New York admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 280

7.31a. North Carolina admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 281

7.31b. North Carolina admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 282

7.32a. North Dakota admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 283

7.32b. North Dakota admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 284

7.33a. Ohio admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 285

7.33b. Ohio admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 286

7.34a. Oklahoma admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....287

7.34b. Oklahoma admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 288

7.35a. Pennsylvania admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 289

7.35b. Pennsylvania admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 290

7.36a. Puerto Rico admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....291

7.36b. Puerto Rico admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 292

7.37a. Rhode Island admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 293

7.37b. Rhode Island admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 294

7.38a. South Carolina admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 295

7.38b. South Carolina admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 296

7.39a. South Dakota admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 297

7.39b. South Dakota admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 298

7.40a. Tennessee admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....299

7.40b. Tennessee admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 300

7.41a. Texas admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 301

7.41b. Texas admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 302

7.42a. Utah admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 303

7.42b. Utah admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 304

7.43a. Vermont admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 305

7.43b. Vermont admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 306

7.44a. Virginia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 307

7.44b. Virginia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 308

7.45a. West Virginia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020 309

7.45b. West Virginia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 310

7.46a. Wisconsin admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....311

7.46b. Wisconsin admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 312

7.47a. Wyoming admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020.....313

7.47b. Wyoming admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020 314

8.1. Admissions aged 12 years and older, by concurrent use of alcohol and drugs, Census region, Census division, and state or jurisdiction: Number and row percent distribution, 2020 315

8.2. Admissions aged 18 years and older, by employment status, Census region, Census division, and state or jurisdiction: Number and row percent distribution, 2020 317

National Discharge

9.1. Discharges aged 12 years and older, by reason for discharge and type of treatment service: Number, percent distribution, and median length of stay (LOS), 2020 320

9.2a. Discharges aged 12 years and older, by type of treatment service and characteristics at admission: Number, 2020 321

9.2b. Discharges aged 12 years and older, by type of treatment service and characteristics at admission: Column percent distribution, 2020 325

9.3a. Discharges aged 12 years and older, by type of treatment service and characteristics at discharge: Number, 2020 329

9.3b. Discharges aged 12 years and older, by type of treatment service and characteristics at discharge: Column percent distribution, 2020 330

9.4a. Discharges aged 12 to 17 years, by type of treatment service and characteristics at admission: Number, 2020 331

9.4b. Discharges aged 12 to 17 years, by type of treatment service and characteristics at admission: Column percent distribution, 2020 333

9.5a. Discharges aged 12 to 17 years, by type of treatment service and characteristics at discharge: Number, 2020 335

9.5b. Discharges aged 12 to 17 years, by type of treatment service and characteristics at discharge: Column percent distribution, 2020 336

9.6a. Discharges aged 18 years and older, by type of treatment service and characteristics at admission: Number, 2020 337

9.6b. Discharges aged 18 years and older, by type of treatment service and characteristics at admission: Column percent distribution, 2020 341

9.7a. Discharges aged 18 years and older, by type of treatment service and characteristics at discharge: Number, 2020 345

9.7b. Discharges aged 18 years and older, by type of treatment service and characteristics at discharge: Column percent distribution, 2020 347

9.8a. Discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at admission: Number, 2020 349

9.8b. Proportions of discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at admission: 2020 353

9.9a. Discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at discharge: Number, 2020 357

9.9b. Proportions of discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at discharge: 2020 358

9.10a. Discharges aged 12 to 17 years that completed treatment, by type of treatment service and characteristics at admission: Number, 2020 359

9.10b. Proportions of discharges aged 12 to 17 years that completed treatment, by type of treatment service and characteristics at admission: 2020 361

9.11a. Discharges aged 12 to 17 years that completed treatment, by type of treatment service and characteristics at discharge: Number, 2020 363

9.11b. Proportions of discharges aged 12 to 17 years that completed treatment, by type of treatment service and characteristics at discharge: 2020 364

9.12a. Discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at admission: Number, 2020 365

9.12b. Proportions of discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at admission: 2020 369

9.13a. Discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at discharge: Number, 2020 373

9.13b. Proportions of discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at discharge: 2020 375

9.14a. Discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020 377

9.14b. Proportions of discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: 2020 381

9.15a. Discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at discharge: Number, 2020 385

9.15b. Proportions of discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at discharge: 2020 386

9.16a. Discharges aged 12 to 17 years that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020 387

9.16b. Proportions of discharges aged 12 to 17 years that transferred to further treatment, by type of treatment service and characteristics at admission: 2020 389

9.17a. Discharges aged 12 to 17 years that transferred to further treatment, by type of treatment service and characteristics at discharge: Number, 2020 391

9.17b. Proportions of discharges aged 12 to 17 years that transferred to further treatment, by type of treatment service and characteristics at discharge: 2020 392

9.18a. Discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020 393

9.18b. Proportions of discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: 2020 397

9.19a. Discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at discharge: Number, 2020 401

9.19b. Proportions of discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at discharge: 2020 403

10.1. Outpatient treatment discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020 405

10.2a. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 406

10.2b. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 410

10.2c. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 414

10.3a. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 418

10.3b. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 419

10.3c. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 420

10.4a. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 421

10.4b. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 423

10.4c. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 425

10.5a. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 427

10.5b. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 428

10.5c. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 429

10.6a. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 430

10.6b. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 434

10.6c. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 438

10.7a. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 442

10.7b. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 444

10.7c. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 446

11.1. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020 448

11.2a. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 449

11.2b. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 453

11.2c. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 457

11.3a. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 461

11.3b. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 462

11.3c. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 463

11.4a. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 464

11.4b. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 466

11.4c. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 468

11.5a. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 470

11.5b. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 471

11.5c. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 472

11.6a. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 473

11.6b. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 477

11.6c. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 481

11.7a. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 485

11.7b. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 487

11.7c. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 489

12.1. Short-term residential treatment discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020 491

12.2a. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 492

12.2b. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 496

12.2c. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 500

12.3a. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 504

12.3b. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 505

12.3c. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 506

12.4a. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 507

12.4b. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 509

12.4c. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 511

12.5a. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 513

12.5b. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 514

12.5c. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 515

12.6a. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 516

12.6b. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 520

12.6c. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 524

12.7a. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 528

12.7b. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 530

12.7c. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 532

13.1. Long-term residential treatment discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020 534

13.2a. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 535

13.2b. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 539

13.2c. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 543

13.3a. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 547

13.3b. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 548

13.3c. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 549

13.4a. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 550

13.4b. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 552

13.4c. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 554

13.5a. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 556

13.5b. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 557

13.5c. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 558

13.6a. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 559

13.6b. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 563

13.6c. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 567

13.7a. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 571

13.7b. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 573

13.7c. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 575

14.1. Hospital residential treatment discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020 577

14.2a. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 578

14.2b. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 582

14.2c. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 586

14.3a. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 590

14.3b. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 591

14.3c. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 592

14.4a. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 593

14.4b. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 595

14.4c. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 597

14.5a. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 599

14.5b. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 600

14.5c. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 601

14.6a. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 602

14.6b. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 606

14.6c. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 610

14.7a. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 614

14.7b. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 616

14.7c. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 618

15.1. Detoxification discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020 620

15.2a. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 621

15.2b. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 625

15.2c. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 629

15.3a. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 633

15.3b. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 634

15.3c. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 635

15.4a. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 636

15.4b. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 638

15.4c. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 640

15.5a. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 642

15.5b. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 643

15.5c. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 644

15.6a. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 645

15.6b. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 649

15.6c. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 653

15.7a. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 657

15.7b. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 659

15.7c. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 661

16.1. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020 663

16.2a. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 664

16.2b. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 668

16.2c. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 672

16.3a. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 676

16.3b. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 677

16.3c. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 678

16.4a. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 679

16.4b. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 681

16.4c. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 683

16.5a. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 685

16.5b. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 686

16.5c. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 687

16.6a. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 688

16.6b. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 692

16.6c. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 696

16.7a. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 700

16.7b. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 702

16.7c. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 704

17.1. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020 706

17.2a. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 707

17.2b. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 711

17.2c. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 715

17.3a. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 719

17.3b. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 720

17.3c. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 721

17.4a. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 722

17.4b. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 724

17.4c. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 726

17.5a. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 728

17.5b. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 729

17.5c. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 730

17.6a. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 731

17.6b. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 735

17.6c. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 739

17.7a. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 743

17.7b. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 745

17.7c. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 747

State Discharge

18.1a. Total and linked discharges aged 12 years and older, by state or jurisdiction: Number, 2020 750

18.1b. Total and linked discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020 752

18.2a. Discharges aged 12 and older, by type of treatment service and state or jurisdiction: Number, 2020 754

18.2b. Discharges aged 12 and older, by type of treatment service and state or jurisdiction: Row percent distribution, 2020 756

19.1a. Discharges aged 12 years and older, by gender, selected age groups at admission, and state or jurisdiction: Number, 2020 758

19.1b. Discharges aged 12 years and older, by gender, selected age groups at admission, and state or jurisdiction: Row percent distribution, 2020 760

19.2a. Race of discharges aged 12 years and older, by state or jurisdiction: Number, 2020 762

19.2b. Race of discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020 764

19.3a. Reason for discharge among discharges aged 12 years and older, by state or jurisdiction: Number, 2020 766

19.3b. Reason for discharge among discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020 768

19.4a. Reason for discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number, 2020 770

19.4b. Reason for discharge among discharges aged 12 to 17 years, by state or jurisdiction: Row percent distribution, 2020 772

19.5a. Reason for discharge among discharges aged 18 years and older, by state or jurisdiction: Number, 2020 774

19.5b. Reason for discharge among discharges aged 18 years and older, by state or jurisdiction: Row percent distribution, 2020 776

20.1. Median length of stay (LOS) among discharges aged 12 years and older that completed treatment, by treatment service and state or jurisdiction: Number of days, 2020 778

20.2. Median length of stay (LOS) among discharges aged 12 to 17 years that completed treatment, by treatment service and state or jurisdiction: Number of days, 2020 780

20.3. Median length of stay (LOS) among discharges aged 18 years and older that completed treatment, by treatment service and state or jurisdiction: Number of days, 2020 782

21.1a. Primary substance use at admission among discharges aged 12 years and older, by state or jurisdiction: Number, 2020 784

21.1b. Primary substance use at admission among discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020 786

21.2a. Primary substance use at discharge among discharges aged 12 years and older, by state or jurisdiction: Number, 2020 788

21.2b. Primary substance use at discharge among discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020 790

21.3a. Primary substance use at admission among discharges aged 12 to 17 years, by state or jurisdiction: Number, 2020 792

21.3b. Primary substance use at admission among discharges aged 12 to 17 years, by state or jurisdiction: Row percent distribution, 2020 794

21.4a. Primary substance use at discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number, 2020 796

21.4b. Primary substance use at discharge among discharges aged 12 to 17 years, by state or jurisdiction: Row percent distribution, 2020 798

21.5a. Primary substance use at admission among discharges aged 18 years and older, by state or jurisdiction: Number, 2020 800

21.5b. Primary substance use at admission among discharges aged 18 years and older, by state or jurisdiction: Row percent distribution, 2020 802

21.6a. Primary substance use at discharge, among discharges aged 18 years and older, by and state or jurisdiction: Number, 2020 804

21.6b. Primary substance use at discharge among discharges aged 18 years and older, by state or jurisdiction: Row percent distribution, 2020 806

22.1. Number of arrests in the 30 days prior to admission among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020 808

22.2. Number of arrests in the 30 days prior to discharge among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020 810

22.3. Number of arrests in 30 days prior to admission among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020 812

22.4. Number of arrests in the 30 days prior to discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020 814

22.5. Number of arrests in the 30 days prior to admission among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 816

22.6. Number of arrests in the 30 days prior to discharge among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 818

23.1. Living arrangements at admission among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020 820

23.2. Living arrangements at discharge among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020 822

23.3. Living arrangements at admission among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020 824

23.4. Living arrangements at discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020 826

23.5. Living arrangements at admission among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 828

24.1. Frequency of attendance at a substance use self-help group in the 30 days prior to admission among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020 832

24.2. Frequency of attendance at a substance use self-help group in the 30 days prior to discharge among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020 834

24.3. Frequency of attendance at a substance use self-help group in the 30 days prior to admission among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020 836

24.4. Frequency of attendance at a substance use self-help group in the 30 days prior to discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020 838

24.5. Frequency of attendance at a substance use self-help group in the 30 days prior to admission among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 840

24.6. Frequency of attendance at a substance use self-help group in the 30 days prior to discharge among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 842

25.1. Employment status at admission among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 844

25.2. Employment status at discharge among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 846

Appendix A

A1. State data system reporting characteristics 855

A2. Item percentage response rate, by state or jurisdiction: TEDS Admissions Minimum Data Set, 2020.....860

A3. Item percentage response rate, by state or jurisdiction: TEDS Admissions Supplemental Data Set, 2020.....862

A4. Item percentage response rate, by state or jurisdiction: TEDS Discharge Minimum Data Set, 2020.....864

A5. Item percentage response rate, by state or jurisdiction: TEDS Discharge Supplemental Data Set, 2020.....866

A6. Denominator for per 100,000 population estimates: 2020.....868

A7. U.S. population aged 18 years and older, 2010–2020, used as denominator for per 100,000 for employment status and U.S. population used for adjustment.....871

LIST OF FIGURES

Figure 1. Primary substance use at admission: 2010–2020 13

Figure 2. Age at admission: TEDS 2010–2020 and U.S. population 2020 14

Figure 3. Race of admissions: TEDS 2010–2020 and U.S. population 2020 15

Figure 4. Ethnicity of admissions: TEDS 2010–2020 and U.S. population 2020 16

Figure 5. Employment status among admissions aged 18 years and older: 2010–2020 17

Figure 6. Primary alcohol admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 20

Figure 7. Primary marijuana/hashish admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 22

Figure 8. Primary cocaine admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 24

Figure 9. Primary methamphetamine/amphetamine admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 26

Figure 10. Primary opiates (heroin and non-heroin) admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 28

Figure 11. Primary heroin admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 30

Figure 12. Primary non-heroin opiates/synthetics admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 32

Figure 13. Type of treatment service at discharge: 2020 35

Figure 14. Reason for discharge, by type of treatment service: 2020 36

Figure 15. Median length of stay (LOS), by reason for discharge and type of treatment service: 2020 37

Introduction

This report presents national- and state-level data from the Treatment Episode Data Set (TEDS) for admissions and discharges occurring in 2020, and trend data from 2010 to 2020. It summarizes demographic information and the characteristics and outcomes of treatment for alcohol and/or drug use among clients aged 12 years and older in facilities that report to individual state administrative data systems. Data include records for treatment admissions and discharges that were received and processed through November 22, 2021.[1]

TEDS records do not represent individuals; rather, each record represents a treatment episode. Thus, an individual admitted to treatment twice within a calendar year is counted as two admissions. Similarly, discharges during the year, regardless of when the admission occurred, are counted.

TEDS does not include all substance use treatments. It includes treatment admissions and discharges at facilities that are licensed or certified by a state substance abuse agency to provide care for people with a substance use disorder (or facilities that are administratively tracked for other reasons). In general, facilities reporting TEDS data are those that receive state alcohol and/or drug agency funds (including federal block grant funds) for the provision of alcohol and/or drug treatment services. Additional information on the history and methodology of TEDS and this report, as well as important issues related to state data collection systems, are available in Appendix A.

States continually review and improve their data collection and processing. When systematic errors are identified, states may revise or replace historical TEDS data files. While this process represents an improvement in the data system, the historical statistics in this report will differ slightly from those in earlier reports. See Appendix A for more information.

It is important to note that percentages in charts, narrative lists, and tables may not sum to 100 percent due to rounding; figures in the narrative are expressed using the nearest whole number.

Admissions or discharges for which values were not collected, unknown, or missing are excluded from the numbers (numerator) and percentage base (denominator) except for substance use. For substance use variables (primary, secondary, and tertiary), unless otherwise noted, the category "other/none specified" consists of none, other stimulants, over-the-counter medications, other drugs, and responses that were missing, unknown, not collected, and invalid.

[1] For researchers interested in more detailed analysis, TEDS public use files are available for download from the Substance Abuse and Mental Health Data Archive, which can be accessed at https://datafiles.samhsa.gov. Summary data for individual states that have submitted the full year of data are available online through the Quick Statistics website at https://www.samhsa.gov/data/quick-statistics.

Executive Summary

This report presents national- and state-level data from the Treatment Episode Data Set (TEDS) for admissions and discharges occurring in 2020, and trend data from 2010 to 2020. TEDS is a compilation of demographic, substance use, mental health, clinical, legal, and socioeconomic characteristics of persons who are receiving publicly funded substance use and/or mental health services. State administrative data systems, claims, and encounter data are the primary data sources. The report summarizes demographic information and the characteristics and outcomes of treatment for alcohol and/or drug use among clients aged 12 years and older in facilities that report to individual state administrative data systems. Data include records for treatment admissions and discharges that were received and processed through November 22, 2021.

There is a similar report which presents mental health client-level data submitted for the 2015 through 2020 reporting periods using the Mental Health Client-Level Data (MH-CLD) and the Mental Health Treatment Episode Data Set (MH-TEDS). This report provides information on the demographics, characteristics, and outcomes of individuals served by state mental health agencies (SMHAs) for these six reporting periods, with particular focus on the most recent reporting period. The Substance Abuse and Mental Health Services Administration (SAMHSA) has provided support to states to build capacity to collect and report client-level data.

In 2020, a total of 1,416,357 admissions aged 12 years and older were reported to TEDS by 47 states and jurisdictions. Idaho, Maryland, New Mexico, Oregon, Puerto Rico, and Washington did not report sufficient admissions for 2020 to be included in this report [Table 5.1a]. In prior years, admissions for the following states have been excluded: South Carolina (2014), Oregon (2015–2019), and Washington (2018, 2019).

In 2020, a total of 1,528,728 discharge records were reported to TEDS by 46 states and jurisdictions, of which 91 percent (or 1,391,393 records) can be linked to TEDS admissions aged 12 years and older between 2000 and 2020. Idaho, Maryland, New Mexico, Oregon, Utah, and West Virginia did not report sufficient discharge data for 2020 to be included in this report [Tables 18.1a–b].

Due to the COVID-19 pandemic, various states have experienced challenges as some substance use treatment providers or facilities temporarily discontinued their substance use treatment services. In addition, some states reported that there has been a decrease in resources and staffing availability at the provider level. Loss of data from these providers may have contributed to the overall decrease of the 2020 admissions and discharge data.

Primary Substance Use at Admission

- The most frequently reported primary substances in 2020 were alcohol (31.2 percent), opiates (26.9 percent), stimulants (12.7 percent), marijuana/hashish (9.8 percent), and cocaine (5.1 percent), collectively accounting for 85.7 percent of all admissions aged 12 years and older [Table 1.1b].

Alcohol

- The proportion of admissions with alcohol use reported as the primary substance declined from 40.3 percent in 2010 to 31.2 percent in 2020 [Table 1.1b].
- The average age at admission among alcohol-only admissions was 43 years, whereas the average age among admissions for primary use of alcohol with secondary drug use was 40 years [Table 2.1b].
- More than two-thirds (71.4 percent) of alcohol-only admissions aged 12 years or older were Whites, and 14.3 percent were Blacks or African Americans. Among admissions for primary alcohol with secondary drug use, 60.1 percent were Whites and 25.9 percent were Blacks or African Americans [Table 2.2b].
- Among admissions aged 12 years or older that were admitted for primary use of alcohol only, 14.2 percent were of Hispanic or Latino origin. Hispanics or Latinos also accounted for 15.0 percent of admissions for primary alcohol use with secondary drug use aged 12 years or older [Table 2.2b].
- Among admissions aged 12 years or older that were admitted for primary use of alcohol only, 69.4 percent were male, and 30.6 percent were female. Among admissions for primary alcohol with secondary drug use, 71.5 percent were male, and 28.5 percent were female [Table 2.1b].

Heroin

- In 2010, 14 percent of admissions aged 12 years or older were for primary heroin use. In 2020, 20.6 percent of admissions aged 12 years or older were for primary heroin use [Table 1.1b]. For primary heroin admissions, the average age at admission was 37 years [Table 2.1b].
- Whites accounted for 72.8 percent of primary heroin admissions aged 12 years and older in 2020, and Blacks or African Americans accounted for 12.9 percent [Table 2.2b].
- Among admissions for primary heroin use aged 12 years or older, 17.6 percent were of Hispanic or Latino origin [Table 2.2b].
- Among admissions aged 12 year or older that were admitted for primary use of heroin, 66.8 percent were male, and 33.2 percent were female [Table 2.1b].

Opiates Other Than Heroin[2]

- The proportion of admissions aged 12 years or older for primary use of opiates other than heroin increased from 9 percent in 2010 to 10.4, 10.1 percent in 2011 and 2012, with a steady decline each year from 9.4 percent in 2013 to 6.3 percent in 2020 [Table 1.1b].
- The average age at admission was 36 years among admissions for primary use of non-heroin opiates [Table 2.1b].
- Whites accounted for 79.9 percent of primary non-heroin opiate admissions aged 12 years or older [Table 2.2b].

---

[2] These drugs include non-prescription methadone, buprenorphine, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

- Among admissions aged 12 year or older that were admitted for primary use of non-heroin opiate, 57.5 percent were male, and 42.5 percent were female. [Table 2.1b].

Marijuana/Hashish

- The proportion of marijuana/hashish admissions aged 12 years and older steadily declined each year from 18.6 percent in 2010 to 9.8 percent in 2020. [Table 1.1b].
- The average age at admission was 28 years among admissions for primary use of marijuana/hashish [Table 2.1b].
- Whites represented 50.9 percent of primary marijuana/hashish admissions aged 12 years or older, while Blacks or African Americans represented 34.2 percent [Table 2.2b].
- Among admissions for primary marijuana/hashish use aged 12 years or older, 18.9 percent were of Hispanic or Latino origin [Table 2.2b].
- Among admissions aged 12 year or older that were admitted for primary use of marijuana/hashish 68.4 percent were male, and 31.6 percent were female. [Table 2.1b].

Cocaine/Crack

- The proportion of admissions for primary use of cocaine aged 12 years and older declined from 8.3 percent in 2010 to 5.4 percent in 2014 and ranged between 5.1 and 5.7 percent from 2015 to 2020 [Table 1.1b].
- The average age at admission among primary smoked cocaine admissions was 45 years; among primary non-smoked cocaine admissions, the average age was 38 years [Table 2.1b].
- Blacks or African Americans represented 51.3 percent of primary smoked cocaine admissions aged 12 years or older, and 40.1 percent were Whites. Among primary non-smoked cocaine admissions aged 12 years and older, 53.2 percent were White, and 32.9 percent were Black or African American [Table 2.2b].
- Among admissions for primary smoked cocaine use aged 12 years or older, 9.8 percent were of Hispanic or Latino origin. Hispanics or Latinos also accounted for 18.8 percent of admissions for primary non-smoked cocaine use aged 12 years or older [Table 2.2b].
- Among admissions aged 12 year or older that were admitted for primary use of smoked cocaine 59.9 percent were male, and 40.1 percent were female. Among admissions for primary non-smoked cocaine, 67.9 percent were male, and 32.1 percent were female [Table 2.1b].

Methamphetamine/Amphetamines

- The proportion of admissions for primary methamphetamine/amphetamines aged 12 years and older increased to 11.8 percent in 2020 from 5.6 percent in 2010 [Table 1.1b].
- The average age at admission was 35 years for primary methamphetamine/amphetamine admissions [Table 2.1b].
- Whites represented 77.0 percent of primary methamphetamine/amphetamine admissions aged 12 years and older, and 6.7 percent were Black or African American [Table 2.2b].

- Among admissions for methamphetamine/amphetamine use aged 12 years or older, 17.5 percent were of Hispanic or Latino origin [Table 2.2b].
- Among admissions aged 12 year or older that were admitted for primary use of methamphetamine/amphetamine 56.8 percent were male, and 43.2 percent were female. [Table 2.1b].

Trends in Substance Use Treatment Admissions

- In each year between 2010 and 2020, the Middle Atlantic had the largest number of admissions among all Census divisions, except for 2017 and 2018, when the South Atlantic division reported the most admissions. The number of admissions in the Middle Atlantic and South Atlantic divisions, respectively, were 306,207 and 176,055 in 2020. The lowest number of admissions was reported in the East South-Central division, with 56,864 admissions in 2020 [Table 5.1a].
- In each year between 2010 and 2017, the ratio of admissions per 100,000 population aged 12 years and older was highest in the New England and Middle Atlantic divisions, respectively. However, between 2018 and 2019, the Mountain division reported the second highest ratio (1,369 in 2018, and 1,260 in 2019). In 2020, the Mountain division reported the highest ratio 1,332 of admissions per 100,000 population aged 12 years and older [Table 5.1b].

Type of Treatment Service at Discharge

Of the 1,391,393 discharges aged 12 years and older in 2020 [Table 18.2b]:

- 44.4 percent were discharged from outpatient treatment,
- 15.2 percent were discharged from detoxification,
- 11.9 percent were discharged from intensive outpatient treatment, and
- 13.3 percent were discharge from medication-assisted opioid therapy respectively.

Reason for Discharge

Of the 1,391,393 discharges aged 12 years and older in 2020 [Table 19.3b]:

- 42.4 percent of the discharges completed treatment,
- 24.5 percent of the discharges dropped out of treatment, and
- 22.4 percent of the discharges were transferred to further treatment.

Treatment Completion by Type of Treatment Service

The treatment completion rate was 42.2 percent among discharges aged 12 years and older from all treatment service types combined. For the individual service types, treatment was completed by [Table 9.1]:

- 70.6 percent of discharges from hospital residential treatment,
- 61.8 percent of discharges from detoxification,
- 54.0 percent of discharges from short-term residential treatment

- 44.2 percent of discharges from medication-assisted opioid detoxification, and
- 43.8 percent of discharges from outpatient treatment.

Median Length of Stay (LOS)

The median LOS in treatment among discharges aged 12 years and older, by type of treatment service, was [Table 9.1]:

- 83 days for discharges from outpatient medication-assisted opioid therapy,
- 57 days for discharges from outpatient treatment,
- 43 days for discharges from intensive outpatient treatment,
- 38 days for discharges from long-term residential treatment, and
- 5 days for discharges from medication-assisted opioid detoxification.

Treatment Admissions per 100,000 Population, by State or Jurisdiction

- In 2020, the ratio of treatment admissions per 100,000 population was higher for primary use of alcohol than for primary opiates. The admission ratio for primary alcohol use was 162 per 100,000 population aged 12 years and older, compared with 140 per 100,000 population for primary opiates. The ratio for primary methamphetamine/amphetamines use admissions was 65 per 100,000 population aged 12 years and older, and the ratio for marijuana/hashish admissions was 51 per 100,000 population aged 12 years and older [Table 6.2b and Figures 6–12].
- Heroin, alcohol, and methamphetamine/amphetamines were the most frequently reported primary substances used among admissions in most Census divisions [Table 6.2b].
- In 31 of the 47 reporting states and jurisdictions, the ratio of admissions per 100,000 population aged 12 years and older was higher for primary alcohol use than for primary opiate use. The following states had an admission ratio for primary use of a non-opiate substance which was greater than that for primary alcohol use: Arizona, Arkansas, California, Hawaii, Kentucky, Louisiana, Maine, Oklahoma, and Utah (methamphetamine/amphetamines); Arizona, Maine, and Nevada (other/none specified) [Table 6.2b and Figures 6–12].

Reason for Discharge and Treatment Completion by State or Jurisdiction

- In 26 of 46 states and jurisdictions, treatment completion rates were less than 42 percent [Table 19.3b].
- Among discharges that completed treatment, the median length of stay in long-term residential treatment was 78 days: among discharges that completed intensive outpatient treatment, the median length of stay was 91 days. In seven states (Georgia, Massachusetts, Montana, Nebraska, New York, Puerto Rico, and Virginia) clients stayed in long-term residential treatment for a median of four months or longer (ranging between 120 and 352 days) [Table 20.1].
- The median length of stay for discharges that completed outpatient medication-assisted opioid therapy was 151 days; in ten states (Alabama, Colorado, Hawaii, Illinois, New York, North Dakota, Puerto Rico, Rhode Island, Washington, and Wyoming) clients stayed in treatment for a median of eight months or longer (ranging between 240 and 942 days) [Table 20.1].

Chapter 1
Characteristics of Admissions: 2020

All Admissions Aged 12 Years and Older

The tables associated with this chapter present data on the characteristics of all admissions in 2020 aged 12 years and older, by primary substance use.

- Alcohol and opiates were the most frequently reported primary substances in 2020, accounting for 31.2 and 29.6 percent of all admissions aged 12 years and older, respectively [Table 1.1b].
- In 2020, 70.8 percent of admissions aged 15 to 17 years were for primary marijuana/hashish use [Table 3.2b].
- The average age for all admissions was 38 years; 5 percent of admissions were aged 12 to 20 years [Tables 2.1a–b].
- Whites represented 67.9 percent of all admissions aged 12 years and older (42.4 percent were male and 25.5 percent were female). Blacks or African Americans represented 17.9 percent of all admissions (12.8 percent were male and 5.1 percent female) [Table 2.3b].
- Among all admissions aged 12 years and older, 85.3 percent were not of Hispanic or Latino origin (54.6 percent were male and 30.7 percent female) [Table 2.3b].
- Of all admissions, 39.4 percent reported no prior treatment episodes, 17.2 percent had one prior treatment episode, and 18.5 percent had five or more previous treatment episodes [Table 2.7b].
- The two largest sources of referrals to treatment were self- or individual referrals (46.2 percent) and the courts/criminal justice system (24.5 percent) [Table 2.8b].
- Most admissions (64.2 percent) received ambulatory treatment, 17.8 percent received rehabilitation/residential treatment, and 17.9 percent received detoxification (free-standing residential or hospital inpatient) treatment [Table 2.9b].

Chapter 2
Type of Treatment Services: 2020

TEDS records the type of service to which clients are admitted for treatment. The major categories are broadly defined as ambulatory, rehabilitation/residential, and detoxification. In this report, admissions for which medication-assisted opioid therapy (i.e., therapy using methadone, buprenorphine, and/or naltrexone) was planned have been categorized as a separate type of treatment service.

Table 4.1c shows the type of treatment service received by primary substance used.

- Ambulatory treatment services accounted for 53.3 percent of all admissions (43.4 percent in outpatient treatment and 9.9 percent in intensive outpatient treatment). Admissions for marijuana/hashish (87.2 percent), methamphetamines/amphetamines (59.1 percent), sedatives (55.5 percent), and cocaine (53.3 percent), received ambulatory treatment services in greater proportion than all admissions combined (53.3 percent).
- Detoxification services accounted for 17.6 percent of all admissions (14.9 percent in free-standing residential treatment, 2.0 percent in hospital inpatient treatment, and 0.7 percent in ambulatory treatment). Among admissions for tranquilizers, 32.6 percent received detoxification, whereas 1.9 percent of marijuana/hashish admissions received detoxification.
- Rehabilitation/residential treatment accounted for 15.8 percent of all admissions (9.2 percent in short-term treatment, 6.4 percent in long-term treatment, and 0.2 percent in hospital inpatient treatment). A greater proportion of admissions for cocaine, methamphetamine/amphetamines, tranquilizers, and alcohol (29, 27.7, 19.2, and 18.9 percent, respectively) received rehabilitation/ residential treatment services than among all admissions combined (15.8 percent).
- Planned medication-assisted opioid therapy accounted for about 13.4 percent of all admissions (10.2 percent in outpatient treatment, 2.0 percent in residential treatment, and 1.2 percent in detoxification treatment). Medication-assisted opioid therapy was planned for 38.7 percent of primary opiate admissions.

Chapter 3
Trends in Substance Use Treatment Admissions Aged 12 Years and Older: 2010–2020

This chapter details trends in the annual numbers and rates of admissions aged 12 years and older between 2010 and 2020. Trend data are valuable for monitoring changing patterns in substance use treatment admissions.

Trends in Primary Substance Use: 2010–2020

Tables 1.1a–b and Figure 1. The number of all admissions aged 12 years and older decreased from 1,928,013 in 2010 to 1,416,357 in 2020. Between 2010 and 2020, five substance groups accounted for between 86 and 96 percent of the primary substances reported among treatment admissions aged 12 years and older: alcohol, opiates, marijuana/hashish, cocaine, and methamphetamine/amphetamines. However, the proportions of admissions by primary substance used changed considerably during the period for most substances.

Figure 1. Primary substance use at admission: 2010–2020



SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Trends in Concurrent Alcohol and Drug Use

Table 1.2. The concurrent use of alcohol and drugs continues to be a significant problem. Because TEDS collects a maximum of three substances used, rather than all substances used, alcohol use among polydrug users may be underreported.

Trends in Demographic Characteristics

Table 1.3b and Figure 2. Males represented 67.1 percent of admissions aged 12 years and older in 2010 and 64.9 percent in 2020. In 2020, 49.0 percent of the U.S. population aged 12 years and older was male.

- The proportion of admissions aged 12 to 20 years decreased from 14.1 percent in 2010 to 5.1 percent in 2020.
- The proportion of admissions aged 25 to 34 years increased from 27.9 percent in 2010 to 33.6 percent in 2020.
- The proportion of admissions aged 50 years and older increased from 13.3 percent in 2010 to 19.8 percent in 2020

Figure 2. Age at admission: TEDS 2010–2020 and U.S. population 2020



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv.
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Tables 1.4a–b and Figures 3–4. The racial and ethnic composition of admissions aged 12 years and older between 2010 and 2020 was as follows:

- Whites increased from 65.9 percent of admissions in 2010 to 67.9 percent of admissions in 2020.
- Blacks or African Americans declined from 21.2 percent of admissions in 2010 to 18.0 percent of admissions in 2020.
- Admissions of Hispanic or Latino origin comprised between 13.7 and 14.6 percent of all admissions in each year between 2010 and 2020.
- Admissions that were not of Hispanic or Latino origin comprised between 86.3 and 85.4 percent of all admissions in each year between 2010 and 2020.

Figure 3. Race of admissions: TEDS 2010–2020 and U.S. population 2020



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv. Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Figure 4. Ethnicity of admissions: TEDS 2010–2020 and U.S. population 2020



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv.
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Com-monwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Trends in Employment Status

Table 1.5a and Figure 5. Between 2010 and 2020, the proportion of admissions aged 18 years and older that were employed ranged between 23.1 and 26.5 percent; 58.1 percent of the U.S. population aged 18 years and older was employed in 2020.

- Between 2010 and 2020, the proportion of admissions aged 18 years and older that were unemployed ranged between 37.8 and 42.4 percent.
- Between 2010 and 2020, the proportion of admissions aged 18 years and older that were not in the labor force ranged between 32.3 and 36.9 percent.

- In 2020, the proportion of TEDS admissions aged 18 years and older that were employed was 25.2 percent, whereas 58.1 percent of the U.S. population aged 18 years and older was employed.
- In 2020, the proportion of TEDS admissions aged 18 years and older that were unemployed was 42.4 percent, whereas 5.0 percent of the U.S. population aged 18 years and older was unemployed.
- In 2020, the proportion of TEDS admissions not in the labor force was 32.3 percent; similarly, 36.9 percent of the U.S. population aged 18 years and older was not in the labor force.

Table 1.5b presents admissions aged 18 years and older per 100,000 population and employment status adjusted for age, gender, race, and ethnicity to the 2010 U.S. population.

- The adjusted ratio of admissions that were employed declined from 178 per 100,000 population in 2010 to 121 per 100,000 population in 2020.
- The adjusted ratio of admissions that were not in the labor force declined from 267 per 100,000 population in 2010 to 155 per 100,000 population in 2020.

Figure 5. Employment status among admissions aged 18 years and older: 2010–2020



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Employment: Bureau of Labor Statistics, "Labor Force Statistics From the Current Population Survey," retrieved March 23, 2022, from https://www.bls.gov/cps/aa2020/cpsaat03.htm and https://www.bls.gov/cps/aa2020/cpsaat08.htm.

Chapter 4
Treatment Admissions Aged 12 Years and Older, by State or Jurisdiction, Primary Substance Use, and Selected Characteristics: 2010–2020

The tables associated with this chapter present data on substance use treatment admissions aged 12 years and older between 2010 and 2020 by state or jurisdiction, primary substance use, and selected demographic characteristics.

As noted previously, comparisons among states and jurisdictions should be made with caution. Many factors affect comparability (e.g., facilities included clients included ability to track multi-service episodes, services offered, and completeness and timeliness of reporting). See Appendix A for a full discussion.

Tables 7.1a–7.47b present, for each state or jurisdiction that reported admissions to TEDS for 2020, the number and percentage distribution of admissions aged 12 years and older, by demographic characteristics (gender, age group, and race) and by primary substance.

The choropleth maps of the United States that comprise Figures 6–12 present, for each primary substance, admissions per 100,000 population between 2010 and 2020. The color palette and data in these maps are divided into five equal-sized parts, or quintiles [Tables 5.2b–5.8b].

Figure 6. Primary alcohol admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.2b for population sources.

Figure 6. Primary alcohol admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 (continued)



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.2b for population sources.

Figure 7. Primary marijuana/hashish admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.3b for population sources.

Figure 7. Primary marijuana/hashish admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 (continued)



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.3b for population sources.

Figure 8. Primary cocaine admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.4b for population sources.

Figure 8. Primary cocaine admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 (continued)



2016
range (2-140)



2017
range (<1-159)



2018
range (<1-176)



2019
range (<1-168)



2020
range (1-102)

Incomplete data | <11 | 11-20
21-33 | 34-62 | 63 or more

SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.4b for population sources.

Figure 9. Primary methamphetamine/amphetamine admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.5b for population sources.

Figure 9. Primary methamphetamine/amphetamine admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 (continued)



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.5b for population sources.

Figure 10. Primary opiates (heroin and non-heroin) admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.6b for population sources.

Figure 10. Primary opiates (heroin and non-heroin) admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 (continued)



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.6b for population sources.

Figure 11. Primary heroin admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.7b for population sources.

Figure 11. Primary heroin admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 (continued)



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.7b for population sources.

Figure 12. Primary non-heroin opiates/synthetics admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.8b for population sources

Figure 12. Primary non-heroin opiates/synthetics admissions per 100,000 population aged 12 years and older, by state or jurisdiction: 2010–2020 (continued)



SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. See Table 5.8b for population sources

Chapter 5
Discharge Data Overview for All Types of Treatment Services: 2020

Type of Treatment Service

Tables 18.2a–b present the type of treatment service at discharge, by state or jurisdiction, for 2020 discharges. There was considerable state-to-state variability in the combination of types of treatment services available and in the proportions discharged from each.

Figure 13 illustrates the distribution of 2020 discharges among various types of treatment services. The majority were discharged from a type of outpatient treatment service; 44.4 percent from outpatient treatment and 11.9 percent from intensive outpatient treatment. In addition, 15.2 percent were discharged from detoxification, 13.3 percent from medication-assisted opioid therapy or detoxification, 8.6 percent from short-term residential treatment, 6.4 percent from long-term residential treatment, and less than 0.2 percent from hospital residential treatment.

Figure 13. Type of treatment service at discharge: 2020



SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Reason for Discharge by Type of Treatment Service

Table 9.1 and Figure 14 present the reason for discharge by type of treatment service. Note that in Table 9.1 and Figure 14, the *other* category includes data for death and incarceration; in Tables 19.3a through 19.5b, death and incarceration are shown separately.

- Among all discharges in 2020, 42.5 percent completed treatment. Another 22.6 percent were transferred to further substance use treatment.
- By type of treatment service, completion was reported in greatest proportion among discharges from hospital residential treatment (70.6 percent) and detoxification (61.8 percent).
- Treatment dropout was reported in greatest proportion among discharges from outpatient medication-assisted opioid therapy (33.9 percent) followed by long-term residential (28.6 percent) and intensive outpatient treatment (26.3 percent).

Figure 14. Reason for discharge, by type of treatment service: 2020



SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Median Length of Stay (LOS) by Type of Treatment Service and Reason for Discharge

Table 9.1.

- The median length of stay (LOS) was longest for discharges from outpatient medication-assisted opioid therapy (83 days) and outpatient treatment (57 days).
- The median LOS was shortest for discharges from detoxification (4 days) and medication-assisted opioid detoxification (5 days).

Figure 15.

- The median LOS for discharges that completed treatment was longer than or equal to those that did not complete treatment, across all types of treatment service except outpatient settings.
- The median LOS among discharges that completed treatment was 151 days for outpatient medication-assisted opioid therapy, 91 days for intensive outpatient treatment, 78 days for long- term residential treatment, 59 days for outpatient treatment, 26 days for short-term residential treatment, 14 days for hospital residential treatment, 7 days for medication-assisted opioid detoxification, and 5 days for detoxification.

Figure 15. Median length of stay (LOS), by reason for discharge and type of treatment service: 2020



MAOT = Medication-assisted opioid therapy.
SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Socio-Demographic and Substance Use Characteristics at Time of Admission

Tables 9.2a–b, 9.4a–b, and 9.6a–b summarize the number and percent distribution of characteristics at admission, by type of treatment service, for all discharges. Summary findings of the admission characteristics of all discharges combined include the following:

- Males accounted for 64.4 percent of all discharges [Table 9.2b].
- Of all discharges, 4.7 percent were aged 12 to 20 years at the time of admission, 16.0 percent were 25 to 29 years of age, and 19.4 percent were aged 50 years or older [Table 9.2b].
- Whites accounted for 69.1 percent of all discharges, and Blacks or African Americans accounted for 17.8 percent of all discharges [Table 9.2b].
- Discharges of Hispanic or Latino origin accounted for 87.3 percent of all discharges [Table 9.2b].
- Prior to the current episode, 59.9 percent of all discharges had at least one prior treatment episode [Table 9.2b].
- Self- or individual referrals accounted for 47.9 percent of all discharges; 23.6 percent were referred to treatment through a criminal justice/DUI source [Table 9.2b].
- Of discharges aged 18 years and older, 73.5 percent reported completing at least 12 years of education or a GED [Table 9.6b].

Treatment Completion

Tables 9.8a–b through 9.13a–b. Some general observations can be made about the characteristics at admission of episodes that resulted in treatment completion:

- Of discharges aged 18 years and older, the treatment completion rate was 31 percent among those that completed between Grades 9 and 11; however, among those with four years of college, university, technical school, or a bachelor's degree, the treatment completion rate was 45.9 percent [Table 9.12b].
- The treatment completion rates among discharges aged 12 to 17 years, by primary substance use at admission, were highest for alcohol (44.1 percent); the next highest completion rates were for cocaine (42.7 percent) and marijuana/hashish (36.4 percent) [Table 9.10b]. The treatment completion rates among discharges aged 18 years and older, by primary substance use at admission, were highest for alcohol (49.7 percent) followed by cocaine (34.0 percent) [Table 9.12b].
- The treatment completion rate was higher among discharges aged 18 years and older that reported being employed full-time at admission (44.9 percent) than among those that reported being unemployed or not in the labor force at admission (30.2 and 41.3 percent, respectively) [Table 9.12b].
- The treatment completion rate was highest among American Indians or Alaska Natives (67.5 percent) followed by Asians (45.1 percent) and Whites (40.3 percent) [Table 9.8b].

Chapter 6
Treatment Discharges Aged 12 Years and Older, by Reason for Discharge and by State or Jurisdiction: 2020

The tables associated with this chapter present data on substance use treatment discharges in 2020 for admissions aged 12 years and older, by reason for discharge and by state or jurisdiction.

Tables 10.1–17.1 present, for each state or jurisdiction that reported discharges in 2020, the reason for discharge from outpatient treatment [Table 10.1], intensive outpatient treatment [Table 11.1], short-term residential treatment [Table 12.1], long-term residential treatment [Table 13.1], hospital residential treatment [Table 14.1], detoxification [Table 15.1], outpatient medication-assisted opioid therapy [Table 16.1], and medication-assisted opioid detoxification [Table 17.1].

Tables 18.1a–b through 25.2 present discharge information by state or jurisdiction.

Tables

National Admissions

Table 1.1a. Admissions aged 12 years and older, by primary substance use: Number, 2010-2020

Primary substance	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	1,928,013	1,930,730	1,828,592	1,760,960	1,648,177	1,701,769	1,817,472	1,980,674	2,028,183	1,884,900	1,416,357
Alcohol	777,769	753,437	701,823	647,104	587,238	561,431	587,615	593,094	605,926	578,756	442,014
Alcohol only	428,094	413,913	386,281	364,562	326,277	314,885	330,887	333,819	343,257	324,343	248,433
Alcohol w/ secondary drug	349,675	339,524	315,542	282,542	260,961	246,546	256,728	259,275	262,669	254,413	193,581
Opiates	444,301	487,852	490,272	511,983	509,419	580,362	612,215	665,540	677,296	571,200	381,040
Heroin	270,236	286,264	305,439	345,940	371,184	438,929	465,421	513,545	520,140	441,986	292,126
Other opiates/synthetics	174,065	201,588	184,833	166,043	138,235	141,433	146,794	151,995	157,156	129,214	88,914
Non-Rx methadone	6,586	6,969	6,122	5,320	4,463	4,256	3,600	3,655	3,300	2,686	1,714
Other opiates/synthetics	167,479	194,619	178,711	160,723	133,772	137,177	143,194	148,340	153,856	126,528	87,200
Cocaine	159,105	152,419	126,437	107,106	89,681	86,707	92,285	104,677	115,029	108,003	71,725
Smoked cocaine	112,103	105,141	86,357	72,414	58,923	55,753	56,631	62,162	67,347	64,305	41,960
Non-smoked cocaine	47,002	47,278	40,080	34,692	30,758	30,954	35,654	42,515	47,682	43,698	29,765
Marijuana/hashish	358,034	352,367	317,646	292,473	253,367	242,386	248,166	247,427	246,686	211,484	139,481
Stimulants	118,588	116,723	126,560	141,021	145,382	147,123	189,096	208,287	227,121	227,833	179,313
Methamphetamine	108,340	106,538	116,877	131,007	136,043	137,002	178,004	196,186	213,965	214,381	167,722
Other amphetamines	9,010	8,622	8,641	9,125	8,538	8,800	9,195	9,939	10,309	10,768	9,367
Other stimulants	1,238	1,563	1,042	889	801	1,321	1,897	2,162	2,847	2,684	2,224
Other drugs	43,753	43,276	40,876	38,689	34,793	39,138	44,986	47,436	48,457	44,111	29,394
Tranquilizers	17,337	19,407	18,265	16,262	15,512	16,111	18,971	20,657	19,828	17,801	13,798
Benzodiazepines	16,819	18,973	17,881	15,950	15,255	15,882	18,747	20,455	19,658	17,665	13,679
Other tranquilizers	518	434	384	312	257	229	224	202	170	136	119
Sedatives/hypnotics	4,463	4,014	3,514	3,421	2,923	3,273	3,196	3,266	3,248	2,839	2,223
Barbiturates	1,401	950	778	1,021	1,131	1,261	1,176	1,058	1,047	936	752
Other sedatives/hypnotics	3,062	3,064	2,736	2,400	1,792	2,012	2,020	2,208	2,201	1,903	1,471
Hallucinogens	1,789	2,005	2,163	2,187	1,907	2,155	2,149	2,226	2,353	2,241	1,899
Phencyclidine (PCP)	4,715	5,754	5,847	5,465	4,941	4,908	4,983	5,167	5,026	5,068	3,692
Inhalants	1,538	1,261	1,151	945	814	800	942	916	889	741	696
Over-the-counter	2,295	1,321	1,090	1,078	943	923	999	858	796	720	493
Other	11,616	9,514	8,846	9,331	7,753	10,968	13,746	14,346	16,317	14,701	6,593
None reported	26,463	24,656	24,978	22,584	28,297	44,622	43,109	114,213	107,668	143,513	173,390

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 1.1b. Admissions aged 12 years and older, by primary substance use: Column percent distribution, 2010-2020

Primary substance	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Alcohol	40.3	39.0	38.4	36.7	35.6	33.0	32.3	29.9	29.9	30.7	31.2
Alcohol only	22.2	21.4	21.1	20.7	19.8	18.5	18.2	16.9	16.9	17.2	17.5
Alcohol w/ secondary drug	18.1	17.6	17.3	16.0	15.8	14.5	14.1	13.1	13.0	13.5	13.7
Opiates	23.0	25.3	26.8	29.1	30.9	34.1	33.7	33.6	33.4	30.3	26.9
Heroin	14.0	14.8	16.7	19.6	22.5	25.8	25.6	25.9	25.6	23.4	20.6
Other opiates/synthetics	9.0	10.4	10.1	9.4	8.4	8.3	8.1	7.7	7.7	6.9	6.3
Non-Rx methadone	0.3	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.1
Other opiates/synthetics	8.7	10.1	9.8	9.1	8.1	8.1	7.9	7.5	7.6	6.7	6.2
Cocaine	8.3	7.9	6.9	6.1	5.4	5.1	5.1	5.3	5.7	5.7	5.1
Smoked cocaine	5.8	5.4	4.7	4.1	3.6	3.3	3.1	3.1	3.3	3.4	3.0
Non-smoked cocaine	2.4	2.4	2.2	2.0	1.9	1.8	2.0	2.1	2.4	2.3	2.1
Marijuana/hashish	18.6	18.3	17.4	16.6	15.4	14.2	13.7	12.5	12.2	11.2	9.8
Stimulants	6.2	6.0	6.9	8.0	8.8	8.6	10.4	10.5	11.2	12.1	12.7
Methamphetamine	5.6	5.5	6.4	7.4	8.3	8.1	9.8	9.9	10.5	11.4	11.8
Other amphetamines	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.7
Other stimulants	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.2
Other drugs	2.3	2.2	2.2	2.2	2.1	2.3	2.5	2.4	2.4	2.3	2.1
Tranquilizers	0.9	1.0	1.0	0.9	0.9	0.9	1.0	1.0	1.0	0.9	1.0
Benzodiazepines	0.9	1.0	1.0	0.9	0.9	0.9	1.0	1.0	1.0	0.9	1.0
Other tranquilizers	*	*	*	*	*	*	*	*	*	*	*
Sedatives/hypnotics	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Barbiturates	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1
Other sedatives/hypnotics	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Hallucinogens	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Phencyclidine (PCP)	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3
Inhalants	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
Over-the-counter	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*
Other	0.6	0.5	0.5	0.5	0.5	0.6	0.8	0.7	0.8	0.8	0.5
None reported	1.4	1.3	1.4	1.3	1.7	2.6	2.4	5.8	5.3	7.6	12.2

* Less than 0.05 percent.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 1.2. Admissions aged 12 years and older, by concurrent use of alcohol and drugs: Number and column percent distribution, 2010-2020

Concurrent use of alcohol and drugs	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
						Number					
Total	1,928,013	1,930,730	1,828,592	1,760,960	1,648,177	1,701,769	1,817,472	1,980,674	2,028,183	1,884,900	1,416,357
Drug primary	1,123,781	1,152,637	1,101,791	1,091,272	1,032,642	1,095,716	1,186,748	1,273,367	1,314,589	1,162,631	800,953
Drug only	763,996	807,052	784,915	803,064	775,198	850,898	928,695	1,018,171	1,074,618	945,989	647,750
Drug w/ secondary alcohol	359,785	345,585	316,876	288,208	257,444	244,818	258,053	255,196	239,971	216,642	153,203
Alcohol primary	777,769	753,437	701,823	647,104	587,238	561,431	587,615	593,094	605,926	578,756	442,014
Alcohol only	428,094	413,913	386,281	364,562	326,277	314,885	330,887	333,819	343,257	324,343	248,433
Alcohol w/ secondary drug	349,675	339,524	315,542	282,542	260,961	246,546	256,728	259,275	262,669	254,413	193,581
No primary substance reported	26,463	24,656	24,978	22,584	28,297	44,622	43,109	114,213	107,668	143,513	173,390
						Column percent distribution					
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Drug primary	58.3	59.7	60.3	62.0	62.7	64.4	65.3	64.3	64.8	61.7	56.6
Drug only	39.6	41.8	42.9	45.6	47.0	50.0	51.1	51.4	53.0	50.2	45.7
Drug w/ secondary alcohol	18.7	17.9	17.3	16.4	15.6	14.4	14.2	12.9	11.8	11.5	10.8
Alcohol primary	40.3	39.0	38.4	36.7	35.6	33.0	32.3	29.9	29.9	30.7	31.2
Alcohol only	22.2	21.4	21.1	20.7	19.8	18.5	18.2	16.9	16.9	17.2	17.5
Alcohol w/ secondary drug	18.1	17.6	17.3	16.0	15.8	14.5	14.1	13.1	13.0	13.5	13.7
No primary substance reported	1.4	1.3	1.4	1.3	1.7	2.6	2.4	5.8	5.3	7.6	12.2

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 1.3a. Admissions aged 12 years and older, by gender and age at admission: Number and average age at admission, 2010-2020

Gender and age at admission	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	1,926,145	1,928,129	1,825,437	1,757,814	1,644,060	1,698,658	1,813,974	1,978,132	2,025,232	1,881,799	1,415,106
Gender											
Male	1,291,582	1,282,884	1,212,676	1,165,720	1,087,767	1,110,683	1,177,488	1,272,805	1,297,530	1,216,543	917,174
Female	632,316	643,522	611,767	591,694	555,882	587,506	635,568	703,882	724,983	663,451	497,049
No. of admissions	1,923,898	1,926,406	1,824,443	1,757,414	1,643,649	1,698,189	1,813,056	1,976,687	2,022,513	1,879,994	1,414,223
Age at admission											
12 years	1,614	1,882	1,823	1,512	1,064	884	980	1,368	1,107	1,274	618
13 years	6,148	6,507	5,996	5,013	3,722	3,205	3,036	3,384	2,909	3,211	1,809
14 years	15,198	15,824	13,729	11,680	8,711	7,785	7,349	7,644	7,092	7,309	4,227
15 years	29,813	30,806	26,199	22,139	17,236	15,231	14,501	14,645	13,198	12,899	7,503
16 years	43,057	43,565	36,673	30,704	24,146	22,082	20,950	20,728	18,187	16,549	10,281
17 years	45,699	46,571	39,139	32,748	25,474	23,889	22,879	22,185	19,743	16,652	10,322
18 years	34,795	32,761	29,104	24,994	19,683	18,014	17,876	17,686	15,990	13,352	9,530
19 years	43,576	39,647	35,448	31,272	25,174	23,031	22,824	23,128	21,132	16,962	12,152
20 years	52,500	49,789	44,222	39,153	32,780	30,313	29,457	28,995	26,738	22,531	15,961
21 to 24 years	239,501	237,409	225,574	218,682	196,363	188,229	189,735	184,412	169,610	141,894	102,021
25 to 29 years	299,681	301,395	291,492	290,984	283,467	301,028	330,544	356,050	351,000	308,169	223,536
30 to 34 years	237,710	250,520	250,827	254,268	248,673	265,399	295,145	327,997	341,044	322,942	251,869
35 to 39 years	198,377	187,850	178,688	179,119	178,711	195,948	225,791	262,207	282,588	270,799	213,072
40 to 44 years	211,288	204,812	186,020	169,966	154,122	154,116	158,875	176,236	190,625	190,797	154,602
45 to 49 years	211,548	205,551	187,648	171,794	155,730	158,155	162,360	175,570	176,851	161,848	117,737
50 to 54 years	144,634	152,720	148,580	145,998	139,502	145,975	150,294	163,177	166,733	155,604	112,866
55 to 59 years	71,087	77,263	78,619	80,085	80,749	89,981	98,372	116,135	129,262	125,792	92,693
60 to 64 years	26,701	29,870	31,239	32,806	33,859	38,616	43,859	52,636	62,360	63,048	50,325
65 to 69 years	8,767	8,845	9,632	10,033	10,284	11,826	13,681	16,872	20,482	21,152	16,835
70 to 74 years	2,943	3,050	3,340	3,318	3,046	3,241	3,582	4,748	5,940	6,151	5,027
75 years and older	1,508	1,492	1,445	1,546	1,564	1,710	1,884	2,329	2,641	2,864	2,120
No. of admissions	1,926,145	1,928,129	1,825,437	1,757,814	1,644,060	1,698,658	1,813,974	1,978,132	2,025,232	1,881,799	1,415,106
Average age at admission	34 yrs.	34 yrs.	35 yrs.	35 yrs.	35 yrs.	36 yrs.	36 yrs.	36 yrs.	37 yrs.	38 yrs.	38 yrs.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions (excluding Puerto Rico, due to insufficient Census data necessary for Tables 1.3a–b, 1.4a–b, and 1.5a–b).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 1.3b. Admissions aged 12 years and older, by gender and age at admission: Column percent distribution, 2010-2020, and 2020 U.S. population aged 12 years and older

Gender and age at admission	*TEDS admissions*											*U.S. pop. aged 12 years and older*
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*	*2020*
Gender												
Male	67.1	66.6	66.5	66.3	66.2	65.4	64.9	64.4	64.2	64.7	64.9	49.0
Female	32.9	33.4	33.5	33.7	33.8	34.6	35.1	35.6	35.8	35.3	35.1	51.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Age at admission												
12 years	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	1.5
13 years	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.1	1.5
14 years	0.8	0.8	0.8	0.7	0.5	0.5	0.4	0.4	0.4	0.4	0.3	1.5
15 years	1.5	1.6	1.4	1.3	1.0	0.9	0.8	0.7	0.7	0.7	0.5	1.5
16 years	2.2	2.3	2.0	1.7	1.5	1.3	1.2	1.0	0.9	0.9	0.7	1.5
17 years	2.4	2.4	2.1	1.9	1.5	1.4	1.3	1.1	1.0	0.9	0.7	1.5
18 years	1.8	1.7	1.6	1.4	1.2	1.1	1.0	0.9	0.8	0.7	0.7	1.5
19 years	2.3	2.1	1.9	1.8	1.5	1.4	1.3	1.2	1.0	0.9	0.9	1.5
20 years	2.7	2.6	2.4	2.2	2.0	1.8	1.6	1.5	1.3	1.2	1.1	1.5
21 to 24 years	12.4	12.3	12.4	12.4	11.9	11.1	10.5	9.3	8.4	7.5	7.2	6.1
25 to 29 years	15.6	15.6	16.0	16.6	17.2	17.7	18.2	18.0	17.3	16.4	15.8	8.2
30 to 34 years	12.3	13.0	13.7	14.5	15.1	15.6	16.3	16.6	16.8	17.2	17.8	8.1
35 to 39 years	10.3	9.7	9.8	10.2	10.9	11.5	12.4	13.3	14.0	14.4	15.1	7.8
40 to 44 years	11.0	10.6	10.2	9.7	9.4	9.1	8.8	8.9	9.4	10.1	10.9	7.2
45 to 49 years	11.0	10.7	10.3	9.8	9.5	9.3	9.0	8.9	8.7	8.6	8.3	7.1
50 to 54 years	7.5	7.9	8.1	8.3	8.5	8.6	8.3	8.2	8.2	8.3	8.0	7.2
55 to 59 years	3.7	4.0	4.3	4.6	4.9	5.3	5.4	5.9	6.4	6.7	6.6	7.7
60 to 64 years	1.4	1.5	1.7	1.9	2.1	2.3	2.4	2.7	3.1	3.4	3.6	7.4
65 to 69 years	0.5	0.5	0.5	0.6	0.6	0.7	0.8	0.9	1.0	1.1	1.2	6.3
70 to 74 years	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.4	5.2
75 years and older	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	8.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

* Less than 0.05 percent.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions (excluding Puerto Rico, due to insufficient Census data necessary for Tables 1.3a–b, 1.4a–b, and 1.5a–b). Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: U.S. Census Bureau, Population Estimates Program, NC-EST2020-ALLDATA: Monthly Population Estimates by Age, Sex, Race, and Hispanic Origin for the United States: April 1, 2010, to July 1, 2020 (with short-term projections to December 2021), https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/national/asrh/NC-EST2020-ALLDATA-R-File20.csv

Table 1.4a. Admissions aged 12 years and older, by race and ethnicity: Number, 2010-2020, and 2020 U.S. population aged 12 years and older

Race and ethnicity	*TEDS admissions*											*U.S. pop. aged 12 years and older (thousands)*
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*	*2020*
Total	1,926,145	1,928,129	1,825,437	1,757,814	1,644,060	1,698,658	1,813,974	1,978,132	2,025,232	1,881,799	1,415,106	281,798
Race												
American Indian or Alaska Native	46,608	46,611	45,221	45,349	42,899	40,871	43,633	48,209	53,077	52,841	46,521	3,463
Asian[1]	12,671	13,065	12,653	12,626	12,002	12,229	13,339	13,907	12,007	11,556	8,426	17,201
Black or African American	403,641	404,077	362,086	335,053	296,953	328,131	321,418	363,565	387,374	361,108	242,716	37,170
Native Hawaiian or Other Pacific Islander	9,225	8,859	7,500	7,195	7,170	8,049	7,572	7,483	7,089	6,733	5,110	680
White	1,255,465	1,266,966	1,219,319	1,180,264	1,091,555	1,111,567	1,202,106	1,300,669	1,305,896	1,196,686	916,827	216,726
Other	178,815	170,889	161,583	159,573	158,712	161,520	184,127	193,697	181,441	173,489	130,056	6,558
Total	1,906,425	1,910,467	1,808,362	1,740,060	1,609,291	1,662,367	1,772,195	1,927,530	1,946,884	1,802,413	1,349,656	281,798
Ethnicity												
Specific Hispanic or Latino origin	259,013	258,366	250,917	247,044	244,777	234,916	248,680	266,785	272,081	258,969	197,942	49,021
Mexican	86,403	81,263	82,917	82,446	82,024	75,918	82,687	84,666	81,183	77,603	59,291	n/a
Puerto Rican	69,467	71,079	67,893	66,176	62,377	61,834	61,988	63,648	64,166	62,006	46,954	n/a
Cuban	4,503	6,708	5,345	3,953	3,537	3,093	3,144	3,674	5,269	5,065	3,329	n/a
Other	98,640	99,316	94,762	94,469	96,839	94,071	100,861	114,797	121,463	114,295	88,368	n/a
Not of Hispanic or Latino origin	1,632,340	1,637,844	1,551,416	1,490,290	1,377,576	1,430,543	1,508,318	1,646,877	1,667,685	1,541,243	1,153,492	232,777
Total	1,891,353	1,896,210	1,802,333	1,737,334	1,622,353	1,665,459	1,756,998	1,913,662	1,939,766	1,800,212	1,351,434	281,798

n/a Population detail was not available.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions (excluding Puerto Rico, due to insufficient Census data necessary for Tables 1.3a–b, 1.4a–b, and 1.5a–b).

SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: U.S. Census Bureau, Population Estimates Program, NC-EST2020-ALLDATA: Monthly Population Estimates by Age, Sex, Race, and Hispanic Origin for the United States: April 1, 2010, to July 1, 2020 (with short-term projections to December 2021), https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/national/asrh/NC-EST2020-ALLDATA-R-File20.csv

Table 1.4b. Admissions aged 12 years and older, by race and ethnicity: Column percent distribution, 2010-2020, and 2020 U.S. population aged 12 years and older

Race and ethnicity	*TEDS admissions*											*U.S. pop. aged 12 years and older*
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*	*2020*
Total	1,926,145	1,928,129	1,825,437	1,757,814	1,644,060	1,698,658	1,813,974	1,978,132	2,025,232	1,881,799	1,415,106	281,798
Race												
American Indian or Alaska Native	2.4	2.4	2.5	2.6	2.7	2.5	2.5	2.5	2.7	2.9	3.4	1.2
Asian[1]	0.7	0.7	0.7	0.7	0.7	0.7	0.8	0.7	0.6	0.6	0.6	6.1
Black or African American	21.2	21.2	20.0	19.3	18.5	19.7	18.1	18.9	19.9	20.0	18.0	13.2
Native Hawaiian or Other Pacific Islander	0.5	0.5	0.4	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.2
White	65.9	66.3	67.4	67.8	67.8	66.9	67.8	67.5	67.1	66.4	67.9	76.9
Other	9.4	8.9	8.9	9.2	9.9	9.7	10.4	10.0	9.3	9.6	9.6	2.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Ethnicity												
Specific Hispanic or Latino origin	13.7	13.6	13.9	14.2	15.1	14.1	14.2	13.9	14.0	14.4	14.6	17.4
Mexican	4.6	4.3	4.6	4.7	5.1	4.6	4.7	4.4	4.2	4.3	4.4	*n/a*
Puerto Rican	3.7	3.7	3.8	3.8	3.8	3.7	3.5	3.3	3.3	3.4	3.5	*n/a*
Cuban	0.2	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	*n/a*
Other	5.2	5.2	5.3	5.4	6.0	5.6	5.7	6.0	6.3	6.3	6.5	*n/a*
Not of Hispanic or Latino origin	86.3	86.4	86.1	85.8	84.9	85.9	85.8	86.1	86.0	85.6	85.4	82.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

n/a Population detail was not available.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions (excluding Puerto Rico, due to insufficient Census data necessary for Tables 1.3a–b, 1.4a–b, and 1.5a–b). Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: U.S. Census Bureau, Population Estimates Program, NC-EST2020-ALLDATA: Monthly Population Estimates by Age, Sex, Race, and Hispanic Origin for the United States: April 1, 2010, to July 1, 2020 (with short-term projections to December 2021), https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/national/asrh/NC-EST2020-ALLDATA-R-File20.csv

Table 1.5a. Admissions aged 18 years and older, by employment status, number and column percent distribution: 2010-2020, and 2020 U.S. population aged 18 years and older

Employment status	*TEDS admissions (number)*											*U.S. population (number, in thousands)*
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*	*2020*
No. of admissions	1,784,616	1,782,974	1,701,878	1,654,018	1,563,707	1,625,582	1,744,279	1,908,178	1,962,996	1,823,905	1,380,346	251,565
Employment status												
Employed	406,400	390,906	381,605	384,017	370,771	393,353	421,424	441,591	462,381	438,542	304,781	146,077
Full time	270,951	262,138	257,560	258,945	250,440	270,526	294,759	313,975	333,724	319,511	224,936	122,922
Part time	135,449	128,768	124,045	125,072	120,331	122,827	126,665	127,616	128,657	119,031	79,845	23,155
Unemployed	738,399	733,557	688,560	665,050	621,590	618,697	646,695	675,081	677,414	625,872	513,005	12,583
Not in labor force	611,677	609,981	588,004	582,349	548,221	582,421	569,864	596,609	611,141	589,880	390,743	92,905
Total	1,756,476	1,734,444	1,658,169	1,631,416	1,540,582	1,594,471	1,637,983	1,713,281	1,750,936	1,654,294	1,208,529	251,565
	TEDS admissions (column percent)											*U.S. population (column percent)*
Employed	23.1	22.5	23.0	23.5	24.1	24.7	25.7	25.8	26.4	26.5	25.2	58.1
Full time	15.4	15.1	15.5	15.9	16.3	17.0	18.0	18.3	19.1	19.3	18.6	48.9
Part time	7.7	7.4	7.5	7.7	7.8	7.7	7.7	7.4	7.3	7.2	6.6	9.2
Unemployed	42.0	42.3	41.5	40.8	40.3	38.8	39.5	39.4	38.7	37.8	42.4	5.0
Not in labor force	34.8	35.2	35.5	35.7	35.6	36.5	34.8	34.8	34.9	35.7	32.3	36.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions (excluding Puerto Rico, due to insufficient Census data necessary for Tables 1.3a–b, 1.4a–b, and 1.5a–b). Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Employment: Bureau of Labor Statistics, Labor Force Statistics from the Current Population Survey, Tables 3 and 8, https://www.bls.gov/cps/tables.htm

Table 1.5b. Admissions aged 18 years and older per 100,000 population, by employment status: 2010-2020, adjusted for age, gender, and race/ethnicity

Employment status	*TEDS admissions per 100,000 population aged 18 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
All admissions	780	772	726	699	654	672	713	776	789	728	549
Employment status											
Employed	178	169	163	162	155	163	172	180	186	175	121
Full time	118	114	110	109	105	112	121	128	134	128	89
Part time	59	56	53	53	50	51	52	52	52	48	32
Unemployed	323	318	294	281	260	256	264	274	272	250	204
Not in labor force	267	264	251	246	229	241	233	243	246	236	155

Employment status	*TEDS admissions per 100,000 population aged 18 years and older, adjusted for age, gender, and race/ethnicity* [1]										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Employment status											
Employed	159	153	149	150	144	152	162	170	178	168	117
Full time	106	103	101	101	97	104	114	121	128	122	86
Part time	53	50	48	49	47	47	49	49	49	46	31
Unemployed	291	288	270	260	242	238	249	259	260	239	198
Not in labor force	246	244	234	230	216	228	220	231	235	225	150
Total	696	685	652	640	601	618	631	661	672	633	465

[1] Adjusted for age, gender, and race/ethnicity to the 2010 U.S. resident population.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions (excluding Puerto Rico, due to insufficient Census data necessary for Tables 1.3a–b, 1.4a–b, and 1.5a–b).

SOURCES: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: U.S. Census Bureau, Population Estimates Program, NC-EST2020-ALLDATA: Monthly Population Estimates by Age, Sex, Race, and Hispanic Origin for the United States: April 1, 2010, to July 1, 2020 (with short-term projections to December 2021), https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/national/asrh/NC-EST2020-ALLDATA-R-File20.csv. Employment: Bureau of Labor Statistics, Labor Force Statistics from the Current Population Survey, Tables 3 and 8, https://www.bls.gov/cps/tables.htm

Table 2.1a. Gender and age at admission among admissions aged 12 years and older, by primary substance use: Number and average age at admission, 2020

Gender and age at admission	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Gender															
Male	918,299	172,252	138,421	195,049	51,126	25,129	20,182	95,360	100,412	8,507	1,114	1,358	2,371	418	106,600
Female	497,175	76,077	55,040	96,916	37,753	16,815	9,552	44,014	76,463	5,290	1,108	539	1,319	278	76,011
No. of admissions	1,415,474	248,329	193,461	291,965	88,879	41,944	29,734	139,374	176,875	13,797	2,222	1,897	3,690	696	182,611
Age at admission															
12 years	618	22	12	1	- -	1	1	241	7	1	- -	1	- -	1	330
13 years	1,809	32	73	4	4	2	5	1,123	18	11	4	3	1	4	525
14 years	4,227	116	186	5	21	2	13	2,863	79	35	3	10	1	4	889
15 years	7,503	227	378	14	73	3	35	5,354	172	86	20	29	2	12	1,098
16 years	10,284	332	547	36	127	15	64	7,489	312	142	26	44	1	11	1,138
17 years	10,323	374	688	87	180	21	93	7,060	498	193	41	70	4	8	1,006
18 years	9,535	592	796	414	433	39	158	4,037	741	250	40	52	2	7	1,974
19 years	12,161	819	1,124	939	705	65	209	4,267	1,442	394	54	59	7	5	2,072
20 years	15,973	1,136	1,572	1,639	1,029	142	313	4,912	2,242	459	56	62	13	9	2,389
21 to 24 years	102,090	9,857	11,907	18,074	6,622	1,113	2,121	20,692	15,285	1,852	191	218	81	63	14,014
25 to 29 years	223,641	23,950	25,332	57,689	17,054	3,141	4,679	26,293	33,841	2,549	309	362	394	114	27,934
30 to 34 years	252,021	32,083	30,219	65,542	19,898	4,749	5,146	20,502	38,818	2,545	268	372	864	152	30,863
35 to 39 years	213,290	34,039	28,774	48,667	15,892	5,071	4,534	13,762	33,007	1,955	216	244	1,015	95	26,019
40 to 44 years	154,807	30,510	23,243	30,857	9,827	4,929	3,683	8,593	21,985	1,089	167	163	720	71	18,970
45 to 49 years	117,886	29,093	19,149	21,166	6,062	5,421	2,798	4,877	12,980	702	119	96	309	71	15,043
50 to 54 years	112,989	30,963	21,268	19,567	4,450	7,097	2,653	3,596	8,432	603	93	57	122	20	14,068
55 to 59 years	92,786	28,771	17,613	14,695	3,311	6,248	2,062	2,308	4,938	473	72	34	117	31	12,113
60 to 64 years	50,386	16,868	8,091	8,287	2,089	2,959	913	1,098	1,873	304	69	14	37	15	7,769
65 to 69 years	16,861	5,730	2,067	3,402	830	769	231	322	336	109	85	7	1	1	2,971
70 to 74 years	5,037	2,007	419	869	240	140	42	66	56	32	136	2	- -	2	1,026
75 years and older	2,130	912	123	172	67	33	12	26	27	14	254	- -	1	- -	489
No. of admissions	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Average age at admission	38 yrs.	43 yrs.	40 yrs.	37 yrs.	36 yrs.	45 yrs.	38 yrs.	28 yrs.	35 yrs.	33 yrs.	43 yrs.	31 yrs.	37 yrs.	35 yrs.	38 yrs.

- - Quantity is zero.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.1b. Gender and age at admission among admissions aged 12 years and older, by primary substance use: Column percent distribution and average age at admission, 2020

Gender and age at admission	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Gender															
Male	64.9	69.4	71.5	66.8	57.5	59.9	67.9	68.4	56.8	61.7	50.1	71.6	64.3	60.1	58.4
Female	35.1	30.6	28.5	33.2	42.5	40.1	32.1	31.6	43.2	38.3	49.9	28.4	35.7	39.9	41.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,415,474	248,329	193,461	291,965	88,879	41,944	29,734	139,374	176,875	13,797	2,222	1,897	3,690	696	182,611
Age at admission															
12 years	*	*	*	*	- -	*	*	0.2	*	*	- -	0.1	- -	0.1	0.2
13 years	0.1	*	*	*	*	*	*	0.8	*	0.1	0.2	0.2	*	0.6	0.3
14 years	0.3	*	0.1	*	*	*	*	2.1	*	0.3	0.1	0.5	*	0.6	0.5
15 years	0.5	0.1	0.2	*	0.1	*	0.1	3.8	0.1	0.6	0.9	1.5	0.1	1.7	0.6
16 years	0.7	0.1	0.3	*	0.1	*	0.2	5.4	0.2	1.0	1.2	2.3	*	1.6	0.6
17 years	0.7	0.2	0.4	*	0.2	0.1	0.3	5.1	0.3	1.4	1.8	3.7	0.1	1.1	0.6
18 years	0.7	0.2	0.4	0.1	0.5	0.1	0.5	2.9	0.4	1.8	1.8	2.7	0.1	1.0	1.1
19 years	0.9	0.3	0.6	0.3	0.8	0.2	0.7	3.1	0.8	2.9	2.4	3.1	0.2	0.7	1.1
20 years	1.1	0.5	0.8	0.6	1.2	0.3	1.1	3.5	1.3	3.3	2.5	3.3	0.4	1.3	1.3
21 to 24 years	7.2	4.0	6.2	6.2	7.4	2.7	7.1	14.8	8.6	13.4	8.6	11.5	2.2	9.1	7.7
25 to 29 years	15.8	9.6	13.1	19.7	19.2	7.5	15.7	18.9	19.1	18.5	13.9	19.1	10.7	16.4	15.3
30 to 34 years	17.8	12.9	15.6	22.4	22.4	11.3	17.3	14.7	21.9	18.4	12.1	19.6	23.4	21.8	16.9
35 to 39 years	15.1	13.7	14.9	16.7	17.9	12.1	15.2	9.9	18.6	14.2	9.7	12.8	27.5	13.6	14.2
40 to 44 years	10.9	12.3	12.0	10.6	11.1	11.7	12.4	6.2	12.4	7.9	7.5	8.6	19.5	10.2	10.4
45 to 49 years	8.3	11.7	9.9	7.2	6.8	12.9	9.4	3.5	7.3	5.1	5.4	5.1	8.4	10.2	8.2
50 to 54 years	8.0	12.5	11.0	6.7	5.0	16.9	8.9	2.6	4.8	4.4	4.2	3.0	3.3	2.9	7.7
55 to 59 years	6.6	11.6	9.1	5.0	3.7	14.9	6.9	1.7	2.8	3.4	3.2	1.8	3.2	4.5	6.6
60 to 64 years	3.6	6.8	4.2	2.8	2.3	7.1	3.1	0.8	1.1	2.2	3.1	0.7	1.0	2.2	4.3
65 to 69 years	1.2	2.3	1.1	1.2	0.9	1.8	0.8	0.2	0.2	0.8	3.8	0.4	*	0.1	1.6
70 to 74 years	0.4	0.8	0.2	0.3	0.3	0.3	0.1	*	*	0.2	6.1	0.1	- -	0.3	0.6
75 years and older	0.2	0.4	0.1	0.1	0.1	0.1	*	*	*	0.1	11.4	- -	*	- -	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Average age at admission	38 yrs.	43 yrs.	40 yrs.	37 yrs.	36 yrs.	45 yrs.	38 yrs.	28 yrs.	35 yrs.	33 yrs.	43 yrs.	31 yrs.	37 yrs.	35 yrs.	38 yrs.

- - Quantity is zero; * Less than 0.05 percent.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.1c. Gender and age at admission among admissions aged 12 years and older, by primary substance use: Row percent distribution, 2020

Gender and age at admission	No. of admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified	Total
Total	1,416,357	17.5	13.7	20.6	6.3	3.0	2.1	9.8	12.5	1.0	0.2	0.1	0.3	*	12.9	100.0
Gender																
Male	918,299	18.8	15.1	21.2	5.6	2.7	2.2	10.4	10.9	0.9	0.1	0.1	0.3	*	11.6	100.0
Female	497,175	15.3	11.1	19.5	7.6	3.4	1.9	8.9	15.4	1.1	0.2	0.1	0.3	0.1	15.3	100.0
Age at admission																
12 years	618	3.6	1.9	0.2	- -	0.2	0.2	39.0	1.1	0.2	- -	0.2	- -	0.2	53.4	100.0
13 years	1,809	1.8	4.0	0.2	0.2	0.1	0.3	62.1	1.0	0.6	0.2	0.2	0.1	0.2	29.0	100.0
14 years	4,227	2.7	4.4	0.1	0.5	0.0	0.3	67.7	1.9	0.8	0.1	0.2	*	0.1	21.0	100.0
15 years	7,503	3.0	5.0	0.2	1.0	0.0	0.5	71.4	2.3	1.1	0.3	0.4	*	0.2	14.6	100.0
16 years	10,284	3.2	5.3	0.4	1.2	0.1	0.6	72.8	3.0	1.4	0.3	0.4	*	0.1	11.1	100.0
17 years	10,323	3.6	6.7	0.8	1.7	0.2	0.9	68.4	4.8	1.9	0.4	0.7	*	0.1	9.7	100.0
18 years	9,535	6.2	8.3	4.3	4.5	0.4	1.7	42.3	7.8	2.6	0.4	0.5	*	0.1	20.7	100.0
19 years	12,161	6.7	9.2	7.7	5.8	0.5	1.7	35.1	11.9	3.2	0.4	0.5	0.1	0.0	17.0	100.0
20 years	15,973	7.1	9.8	10.3	6.4	0.9	2.0	30.8	14.0	2.9	0.4	0.4	0.1	0.1	15.0	100.0
21 to 24 years	102,090	9.7	11.7	17.7	6.5	1.1	2.1	20.3	15.0	1.8	0.2	0.2	0.1	0.1	13.7	100.0
25 to 29 years	223,641	10.7	11.3	25.8	7.6	1.4	2.1	11.8	15.1	1.1	0.1	0.2	0.2	0.1	12.5	100.0
30 to 34 years	252,021	12.7	12.0	26.0	7.9	1.9	2.0	8.1	15.4	1.0	0.1	0.1	0.3	0.1	12.2	100.0
35 to 39 years	213,290	16.0	13.5	22.8	7.5	2.4	2.1	6.5	15.5	0.9	0.1	0.1	0.5	*	12.2	100.0
40 to 44 years	154,807	19.7	15.0	19.9	6.3	3.2	2.4	5.6	14.2	0.7	0.1	0.1	0.5	*	12.3	100.0
45 to 49 years	117,886	24.7	16.2	18.0	5.1	4.6	2.4	4.1	11.0	0.6	0.1	0.1	0.3	0.1	12.8	100.0
50 to 54 years	112,989	27.4	18.8	17.3	3.9	6.3	2.3	3.2	7.5	0.5	0.1	0.1	0.1	*	12.5	100.0
55 to 59 years	92,786	31.0	19.0	15.8	3.6	6.7	2.2	2.5	5.3	0.5	0.1	*	0.1	*	13.1	100.0
60 to 64 years	50,386	33.5	16.1	16.4	4.1	5.9	1.8	2.2	3.7	0.6	0.1	*	0.1	*	15.4	100.0
65 to 69 years	16,861	34.0	12.3	20.2	4.9	4.6	1.4	1.9	2.0	0.6	0.5	*	*	*	17.6	100.0
70 to 74 years	5,037	39.8	8.3	17.3	4.8	2.8	0.8	1.3	1.1	0.6	2.7	*	- -	*	20.4	100.0
75 years and older	2,130	42.8	5.8	8.1	3.1	1.5	0.6	1.2	1.3	0.7	11.9	- -	*	- -	23.0	100.0

- - Quantity is zero; * Less than 0.05 percent.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.2a. Race and ethnicity among admissions aged 12 years and older, by primary substance use: Number, 2020

Race and ethnicity	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Race															
American Indian or Alaska Native	46,522	10,837	6,223	3,653	1,270	264	285	2,413	5,788	79	25	32	25	24	15,604
Asian[1]	8,426	1,892	859	1,418	441	143	207	873	1,429	89	16	12	7	3	1,037
Black or African American	242,728	34,571	48,992	36,963	9,177	21,312	9,598	46,637	11,643	1,020	179	563	2,403	51	19,619
Native Hawaiian or Other Pacific Islander	5,115	716	548	954	231	81	92	543	1,247	47	10	4	7	2	633
White	916,884	173,116	113,664	209,300	69,566	16,636	15,528	69,419	133,354	11,244	1,776	1,055	663	531	101,032
Other	131,089	21,160	18,967	35,133	6,432	3,084	3,479	16,608	19,669	1,161	196	185	526	73	4,416
Total	1,350,764	242,292	189,253	287,421	87,117	41,520	29,189	136,493	173,130	13,640	2,202	1,851	3,631	684	142,341
Ethnicity															
Specific Hispanic or Latino origin	199,178	34,701	28,485	50,741	9,252	4,051	5,472	25,622	30,453	1,670	291	267	853	83	7,237
Mexican	59,291	11,325	7,959	10,157	2,556	361	882	7,494	17,086	241	104	50	83	29	964
Puerto Rican	48,170	4,803	7,122	23,015	2,047	1,556	1,663	4,819	984	520	41	73	451	17	1,059
Cuban	3,330	641	327	653	179	215	222	547	294	39	7	4	19	4	179
Other	88,387	17,932	13,077	16,916	4,470	1,919	2,705	12,762	12,089	870	139	140	300	33	5,035
Not of Hispanic or Latino origin	1,153,503	209,005	161,309	237,171	77,695	37,182	23,611	109,832	143,348	11,944	1,902	1,583	2,779	600	135,542
Total	1,352,681	243,706	189,794	287,912	86,947	41,233	29,083	135,454	173,801	13,614	2,193	1,850	3,632	683	142,779

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.2b. Race and ethnicity among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020

Race and ethnicity	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Race															
American Indian or Alaska Native	3.4	4.5	3.3	1.3	1.5	0.6	1.0	1.8	3.3	0.6	1.1	1.7	0.7	3.5	11.0
Asian[1]	0.6	0.8	0.5	0.5	0.5	0.3	0.7	0.6	0.8	0.7	0.7	0.6	0.2	0.4	0.7
Black or African American	18.0	14.3	25.9	12.9	10.5	51.3	32.9	34.2	6.7	7.5	8.1	30.4	66.2	7.5	13.8
Native Hawaiian or Other Pacific Islander	0.4	0.3	0.3	0.3	0.3	0.2	0.3	0.4	0.7	0.3	0.5	0.2	0.2	0.3	0.4
White	67.9	71.4	60.1	72.8	79.9	40.1	53.2	50.9	77.0	82.4	80.7	57.0	18.3	77.6	71.0
Other	9.7	8.7	10.0	12.2	7.4	7.4	11.9	12.2	11.4	8.5	8.9	10.0	14.5	10.7	3.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Ethnicity															
Specific Hispanic or Latino origin	14.7	14.2	15.0	17.6	10.6	9.8	18.8	18.9	17.5	12.3	13.3	14.4	23.5	12.2	5.1
Mexican	4.4	4.6	4.2	3.5	2.9	0.9	3.0	5.5	9.8	1.8	4.7	2.7	2.3	4.2	0.7
Puerto Rican	3.6	2.0	3.8	8.0	2.4	3.8	5.7	3.6	0.6	3.8	1.9	3.9	12.4	2.5	0.7
Cuban	0.2	0.3	0.2	0.2	0.2	0.5	0.8	0.4	0.2	0.3	0.3	0.2	0.5	0.6	0.1
Other	6.5	7.4	6.9	5.9	5.1	4.7	9.3	9.4	7.0	6.4	6.3	7.6	8.3	4.8	3.5
Not of Hispanic or Latino origin	85.3	85.8	85.0	82.4	89.4	90.2	81.2	81.1	82.5	87.7	86.7	85.6	76.5	87.8	94.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.2c. Race and ethnicity among admissions aged 12 years and older, by primary substance use: Row percent distribution, 2020

Race and ethnicity	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified	Total
Total	1,416,357	17.5	13.7	20.6	6.3	3.0	2.1	9.8	12.5	1.0	0.2	0.1	0.3	*	12.9	100.0
Race																
American Indian or Alaska Native	46,522	23.3	13.4	7.9	2.7	0.6	0.6	5.2	12.4	0.2	0.1	0.1	0.1	0.1	33.5	100.0
Asian[1]	8,426	22.5	10.2	16.8	5.2	1.7	2.5	10.4	17.0	1.1	0.2	0.1	0.1	*	12.3	100.0
Black or African American	242,728	14.2	20.2	15.2	3.8	8.8	4.0	19.2	4.8	0.4	0.1	0.2	1.0	*	8.1	100.0
Native Hawaiian or Other Pacific Islander	5,115	14.0	10.7	18.7	4.5	1.6	1.8	10.6	24.4	0.9	0.2	0.1	0.1	*	12.4	100.0
White	916,884	18.9	12.4	22.8	7.6	1.8	1.7	7.6	14.5	1.2	0.2	0.1	0.1	0.1	11.0	100.0
Other	131,089	16.1	14.5	26.8	4.9	2.4	2.7	12.7	15.0	0.9	0.1	0.1	0.4	0.1	3.4	100.0
Total	1,350,764	17.9	14.0	21.3	6.4	3.1	2.2	10.1	12.8	1.0	0.2	0.1	0.3	0.1	10.5	100.0
Ethnicity																
Specific Hispanic or Latino origin	199,178	17.4	14.3	25.5	4.6	2.0	2.7	12.9	15.3	0.8	0.1	0.1	0.4	*	3.6	100.0
Mexican	59,291	19.1	13.4	17.1	4.3	0.6	1.5	12.6	28.8	0.4	0.2	0.1	0.1	*	1.6	100.0
Puerto Rican	48,170	10.0	14.8	47.8	4.2	3.2	3.5	10.0	2.0	1.1	0.1	0.2	0.9	*	2.2	100.0
Cuban	3,330	19.2	9.8	19.6	5.4	6.5	6.7	16.4	8.8	1.2	0.2	0.1	0.6	0.1	5.4	100.0
Other	88,387	20.3	14.8	19.1	5.1	2.2	3.1	14.4	13.7	1.0	0.2	0.2	0.3	*	5.7	100.0
Not of Hispanic or Latino origin	1,153,503	18.1	14.0	20.6	6.7	3.2	2.0	9.5	12.4	1.0	0.2	0.1	0.2	0.1	11.8	100.0
Total	1,352,681	18.0	14.0	21.3	6.4	3.0	2.2	10.0	12.8	1.0	0.2	0.1	0.3	0.1	10.6	100.0

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.3a. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Number, 2020

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Race															
American Indian or Alaska Native male	28,047	8,062	4,115	1,922	610	128	163	1,488	2,735	49	13	24	12	15	8,711
12 to 17 years	424	25	63	4	3	- -	1	291	27	- -	- -	1	- -	1	8
18 to 20 years	818	111	98	25	17	3	4	125	90	4	1	3	- -	1	336
21 to 24 years	2,084	345	279	131	41	4	16	245	261	13	4	2	- -	- -	743
25 to 29 years	3,865	648	545	394	144	7	26	265	495	10	3	6	1	3	1,318
30 to 34 years	4,676	1,012	641	428	120	17	21	203	575	5	2	2	2	3	1,645
35 to 39 years	4,446	1,256	677	308	95	14	28	121	452	9	2	4	1	2	1,477
40 to 44 years	3,190	851	480	239	84	22	28	116	367	3	- -	4	3	1	992
45 years and older	8,544	3,814	1,332	393	106	61	39	122	468	5	1	2	5	4	2,192
American Indian or Alaska Native female	18,463	2,773	2,105	1,731	660	136	120	924	3,049	30	12	8	13	9	6,893
12 to 17 years	382	27	80	- -	6	- -	1	202	52	2	1	1	- -	1	9
18 to 20 years	671	71	69	32	17	1	5	81	123	4	- -	1	- -	2	265
21 to 24 years	1,739	190	174	189	73	5	13	117	364	5	- -	2	2	- -	605
25 to 29 years	3,344	352	340	428	129	9	20	178	636	5	3	2	1	1	1,240
30 to 34 years	3,746	438	439	410	153	23	25	131	732	3	1	1	3	1	1,386
35 to 39 years	3,011	468	327	291	88	29	17	90	530	6	4	1	5	3	1,152
40 to 44 years	2,064	353	276	152	70	12	16	47	334	3	2	- -	1	- -	798
45 years and older	3,506	874	400	229	124	57	23	78	278	2	1	- -	1	1	1,438
Asian[1] male	5,998	1,404	637	1,048	298	108	144	656	980	70	11	11	5	3	623
12 to 17 years	186	3	18	- -	2	- -	- -	141	3	2	2	1	- -	1	13
18 to 20 years	177	17	19	3	10	3	1	84	9	10	- -	1	- -	1	19
21 to 24 years	524	76	70	73	40	4	14	138	42	19	3	2	- -	- -	43
25 to 29 years	1,000	176	98	231	76	5	28	105	163	15	1	4	- -	- -	98
30 to 34 years	1,125	210	117	235	65	13	34	82	217	7	3	1	3	- -	138
35 to 39 years	966	209	109	197	52	17	18	49	221	13	1	1	1	1	77
40 to 44 years	723	241	78	121	13	9	17	24	156	1	1	- -	- -	- -	62
45 years and older	1,297	472	128	188	40	57	32	33	169	3	- -	1	1	- -	173

Continued. See notes at end of table.

Table 2.3a. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Number, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Asian[1] female	2,425	488	222	369	143	35	63	216	448	19	5	1	2	- -	414
12 to 17 years	107	4	9	- -	- -	- -	2	69	3	2	1	- -	- -	- -	17
18 to 20 years	95	5	9	13	10	- -	2	24	4	1	1	1	- -	- -	25
21 to 24 years	231	47	28	29	14	2	8	26	27	3	- -	- -	- -	- -	47
25 to 29 years	460	73	43	107	29	4	16	31	85	4	- -	- -	- -	- -	68
30 to 34 years	493	93	30	84	28	5	13	34	129	6	2	- -	- -	- -	69
35 to 39 years	379	85	37	67	23	10	8	10	85	- -	- -	- -	1	- -	53
40 to 44 years	254	54	34	26	7	2	6	16	68	- -	1	- -	- -	- -	40
45 years and older	406	127	32	43	32	12	8	6	47	3	- -	- -	1	- -	95
Black or African American male	173,145	25,248	37,354	26,887	5,586	13,708	6,841	34,396	8,120	660	111	424	1,583	29	12,198
12 to 17 years	5,689	72	79	3	22	- -	2	4,121	14	17	1	10	- -	1	1,347
18 to 20 years	3,871	96	259	84	186	18	35	2,598	111	68	10	6	6	2	392
21 to 24 years	10,039	701	1,171	630	627	128	190	5,003	466	142	17	28	16	1	919
25 to 29 years	21,159	2,287	3,170	2,339	1,321	418	665	7,318	1,540	126	28	92	119	7	1,729
30 to 34 years	21,757	3,029	3,809	2,674	1,058	770	860	5,505	1,754	93	15	102	330	4	1,754
35 to 39 years	19,492	3,167	4,222	2,225	759	912	982	3,744	1,423	61	13	64	448	3	1,469
40 to 44 years	16,836	3,018	3,893	2,069	513	1,169	974	2,520	1,110	28	8	53	353	2	1,126
45 years and older	74,302	12,878	20,751	16,863	1,100	10,293	3,133	3,587	1,702	125	19	69	311	9	3,462
Black or African American female	69,456	9,309	11,621	10,056	3,589	7,595	2,748	12,221	3,492	360	68	139	818	22	7,418
12 to 17 years	1,942	61	50	4	13	2	5	1,135	25	11	3	2	2	1	628
18 to 20 years	1,906	88	163	50	48	35	24	1,034	97	28	6	8	4	- -	321
21 to 24 years	5,439	449	710	362	266	162	201	2,143	447	35	5	10	11	4	634
25 to 29 years	11,158	1,288	1,495	1,160	761	545	559	3,063	860	84	18	28	101	2	1,194
30 to 34 years	11,268	1,596	1,712	1,246	827	743	517	2,190	876	55	15	46	200	3	1,242
35 to 39 years	8,644	1,324	1,507	1,026	572	832	381	1,205	572	54	7	19	240	8	897
40 to 44 years	6,450	1,125	1,206	834	364	834	291	639	319	28	2	9	174	1	624
45 years and older	22,649	3,378	4,778	5,374	738	4,442	770	812	296	65	12	17	86	3	1,878

Continued. See notes at end of table.

Table 2.3a. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Number, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Native Hawaiian or Other Pacific Islander male	3,382	533	392	661	138	53	64	355	791	38	5	4	5	1	342
12 to 17 years	121	4	8	- -	2	2	3	88	4	1	1	- -	- -	- -	8
18 to 20 years	98	3	11	4	11	- -	- -	38	15	3	1	- -	- -	- -	12
21 to 24 years	287	48	36	47	8	4	4	49	44	7	- -	- -	- -	- -	40
25 to 29 years	558	62	69	107	29	5	10	51	130	13	1	1	1	- -	79
30 to 34 years	565	79	43	118	34	8	15	54	137	2	1	3	- -	- -	71
35 to 39 years	543	79	69	107	21	12	16	30	152	9	- -	- -	2	- -	46
40 to 44 years	428	65	58	104	18	2	4	17	127	1	- -	- -	2	1	29
45 years and older	782	193	98	174	15	20	12	28	182	2	1	- -	- -	- -	57
Native Hawaiian or Other Pacific Islander female	1,728	183	156	292	93	28	28	188	454	9	5	- -	2	1	289
12 to 17 years	94	1	9	- -	1	- -	1	68	10	- -	- -	- -	- -	- -	4
18 to 20 years	52	5	3	4	3	- -	1	17	10	2	- -	- -	- -	- -	7
21 to 24 years	144	13	13	20	8	- -	5	21	40	- -	- -	- -	- -	- -	24
25 to 29 years	292	18	16	53	20	- -	7	31	80	1	1	- -	1	- -	64
30 to 34 years	386	34	43	85	26	10	5	26	96	1	- -	- -	1	- -	59
35 to 39 years	286	31	34	53	13	3	2	9	95	1	- -	- -	- -	- -	45
40 to 44 years	182	26	17	24	4	3	4	7	56	1	- -	- -	- -	- -	40
45 years and older	292	55	21	53	18	12	3	9	67	3	4	- -	- -	1	46

Continued. See notes at end of table.

Table 2.3a. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Number, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
White male	572,108	116,804	78,387	133,979	39,262	8,867	9,933	44,582	74,192	6,750	837	725	374	320	57,096
12 to 17 years	12,828	439	748	62	175	9	79	9,156	375	230	33	84	7	17	1,414
18 to 20 years	14,302	1,133	1,566	1,269	977	79	302	4,792	1,626	621	68	95	6	8	1,760
21 to 24 years	38,310	4,311	5,232	7,852	2,721	350	809	6,196	5,731	969	81	107	14	28	3,909
25 to 29 years	89,269	10,338	10,733	28,420	7,203	815	1,580	7,204	12,725	1,230	138	122	45	54	8,662
30 to 34 years	105,066	14,085	13,054	33,722	8,749	1,244	1,827	5,899	15,059	1,287	108	115	81	70	9,766
35 to 39 years	89,883	15,336	12,285	24,458	7,348	1,329	1,525	4,248	13,871	943	96	76	102	34	8,232
40 to 44 years	65,566	14,149	9,665	15,061	4,554	1,233	1,218	2,774	10,067	540	73	49	56	43	6,084
45 years and older	156,884	57,013	25,104	23,135	7,535	3,808	2,593	4,313	14,738	930	240	77	63	66	17,269
White female	344,306	56,252	35,216	75,206	30,277	7,765	5,581	24,791	59,042	4,493	938	328	289	211	43,917
12 to 17 years	6,317	292	493	54	82	19	71	3,827	391	134	28	33	- -	10	883
18 to 20 years	8,898	601	776	1,137	462	79	215	2,312	1,746	223	26	28	- -	3	1,290
21 to 24 years	27,243	2,256	2,482	6,718	1,914	320	513	3,674	5,713	459	51	38	13	22	3,070
25 to 29 years	60,436	5,308	5,224	18,036	5,537	949	1,040	4,590	12,063	829	85	57	51	33	6,634
30 to 34 years	69,927	7,434	6,638	19,477	7,151	1,394	1,115	4,055	13,872	900	90	72	96	48	7,585
35 to 39 years	56,833	8,010	5,951	13,515	5,664	1,389	939	2,717	11,204	720	74	50	65	37	6,498
40 to 44 years	36,920	6,995	4,587	6,922	3,397	1,124	611	1,476	6,587	353	62	24	35	17	4,730
45 years and older	77,732	25,356	9,065	9,347	6,070	2,491	1,077	2,140	7,466	875	522	26	29	41	13,227
Other male	93,042	15,639	14,325	27,204	4,059	1,984	2,623	11,796	11,284	845	118	133	345	41	2,646
Other female	37,910	5,506	4,621	7,912	2,369	1,099	853	4,787	8,342	316	78	52	181	32	1,762
Total	1,350,010	242,201	189,151	287,267	87,084	41,506	29,161	136,400	172,929	13,639	2,201	1,849	3,629	684	142,309

Continued. See notes at end of table.

Table 2.3a. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Number, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Ethnicity															
Specific Hispanic or Latino origin	199,023	34,688	28,461	50,720	9,248	4,050	5,468	25,601	30,392	1,670	291	267	853	83	7,231
Mexican male	40,208	8,745	5,891	6,953	1,537	229	686	5,340	9,918	164	66	36	49	17	577
12 to 17 years	2,692	73	128	7	48	4	20	2,201	64	19	8	11	4	2	103
18 to 20 years	1,587	157	176	78	164	7	35	646	223	41	24	2	- -	2	32
21 to 24 years	3,456	551	554	399	243	16	82	732	744	49	15	8	2	6	55
25 to 29 years	7,214	1,138	1,033	1,500	338	20	179	724	2,135	22	8	7	10	3	97
30 to 34 years	6,636	1,250	1,025	1,277	302	26	127	442	2,057	20	3	2	5	3	97
35 to 39 years	5,744	1,282	889	1,035	176	42	95	268	1,882	4	1	2	4	1	63
40 to 44 years	4,173	1,102	632	713	101	29	64	165	1,309	5	4	- -	5	- -	44
45 years and older	8,706	3,192	1,454	1,944	165	85	84	162	1,504	4	3	4	19	- -	86
Mexican female	19,014	2,576	2,061	3,199	1,018	132	195	2,146	7,127	77	38	14	34	12	385
12 to 17 years	1,149	35	98	4	15	1	6	824	72	16	10	4	- -	1	63
18 to 20 years	751	62	81	88	63	1	9	206	193	19	8	3	- -	- -	18
21 to 24 years	2,049	226	223	306	110	9	39	295	781	13	4	2	2	6	33
25 to 29 years	4,119	446	427	829	227	15	53	354	1,678	5	2	1	6	- -	76
30 to 34 years	3,930	457	422	646	224	17	28	249	1,806	2	5	2	1	4	67
35 to 39 years	2,838	414	312	469	138	24	22	113	1,283	10	1	1	6	1	44
40 to 44 years	1,730	311	204	260	97	25	11	57	720	6	2	1	8	- -	28
45 years and older	2,448	625	294	597	144	40	27	48	594	6	6	- -	11	- -	56
Puerto Rican male	37,772	3,647	5,622	19,101	1,446	1,027	1,293	3,506	659	393	25	63	310	16	664
12 to 17 years	478	8	10	- -	- -	- -	2	331	1	6	2	1	- -	- -	117
18 to 20 years	491	17	41	61	31	3	9	292	4	9	5	1	1	- -	17
21 to 24 years	1,776	105	186	529	141	23	46	560	78	47	4	5	8	1	43
25 to 29 years	4,024	268	483	1,741	286	59	133	755	132	56	2	9	29	- -	71
30 to 34 years	5,033	399	649	2,497	290	133	180	520	119	57	4	13	72	1	99
35 to 39 years	5,547	463	818	2,860	257	166	210	399	118	49	5	12	98	3	89
40 to 44 years	5,697	477	860	3,209	150	168	224	310	90	49	2	13	58	2	85
45 years and older	14,726	1,910	2,575	8,204	291	475	489	339	117	120	1	9	44	9	143

Continued. See notes at end of table.

Table 2.3a. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Number, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Puerto Rican female	10,362	1,152	1,491	3,902	599	528	367	1,311	322	127	16	10	141	1	395
12 to 17 years	294	4	8	- -	- -	1	1	162	3	3	2	- -	- -	- -	110
18 to 20 years	261	11	29	34	12	4	8	127	7	4	- -	2	- -	- -	23
21 to 24 years	787	50	103	194	41	20	29	247	48	9	1	1	4	1	39
25 to 29 years	1,638	143	223	594	131	59	57	261	63	24	2	2	22	- -	57
30 to 34 years	1,775	166	209	670	130	92	56	236	89	23	4	- -	50	- -	50
35 to 39 years	1,665	202	248	644	101	101	84	143	40	16	2	2	45	- -	37
40 to 44 years	1,242	149	217	537	75	77	45	61	23	23	1	1	10	- -	23
45 years and older	2,700	427	454	1,229	109	174	87	74	49	25	4	2	10	- -	56
Cuban male	2,406	498	248	475	104	163	176	385	169	25	4	3	15	3	138
12 to 17 years	237	5	4	- -	1	- -	- -	134	- -	1	- -	- -	- -	1	91
18 to 20 years	66	1	8	- -	8	1	3	34	4	2	2	- -	1	- -	2
21 to 24 years	132	11	8	12	6	7	11	45	14	6	1	1	- -	- -	10
25 to 29 years	282	27	26	64	23	15	24	43	39	6	1	2	3	1	8
30 to 34 years	366	38	46	134	26	13	22	45	29	6	- -	- -	3	- -	4
35 to 39 years	270	47	24	66	14	25	16	36	28	3	- -	- -	4	1	6
40 to 44 years	264	84	36	48	6	28	22	12	22	1	- -	- -	- -	- -	5
45 years and older	789	285	96	151	20	74	78	36	33	- -	- -	- -	4	- -	12

Continued. See notes at end of table.

Table 2.3a. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Number, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Cuban female	924	143	79	178	75	52	46	162	125	14	3	1	4	1	41
12 to 17 years	93	3	3	- -	- -	1	- -	54	4	1	- -	1	- -	- -	26
18 to 20 years	30	2	1	5	- -	- -	1	8	12	1	- -	- -	- -	- -	- -
21 to 24 years	76	5	3	19	6	3	5	17	14	2	- -	- -	- -	- -	2
25 to 29 years	168	15	8	42	17	10	7	27	32	3	- -	- -	1	- -	6
30 to 34 years	189	35	19	37	20	11	9	28	23	2	1	- -	2	- -	2
35 to 39 years	133	17	13	37	10	11	8	17	16	2	- -	- -	- -	- -	2
40 to 44 years	77	18	7	12	10	4	8	1	16	- -	- -	- -	1	- -	- -
45 years and older	158	48	25	26	12	12	8	10	8	3	2	- -	- -	1	3
Other male[2]	60,884	13,087	9,648	12,388	2,777	1,206	1,973	9,081	6,638	559	89	94	189	18	3,137
Other female[2]	27,453	4,840	3,421	4,524	1,692	713	732	3,670	5,434	311	50	46	111	15	1,894
Not of Hispanic or Latino origin male	737,508	143,147	114,465	153,434	44,090	22,075	15,601	74,424	81,201	7,269	911	1,126	1,770	354	77,641
Not of Hispanic or Latino origin female	415,451	65,786	46,769	83,619	33,585	15,094	7,987	35,341	62,017	4,674	990	455	1,007	246	57,881
Total	1,351,982	243,621	189,695	287,773	86,923	41,219	29,056	135,366	173,610	13,613	2,192	1,848	3,630	683	142,753

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] Refers to the categories "other specific Hispanic" and "Hispanic or Latino, specific origin not specified."

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.3b. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Race															
American Indian or Alaska Native male	2.1	3.3	2.2	0.7	0.7	0.3	0.6	1.1	1.6	0.4	0.6	1.3	0.3	2.2	6.1
12 to 17 years	*	*	*	*	*	- -	*	0.2	*	- -	- -	0.1	- -	0.1	*
18 to 20 years	0.1	*	0.1	*	*	*	*	0.1	0.1	*	*	0.2	- -	0.1	0.2
21 to 24 years	0.2	0.1	0.1	*	*	*	0.1	0.2	0.2	0.1	0.2	0.1	- -	- -	0.5
25 to 29 years	0.3	0.3	0.3	0.1	0.2	*	0.1	0.2	0.3	0.1	0.1	0.3	*	0.4	0.9
30 to 34 years	0.3	0.4	0.3	0.1	0.1	*	0.1	0.1	0.3	*	0.1	0.1	0.1	0.4	1.2
35 to 39 years	0.3	0.5	0.4	0.1	0.1	*	0.1	0.1	0.3	0.1	0.1	0.2	*	0.3	1.0
40 to 44 years	0.2	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.2	*	- -	0.2	0.1	0.1	0.7
45 years and older	0.6	1.6	0.7	0.1	0.1	0.1	0.1	0.1	0.3	*	*	0.1	0.1	0.6	1.5
American Indian or Alaska Native female	1.4	1.1	1.1	0.6	0.8	0.3	0.4	0.7	1.8	0.2	0.5	0.4	0.4	1.3	4.8
12 to 17 years	*	*	*	- -	*	- -	*	0.1	*	*	*	0.1	- -	0.1	*
18 to 20 years	*	*	*	*	*	*	*	0.1	0.1	*	- -	0.1	- -	0.3	0.2
21 to 24 years	0.1	0.1	0.1	0.1	0.1	*	*	0.1	0.2	*	- -	0.1	0.1	- -	0.4
25 to 29 years	0.2	0.1	0.2	0.1	0.1	*	0.1	0.1	0.4	*	0.1	0.1	*	0.1	0.9
30 to 34 years	0.3	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.4	*	*	0.1	0.1	0.1	1.0
35 to 39 years	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.3	*	0.2	0.1	0.1	0.4	0.8
40 to 44 years	0.2	0.1	0.1	0.1	0.1	*	0.1	*	0.2	*	0.1	- -	*	- -	0.6
45 years and older	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.2	*	*	- -	*	0.1	1.0
Asian[1] male	0.4	0.6	0.3	0.4	0.3	0.3	0.5	0.5	0.6	0.5	0.5	0.6	0.1	0.4	0.4
12 to 17 years	*	*	*	- -	*	- -	- -	0.1	*	*	0.1	0.1	- -	0.1	*
18 to 20 years	*	*	*	*	*	*	*	0.1	*	0.1	- -	0.1	- -	0.1	*
21 to 24 years	*	*	*	*	*	*	*	0.1	*	0.1	0.1	0.1	- -	- -	*
25 to 29 years	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1	0.1	*	0.2	- -	- -	0.1
30 to 34 years	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	- -	0.1
35 to 39 years	0.1	0.1	0.1	0.1	0.1	*	0.1	*	0.1	0.1	*	0.1	*	0.1	0.1
40 to 44 years	0.1	0.1	*	*	*	*	0.1	*	0.1	*	*	- -	- -	- -	*
45 years and older	0.1	0.2	0.1	0.1	*	0.1	0.1	*	0.1	*	- -	0.1	*	- -	0.1

Continued. See notes at end of table.

Table 2.3b. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Asian[1] female	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.3	0.1	0.2	0.1	0.1	- -	0.3
12 to 17 years	*	*	*	- -	- -	- -	*	0.1	*	*	*	- -	- -	- -	*
18 to 20 years	*	*	*	*	*	- -	*	*	*	*	*	0.1	- -	- -	*
21 to 24 years	*	*	*	*	*	*	*	*	*	*	- -	- -	- -	- -	*
25 to 29 years	*	*	*	*	*	*	0.1	*	*	*	- -	- -	- -	- -	*
30 to 34 years	*	*	*	*	*	*	*	*	0.1	*	0.1	- -	- -	- -	*
35 to 39 years	*	*	*	*	*	*	*	*	*	- -	- -	- -	*	- -	*
40 to 44 years	*	*	*	*	*	*	*	*	*	- -	*	- -	- -	- -	*
45 years and older	*	0.1	*	*	*	*	*	*	*	*	- -	- -	*	- -	0.1
Black or African American male	12.8	10.4	19.7	9.4	6.4	33.0	23.5	25.2	4.7	4.8	5.0	22.9	43.6	4.2	8.6
12 to 17 years	0.4	*	*	*	*	- -	*	3.0	*	0.1	*	0.5	- -	0.1	0.9
18 to 20 years	0.3	*	0.1	*	0.2	*	0.1	1.9	0.1	0.5	0.5	0.3	0.2	0.3	0.3
21 to 24 years	0.7	0.3	0.6	0.2	0.7	0.3	0.7	3.7	0.3	1.0	0.8	1.5	0.4	0.1	0.6
25 to 29 years	1.6	0.9	1.7	0.8	1.5	1.0	2.3	5.4	0.9	0.9	1.3	5.0	3.3	1.0	1.2
30 to 34 years	1.6	1.3	2.0	0.9	1.2	1.9	2.9	4.0	1.0	0.7	0.7	5.5	9.1	0.6	1.2
35 to 39 years	1.4	1.3	2.2	0.8	0.9	2.2	3.4	2.7	0.8	0.4	0.6	3.5	12.3	0.4	1.0
40 to 44 years	1.2	1.2	2.1	0.7	0.6	2.8	3.3	1.8	0.6	0.2	0.4	2.9	9.7	0.3	0.8
45 years and older	5.5	5.3	11.0	5.9	1.3	24.8	10.7	2.6	1.0	0.9	0.9	3.7	8.6	1.3	2.4
Black or African American female	5.1	3.8	6.1	3.5	4.1	18.3	9.4	9.0	2.0	2.6	3.1	7.5	22.5	3.2	5.2
12 to 17 years	0.1	*	*	*	*	*	*	0.8	*	0.1	0.1	0.1	0.1	0.1	0.4
18 to 20 years	0.1	*	0.1	*	0.1	0.1	0.1	0.8	0.1	0.2	0.3	0.4	0.1	- -	0.2
21 to 24 years	0.4	0.2	0.4	0.1	0.3	0.4	0.7	1.6	0.3	0.3	0.2	0.5	0.3	0.6	0.4
25 to 29 years	0.8	0.5	0.8	0.4	0.9	1.3	1.9	2.2	0.5	0.6	0.8	1.5	2.8	0.3	0.8
30 to 34 years	0.8	0.7	0.9	0.4	0.9	1.8	1.8	1.6	0.5	0.4	0.7	2.5	5.5	0.4	0.9
35 to 39 years	0.6	0.5	0.8	0.4	0.7	2.0	1.3	0.9	0.3	0.4	0.3	1.0	6.6	1.2	0.6
40 to 44 years	0.5	0.5	0.6	0.3	0.4	2.0	1.0	0.5	0.2	0.2	0.1	0.5	4.8	0.1	0.4
45 years and older	1.7	1.4	2.5	1.9	0.8	10.7	2.6	0.6	0.2	0.5	0.5	0.9	2.4	0.4	1.3

Continued. See notes at end of table.

Table 2.3b. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Mari-juana/ hashish	Metham-phetamine/ amphet-amines	Tran-quil-izers	Seda-tives	Hallu-cino-gens	Phen-cycli-dine (PCP)	Inhal-ants	Other/ none speci-fied
Native Hawaiian or Other Pacific Islander male	0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.3	0.5	0.3	0.2	0.2	0.1	0.1	0.2
12 to 17 years	*	*	*	- -	*	*	*	0.1	*	*	*	- -	- -	- -	*
18 to 20 years	*	*	*	*	*	- -	- -	*	*	*	*	- -	- -	- -	*
21 to 24 years	*	*	*	*	*	*	*	*	*	0.1	- -	- -	- -	- -	*
25 to 29 years	*	*	*	*	*	*	*	*	0.1	0.1	*	0.1	*	- -	0.1
30 to 34 years	*	*	*	*	*	*	0.1	*	0.1	*	*	0.2	- -	- -	*
35 to 39 years	*	*	*	*	*	*	0.1	*	0.1	0.1	- -	- -	0.1	- -	*
40 to 44 years	*	*	*	*	*	*	*	*	0.1	*	- -	- -	0.1	0.1	*
45 years and older	0.1	0.1	0.1	0.1	*	*	*	*	0.1	*	*	- -	- -	- -	*
Native Hawaiian or Other Pacific Islander female	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.2	- -	0.1	0.1	0.2
12 to 17 years	*	*	*	- -	*	- -	*	*	*	- -	- -	- -	- -	- -	*
18 to 20 years	*	*	*	*	*	- -	*	*	*	*	- -	- -	- -	- -	*
21 to 24 years	*	*	*	*	*	- -	*	*	*	- -	- -	- -	- -	- -	*
25 to 29 years	*	*	*	*	*	- -	*	*	*	*	*	- -	*	- -	*
30 to 34 years	*	*	*	*	*	*	*	*	0.1	*	- -	- -	*	- -	*
35 to 39 years	*	*	*	*	*	*	*	*	0.1	*	- -	- -	- -	- -	*
40 to 44 years	*	*	*	*	*	*	*	*	*	*	- -	- -	- -	- -	*
45 years and older	*	*	*	*	*	*	*	*	*	*	0.2	- -	- -	0.1	*

Continued. See notes at end of table.

Table 2.3b. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
White male	42.4	48.2	41.4	46.6	45.1	21.4	34.1	32.7	42.9	49.5	38.0	39.2	10.3	46.8	40.1
12 to 17 years	1.0	0.2	0.4	*	0.2	*	0.3	6.7	0.2	1.7	1.5	4.5	0.2	2.5	1.0
18 to 20 years	1.1	0.5	0.8	0.4	1.1	0.2	1.0	3.5	0.9	4.6	3.1	5.1	0.2	1.2	1.2
21 to 24 years	2.8	1.8	2.8	2.7	3.1	0.8	2.8	4.5	3.3	7.1	3.7	5.8	0.4	4.1	2.7
25 to 29 years	6.6	4.3	5.7	9.9	8.3	2.0	5.4	5.3	7.4	9.0	6.3	6.6	1.2	7.9	6.1
30 to 34 years	7.8	5.8	6.9	11.7	10.0	3.0	6.3	4.3	8.7	9.4	4.9	6.2	2.2	10.2	6.9
35 to 39 years	6.7	6.3	6.5	8.5	8.4	3.2	5.2	3.1	8.0	6.9	4.4	4.1	2.8	5.0	5.8
40 to 44 years	4.9	5.8	5.1	5.2	5.2	3.0	4.2	2.0	5.8	4.0	3.3	2.7	1.5	6.3	4.3
45 years and older	11.6	23.5	13.3	8.1	8.7	9.2	8.9	3.2	8.5	6.8	10.9	4.2	1.7	9.6	12.1
White female	25.5	23.2	18.6	26.2	34.8	18.7	19.1	18.2	34.1	32.9	42.6	17.7	8.0	30.8	30.9
12 to 17 years	0.5	0.1	0.3	*	0.1	*	0.2	2.8	0.2	1.0	1.3	1.8	- -	1.5	0.6
18 to 20 years	0.7	0.2	0.4	0.4	0.5	0.2	0.7	1.7	1.0	1.6	1.2	1.5	- -	0.4	0.9
21 to 24 years	2.0	0.9	1.3	2.3	2.2	0.8	1.8	2.7	3.3	3.4	2.3	2.1	0.4	3.2	2.2
25 to 29 years	4.5	2.2	2.8	6.3	6.4	2.3	3.6	3.4	7.0	6.1	3.9	3.1	1.4	4.8	4.7
30 to 34 years	5.2	3.1	3.5	6.8	8.2	3.4	3.8	3.0	8.0	6.6	4.1	3.9	2.6	7.0	5.3
35 to 39 years	4.2	3.3	3.1	4.7	6.5	3.3	3.2	2.0	6.5	5.3	3.4	2.7	1.8	5.4	4.6
40 to 44 years	2.7	2.9	2.4	2.4	3.9	2.7	2.1	1.1	3.8	2.6	2.8	1.3	1.0	2.5	3.3
45 years and older	5.8	10.5	4.8	3.3	7.0	6.0	3.7	1.6	4.3	6.4	23.7	1.4	0.8	6.0	9.3
Other male	6.9	6.5	7.6	9.5	4.7	4.8	9.0	8.6	6.5	6.2	5.4	7.2	9.5	6.0	1.9
Other female	2.8	2.3	2.4	2.8	2.7	2.6	2.9	3.5	4.8	2.3	3.5	2.8	5.0	4.7	1.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Continued. See notes at end of table.

Table 2.3b. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Mari-juana/ hashish	Metham-phetamine/ amphet-amines	Tran-quil-izers	Seda-tives	Hallu-cino-gens	Phen-cycli-dine (PCP)	Inhal-ants	Other/ none speci-fied
Ethnicity															
Specific Hispanic or Latino origin	199,023	34,688	28,461	50,720	9,248	4,050	5,468	25,601	30,392	1,670	291	267	853	83	7,231
Mexican male	3.0	3.6	3.1	2.4	1.8	0.6	2.4	3.9	5.7	1.2	3.0	1.9	1.3	2.5	0.4
12 to 17 years	0.2	*	0.1	*	0.1	*	0.1	1.6	*	0.1	0.4	0.6	0.1	0.3	0.1
18 to 20 years	0.1	0.1	0.1	*	0.2	*	0.1	0.5	0.1	0.3	1.1	0.1	- -	0.3	*
21 to 24 years	0.3	0.2	0.3	0.1	0.3	*	0.3	0.5	0.4	0.4	0.7	0.4	0.1	0.9	*
25 to 29 years	0.5	0.5	0.5	0.5	0.4	*	0.6	0.5	1.2	0.2	0.4	0.4	0.3	0.4	0.1
30 to 34 years	0.5	0.5	0.5	0.4	0.3	0.1	0.4	0.3	1.2	0.1	0.1	0.1	0.1	0.4	0.1
35 to 39 years	0.4	0.5	0.5	0.4	0.2	0.1	0.3	0.2	1.1	*	*	0.1	0.1	0.1	*
40 to 44 years	0.3	0.5	0.3	0.2	0.1	0.1	0.2	0.1	0.8	*	0.2	- -	0.1	- -	*
45 years and older	0.6	1.3	0.8	0.7	0.2	0.2	0.3	0.1	0.9	*	0.1	0.2	0.5	- -	0.1
Mexican female	1.4	1.1	1.1	1.1	1.2	0.3	0.7	1.6	4.1	0.6	1.7	0.8	0.9	1.8	0.3
12 to 17 years	0.1	*	0.1	*	*	*	*	0.6	*	0.1	0.5	0.2	- -	0.1	*
18 to 20 years	0.1	*	*	*	0.1	*	*	0.2	0.1	0.1	0.4	0.2	- -	- -	*
21 to 24 years	0.2	0.1	0.1	0.1	0.1	*	0.1	0.2	0.4	0.1	0.2	0.1	0.1	0.9	*
25 to 29 years	0.3	0.2	0.2	0.3	0.3	*	0.2	0.3	1.0	*	0.1	0.1	0.2	- -	0.1
30 to 34 years	0.3	0.2	0.2	0.2	0.3	*	0.1	0.2	1.0	*	0.2	0.1	*	0.6	*
35 to 39 years	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.7	0.1	*	0.1	0.2	0.1	*
40 to 44 years	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.4	*	0.1	0.1	0.2	- -	*
45 years and older	0.2	0.3	0.2	0.2	0.2	0.1	0.1	*	0.3	*	0.3	- -	0.3	- -	*
Puerto Rican male	2.8	1.5	3.0	6.6	1.7	2.5	4.5	2.6	0.4	2.9	1.1	3.4	8.5	2.3	0.5
12 to 17 years	*	*	*	- -	- -	- -	*	0.2	*	*	0.1	0.1	- -	- -	0.1
18 to 20 years	*	*	*	*	*	*	*	0.2	*	0.1	0.2	0.1	*	- -	*
21 to 24 years	0.1	*	0.1	0.2	0.2	0.1	0.2	0.4	*	0.3	0.2	0.3	0.2	0.1	*
25 to 29 years	0.3	0.1	0.3	0.6	0.3	0.1	0.5	0.6	0.1	0.4	0.1	0.5	0.8	- -	*
30 to 34 years	0.4	0.2	0.3	0.9	0.3	0.3	0.6	0.4	0.1	0.4	0.2	0.7	2.0	0.1	0.1
35 to 39 years	0.4	0.2	0.4	1.0	0.3	0.4	0.7	0.3	0.1	0.4	0.2	0.6	2.7	0.4	0.1
40 to 44 years	0.4	0.2	0.5	1.1	0.2	0.4	0.8	0.2	0.1	0.4	0.1	0.7	1.6	0.3	0.1
45 years and older	1.1	0.8	1.4	2.9	0.3	1.2	1.7	0.3	0.1	0.9	*	0.5	1.2	1.3	0.1

Continued. See notes at end of table.

Table 2.3b. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission													
		Alcohol		Opiates		Cocaine		Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route								
Puerto Rican female	0.8	0.5	0.8	1.4	0.7	1.3	1.3	1.0	0.2	0.9	0.7	0.5	3.9	0.1	0.3
12 to 17 years	*	*	*	- -	- -	*	*	0.1	*	*	0.1	- -	- -	- -	0.1
18 to 20 years	*	*	*	*	*	*	*	0.1	*	*	- -	0.1	- -	- -	*
21 to 24 years	0.1	*	0.1	0.1	*	*	0.1	0.2	*	0.1	*	0.1	0.1	0.1	*
25 to 29 years	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.2	*	0.2	0.1	0.1	0.6	- -	*
30 to 34 years	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.2	- -	1.4	- -	*
35 to 39 years	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.1	*	0.1	0.1	0.1	1.2	- -	*
40 to 44 years	0.1	0.1	0.1	0.2	0.1	0.2	0.2	*	*	0.2	*	0.1	0.3	- -	*
45 years and older	0.2	0.2	0.2	0.4	0.1	0.4	0.3	0.1	*	0.2	0.2	0.1	0.3	- -	*
Cuban male	0.2	0.2	0.1	0.2	0.1	0.4	0.6	0.3	0.1	0.2	0.2	0.2	0.4	0.4	0.1
12 to 17 years	*	*	*	- -	*	- -	- -	0.1	- -	*	- -	- -	- -	0.1	0.1
18 to 20 years	*	*	*	- -	*	*	*	*	*	*	0.1	- -	*	- -	*
21 to 24 years	*	*	*	*	*	*	*	*	*	*	*	0.1	- -	- -	*
25 to 29 years	*	*	*	*	*	*	0.1	*	*	*	*	0.1	0.1	0.1	*
30 to 34 years	*	*	*	*	*	*	0.1	*	*	*	- -	- -	0.1	- -	*
35 to 39 years	*	*	*	*	*	0.1	0.1	*	*	*	- -	- -	0.1	0.1	*
40 to 44 years	*	*	*	*	*	0.1	0.1	*	*	*	- -	- -	- -	- -	*
45 years and older	0.1	0.1	0.1	0.1	*	0.2	0.3	*	*	- -	- -	- -	0.1	- -	*

Continued. See notes at end of table.

Table 2.3b. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Cuban female	0.1	0.1	*	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
12 to 17 years	*	*	*	- -	- -	*	- -	*	*	*	- -	0.1	- -	- -	*
18 to 20 years	*	*	*	*	- -	- -	*	*	*	*	- -	- -	- -	- -	- -
21 to 24 years	*	*	*	*	*	*	*	*	*	*	- -	- -	- -	- -	*
25 to 29 years	*	*	*	*	*	*	*	*	*	*	- -	- -	*	- -	*
30 to 34 years	*	*	*	*	*	*	*	*	*	*	*	- -	0.1	- -	*
35 to 39 years	*	*	*	*	*	*	*	*	*	*	- -	- -	- -	- -	*
40 to 44 years	*	*	*	*	*	*	*	*	*	- -	- -	- -	*	- -	- -
45 years and older	*	*	*	*	*	*	*	*	*	*	0.1	- -	- -	0.1	*
Other male[2]	4.5	5.4	5.1	4.3	3.2	2.9	6.8	6.7	3.8	4.1	4.1	5.1	5.2	2.6	2.2
Other female[2]	2.0	2.0	1.8	1.6	1.9	1.7	2.5	2.7	3.1	2.3	2.3	2.5	3.1	2.2	1.3
Not of Hispanic or Latino origin male	54.6	58.8	60.3	53.3	50.7	53.6	53.7	55.0	46.8	53.4	41.6	60.9	48.8	51.8	54.4
Not of Hispanic or Latino origin female	30.7	27.0	24.7	29.1	38.6	36.6	27.5	26.1	35.7	34.3	45.2	24.6	27.7	36.0	40.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] Refers to the categories "other specific Hispanic" and "Hispanic or Latino, specific origin not specified."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.3c. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Row percent distribution, 2020

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified	Total
Total	1,416,357	17.5	13.7	20.6	6.3	3.0	2.1	9.8	12.5	1.0	0.2	0.1	0.3	*	12.9	100.0
Race																
American Indian or Alaska Native male	28,047	28.7	14.7	6.9	2.2	0.5	0.6	5.3	9.8	0.2	*	0.1	*	0.1	31.1	100.0
12 to 17 years	424	5.9	14.9	0.9	0.7	- -	0.2	68.6	6.4	- -	- -	0.2	- -	0.2	1.9	100.0
18 to 20 years	818	13.6	12.0	3.1	2.1	0.4	0.5	15.3	11.0	0.5	0.1	0.4	- -	0.1	41.1	100.0
21 to 24 years	2,084	16.6	13.4	6.3	2.0	0.2	0.8	11.8	12.5	0.6	0.2	0.1	- -	- -	35.7	100.0
25 to 29 years	3,865	16.8	14.1	10.2	3.7	0.2	0.7	6.9	12.8	0.3	0.1	0.2	*	0.1	34.1	100.0
30 to 34 years	4,676	21.6	13.7	9.2	2.6	0.4	0.4	4.3	12.3	0.1	*	*	*	0.1	35.2	100.0
35 to 39 years	4,446	28.3	15.2	6.9	2.1	0.3	0.6	2.7	10.2	0.2	*	0.1	*	*	33.2	100.0
40 to 44 years	3,190	26.7	15.0	7.5	2.6	0.7	0.9	3.6	11.5	0.1	- -	0.1	0.1	*	31.1	100.0
45 years and older	8,544	44.6	15.6	4.6	1.2	0.7	0.5	1.4	5.5	0.1	*	*	0.1	*	25.7	100.0
American Indian or Alaska Native female	18,463	15.0	11.4	9.4	3.6	0.7	0.6	5.0	16.5	0.2	0.1	*	0.1	*	37.3	100.0
12 to 17 years	382	7.1	20.9	- -	1.6	- -	0.3	52.9	13.6	0.5	0.3	0.3	- -	0.3	2.4	100.0
18 to 20 years	671	10.6	10.3	4.8	2.5	0.1	0.7	12.1	18.3	0.6	- -	0.1	- -	0.3	39.5	100.0
21 to 24 years	1,739	10.9	10.0	10.9	4.2	0.3	0.7	6.7	20.9	0.3	- -	0.1	0.1	- -	34.8	100.0
25 to 29 years	3,344	10.5	10.2	12.8	3.9	0.3	0.6	5.3	19.0	0.1	0.1	0.1	*	*	37.1	100.0
30 to 34 years	3,746	11.7	11.7	10.9	4.1	0.6	0.7	3.5	19.5	0.1	*	*	0.1	*	37.0	100.0
35 to 39 years	3,011	15.5	10.9	9.7	2.9	1.0	0.6	3.0	17.6	0.2	0.1	*	0.2	0.1	38.3	100.0
40 to 44 years	2,064	17.1	13.4	7.4	3.4	0.6	0.8	2.3	16.2	0.1	0.1	- -	*	- -	38.7	100.0
45 years and older	3,506	24.9	11.4	6.5	3.5	1.6	0.7	2.2	7.9	0.1	*	- -	*	*	41.0	100.0
Asian[1] male	5,998	23.4	10.6	17.5	5.0	1.8	2.4	10.9	16.3	1.2	0.2	0.2	0.1	0.1	10.4	100.0
12 to 17 years	186	1.6	9.7	- -	1.1	- -	- -	75.8	1.6	1.1	1.1	0.5	- -	0.5	7.0	100.0
18 to 20 years	177	9.6	10.7	1.7	5.6	1.7	0.6	47.5	5.1	5.6	- -	0.6	- -	0.6	10.7	100.0
21 to 24 years	524	14.5	13.4	13.9	7.6	0.8	2.7	26.3	8.0	3.6	0.6	0.4	- -	- -	8.2	100.0
25 to 29 years	1,000	17.6	9.8	23.1	7.6	0.5	2.8	10.5	16.3	1.5	0.1	0.4	- -	- -	9.8	100.0
30 to 34 years	1,125	18.7	10.4	20.9	5.8	1.2	3.0	7.3	19.3	0.6	0.3	0.1	0.3	- -	12.3	100.0
35 to 39 years	966	21.6	11.3	20.4	5.4	1.8	1.9	5.1	22.9	1.3	0.1	0.1	0.1	0.1	8.0	100.0
40 to 44 years	723	33.3	10.8	16.7	1.8	1.2	2.4	3.3	21.6	0.1	0.1	- -	- -	- -	8.6	100.0
45 years and older	1,297	36.4	9.9	14.5	3.1	4.4	2.5	2.5	13.0	0.2	- -	0.1	0.1	- -	13.3	100.0

Continued. See notes at end of table.

Table 2.3c. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Row percent distribution, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission														Total
		Alcohol		Opiates		Cocaine										
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified	
Asian[1] female	2,425	20.1	9.2	15.2	5.9	1.4	2.6	8.9	18.5	0.8	0.2	*	0.1	- -	17.1	100.0
12 to 17 years	107	3.7	8.4	- -	- -	- -	1.9	64.5	2.8	1.9	0.9	- -	- -	- -	15.9	100.0
18 to 20 years	95	5.3	9.5	13.7	10.5	- -	2.1	25.3	4.2	1.1	1.1	1.1	- -	- -	26.3	100.0
21 to 24 years	231	20.3	12.1	12.6	6.1	0.9	3.5	11.3	11.7	1.3	- -	- -	- -	- -	20.3	100.0
25 to 29 years	460	15.9	9.3	23.3	6.3	0.9	3.5	6.7	18.5	0.9	- -	- -	- -	- -	14.8	100.0
30 to 34 years	493	18.9	6.1	17.0	5.7	1.0	2.6	6.9	26.2	1.2	0.4	- -	- -	- -	14.0	100.0
35 to 39 years	379	22.4	9.8	17.7	6.1	2.6	2.1	2.6	22.4	- -	- -	- -	0.3	- -	14.0	100.0
40 to 44 years	254	21.3	13.4	10.2	2.8	0.8	2.4	6.3	26.8	- -	0.4	- -	- -	- -	15.7	100.0
45 years and older	406	31.3	7.9	10.6	7.9	3.0	2.0	1.5	11.6	0.7	- -	- -	0.2	- -	23.4	100.0
Black or African American male	173,145	14.6	21.6	15.5	3.2	7.9	4.0	19.9	4.7	0.4	0.1	0.2	0.9	*	7.0	100.0
12 to 17 years	5,689	1.3	1.4	0.1	0.4	- -	*	72.4	0.2	0.3	*	0.2	- -	*	23.7	100.0
18 to 20 years	3,871	2.5	6.7	2.2	4.8	0.5	0.9	67.1	2.9	1.8	0.3	0.2	0.2	0.1	10.1	100.0
21 to 24 years	10,039	7.0	11.7	6.3	6.2	1.3	1.9	49.8	4.6	1.4	0.2	0.3	0.2	*	9.2	100.0
25 to 29 years	21,159	10.8	15.0	11.1	6.2	2.0	3.1	34.6	7.3	0.6	0.1	0.4	0.6	*	8.2	100.0
30 to 34 years	21,757	13.9	17.5	12.3	4.9	3.5	4.0	25.3	8.1	0.4	0.1	0.5	1.5	*	8.1	100.0
35 to 39 years	19,492	16.2	21.7	11.4	3.9	4.7	5.0	19.2	7.3	0.3	0.1	0.3	2.3	*	7.5	100.0
40 to 44 years	16,836	17.9	23.1	12.3	3.0	6.9	5.8	15.0	6.6	0.2	*	0.3	2.1	*	6.7	100.0
45 years and older	74,302	17.3	27.9	22.7	1.5	13.9	4.2	4.8	2.3	0.2	*	0.1	0.4	*	4.7	100.0
Black or African American female	69,456	13.4	16.7	14.5	5.2	10.9	4.0	17.6	5.0	0.5	0.1	0.2	1.2	*	10.7	100.0
12 to 17 years	1,942	3.1	2.6	0.2	0.7	0.1	0.3	58.4	1.3	0.6	0.2	0.1	0.1	0.1	32.3	100.0
18 to 20 years	1,906	4.6	8.6	2.6	2.5	1.8	1.3	54.2	5.1	1.5	0.3	0.4	0.2	- -	16.8	100.0
21 to 24 years	5,439	8.3	13.1	6.7	4.9	3.0	3.7	39.4	8.2	0.6	0.1	0.2	0.2	0.1	11.7	100.0
25 to 29 years	11,158	11.5	13.4	10.4	6.8	4.9	5.0	27.5	7.7	0.8	0.2	0.3	0.9	*	10.7	100.0
30 to 34 years	11,268	14.2	15.2	11.1	7.3	6.6	4.6	19.4	7.8	0.5	0.1	0.4	1.8	*	11.0	100.0
35 to 39 years	8,644	15.3	17.4	11.9	6.6	9.6	4.4	13.9	6.6	0.6	0.1	0.2	2.8	0.1	10.4	100.0
40 to 44 years	6,450	17.4	18.7	12.9	5.6	12.9	4.5	9.9	4.9	0.4	*	0.1	2.7	*	9.7	100.0
45 years and older	22,649	14.9	21.1	23.7	3.3	19.6	3.4	3.6	1.3	0.3	0.1	0.1	0.4	*	8.3	100.0

Continued. See notes at end of table.

Table 2.3c. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Row percent distribution, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission														Total
		Alcohol		Opiates		Cocaine										
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Mari-juana/ hashish	Metham-phetamine/ amphet-amines	Tran-quil-izers	Seda-tives	Hallu-cino-gens	Phen-cycli-dine (PCP)	Inhal-ants	Other/ none speci-fied	
Native Hawaiian or Other Pacific Islander male	3,382	15.8	11.6	19.5	4.1	1.6	1.9	10.5	23.4	1.1	0.1	0.1	0.1	*	10.1	100.0
12 to 17 years	121	3.3	6.6	- -	1.7	1.7	2.5	72.7	3.3	0.8	0.8	- -	- -	- -	6.6	100.0
18 to 20 years	98	3.1	11.2	4.1	11.2	- -	- -	38.8	15.3	3.1	1.0	- -	- -	- -	12.2	100.0
21 to 24 years	287	16.7	12.5	16.4	2.8	1.4	1.4	17.1	15.3	2.4	- -	- -	- -	- -	13.9	100.0
25 to 29 years	558	11.1	12.4	19.2	5.2	0.9	1.8	9.1	23.3	2.3	0.2	0.2	0.2	- -	14.2	100.0
30 to 34 years	565	14.0	7.6	20.9	6.0	1.4	2.7	9.6	24.2	0.4	0.2	0.5	- -	- -	12.6	100.0
35 to 39 years	543	14.5	12.7	19.7	3.9	2.2	2.9	5.5	28.0	1.7	- -	- -	0.4	- -	8.5	100.0
40 to 44 years	428	15.2	13.6	24.3	4.2	0.5	0.9	4.0	29.7	0.2	- -	- -	0.5	0.2	6.8	100.0
45 years and older	782	24.7	12.5	22.3	1.9	2.6	1.5	3.6	23.3	0.3	0.1	- -	- -	- -	7.3	100.0
Native Hawaiian or Other Pacific Islander female	1,728	10.6	9.0	16.9	5.4	1.6	1.6	10.9	26.3	0.5	0.3	- -	0.1	0.1	16.7	100.0
12 to 17 years	94	1.1	9.6	- -	1.1	- -	1.1	72.3	10.6	- -	- -	- -	- -	- -	4.3	100.0
18 to 20 years	52	9.6	5.8	7.7	5.8	- -	1.9	32.7	19.2	3.8	- -	- -	- -	- -	13.5	100.0
21 to 24 years	144	9.0	9.0	13.9	5.6	- -	3.5	14.6	27.8	- -	- -	- -	- -	- -	16.7	100.0
25 to 29 years	292	6.2	5.5	18.2	6.8	- -	2.4	10.6	27.4	0.3	0.3	- -	0.3	- -	21.9	100.0
30 to 34 years	386	8.8	11.1	22.0	6.7	2.6	1.3	6.7	24.9	0.3	- -	- -	0.3	- -	15.3	100.0
35 to 39 years	286	10.8	11.9	18.5	4.5	1.0	0.7	3.1	33.2	0.3	- -	- -	- -	- -	15.7	100.0
40 to 44 years	182	14.3	9.3	13.2	2.2	1.6	2.2	3.8	30.8	0.5	- -	- -	- -	- -	22.0	100.0
45 years and older	292	18.8	7.2	18.2	6.2	4.1	1.0	3.1	22.9	1.0	1.4	- -	- -	0.3	15.8	100.0

Continued. See notes at end of table.

Table 2.3c. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Row percent distribution, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission														Total
		Alcohol		Opiates		Cocaine										
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Mari-juana/ hashish	Metham-phetamine/ amphet-amines	Tran-quil-izers	Seda-tives	Hallu-cino-gens	Phen-cycli-dine (PCP)	Inhal-ants	Other/ none speci-fied	
White male	572,108	20.4	13.7	23.4	6.9	1.5	1.7	7.8	13.0	1.2	0.1	0.1	0.1	0.1	10.0	100.0
12 to 17 years	12,828	3.4	5.8	0.5	1.4	0.1	0.6	71.4	2.9	1.8	0.3	0.7	0.1	0.1	11.0	100.0
18 to 20 years	14,302	7.9	10.9	8.9	6.8	0.6	2.1	33.5	11.4	4.3	0.5	0.7	*	0.1	12.3	100.0
21 to 24 years	38,310	11.3	13.7	20.5	7.1	0.9	2.1	16.2	15.0	2.5	0.2	0.3	*	0.1	10.2	100.0
25 to 29 years	89,269	11.6	12.0	31.8	8.1	0.9	1.8	8.1	14.3	1.4	0.2	0.1	0.1	0.1	9.7	100.0
30 to 34 years	105,066	13.4	12.4	32.1	8.3	1.2	1.7	5.6	14.3	1.2	0.1	0.1	0.1	0.1	9.3	100.0
35 to 39 years	89,883	17.1	13.7	27.2	8.2	1.5	1.7	4.7	15.4	1.0	0.1	0.1	0.1	*	9.2	100.0
40 to 44 years	65,566	21.6	14.7	23.0	6.9	1.9	1.9	4.2	15.4	0.8	0.1	0.1	0.1	0.1	9.3	100.0
45 years and older	156,884	36.3	16.0	14.7	4.8	2.4	1.7	2.7	9.4	0.6	0.2	*	*	*	11.0	100.0
White female	344,306	16.3	10.2	21.8	8.8	2.3	1.6	7.2	17.1	1.3	0.3	0.1	0.1	0.1	12.8	100.0
12 to 17 years	6,317	4.6	7.8	0.9	1.3	0.3	1.1	60.6	6.2	2.1	0.4	0.5	- -	0.2	14.0	100.0
18 to 20 years	8,898	6.8	8.7	12.8	5.2	0.9	2.4	26.0	19.6	2.5	0.3	0.3	- -	*	14.5	100.0
21 to 24 years	27,243	8.3	9.1	24.7	7.0	1.2	1.9	13.5	21.0	1.7	0.2	0.1	*	0.1	11.3	100.0
25 to 29 years	60,436	8.8	8.6	29.8	9.2	1.6	1.7	7.6	20.0	1.4	0.1	0.1	0.1	0.1	11.0	100.0
30 to 34 years	69,927	10.6	9.5	27.9	10.2	2.0	1.6	5.8	19.8	1.3	0.1	0.1	0.1	0.1	10.8	100.0
35 to 39 years	56,833	14.1	10.5	23.8	10.0	2.4	1.7	4.8	19.7	1.3	0.1	0.1	0.1	0.1	11.4	100.0
40 to 44 years	36,920	18.9	12.4	18.7	9.2	3.0	1.7	4.0	17.8	1.0	0.2	0.1	0.1	*	12.8	100.0
45 years and older	77,732	32.6	11.7	12.0	7.8	3.2	1.4	2.8	9.6	1.1	0.7	*	*	0.1	17.0	100.0
Other male	93,042	16.8	15.4	29.2	4.4	2.1	2.8	12.7	12.1	0.9	0.1	0.1	0.4	*	2.8	100.0
Other female	37,910	14.5	12.2	20.9	6.2	2.9	2.3	12.6	22.0	0.8	0.2	0.1	0.5	0.1	4.6	100.0
Total	1,350,010	17.9	14.0	21.3	6.5	3.1	2.2	10.1	12.8	1.0	0.2	0.1	0.3	0.1	10.5	100.0

Continued. See notes at end of table.

Table 2.3c. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Row percent distribution, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission														Total
		Alcohol		Opiates		Cocaine		Mari-juana/ hashish	Metham-phetamine/ amphet-amines	Tran-quil-izers	Seda-tives	Hallu-cino-gens	Phen-cycli-dine (PCP)	Inhal-ants	Other/ none speci-fied	
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route									
Ethnicity																
Specific Hispanic or Latino origin	199,023	17.4	14.3	25.5	4.6	2.0	2.7	12.9	15.3	0.8	0.1	0.1	0.4	*	3.6	100.0
Mexican male	40,208	21.7	14.7	17.3	3.8	0.6	1.7	13.3	24.7	0.4	0.2	0.1	0.1	*	1.4	100.0
12 to 17 years	2,692	2.7	4.8	0.3	1.8	0.1	0.7	81.8	2.4	0.7	0.3	0.4	0.1	0.1	3.8	100.0
18 to 20 years	1,587	9.9	11.1	4.9	10.3	0.4	2.2	40.7	14.1	2.6	1.5	0.1	- -	0.1	2.0	100.0
21 to 24 years	3,456	15.9	16.0	11.5	7.0	0.5	2.4	21.2	21.5	1.4	0.4	0.2	0.1	0.2	1.6	100.0
25 to 29 years	7,214	15.8	14.3	20.8	4.7	0.3	2.5	10.0	29.6	0.3	0.1	0.1	0.1	*	1.3	100.0
30 to 34 years	6,636	18.8	15.4	19.2	4.6	0.4	1.9	6.7	31.0	0.3	*	*	0.1	*	1.5	100.0
35 to 39 years	5,744	22.3	15.5	18.0	3.1	0.7	1.7	4.7	32.8	0.1	*	*	0.1	*	1.1	100.0
40 to 44 years	4,173	26.4	15.1	17.1	2.4	0.7	1.5	4.0	31.4	0.1	0.1	- -	0.1	- -	1.1	100.0
45 years and older	8,706	36.7	16.7	22.3	1.9	1.0	1.0	1.9	17.3	*	*	*	0.2	- -	1.0	100.0
Mexican female	19,014	13.5	10.8	16.8	5.4	0.7	1.0	11.3	37.5	0.4	0.2	0.1	0.2	0.1	2.0	100.0
12 to 17 years	1,149	3.0	8.5	0.3	1.3	0.1	0.5	71.7	6.3	1.4	0.9	0.3	- -	0.1	5.5	100.0
18 to 20 years	751	8.3	10.8	11.7	8.4	0.1	1.2	27.4	25.7	2.5	1.1	0.4	- -	- -	2.4	100.0
21 to 24 years	2,049	11.0	10.9	14.9	5.4	0.4	1.9	14.4	38.1	0.6	0.2	0.1	0.1	0.3	1.6	100.0
25 to 29 years	4,119	10.8	10.4	20.1	5.5	0.4	1.3	8.6	40.7	0.1	*	*	0.1	- -	1.8	100.0
30 to 34 years	3,930	11.6	10.7	16.4	5.7	0.4	0.7	6.3	46.0	0.1	0.1	0.1	*	0.1	1.7	100.0
35 to 39 years	2,838	14.6	11.0	16.5	4.9	0.8	0.8	4.0	45.2	0.4	*	*	0.2	*	1.6	100.0
40 to 44 years	1,730	18.0	11.8	15.0	5.6	1.4	0.6	3.3	41.6	0.3	0.1	0.1	0.5	- -	1.6	100.0
45 years and older	2,448	25.5	12.0	24.4	5.9	1.6	1.1	2.0	24.3	0.2	0.2	- -	0.4	- -	2.3	100.0
Puerto Rican male	37,772	9.7	14.9	50.6	3.8	2.7	3.4	9.3	1.7	1.0	0.1	0.2	0.8	*	1.8	100.0
12 to 17 years	478	1.7	2.1	- -	- -	- -	0.4	69.2	0.2	1.3	0.4	0.2	- -	- -	24.5	100.0
18 to 20 years	491	3.5	8.4	12.4	6.3	0.6	1.8	59.5	0.8	1.8	1.0	0.2	0.2	- -	3.5	100.0
21 to 24 years	1,776	5.9	10.5	29.8	7.9	1.3	2.6	31.5	4.4	2.6	0.2	0.3	0.5	0.1	2.4	100.0
25 to 29 years	4,024	6.7	12.0	43.3	7.1	1.5	3.3	18.8	3.3	1.4	*	0.2	0.7	- -	1.8	100.0
30 to 34 years	5,033	7.9	12.9	49.6	5.8	2.6	3.6	10.3	2.4	1.1	0.1	0.3	1.4	*	2.0	100.0
35 to 39 years	5,547	8.3	14.7	51.6	4.6	3.0	3.8	7.2	2.1	0.9	0.1	0.2	1.8	0.1	1.6	100.0
40 to 44 years	5,697	8.4	15.1	56.3	2.6	2.9	3.9	5.4	1.6	0.9	*	0.2	1.0	*	1.5	100.0
45 years and older	14,726	13.0	17.5	55.7	2.0	3.2	3.3	2.3	0.8	0.8	*	0.1	0.3	0.1	1.0	100.0

Continued. See notes at end of table.

Table 2.3c. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Row percent distribution, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission														Total
		Alcohol		Opiates		Cocaine										
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified	
Puerto Rican female	10,362	11.1	14.4	37.7	5.8	5.1	3.5	12.7	3.1	1.2	0.2	0.1	1.4	*	3.8	100.0
12 to 17 years	294	1.4	2.7	- -	- -	0.3	0.3	55.1	1.0	1.0	0.7	- -	- -	- -	37.4	100.0
18 to 20 years	261	4.2	11.1	13.0	4.6	1.5	3.1	48.7	2.7	1.5	- -	0.8	- -	- -	8.8	100.0
21 to 24 years	787	6.4	13.1	24.7	5.2	2.5	3.7	31.4	6.1	1.1	0.1	0.1	0.5	0.1	5.0	100.0
25 to 29 years	1,638	8.7	13.6	36.3	8.0	3.6	3.5	15.9	3.8	1.5	0.1	0.1	1.3	- -	3.5	100.0
30 to 34 years	1,775	9.4	11.8	37.7	7.3	5.2	3.2	13.3	5.0	1.3	0.2	- -	2.8	- -	2.8	100.0
35 to 39 years	1,665	12.1	14.9	38.7	6.1	6.1	5.0	8.6	2.4	1.0	0.1	0.1	2.7	- -	2.2	100.0
40 to 44 years	1,242	12.0	17.5	43.2	6.0	6.2	3.6	4.9	1.9	1.9	0.1	0.1	0.8	- -	1.9	100.0
45 years and older	2,700	15.8	16.8	45.5	4.0	6.4	3.2	2.7	1.8	0.9	0.1	0.1	0.4	- -	2.1	100.0
Cuban male	2,406	20.7	10.3	19.7	4.3	6.8	7.3	16.0	7.0	1.0	0.2	0.1	0.6	0.1	5.7	100.0
12 to 17 years	237	2.1	1.7	- -	0.4	- -	- -	56.5	- -	0.4	- -	- -	- -	0.4	38.4	100.0
18 to 20 years	66	1.5	12.1	- -	12.1	1.5	4.5	51.5	6.1	3.0	3.0	- -	1.5	- -	3.0	100.0
21 to 24 years	132	8.3	6.1	9.1	4.5	5.3	8.3	34.1	10.6	4.5	0.8	0.8	- -	- -	7.6	100.0
25 to 29 years	282	9.6	9.2	22.7	8.2	5.3	8.5	15.2	13.8	2.1	0.4	0.7	1.1	0.4	2.8	100.0
30 to 34 years	366	10.4	12.6	36.6	7.1	3.6	6.0	12.3	7.9	1.6	- -	- -	0.8	- -	1.1	100.0
35 to 39 years	270	17.4	8.9	24.4	5.2	9.3	5.9	13.3	10.4	1.1	- -	- -	1.5	0.4	2.2	100.0
40 to 44 years	264	31.8	13.6	18.2	2.3	10.6	8.3	4.5	8.3	0.4	- -	- -	- -	- -	1.9	100.0
45 years and older	789	36.1	12.2	19.1	2.5	9.4	9.9	4.6	4.2	- -	- -	- -	0.5	- -	1.5	100.0

Continued. See notes at end of table.

Table 2.3c. Selected race, ethnicity, gender, and age group among admissions aged 12 years and older, by primary substance use: Row percent distribution, 2020 (continued)

Selected race, ethnicity, gender, and age group	All admissions	Primary substance use at admission														Total
		Alcohol		Opiates		Cocaine										
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified	
Cuban female	924	15.5	8.5	19.3	8.1	5.6	5.0	17.5	13.5	1.5	0.3	0.1	0.4	0.1	4.4	100.0
12 to 17 years	93	3.2	3.2	- -	- -	1.1	- -	58.1	4.3	1.1	- -	1.1	- -	- -	28.0	100.0
18 to 20 years	30	6.7	3.3	16.7	- -	- -	3.3	26.7	40.0	3.3	- -	- -	- -	- -	- -	100.0
21 to 24 years	76	6.6	3.9	25.0	7.9	3.9	6.6	22.4	18.4	2.6	- -	- -	- -	- -	2.6	100.0
25 to 29 years	168	8.9	4.8	25.0	10.1	6.0	4.2	16.1	19.0	1.8	- -	- -	0.6	- -	3.6	100.0
30 to 34 years	189	18.5	10.1	19.6	10.6	5.8	4.8	14.8	12.2	1.1	0.5	- -	1.1	- -	1.1	100.0
35 to 39 years	133	12.8	9.8	27.8	7.5	8.3	6.0	12.8	12.0	1.5	- -	- -	- -	- -	1.5	100.0
40 to 44 years	77	23.4	9.1	15.6	13.0	5.2	10.4	1.3	20.8	- -	- -	- -	1.3	- -	- -	100.0
45 years and older	158	30.4	15.8	16.5	7.6	7.6	5.1	6.3	5.1	1.9	1.3	- -	- -	0.6	1.9	100.0
Other male[2]	60,884	21.5	15.8	20.3	4.6	2.0	3.2	14.9	10.9	0.9	0.1	0.2	0.3	*	5.2	100.0
Other female[2]	27,453	17.6	12.5	16.5	6.2	2.6	2.7	13.4	19.8	1.1	0.2	0.2	0.4	0.1	6.9	100.0
Not of Hispanic or Latino origin male	737,508	19.4	15.5	20.8	6.0	3.0	2.1	10.1	11.0	1.0	0.1	0.2	0.2	*	10.5	100.0
Not of Hispanic or Latino origin female	415,451	15.8	11.3	20.1	8.1	3.6	1.9	8.5	14.9	1.1	0.2	0.1	0.2	0.1	13.9	100.0
Total	1,351,982	18.0	14.0	21.3	6.4	3.0	2.1	10.0	12.8	1.0	0.2	0.1	0.3	0.1	10.6	100.0

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] Refers to the categories "other specific Hispanic" and "Hispanic or Latino, specific origin not specified."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.4a. Frequency of use and usual route of administration among admissions aged 12 years and older, by primary substance use: Number, 2020

Frequency of use and usual route of administration		*Primary substance use at admission*														
		Alcohol		*Opiates*		*Cocaine*										
	All admissions	*Alcohol only*	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Frequency of use															
No use	336,515	58,042	45,819	59,757	25,571	10,713	11,089	48,147	68,573	2,747	634	732	1,172	203	3,316
Some use	345,206	83,051	60,635	43,988	17,409	13,282	10,392	48,426	60,422	2,998	537	575	1,420	247	1,824
Daily use	549,476	105,077	85,935	186,618	44,946	17,681	7,648	40,872	46,033	7,900	1,003	569	1,077	233	3,884
No. of admissions	1,231,197	246,170	192,389	290,363	87,926	41,676	29,129	137,445	175,028	13,645	2,174	1,876	3,669	683	9,024
Usual route of administration															
Oral	521,705	246,099	191,893	3,128	48,644	- -	1,205	3,621	7,415	12,763	1,857	990	124	65	3,901
Smoking	306,167	353	378	20,767	4,799	41,960	- -	132,245	98,376	106	104	528	3,430	65	3,056
Inhalation	154,873	203	255	89,985	18,037	- -	23,323	1,981	19,000	561	104	160	99	527	638
Injection	238,233	156	149	172,348	14,211	- -	3,098	107	47,193	137	63	164	6	21	580
Other	10,283	405	225	3,330	1,807	- -	1,153	427	1,991	117	46	28	10	6	738
No. of admissions	1,231,261	247,216	192,900	289,558	87,498	41,960	28,779	138,381	173,975	13,684	2,174	1,870	3,669	684	8,913

- - Quantity is zero.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.4b. Frequency of use and usual route of administration among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020

Frequency of use and usual route of administration		*Primary substance use at admission*														
		Alcohol		*Opiates*		*Cocaine*										
	All admissions	*Alcohol only*	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Frequency of use															
No use	27.3	23.6	23.8	20.6	29.1	25.7	38.1	35.0	39.2	20.1	29.2	39.0	31.9	29.7	36.7
Some use	28.0	33.7	31.5	15.1	19.8	31.9	35.7	35.2	34.5	22.0	24.7	30.7	38.7	36.2	20.2
Daily use	44.6	42.7	44.7	64.3	51.1	42.4	26.3	29.7	26.3	57.9	46.1	30.3	29.4	34.1	43.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,231,197	246,170	192,389	290,363	87,926	41,676	29,129	137,445	175,028	13,645	2,174	1,876	3,669	683	9,024
Usual route of administration															
Oral	42.4	99.5	99.5	1.1	55.6	- -	4.2	2.6	4.3	93.3	85.4	52.9	3.4	9.5	43.8
Smoking	24.9	0.1	0.2	7.2	5.5	100.0	- -	95.6	56.5	0.8	4.8	28.2	93.5	9.5	34.3
Inhalation	12.6	0.1	0.1	31.1	20.6	- -	81.0	1.4	10.9	4.1	4.8	8.6	2.7	77.0	7.2
Injection	19.3	0.1	0.1	59.5	16.2	- -	10.8	0.1	27.1	1.0	2.9	8.8	0.2	3.1	6.5
Other	0.8	0.2	0.1	1.2	2.1	- -	4.0	0.3	1.1	0.9	2.1	1.5	0.3	0.9	8.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,231,261	247,216	192,900	289,558	87,498	41,960	28,779	138,381	173,975	13,684	2,174	1,870	3,669	684	8,913

- - Quantity is zero.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.5a. Frequency of use and usual route of administration among admissions aged 12 years and older, by secondary substance use: Number, 2020

Frequency of use and usual route of administration	*All admissions*	*Secondary substance use at admission*												
		Alcohol	*Opiates*		*Cocaine*									
		With primary or tertiary drug	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	110,434	49,767	43,228	62,630	69,894	177,962	96,481	34,650	2,830	3,154	2,438	601	762,287
Frequency of use														
No use	221,613	39,958	18,229	17,950	13,774	22,948	58,855	35,406	7,297	983	1,613	837	269	3,494
Some use	222,105	42,460	11,055	9,740	20,376	23,579	61,270	36,839	9,451	941	1,053	920	195	4,226
Daily use	228,400	26,965	20,176	14,921	28,145	22,572	56,020	23,275	17,531	853	457	659	131	16,694
No. of admissions	672,118	109,383	49,460	42,611	62,295	69,099	176,145	95,520	34,279	2,777	3,123	2,416	595	24,414
Usual route of administration														
Oral	187,604	108,742	793	26,151	- -	1,516	3,533	6,152	31,504	2,210	2,275	109	26	4,592
Smoking	306,086	476	5,378	1,652	62,630	- -	169,873	45,773	332	286	488	2,221	49	16,928
Inhalation	88,403	342	16,311	8,073	- -	46,337	2,626	10,696	1,988	172	154	62	501	1,141
Injection	83,328	127	25,920	5,929	- -	18,774	183	31,190	339	80	132	15	4	635
Other	5,273	141	702	687	- -	1,834	317	987	239	34	36	12	10	274
No. of admissions	670,694	109,828	49,104	42,492	62,630	68,461	176,532	94,798	34,402	2,782	3,085	2,419	590	23,570

- - Quantity is zero.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.5b. Frequency of use and usual route of administration among admissions aged 12 years and older, by secondary substance use: Column percent distribution, 2020

Frequency of use and usual route of administration	*All admissions*	*Secondary substance use at admission*												
		Alcohol	*Opiates*		*Cocaine*									
		With primary or tertiary drug	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	110,434	49,767	43,228	62,630	69,894	177,962	96,481	34,650	2,830	3,154	2,438	601	762,287
Frequency of use														
No use	33.0	36.5	36.9	42.1	22.1	33.2	33.4	37.1	21.3	35.4	51.6	34.6	45.2	14.3
Some use	33.0	38.8	22.4	22.9	32.7	34.1	34.8	38.6	27.6	33.9	33.7	38.1	32.8	17.3
Daily use	34.0	24.7	40.8	35.0	45.2	32.7	31.8	24.4	51.1	30.7	14.6	27.3	22.0	68.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	672,118	109,383	49,460	42,611	62,295	69,099	176,145	95,520	34,279	2,777	3,123	2,416	595	24,414
Usual route of administration														
Oral	28.0	99.0	1.6	61.5	- -	2.2	2.0	6.5	91.6	79.4	73.7	4.5	4.4	19.5
Smoking	45.6	0.4	11.0	3.9	100.0	- -	96.2	48.3	1.0	10.3	15.8	91.8	8.3	71.8
Inhalation	13.2	0.3	33.2	19.0	- -	67.7	1.5	11.3	5.8	6.2	5.0	2.6	84.9	4.8
Injection	12.4	0.1	52.8	14.0	- -	27.4	0.1	32.9	1.0	2.9	4.3	0.6	0.7	2.7
Other	0.8	0.1	1.4	1.6	- -	2.7	0.2	1.0	0.7	1.2	1.2	0.5	1.7	1.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	670,694	109,828	49,104	42,492	62,630	68,461	176,532	94,798	34,402	2,782	3,085	2,419	590	23,570

- - Quantity is zero.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.6a. Frequency of use and usual route of administration among admissions aged 12 years and older, by tertiary substance use: Number, 2020

Frequency of use and usual route of administration	*All admissions*	*Tertiary substance use at admission*												
		Alcohol	*Opiates*		*Cocaine*									
		With primary or secondary drug	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	42,774	12,664	17,560	15,000	25,955	70,672	24,787	19,679	1,642	3,371	1,426	363	1,180,464
Frequency of use														
No use	97,059	17,927	6,095	8,609	4,637	12,197	22,608	11,197	5,909	745	2,031	501	213	4,390
Some use	80,671	15,669	2,946	4,576	4,938	8,049	22,435	8,619	6,726	475	1,070	558	104	4,506
Daily use	81,256	8,719	3,506	4,107	5,302	5,365	24,897	4,627	6,849	395	227	358	40	16,864
No. of admissions	258,986	42,315	12,547	17,292	14,877	25,611	69,940	24,443	19,484	1,615	3,328	1,417	357	25,760
Usual route of administration														
Oral	85,343	41,699	293	11,620	- -	724	1,375	3,777	17,684	1,336	2,702	95	16	4,022
Smoking	112,868	397	1,247	672	15,000	- -	67,115	9,508	210	44	335	1,243	29	17,068
Inhalation	34,232	186	4,497	2,870	- -	18,334	1,136	3,533	1,270	137	137	54	301	1,777
Injection	22,083	118	6,116	1,749	- -	5,456	249	6,938	211	45	79	9	4	1,109
Other	2,184	60	193	237	- -	719	168	361	129	31	46	9	3	228
No. of admissions	256,710	42,460	12,346	17,148	15,000	25,233	70,043	24,117	19,504	1,593	3,299	1,410	353	24,204

- - Quantity is zero.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.6b. Frequency of use and usual route of administration among admissions aged 12 years and older, by tertiary substance use: Column percent distribution, 2020

Frequency of use and usual route of administration	*All admissions*	*Tertiary substance use at admission*												
		Alcohol	*Opiates*		*Cocaine*									
		With primary or secondary drug	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	42,774	12,664	17,560	15,000	25,955	70,672	24,787	19,679	1,642	3,371	1,426	363	1,180,464
Frequency of use														
No use	37.5	42.4	48.6	49.8	31.2	47.6	32.3	45.8	30.3	46.1	61.0	35.4	59.7	17.0
Some use	31.1	37.0	23.5	26.5	33.2	31.4	32.1	35.3	34.5	29.4	32.2	39.4	29.1	17.5
Daily use	31.4	20.6	27.9	23.8	35.6	20.9	35.6	18.9	35.2	24.5	6.8	25.3	11.2	65.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	258,986	42,315	12,547	17,292	14,877	25,611	69,940	24,443	19,484	1,615	3,328	1,417	357	25,760
Usual route of administration														
Oral	33.2	98.2	2.4	67.8	- -	2.9	2.0	15.7	90.7	83.9	81.9	6.7	4.5	16.6
Smoking	44.0	0.9	10.1	3.9	100.0	- -	95.8	39.4	1.1	2.8	10.2	88.2	8.2	70.5
Inhalation	13.3	0.4	36.4	16.7	- -	72.7	1.6	14.6	6.5	8.6	4.2	3.8	85.3	7.3
Injection	8.6	0.3	49.5	10.2	- -	21.6	0.4	28.8	1.1	2.8	2.4	0.6	1.1	4.6
Other	0.9	0.1	1.6	1.4	- -	2.8	0.2	1.5	0.7	1.9	1.4	0.6	0.8	0.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	256,710	42,460	12,346	17,148	15,000	25,233	70,043	24,117	19,504	1,593	3,299	1,410	353	24,204

- - Quantity is zero.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.7a. Age of first use and number of prior treatment episodes among admissions aged 12 years and older, by primary substance use: Number, 2020

Age of first use and number of prior treatment episodes		*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
	All admissions	*Alcohol only*	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Age of first use[1]															
11 years or under	69,550	19,079	21,871	3,014	1,415	555	650	17,063	4,706	394	56	56	111	20	560
12 years	54,333	14,321	16,613	2,837	1,108	448	423	13,735	4,290	211	40	32	83	22	170
13 years	80,612	18,789	21,020	7,104	2,243	1,140	1,123	18,329	9,653	514	67	89	231	34	276
14 years	85,016	22,387	21,980	7,405	2,574	1,022	960	18,702	8,401	823	107	105	198	32	320
15 years	106,976	29,781	25,631	11,596	4,088	1,692	1,727	18,593	11,681	1,116	111	154	240	60	506
16 years	118,674	34,761	25,983	15,828	5,294	2,300	2,193	17,162	12,602	1,318	167	158	339	53	516
17 years	81,657	19,290	13,409	17,471	4,510	2,395	2,112	9,200	11,373	986	102	126	305	29	349
18 years	113,632	28,190	16,162	26,382	7,243	3,421	3,220	10,122	15,968	1,420	161	190	347	51	755
19 years	52,764	8,523	5,526	17,226	4,211	2,128	1,687	3,376	8,703	634	85	93	225	24	323
20 years	60,020	9,898	5,102	20,687	5,855	2,743	2,241	2,469	9,275	849	81	90	253	28	449
21 to 24 years	145,947	23,191	11,153	52,650	14,079	7,265	4,961	4,499	24,551	1,478	170	258	496	67	1,129
25 to 29 years	108,884	6,179	3,487	47,270	13,596	7,037	3,882	1,897	22,096	1,342	203	204	415	73	1,203
30 years and older	145,744	9,005	3,660	59,393	20,519	9,318	4,002	1,734	31,447	2,502	826	301	420	191	2,426
No. of admissions	1,223,809	243,394	191,597	288,863	86,735	41,464	29,181	136,881	174,746	13,587	2,176	1,856	3,663	684	8,982
No. of prior treatment episodes															
None	506,282	92,973	53,141	70,659	34,878	10,021	10,136	75,460	81,466	3,659	868	690	901	256	71,174
1	221,332	43,508	31,150	39,504	17,424	6,743	5,749	28,578	31,699	2,120	314	320	742	112	13,369
2	153,925	24,598	20,598	33,729	10,340	5,198	3,616	11,884	18,593	1,440	175	243	617	75	22,819
3	99,139	14,749	13,731	25,745	6,254	3,934	2,277	5,752	11,569	936	137	156	401	58	13,440
4	66,249	9,155	8,567	16,848	3,477	2,655	1,260	2,792	6,907	559	96	84	244	35	13,570
5 or more	237,496	35,100	37,677	74,840	9,521	10,182	4,415	5,136	18,278	2,794	254	256	623	116	38,304
No. of admissions	1,284,423	220,083	164,864	261,325	81,894	38,733	27,453	129,602	168,512	11,508	1,844	1,749	3,528	652	172,676

[1] For drugs other than alcohol, this is the age at which the client first used the substance. For alcohol, this is the age at first intoxication.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.7b. Age of first use and number of prior treatment episodes among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020

Age of first use and number of prior treatment episodes	All admissions	Primary substance use at admission: Alcohol: Alcohol only	Alcohol: With secondary drug	Opiates: Heroin	Opiates: Other opiates	Cocaine: Smoked cocaine	Cocaine: Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Age of first use[1]															
11 years or under	5.7	7.8	11.4	1.0	1.6	1.3	2.2	12.5	2.7	2.9	2.6	3.0	3.0	2.9	6.2
12 years	4.4	5.9	8.7	1.0	1.3	1.1	1.4	10.0	2.5	1.6	1.8	1.7	2.3	3.2	1.9
13 years	6.6	7.7	11.0	2.5	2.6	2.7	3.8	13.4	5.5	3.8	3.1	4.8	6.3	5.0	3.1
14 years	6.9	9.2	11.5	2.6	3.0	2.5	3.3	13.7	4.8	6.1	4.9	5.7	5.4	4.7	3.6
15 years	8.7	12.2	13.4	4.0	4.7	4.1	5.9	13.6	6.7	8.2	5.1	8.3	6.6	8.8	5.6
16 years	9.7	14.3	13.6	5.5	6.1	5.5	7.5	12.5	7.2	9.7	7.7	8.5	9.3	7.7	5.7
17 years	6.7	7.9	7.0	6.0	5.2	5.8	7.2	6.7	6.5	7.3	4.7	6.8	8.3	4.2	3.9
18 years	9.3	11.6	8.4	9.1	8.4	8.3	11.0	7.4	9.1	10.5	7.4	10.2	9.5	7.5	8.4
19 years	4.3	3.5	2.9	6.0	4.9	5.1	5.8	2.5	5.0	4.7	3.9	5.0	6.1	3.5	3.6
20 years	4.9	4.1	2.7	7.2	6.8	6.6	7.7	1.8	5.3	6.2	3.7	4.8	6.9	4.1	5.0
21 to 24 years	11.9	9.5	5.8	18.2	16.2	17.5	17.0	3.3	14.0	10.9	7.8	13.9	13.5	9.8	12.6
25 to 29 years	8.9	2.5	1.8	16.4	15.7	17.0	13.3	1.4	12.6	9.9	9.3	11.0	11.3	10.7	13.4
30 years and older	11.9	3.7	1.9	20.6	23.7	22.5	13.7	1.3	18.0	18.4	38.0	16.2	11.5	27.9	27.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,223,809	243,394	191,597	288,863	86,735	41,464	29,181	136,881	174,746	13,587	2,176	1,856	3,663	684	8,982
No. of prior treatment episodes															
None	39.4	42.2	32.2	27.0	42.6	25.9	36.9	58.2	48.3	31.8	47.1	39.5	25.5	39.3	41.2
1	17.2	19.8	18.9	15.1	21.3	17.4	20.9	22.1	18.8	18.4	17.0	18.3	21.0	17.2	7.7
2	12.0	11.2	12.5	12.9	12.6	13.4	13.2	9.2	11.0	12.5	9.5	13.9	17.5	11.5	13.2
3	7.7	6.7	8.3	9.9	7.6	10.2	8.3	4.4	6.9	8.1	7.4	8.9	11.4	8.9	7.8
4	5.2	4.2	5.2	6.4	4.2	6.9	4.6	2.2	4.1	4.9	5.2	4.8	6.9	5.4	7.9
5 or more	18.5	15.9	22.9	28.6	11.6	26.3	16.1	4.0	10.8	24.3	13.8	14.6	17.7	17.8	22.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,284,423	220,083	164,864	261,325	81,894	38,733	27,453	129,602	168,512	11,508	1,844	1,749	3,528	652	172,676

[1] For drugs other than alcohol, this is the age at which the client first used the substance. For alcohol, this is the age at first intoxication.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.8a. Treatment referral source and detailed criminal justice referral among admissions aged 12 years and older, by primary substance use: Number, 2020

Treatment referral source and detailed criminal justice referral	*All admissions*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Treatment referral source															
Self or individual	581,543	108,360	89,504	176,470	50,843	18,961	10,988	30,356	60,484	7,127	1,062	693	1,216	293	25,186
Court/criminal justice system (see detail below)	308,707	59,581	42,758	38,203	13,591	7,758	8,836	63,760	61,509	2,042	352	529	1,263	163	8,362
Other community referral	136,992	26,509	20,852	18,066	7,433	4,514	3,819	23,083	25,735	1,435	197	222	553	85	4,489
Substance use care provider	128,913	26,471	21,563	39,409	7,266	6,150	3,127	5,349	14,482	1,761	400	207	396	76	2,256
Other health care provider	91,420	20,645	14,837	13,649	6,535	3,059	1,870	10,476	10,946	1,131	160	181	173	62	7,696
School (educational)	3,444	289	253	122	79	21	31	2,183	182	27	3	13	1	2	238
Employer/EAP	7,576	2,176	962	961	302	502	240	1,108	478	34	8	10	3	5.0	787
No. of admissions	1,258,595	244,031	190,729	286,880	86,049	40,965	28,911	136,315	173,816	13,557	2,182	1,855	3,605	686	49,014
Detailed criminal justice referral[1]															
Total	308,707	59,581	42,758	38,203	13,591	7,758	8,836	63,760	61,509	2,042	352	529	1,263	163	8,362
State/federal court	33,141	5,460	5,147	4,285	1,792	1,045	1,041	6,323	7,016	292	50	45	102	13	530
Formal adjudication	17,337	2,683	1,935	1,473	1,031	407	413	3,678	4,402	174	34	37	47	11	1,012
Probation/parole	98,825	13,265	12,991	11,676	4,024	2,560	3,252	26,555	21,219	733	105	173	434	58	1,780
Other recognized legal entity	17,786	6,980	2,108	1,438	649	404	370	2,743	2,384	101	17	31	43	14	504
Diversionary program	7,051	617	730	2,445	499	312	320	1,314	506	81	2	14	68	2	141
Prison	6,169	1,124	821	1,504	372	186	199	795	919	55	13	16	31	8	126
DUI/DWI	21,259	11,842	5,470	494	326	52	101	1,991	638	93	14	10	23	7	198
Other	29,388	5,833	4,442	3,511	741	429	581	4,168	9,299	75	50	41	47	8	163
No. of admissions	230,956	47,804	33,644	26,826	9,434	5,395	6,277	47,567	46,383	1,604	285	367	795	121	4,454

[1] *Detailed criminal justice referral* is a Supplemental Data Set item. Supplemental Data Set items are reported at each state's option.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.8b. Treatment referral source and detailed criminal justice referral among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020

Treatment referral source and detailed criminal justice referral	*All admissions*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Treatment referral source															
Self or individual	46.2	44.4	46.9	61.5	59.1	46.3	38.0	22.3	34.8	52.6	48.7	37.4	33.7	42.7	51.4
Court/criminal justice system (see detail below)	24.5	24.4	22.4	13.3	15.8	18.9	30.6	46.8	35.4	15.1	16.1	28.5	35.0	23.8	17.1
Other community referral	10.9	10.9	10.9	6.3	8.6	11.0	13.2	16.9	14.8	10.6	9.0	12.0	15.3	12.4	9.2
Substance use care provider	10.2	10.8	11.3	13.7	8.4	15.0	10.8	3.9	8.3	13.0	18.3	11.2	11.0	11.1	4.6
Other health care provider	7.3	8.5	7.8	4.8	7.6	7.5	6.5	7.7	6.3	8.3	7.3	9.8	4.8	9.0	15.7
School (educational)	0.3	0.1	0.1	*	0.1	0.1	0.1	1.6	0.1	0.2	0.1	0.7	*	0.3	0.5
Employer/EAP	0.6	0.9	0.5	0.3	0.4	1.2	0.8	0.8	0.3	0.3	0.4	0.5	0.1	0.7	1.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,258,595	244,031	190,729	286,880	86,049	40,965	28,911	136,315	173,816	13,557	2,182	1,855	3,605	686	49,014
Detailed criminal justice referral[1]															
Total	308,707	59,581	42,758	38,203	13,591	7,758	8,836	63,760	61,509	2,042	352	529	1,263	163	8,362
State/federal court	14.3	11.4	15.3	16.0	19.0	19.4	16.6	13.3	15.1	18.2	17.5	12.3	12.8	10.7	11.9
Formal adjudication	7.5	5.6	5.8	5.5	10.9	7.5	6.6	7.7	9.5	10.8	11.9	10.1	5.9	9.1	22.7
Probation/parole	42.8	27.7	38.6	43.5	42.7	47.5	51.8	55.8	45.7	45.7	36.8	47.1	54.6	47.9	40.0
Other recognized legal entity	7.7	14.6	6.3	5.4	6.9	7.5	5.9	5.8	5.1	6.3	6.0	8.4	5.4	11.6	11.3
Diversionary program	3.1	1.3	2.2	9.1	5.3	5.8	5.1	2.8	1.1	5.0	0.7	3.8	8.6	1.7	3.2
Prison	2.7	2.4	2.4	5.6	3.9	3.4	3.2	1.7	2.0	3.4	4.6	4.4	3.9	6.6	2.8
DUI/DWI	9.2	24.8	16.3	1.8	3.5	1.0	1.6	4.2	1.4	5.8	4.9	2.7	2.9	5.8	4.4
Other	12.7	12.2	13.2	13.1	7.9	8.0	9.3	8.8	20.0	4.7	17.5	11.2	5.9	6.6	3.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	230,956	47,804	33,644	26,826	9,434	5,395	6,277	47,567	46,383	1,604	285	367	795	121	4,454

* Less than 0.05 percent.

[1] *Detailed criminal justice referral* is a Supplemental Data Set item. Supplemental Data Set items are reported at each state's option.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.9a. Type of treatment service at admission and planned medication-assisted opioid therapy among admissions aged 12 years and older, by primary substance use: Number, 2020

Type of treatment service at admission and planned medication-assisted opioid therapy	*All admissions*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Type of treatment service at admission															
Ambulatory	909,802	135,324	98,287	161,598	63,592	20,900	20,271	123,871	108,130	5,547	1,567	1,174	2,201	437	166,903
Outpatient	742,957	100,111	74,590	131,949	52,688	15,593	16,121	103,140	79,027	4,041	1,144	846	1,372	334	162,001
Intensive outpatient	155,973	29,001	22,586	27,776	10,122	5,280	4,115	20,672	28,688	1,459	182	321	824	100	4,847
Detoxification	10,872	6,212	1,111	1,873	782	27	35	59	415	47	241	7	5	3	55
Rehabilitation/residential	252,451	43,084	44,853	53,138	12,178	15,967	6,971	12,915	50,514	3,399	377	553	1,339	195	6,968
Short-term (<31 days)	146,664	26,942	28,197	29,795	7,471	10,238	4,161	6,798	25,043	2,366	207	361	843	109	4,133
Long-term (31+ days)	102,008	15,332	16,184	22,678	4,539	5,593	2,762	6,037	25,141	1,004	168	188	487	84	1,811
Hospital (non-detox)	3,779	810	472	665	168	136	48	80	330	29	2	4	9	2	1,024
Detoxification (24-hour service)	254,104	70,025	50,441	77,390	13,144	5,093	2,523	2,695	18,445	4,852	279	172	152	64	8,829
Free-standing residential	225,747	61,116	42,270	71,028	12,186	4,981	2,310	2,367	17,925	3,864	229	163	148	59	7,101
Hospital inpatient	28,357	8,909	8,171	6,362	958	112	213	328	520	988	50	9	4	5.0	1,728
No. of admissions	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Planned medication-assisted opioid therapy[1]															
Yes	188,807	4,380	9,235	117,818	29,869	2,957	2,516	2,503	4,804	1,766	125	126	133	31	12,544
No	1,034,936	189,888	157,471	148,769	47,629	30,014	21,555	113,076	156,512	9,368	1,870	1,479	2,955	527	153,823
No. of admissions	1,223,743	194,268	166,706	266,587	77,498	32,971	24,071	115,579	161,316	11,134	1,995	1,605	3,088	558	166,367

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.9b. Type of treatment service at admission and planned medication-assisted opioid therapy among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020

Type of treatment service at admission and planned medication-assisted opioid therapy		*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
	All admissions	*Alcohol only*	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Type of treatment service at admission															
Ambulatory	64.2	54.5	50.8	55.3	71.5	49.8	68.1	88.8	61.1	40.2	70.5	61.8	59.6	62.8	91.4
Outpatient	52.5	40.3	38.5	45.2	59.3	37.2	54.2	73.9	44.6	29.3	51.5	44.5	37.2	48.0	88.7
Intensive outpatient	11.0	11.7	11.7	9.5	11.4	12.6	13.8	14.8	16.2	10.6	8.2	16.9	22.3	14.4	2.7
Detoxification	0.8	2.5	0.6	0.6	0.9	0.1	0.1	*	0.2	0.3	10.8	0.4	0.1	0.4	*
Rehabilitation/residential	17.8	17.3	23.2	18.2	13.7	38.1	23.4	9.3	28.5	24.6	17.0	29.1	36.3	28.0	3.8
Short-term (<31 days)	10.4	10.8	14.6	10.2	8.4	24.4	14.0	4.9	14.1	17.1	9.3	19.0	22.8	15.7	2.3
Long-term (31+ days)	7.2	6.2	8.4	7.8	5.1	13.3	9.3	4.3	14.2	7.3	7.6	9.9	13.2	12.1	1.0
Hospital (non-detox)	0.3	0.3	0.2	0.2	0.2	0.3	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.3	0.6
Detoxification (24-hour service)	17.9	28.2	26.1	26.5	14.8	12.1	8.5	1.9	10.4	35.2	12.6	9.1	4.1	9.2	4.8
Free-standing residential	15.9	24.6	21.8	24.3	13.7	11.9	7.8	1.7	10.1	28.0	10.3	8.6	4.0	8.5	3.9
Hospital inpatient	2.0	3.6	4.2	2.2	1.1	0.3	0.7	0.2	0.3	7.2	2.2	0.5	0.1	0.7	0.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Planned medication-assisted opioid therapy[1]															
Yes	15.4	2.3	5.5	44.2	38.5	9.0	10.5	2.2	3.0	15.9	6.3	7.9	4.3	5.6	7.5
No	84.6	97.7	94.5	55.8	61.5	91.0	89.5	97.8	97.0	84.1	93.7	92.1	95.7	94.4	92.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,223,743	194,268	166,706	266,587	77,498	32,971	24,071	115,579	161,316	11,134	1,995	1,605	3,088	558	166,367

* Less than 0.05 percent.

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.10a. Employment status and detailed not in labor force among admissions aged 18 years and older, by primary substance use: Number, 2020

Employment status and detailed not in labor force	*All admissions aged 18 years and older*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total admissions aged 18 years and older	1,381,593	247,330	191,697	291,979	88,509	41,916	29,554	115,351	176,003	13,330	2,129	1,742	3,683	656	177,714
Employment status															
Employed	305,093	82,113	47,790	48,103	22,952	4,993	7,727	41,151	34,565	2,698	404	378	629	152	11,438
Full time	225,133	66,055	36,074	33,512	16,666	3,355	5,677	28,942	23,623	1,901	286	260	389	107	8,286
Part time	79,960	16,058	11,716	14,591	6,286	1,638	2,050	12,209	10,942	797	118	118	240	45	3,152
Unemployed	513,591	89,802	75,769	126,673	36,882	17,686	11,552	45,714	87,072	5,148	697	786	1,630	294	13,886
Not in labor force (see detail below)	391,049	67,836	62,272	111,137	25,482	17,411	9,016	24,327	49,853	5,109	978	527	1,348	186	15,567
No. of admissions	1,209,733	239,751	185,831	285,913	85,316	40,090	28,295	111,192	171,490	12,955	2,079	1,691	3,607	632	40,891
Detailed not in labor force[1]															
Total	391,049	67,836	62,272	111,137	25,482	17,411	9,016	24,327	49,853	5,109	978	527	1,348	186	15,567
Homemaker	9,126	1,567	799	1,241	1,217	160	170	1,253	1,268	106	20	6	16	5	1,298
Student	6,093	1,066	819	665	354	75	117	1,847	457	143	19	18	12	5	496
Retired	13,072	6,817	1,836	1,539	698	399	438	238	306	98	425	2	4	4	268
Disabled	75,051	14,771	14,449	17,582	6,118	5,418	1,788	4,758	7,379	758	159	115	222	48	1,486
Resident of institution	19,749	1,805	2,182	5,805	1,735	882	654	1,899	3,939	206	23	52	109	18	440
Other	207,664	33,671	35,657	69,398	11,670	9,079	5,185	11,223	16,215	3,578	181	301	827	74	10,605
No. of admissions	330,755	59,697	55,742	96,230	21,792	16,013	8,352	21,218	29,564	4,889	827	494	1,190	154	14,593

[1] *Detailed not in labor force* is a Supplemental Data Set item. Supplemental Data Set items are reported at each state's option.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.10b. Employment status and detailed not in labor force among admissions aged 18 years and older, by primary substance use: Column percent distribution, 2020

Employment status and detailed not in labor force	*All admissions aged 18 years and older*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total admissions aged 18 years and older	1,381,593	247,330	191,697	291,979	88,509	41,916	29,554	115,351	176,003	13,330	2,129	1,742	3,683	656	177,714
Employment status															
Employed	25.2	34.2	25.7	16.8	26.9	12.5	27.3	37.0	20.2	20.8	19.4	22.4	17.4	24.1	28.0
Full time	18.6	27.6	19.4	11.7	19.5	8.4	20.1	26.0	13.8	14.7	13.8	15.4	10.8	16.9	20.3
Part time	6.6	6.7	6.3	5.1	7.4	4.1	7.2	11.0	6.4	6.2	5.7	7.0	6.7	7.1	7.7
Unemployed	42.5	37.5	40.8	44.3	43.2	44.1	40.8	41.1	50.8	39.7	33.5	46.5	45.2	46.5	34.0
Not in labor force (see detail below)	32.3	28.3	33.5	38.9	29.9	43.4	31.9	21.9	29.1	39.4	47.0	31.2	37.4	29.4	38.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,209,733	239,751	185,831	285,913	85,316	40,090	28,295	111,192	171,490	12,955	2,079	1,691	3,607	632	40,891
Detailed not in labor force[1]															
Total	391,049	67,836	62,272	111,137	25,482	17,411	9,016	24,327	49,853	5,109	978	527	1,348	186	15,567
Homemaker	2.8	2.6	1.4	1.3	5.6	1.0	2.0	5.9	4.3	2.2	2.4	1.2	1.3	3.2	8.9
Student	1.8	1.8	1.5	0.7	1.6	0.5	1.4	8.7	1.5	2.9	2.3	3.6	1.0	3.2	3.4
Retired	4.0	11.4	3.3	1.6	3.2	2.5	5.2	1.1	1.0	2.0	51.4	0.4	0.3	2.6	1.8
Disabled	22.7	24.7	25.9	18.3	28.1	33.8	21.4	22.4	25.0	15.5	19.2	23.3	18.7	31.2	10.2
Resident of institution	6.0	3.0	3.9	6.0	8.0	5.5	7.8	8.9	13.3	4.2	2.8	10.5	9.2	11.7	3.0
Other	62.8	56.4	64.0	72.1	53.6	56.7	62.1	52.9	54.8	73.2	21.9	60.9	69.5	48.1	72.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	330,755	59,697	55,742	96,230	21,792	16,013	8,352	21,218	29,564	4,889	827	494	1,190	154	14,593

[1] *Detailed not in labor force* is a Supplemental Data Set item. Supplemental Data Set items are reported at each state's option.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.11a. Education, marital status, living arrangements, and pregnancy status among admissions aged 12 to 17 years, by primary substance use: Number, 2020

Education, marital status, living arrangements, and pregnancy status	*All admissions aged 12–17 years*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	34,764	1,103	1,884	147	405	44	211	24,130	1,086	468	94	157	9	40	4,986
Education															
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	9,413	214	358	33	51	12	44	6,160	228	97	15	28	6	16	2,151
Grades 9 to 11	22,757	772	1,378	99	299	28	139	16,467	770	345	65	116	2	16	2,261
Grade 12 (or GED) or more	2,011	95	120	12	52	4	21	1,153	73	22	10	10	1	8	430
No. of admissions	34,181	1,081	1,856	144	402	44	204	23,780	1,071	464	90	154	9	40	4,842
Marital status															
Never married	28,078	940	1,527	126	313	36	167	18,964	834	396	50	123	- -	36	4,566
Now married	263	10	8	- -	3	- -	5	166	7	2	- -	2	- -	- -	60
Separated	68	3	9	- -	- -	- -	1	40	4	1	1	1	- -	- -	8
Divorced	60	1	2	- -	- -	- -	- -	42	- -	2	- -	- -	- -	- -	13
Widowed	14	1	1	- -	- -	- -	- -	11	- -	1	- -	- -	- -	- -	- -
No. of admissions	28,483	955	1,547	126	316	36	173	19,223	845	402	51	126	- -	36	4,647
Living arrangements															
Independent living	8,975	330	633	55	144	17	77	6,919	277	147	18	42	- -	6	310
Dependent living	24,154	721	1,130	86	246	25	126	16,151	731	309	70	109	9	32	4,409
Homeless	438	11	40	1	4	1	2	321	40	4	3	2	- -	1	8
No. of admissions	33,567	1,062	1,803	142	394	43	205	23,391	1,048	460	91	153	9	39	4,727
Pregnant (female only)															
Yes	127	3	9	4	1	1	1	83	16	3	- -	1	- -	- -	5
No	10,490	447	734	63	125	26	97	6,461	526	166	42	42	- -	15	1,746
No. of female admissions	10,617	450	743	67	126	27	98	6,544	542	169	42	43	- -	15	1,751

- - Quantity is zero.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data Set items, which are reported at each state's option.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.11b. Education, marital status, living arrangements, and pregnancy status among admissions aged 12 to 17 years, by primary substance use: Column percent distribution, 2020

Education, marital status, living arrangements, and pregnancy status	*All admissions aged 12–17 years*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	34,764	1,103	1,884	147	405	44	211	24,130	1,086	468	94	157	9	40	4,986
Education															
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	27.5	19.8	19.3	22.9	12.7	27.3	21.6	25.9	21.3	20.9	16.7	18.2	66.7	40.0	44.4
Grades 9 to 11	66.6	71.4	74.2	68.8	74.4	63.6	68.1	69.2	71.9	74.4	72.2	75.3	22.2	40.0	46.7
Grade 12 (or GED) or more	5.9	8.8	6.5	8.3	12.9	9.1	10.3	4.8	6.8	4.7	11.1	6.5	11.1	20.0	8.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	34,181	1,081	1,856	144	402	44	204	23,780	1,071	464	90	154	9	40	4,842
Marital status															
Never married	98.6	98.4	98.7	100.0	99.1	100.0	96.5	98.7	98.7	98.5	98.0	97.6	- -	100.0	98.3
Now married	0.9	1.0	0.5	- -	0.9	- -	2.9	0.9	0.8	0.5	- -	1.6	- -	- -	1.3
Separated	0.2	0.3	0.6	- -	- -	- -	0.6	0.2	0.5	0.2	2.0	0.8	- -	- -	0.2
Divorced	0.2	0.1	0.1	- -	- -	- -	- -	0.2	- -	0.5	- -	- -	- -	- -	0.3
Widowed	*	0.1	0.1	- -	- -	- -	- -	0.1	- -	0.2	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	28,483	955	1,547	126	316	36	173	19,223	845	402	51	126	- -	36	4,647
Living arrangements															
Independent living	26.7	31.1	35.1	38.7	36.5	39.5	37.6	29.6	26.4	32.0	19.8	27.5	- -	15.4	6.6
Dependent living	72.0	67.9	62.7	60.6	62.4	58.1	61.5	69.0	69.8	67.2	76.9	71.2	100.0	82.1	93.3
Homeless	1.3	1.0	2.2	0.7	1.0	2.3	1.0	1.4	3.8	0.9	3.3	1.3	- -	2.6	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	33,567	1,062	1,803	142	394	43	205	23,391	1,048	460	91	153	9	39	4,727
Pregnant (female only)															
Yes	1.2	0.7	1.2	6.0	0.8	3.7	1.0	1.3	3.0	1.8	- -	2.3	- -	- -	0.3
No	98.8	99.3	98.8	94.0	99.2	96.3	99.0	98.7	97.0	98.2	100.0	97.7	- -	100.0	99.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of female admissions	10,617	450	743	67	126	27	98	6,544	542	169	42	43	- -	15	1,751

- - Quantity is zero; * Less than 0.05 percent.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data Set items, which are reported at each state's option. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.12a. Education, marital status, living arrangements, pregnancy status, and veteran status among admissions aged 18 years and older, by primary substance use: Number, 2020

Education, marital status, living arrangements, pregnancy status, and veteran status	*All admissions aged 18 years and older*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,381,593	247,330	191,697	291,979	88,509	41,916	29,554	115,351	176,003	13,330	2,129	1,742	3,683	656	177,714
Education															
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	61,247	11,832	9,075	18,622	3,057	2,644	1,640	4,028	7,595	664	64	79	219	23	1,705
Grades 9 to 11	221,358	27,155	33,862	52,002	14,564	9,721	5,661	28,523	40,735	1,917	293	387	1,109	80	5,349
Grade 12 (or GED)	596,321	109,526	89,867	151,769	43,626	19,062	14,156	57,521	85,363	6,418	863	854	1,783	296	15,217
1–3 years of college, university, or vocational school	241,938	57,111	41,420	53,190	18,901	7,810	5,603	18,212	30,186	2,899	450	295	448	164	5,249
4 years of college, university, or BA/BS	58,209	24,767	9,982	8,610	3,609	1,271	1,122	2,456	4,015	810	259	62	37	54	1,155
Some postgraduate study or more	18,917	8,895	3,110	1,931	1,077	392	345	763	1,565	248	135	12	7	25	412
No. of admissions	1,197,990	239,286	187,316	286,124	84,834	40,900	28,527	111,503	169,459	12,956	2,064	1,689	3,603	642	29,087
Marital status															
Never married	687,877	107,127	97,656	169,954	45,390	23,531	17,634	76,937	78,441	8,021	753	1,213	2,569	363	58,288
Now married	137,668	39,702	18,647	24,263	12,397	3,807	3,277	10,652	15,756	1,132	268	117	242	63	7,345
Separated	54,886	10,905	8,422	10,796	4,161	2,339	1,350	4,253	10,268	477	96	60	141	22	1,596
Divorced	136,862	40,260	22,775	22,670	9,304	5,677	2,921	6,929	21,251	991	202	123	194	79	3,486
Widowed	19,300	5,205	3,042	4,256	1,405	951	348	840	2,203	165	140	19	22	7	697
No. of admissions	1,036,593	203,199	150,542	231,939	72,657	36,305	25,530	99,611	127,919	10,786	1,459	1,532	3,168	534	71,412

Continued. See notes at end of table.

Table 2.12a. Education, marital status, living arrangements, pregnancy status, and veteran status among admissions aged 18 years and older, by primary substance use: Number, 2020 (continued)

Education, marital status, living arrangements, pregnancy status, and veteran status	*All admissions aged 18 years and older*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Living arrangements															
Independent living	782,757	169,720	117,668	181,813	64,437	22,114	19,326	82,032	90,058	9,029	1,581	998	2,142	400	21,439
Dependent living	195,829	29,576	27,778	47,246	12,224	7,512	4,889	19,512	39,894	2,047	294	384	732	132	3,609
Homeless	216,875	39,287	42,067	56,593	7,949	10,929	4,003	9,455	39,569	1,884	177	289	739	102	3,832
No. of admissions	1,195,461	238,583	187,513	285,652	84,610	40,555	28,218	110,999	169,521	12,960	2,052	1,671	3,613	634	28,880
Pregnant (female only)															
Yes	14,164	766	893	3,983	1,488	501	306	1,861	3,562	79	11	28	48	7	631
No	446,944	69,953	48,769	87,582	34,421	15,697	8,795	34,033	69,090	4,417	849	455	1,228	254	71,401
No. of female admissions	461,108	70,719	49,662	91,565	35,909	16,198	9,101	35,894	72,652	4,496	860	483	1,276	261	72,032
Veteran															
Yes	42,426	12,479	6,498	7,293	2,617	1,626	955	2,905	4,606	257	79	37	38	25	3,011
No	1,143,185	219,388	175,159	273,947	80,135	37,375	26,633	105,230	161,601	12,629	1,960	1,596	3,478	583	43,471
No. of admissions	1,185,611	231,867	181,657	281,240	82,752	39,001	27,588	108,135	166,207	12,886	2,039	1,633	3,516	608	46,482

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data Set items, which are reported at each state's option.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.12b. Education, marital status, living arrangements, pregnancy status, and veteran status among admissions aged 18 years and older, by primary substance use: Column percent distribution, 2020

Education, marital status, living arrangements, pregnancy status, and veteran status	*All admissions aged 18 years and older*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,381,593	247,330	191,697	291,979	88,509	41,916	29,554	115,351	176,003	13,330	2,129	1,742	3,683	656	177,714
Education															
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	5.1	4.9	4.8	6.5	3.6	6.5	5.7	3.6	4.5	5.1	3.1	4.7	6.1	3.6	5.9
Grades 9 to 11	18.5	11.3	18.1	18.2	17.2	23.8	19.8	25.6	24.0	14.8	14.2	22.9	30.8	12.5	18.4
Grade 12 (or GED)	49.8	45.8	48.0	53.0	51.4	46.6	49.6	51.6	50.4	49.5	41.8	50.6	49.5	46.1	52.3
1–3 years of college, university, or vocational school	20.2	23.9	22.1	18.6	22.3	19.1	19.6	16.3	17.8	22.4	21.8	17.5	12.4	25.5	18.0
4 years of college, university, or BA/BS	4.9	10.4	5.3	3.0	4.3	3.1	3.9	2.2	2.4	6.3	12.5	3.7	1.0	8.4	4.0
Some postgraduate study or more	1.6	3.7	1.7	0.7	1.3	1.0	1.2	0.7	0.9	1.9	6.5	0.7	0.2	3.9	1.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,197,990	239,286	187,316	286,124	84,834	40,900	28,527	111,503	169,459	12,956	2,064	1,689	3,603	642	29,087
Marital status															
Never married	66.4	52.7	64.9	73.3	62.5	64.8	69.1	77.2	61.3	74.4	51.6	79.2	81.1	68.0	81.6
Now married	13.3	19.5	12.4	10.5	17.1	10.5	12.8	10.7	12.3	10.5	18.4	7.6	7.6	11.8	10.3
Separated	5.3	5.4	5.6	4.7	5.7	6.4	5.3	4.3	8.0	4.4	6.6	3.9	4.5	4.1	2.2
Divorced	13.2	19.8	15.1	9.8	12.8	15.6	11.4	7.0	16.6	9.2	13.8	8.0	6.1	14.8	4.9
Widowed	1.9	2.6	2.0	1.8	1.9	2.6	1.4	0.8	1.7	1.5	9.6	1.2	0.7	1.3	1.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,036,593	203,199	150,542	231,939	72,657	36,305	25,530	99,611	127,919	10,786	1,459	1,532	3,168	534	71,412

Continued. See notes at end of table.

Table 2.12b. Education, marital status, living arrangements, pregnancy status, and veteran status among admissions aged 18 years and older, by primary substance use: Column percent distribution, 2020 (continued)

Education, marital status, living arrangements, pregnancy status, and veteran status	*All admissions aged 18 years and older*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Living arrangements															
Independent living	65.5	71.1	62.8	63.6	76.2	54.5	68.5	73.9	53.1	69.7	77.0	59.7	59.3	63.1	74.2
Dependent living	16.4	12.4	14.8	16.5	14.4	18.5	17.3	17.6	23.5	15.8	14.3	23.0	20.3	20.8	12.5
Homeless	18.1	16.5	22.4	19.8	9.4	26.9	14.2	8.5	23.3	14.5	8.6	17.3	20.5	16.1	13.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,195,461	238,583	187,513	285,652	84,610	40,555	28,218	110,999	169,521	12,960	2,052	1,671	3,613	634	28,880
Pregnant (female only)															
Yes	3.1	1.1	1.8	4.3	4.1	3.1	3.4	5.2	4.9	1.8	1.3	5.8	3.8	2.7	0.9
No	96.9	98.9	98.2	95.7	95.9	96.9	96.6	94.8	95.1	98.2	98.7	94.2	96.2	97.3	99.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of female admissions	461,108	70,719	49,662	91,565	35,909	16,198	9,101	35,894	72,652	4,496	860	483	1,276	261	72,032
Veteran															
Yes	3.6	5.4	3.6	2.6	3.2	4.2	3.5	2.7	2.8	2.0	3.9	2.3	1.1	4.1	6.5
No	96.4	94.6	96.4	97.4	96.8	95.8	96.5	97.3	97.2	98.0	96.1	97.7	98.9	95.9	93.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,185,611	231,867	181,657	281,240	82,752	39,001	27,588	108,135	166,207	12,886	2,039	1,633	3,516	608	46,482

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data Set items, which are reported at each state's option. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.13a. Co-occurring mental and substance use disorders and DSM criteria diagnosis among admissions aged 12 years and older, by primary substance use: Number, 2020

Co-occurring mental and substance use disorders and DSM criteria diagnosis	*All admissions*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Co-occurring mental and substance use disorders															
Yes	485,613	81,439	77,584	109,157	32,987	20,832	12,088	47,477	58,599	6,139	921	846	1,551	329	35,664
No	710,504	117,057	74,986	138,927	43,077	15,789	13,318	70,846	86,266	4,526	817	681	1,629	279	142,306
No. of admissions	1,196,117	198,496	152,570	248,084	76,064	36,621	25,406	118,323	144,865	10,665	1,738	1,527	3,180	608	177,970
DSM criteria diagnosis															
Alcohol dependence	126	78	38	3	- -	- -	- -	6	1	- -	- -	- -	- -	- -	- -
Alcohol intoxication	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Alcohol abuse	6	3	1	- -	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	- -
Alcohol-induced disorder	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Opioid dependence	240	1	1	194	35	3	- -	2	3	- -	- -	- -	- -	- -	1
Opioid abuse	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Cocaine dependence	35	- -	1	4	- -	21	7	- -	2	- -	- -	- -	- -	- -	- -
Cocaine abuse	1	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -	- -	- -
Cannabis dependence	36	- -	1	- -	- -	- -	1	28	2	2	- -	2	- -	- -	- -
Cannabis abuse	2	- -	- -	- -	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	- -
Other substance dependence	76	- -	2	3	- -	- -	1	1	63	3	- -	1	- -	- -	2
Other substance abuse	3	- -	- -	1	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	- -
Substance-induced disorder	1	- -	- -	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Anxiety disorders	1	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Depressive disorders	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Bipolar disorders	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Attention deficit/disruptive behavior disorders	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Schizophrenia/other psychotic disorders	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Other mental health condition	1,415,830	248,350	193,537	291,920	88,879	41,935	29,756	139,438	177,018	13,793	2,223	1,896	3,692	696	182,697
No. of admissions	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700

- - Quantity is zero.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data items, which are reported at each state's option.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.13b. Co-occurring mental and substance use disorders and DSM criteria diagnosis among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020

Co-occurring mental and substance use disorders and DSM criteria diagnosis	*All admissions*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Co-occurring mental and substance use disorders															
Yes	40.6	41.0	50.9	44.0	43.4	56.9	47.6	40.1	40.5	57.6	53.0	55.4	48.8	54.1	20.0
No	59.4	59.0	49.1	56.0	56.6	43.1	52.4	59.9	59.5	42.4	47.0	44.6	51.2	45.9	80.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,196,117	198,496	152,570	248,084	76,064	36,621	25,406	118,323	144,865	10,665	1,738	1,527	3,180	608	177,970
DSM criteria diagnosis															
Alcohol dependence	*	*	*	*	- -	- -	- -	*	*	- -	- -	- -	- -	- -	- -
Alcohol intoxication	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Alcohol abuse	*	*	*	- -	- -	- -	- -	*	- -	- -	- -	- -	- -	- -	- -
Alcohol-induced disorder	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Opioid dependence	*	*	*	0.1	*	*	- -	*	*	- -	- -	- -	- -	- -	*
Opioid abuse	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Cocaine dependence	*	- -	*	*	- -	0.1	*	- -	*	- -	- -	- -	- -	- -	- -
Cocaine abuse	*	- -	- -	- -	- -	*	- -	- -	- -	- -	- -	- -	- -	- -	- -
Cannabis dependence	*	- -	*	- -	- -	- -	*	*	*	*	- -	0.1	- -	- -	- -
Cannabis abuse	*	- -	- -	- -	- -	- -	- -	*	- -	- -	- -	- -	- -	- -	- -
Other substance dependence	*	- -	*	*	- -	- -	*	*	*	*	- -	0.1	- -	- -	*
Other substance abuse	*	- -	- -	*	- -	- -	- -	*	- -	- -	- -	- -	- -	- -	- -
Substance-induced disorder	*	- -	- -	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Anxiety disorders	*	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Depressive disorders	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Bipolar disorders	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Attention deficit/disruptive behavior disorders	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Schizophrenia/other psychotic disorders	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Other mental health condition	100.0	100.0	100.0	99.9	100.0	99.9	100.0	100.0	100.0	100.0	100.0	99.8	100.0	100.0	100.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700

- - Quantity is zero; * Less than 0.05 percent.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data items, which are reported at each state's option. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.14a. Source of income/support among admissions aged 18 years and older, by primary substance use: Number, 2020

Source of income/support	All admissions aged 18 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 18 years and older	1,381,593	247,330	191,697	291,979	88,509	41,916	29,554	115,351	176,003	13,330	2,129	1,742	3,683	656	177,714
Source of income/support															
Wages/salary	298,249	68,740	40,020	37,782	16,977	3,860	6,064	31,055	25,619	2,440	259	312	492	126	64,503
Public assistance	83,528	10,541	13,137	22,111	5,162	3,421	1,882	6,023	7,052	842	77	116	453	42	12,669
Disability	59,503	10,600	8,422	12,214	3,991	3,662	1,387	3,833	5,682	496	35	84	185	25	8,887
Retirement/pension	11,064	4,287	1,197	1,098	497	365	412	280	479	57	13	4	12	2	2,361
Other	156,327	26,377	27,906	38,970	9,384	5,509	3,853	13,256	11,585	2,578	672	216	493	56	15,472
None	336,751	57,158	49,405	99,384	21,557	11,518	7,583	25,251	49,957	4,225	327	600	1,286	152	8,348
No. of admissions	945,422	177,703	140,087	211,559	57,568	28,335	21,181	79,698	100,374	10,638	1,383	1,332	2,921	403	112,240

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data items, which are reported at each state's option.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.14b. Source of income/support among admissions aged 18 years and older, by primary substance use: Column percent distribution, 2020

Source of income/support	All admissions aged 18 years and older	Primary substance use at admission														
		Alcohol		Opiates		Cocaine										
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Mari-juana/ hashish	Metham-phetamine/ amphet-amines	Tran-quil-izers	Seda-tives	Hallu-cino-gens	Phen-cycli-dine (PCP)	Inhal-ants	Other/ none speci-fied
Total admissions aged 18 years and older	1,381,593	247,330	191,697	291,979	88,509	41,916	29,554	115,351	176,003	13,330	2,129	1,742	3,683	656	177,714
Source of income/support																
Wages/salary	31.5	38.7	28.6	17.9	29.5	13.6	28.6	39.0	25.5	22.9	18.7	23.4	16.8	31.3	57.5
Public assistance	8.8	5.9	9.4	10.5	9.0	12.1	8.9	7.6	7.0	7.9	5.6	8.7	15.5	10.4	11.3
Disability	6.3	6.0	6.0	5.8	6.9	12.9	6.5	4.8	5.7	4.7	2.5	6.3	6.3	6.2	7.9
Retirement/pension	1.2	2.4	0.9	0.5	0.9	1.3	1.9	0.4	0.5	0.5	0.9	0.3	0.4	0.5	2.1
Other	16.5	14.8	19.9	18.4	16.3	19.4	18.2	16.6	11.5	24.2	48.6	16.2	16.9	13.9	13.8
None	35.6	32.2	35.3	47.0	37.4	40.6	35.8	31.7	49.8	39.7	23.6	45.0	44.0	37.7	7.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	945,422	177,703	140,087	211,559	57,568	28,335	21,181	79,698	100,374	10,638	1,383	1,332	2,921	403	112,240

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data items, which are reported at each state's option. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.15a. Type of health insurance and expected/actual primary source of payment among admissions aged 12 years and older, by primary substance use: Number, 2020

Type of health insurance and expected/actual primary source of payment	*All admissions*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Type of health insurance															
Private insurance	65,728	23,570	10,848	7,567	4,866	781	1,120	6,682	5,818	1,251	94	125	61	52	2,893
Medicare	26,214	3,236	1,811	2,773	1,065	574	249	769	1,314	100	14	28	40	9	14,232
Medicaid	444,926	51,429	44,453	98,013	21,527	9,925	6,525	32,980	40,140	3,623	254	529	1,347	154	134,027
HMO	4,168	1,058	647	662	263	70	54	442	825	33	2	10	3	1	98
Other	34,441	8,423	4,229	6,404	2,497	719	619	4,155	5,176	292	39	57	90	14	1,727
None	215,835	43,134	32,839	35,417	15,819	5,528	4,774	29,248	41,778	2,030	176	281	540	106	4,165
No. of admissions	791,312	130,850	94,827	150,836	46,037	17,597	13,341	74,276	95,051	7,329	579	1,030	2,081	336	157,142
Expected/actual primary source of payment[1]															
Self-pay	47,142	15,915	9,234	5,391	3,148	503	625	5,005	5,746	327	36	44	28	18	1,122
Private insurance	46,196	17,643	7,672	4,879	3,602	476	769	4,314	3,340	1,052	67	91	34	40	2,217
Medicare	19,313	1,513	822	1,056	553	258	87	385	656	39	7	20	19	2	13,896
Medicaid	337,738	33,443	29,180	58,366	15,792	6,605	3,721	24,692	32,216	1,789	157	376	850	85	130,466
Other government payments	144,740	30,130	17,032	26,919	8,951	3,537	3,181	18,808	26,799	1,402	160	245	603	73	6,900
Workers' compensation	267	59	11	30	33	15	4	32	42	2	- -	- -	- -	- -	39
No charge	14,467	1,683	1,507	2,801	1,580	419	207	1,876	3,743	75	16	21	75	18	446
Other	29,704	5,368	4,375	3,859	1,980	548	455	3,979	6,554	227	30	46	29	14	2,240
No. of admissions	639,567	105,754	69,833	103,301	35,639	12,361	9,049	59,091	79,096	4,913	473	843	1,638	250	157,326

- - Quantity is zero.

[1] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data items, which are reported at each state's option.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.15b. Type of health insurance and expected/actual primary source of payment among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020

Type of health insurance and expected/actual primary source of payment	*All admissions*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Type of health insurance															
Private insurance	8.3	18.0	11.4	5.0	10.6	4.4	8.4	9.0	6.1	17.1	16.2	12.1	2.9	15.5	1.8
Medicare	3.3	2.5	1.9	1.8	2.3	3.3	1.9	1.0	1.4	1.4	2.4	2.7	1.9	2.7	9.1
Medicaid	56.2	39.3	46.9	65.0	46.8	56.4	48.9	44.4	42.2	49.4	43.9	51.4	64.7	45.8	85.3
HMO	0.5	0.8	0.7	0.4	0.6	0.4	0.4	0.6	0.9	0.5	0.3	1.0	0.1	0.3	0.1
Other	4.4	6.4	4.5	4.2	5.4	4.1	4.6	5.6	5.4	4.0	6.7	5.5	4.3	4.2	1.1
None	27.3	33.0	34.6	23.5	34.4	31.4	35.8	39.4	44.0	27.7	30.4	27.3	25.9	31.5	2.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	791,312	130,850	94,827	150,836	46,037	17,597	13,341	74,276	95,051	7,329	579	1,030	2,081	336	157,142
Expected/actual primary source of payment[1]															
Self-pay	7.4	15.0	13.2	5.2	8.8	4.1	6.9	8.5	7.3	6.7	7.6	5.2	1.7	7.2	0.7
Private insurance	7.2	16.7	11.0	4.7	10.1	3.9	8.5	7.3	4.2	21.4	14.2	10.8	2.1	16.0	1.4
Medicare	3.0	1.4	1.2	1.0	1.6	2.1	1.0	0.7	0.8	0.8	1.5	2.4	1.2	0.8	8.8
Medicaid	52.8	31.6	41.8	56.5	44.3	53.4	41.1	41.8	40.7	36.4	33.2	44.6	51.9	34.0	82.9
Other government payments	22.6	28.5	24.4	26.1	25.1	28.6	35.2	31.8	33.9	28.5	33.8	29.1	36.8	29.2	4.4
Workers' compensation	*	0.1	*	*	0.1	0.1	*	0.1	0.1	*	- -	- -	- -	- -	*
No charge	2.3	1.6	2.2	2.7	4.4	3.4	2.3	3.2	4.7	1.5	3.4	2.5	4.6	7.2	0.3
Other	4.6	5.1	6.3	3.7	5.6	4.4	5.0	6.7	8.3	4.6	6.3	5.5	1.8	5.6	1.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	639,567	105,754	69,833	103,301	35,639	12,361	9,049	59,091	79,096	4,913	473	843	1,638	250	157,326

- - Quantity is zero; * Less than 0.05 percent.

[1] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data items, which are reported at each state's option. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.16a. Arrests in 30 days prior to admission and days waiting to enter treatment among admissions aged 12 years and older, by primary substance use: Number, 2020

Arrests in 30 days prior to admission and days waiting to enter treatment	*All admissions*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Arrests in 30 days prior to admission															
None	1,128,620	219,713	161,151	256,786	81,330	38,336	27,286	127,402	159,166	11,086	1,772	1,734	3,354	615	38,889
1 (once)	71,073	12,194	9,937	13,044	3,776	1,701	1,295	8,848	13,765	773	86	108	221	52	5,273
2 or more times	13,865	2,261	1,715	2,482	831	460	290	1,257	2,384	120	21	19	40	12	1,973
No. of admissions	1,213,558	234,168	172,803	272,312	85,937	40,497	28,871	137,507	175,315	11,979	1,879	1,861	3,615	679	46,135
Days waiting to enter treatment															
None	504,334	101,863	67,169	117,053	34,728	13,341	9,117	53,768	83,545	4,700	613	715	1,584	239	15,899
1–7 days	154,333	30,617	21,320	45,296	10,012	5,104	3,438	13,773	20,063	1,755	155	197	399	75	2,129
8–14 days	32,710	6,280	5,121	5,901	2,058	1,089	717	4,273	6,203	265	40	43	75	28	617
15–30 days	22,713	4,015	3,532	3,507	1,320	740	485	3,256	4,962	159	25	37	56	17	602
More than 30 days	15,207	2,412	2,221	2,455	843	467	359	2,202	3,131	89	16	19	23	15	955
No. of admissions	729,297	145,187	99,363	174,212	48,961	20,741	14,116	77,272	117,904	6,968	849	1,011	2,137	374	20,202

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data Set items, which are reported at each state's option.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.16b. Arrests in 30 days prior to admission and days waiting to enter treatment among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020

Arrests in 30 days prior to admission and days waiting to enter treatment	*All admissions*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Arrests in 30 days prior to admission															
None	93.0	93.8	93.3	94.3	94.6	94.7	94.5	92.7	90.8	92.5	94.3	93.2	92.8	90.6	84.3
1 (once)	5.9	5.2	5.8	4.8	4.4	4.2	4.5	6.4	7.9	6.5	4.6	5.8	6.1	7.7	11.4
2 or more times	1.1	1.0	1.0	0.9	1.0	1.1	1.0	0.9	1.4	1.0	1.1	1.0	1.1	1.8	4.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,213,558	234,168	172,803	272,312	85,937	40,497	28,871	137,507	175,315	11,979	1,879	1,861	3,615	679	46,135
Days waiting to enter treatment															
None	69.2	70.2	67.6	67.2	70.9	64.3	64.6	69.6	70.9	67.5	72.2	70.7	74.1	63.9	78.7
1–7 days	21.2	21.1	21.5	26.0	20.4	24.6	24.4	17.8	17.0	25.2	18.3	19.5	18.7	20.1	10.5
8–14 days	4.5	4.3	5.2	3.4	4.2	5.3	5.1	5.5	5.3	3.8	4.7	4.3	3.5	7.5	3.1
15–30 days	3.1	2.8	3.6	2.0	2.7	3.6	3.4	4.2	4.2	2.3	2.9	3.7	2.6	4.5	3.0
More than 30 days	2.1	1.7	2.2	1.4	1.7	2.3	2.5	2.8	2.7	1.3	1.9	1.9	1.1	4.0	4.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	729,297	145,187	99,363	174,212	48,961	20,741	14,116	77,272	117,904	6,968	849	1,011	2,137	374	20,202

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data Set items, which are reported at each state's option. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.17a. Frequency of attendance at self-help programs among admissions aged 12 years and older, by primary substance use: Number, 2020

Frequency of attendance at self-help programs		*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
	All admissions	*Alcohol only*	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Frequency of attendance at self-help programs															
None in the past month	889,154	168,954	125,659	197,392	63,968	27,901	20,639	112,508	124,779	8,624	1,444	1,373	2,570	477	32,866
1–3 times in the past month	60,942	11,526	8,823	13,653	3,972	2,335	1,456	4,619	11,238	551	90	90	151	40	2,398
4–7 times in the past month	39,641	7,821	5,808	9,166	2,597	1,415	872	2,622	7,854	380	55	63	105	25	858
8–30 times in the past month	93,457	17,967	14,214	21,826	5,636	3,235	2,042	5,471	20,216	769	145	118	206	74	1,538
Some attendance in the past month, but frequency unknown	49,513	9,992	8,838	13,396	3,467	2,994	1,932	2,768	3,293	725	80	74	175	36	1,743
No. of admissions	1,132,707	216,260	163,342	255,433	79,640	37,880	26,941	127,988	167,380	11,049	1,814	1,718	3,207	652	39,403

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Items in this table are Supplemental Data items, which are reported at each state's option.
SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.17b. Frequency of attendance at self-help programs among admissions aged 12 years and older, by primary substance use: Column percent distribution, 2020

Frequency of attendance at self-help programs		*Primary substance use at admission*														
		Alcohol		*Opiates*		*Cocaine*										
	All admissions	*Alcohol only*	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Frequency of attendance at self-help programs															
None in the past month	78.5	78.1	76.9	77.3	80.3	73.7	76.6	87.9	74.5	78.1	79.6	79.9	80.1	73.2	83.4
1–3 times in the past month	5.4	5.3	5.4	5.3	5.0	6.2	5.4	3.6	6.7	5.0	5.0	5.2	4.7	6.1	6.1
4–7 times in the past month	3.5	3.6	3.6	3.6	3.3	3.7	3.2	2.0	4.7	3.4	3.0	3.7	3.3	3.8	2.2
8–30 times in the past month	8.3	8.3	8.7	8.5	7.1	8.5	7.6	4.3	12.1	7.0	8.0	6.9	6.4	11.3	3.9
Some attendance in the past month, but frequency unknown	4.4	4.6	5.4	5.2	4.4	7.9	7.2	2.2	2.0	6.6	4.4	4.3	5.5	5.5	4.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,132,707	216,260	163,342	255,433	79,640	37,880	26,941	127,988	167,380	11,049	1,814	1,718	3,207	652	39,403

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Items in this table are Supplemental Data items, which are reported at each state's option. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.18. Admissions aged 12 years and older, by primary, secondary, and tertiary detailed drug: Number and column percent distribution, 2020

Detailed drug	*Number*				*Percent distribution*			
	Total [1]	*Primary*	*Secondary*	*Tertiary*	*Total* [1]	*Primary*	*Secondary*	*Tertiary*
Admissions reporting detailed drug(s)	1,064,627	602,713	324,208	137,706	100.0	100.0	100.0	100.0
Alcohol	304,850	234,326	49,054	21,470	28.6	38.9	15.1	15.6
Marijuana/hashish	186,727	65,802	80,924	40,001	17.5	10.9	25.0	29.0
Cocaine	140,224	37,239	77,675	25,310	13.2	6.2	24.0	18.4
Crack	54,339	17,783	28,651	7,905	5.1	3.0	8.8	5.7
Other cocaine	85,885	19,456	49,024	17,405	8.1	3.2	15.1	12.6
Opiates	249,781	186,032	47,282	16,467	23.5	30.9	14.6	12.0
Heroin	172,660	141,229	24,451	6,980	16.2	23.4	7.5	5.1
Other opiates or synthetics	45,322	27,098	13,150	5,074	4.3	4.5	4.1	3.7
Oxycodone (Oxycontin, Percocet)	15,851	9,088	4,940	1,823	1.5	1.5	1.5	1.3
Hydrocodone (Vicodin)	2,793	1,424	925	444	0.3	0.2	0.3	0.3
Non-prescription methadone	2,747	1,046	1,055	646	0.3	0.2	0.3	0.5
Hydromorphone (Dilaudid)	470	265	153	52	*	*	*	*
Buprenorphine	5,883	2,426	2,191	1,266	0.6	0.4	0.7	0.9
Codeine	3,805	3,305	349	151	0.4	0.5	0.1	0.1
Tramadol (Ultram)	129	60	48	21	*	*	*	*
Meperidine (Demerol)	30	20	8	2	*	*	*	*
Propoxyphene (Darvon)	72	61	7	4	*	*	*	*
Pentazocine (Talwin)	19	10	5	4	*	*	*	*
Stimulants	114,268	63,956	37,133	13,179	10.7	10.6	11.5	9.6
Methamphetamine/speed	98,916	57,632	31,720	9,564	9.3	9.6	9.8	6.9
Amphetamines	6,478	3,179	2,195	1,104	0.6	0.5	0.7	0.8
MDMA (Ecstasy)	3,211	777	1,218	1,216	0.3	0.1	0.4	0.9
Other stimulants	2,894	1,224	963	707	0.3	0.2	0.3	0.5
Other amphetamines	2,676	1,123	999	554	0.3	0.2	0.3	0.4
Methylphenidate (Ritalin)	93	21	38	34	*	*	*	*
Tranquilizers	37,621	7,975	18,631	11,015	3.5	1.3	5.7	8.0
Alprazolam (Xanax)	19,613	4,175	9,896	5,542	1.8	0.7	3.1	4.0
Other benzodiazepines	12,769	2,765	6,011	3,993	1.2	0.5	1.9	2.9
Diazepam (Valium)	4,173	784	2,216	1,173	0.4	0.1	0.7	0.9
Clonazepam (Klonopin, Rivotril)	640	136	311	193	0.1	*	0.1	0.1
Lorazepam (Ativan)	213	42	114	57	*	*	*	*
Other tranquilizers	120	30	46	44	*	*	*	*
Chlordiazepoxide (Librium)	34	7	21	6	*	*	*	*
Clorazepate (Tranxene)	13	6	6	1	*	*	*	*
Flunitrazepam (Rohypnol)	6	4	1	1	*	*	*	*
Meprobamate (Miltown)	10	2	6	2	*	*	*	*
Flurazepam (Dalmane)	23	23	- -	- -	*	*	- -	- -
Triazolam (Halcion)	7	1	3	3	*	*	*	*

Continued. See notes at end of table.

Table 2.18. Admissions aged 12 years and older, by primary, secondary, and tertiary detailed drug: Number and column percent distribution, 2020 (continued)

Detailed drug	Number				Percent distribution			
	Total [1]	Primary	Secondary	Tertiary	Total [1]	Primary	Secondary	Tertiary
Sedatives/hypnotics	2,637	1,154	873	610	0.2	0.2	0.3	0.4
Other sedatives	- -	- -	- -	- -	- -	- -	- -	- -
Other non-barbiturate sedatives	1,725	518	705	502	0.2	0.1	0.2	0.4
Other barbiturate sedatives	814	589	133	92	0.1	0.1	*	0.1
Phenobarbital	53	20	23	10	*	*	*	*
Methaqualone	18	10	6	2	*	*	*	*
Ethchlorvynol (Placidyl)	12	8	1	3	*	*	*	*
Secobarbital/amobarbital (Tuinal)	3	1	2	- -	*	*	*	- -
Secobarbital (Seconal)	3	1	1	1	*	*	*	*
Glutethimide (Doriden)	9	7	2	- -	*	*	*	- -
Hallucinogens	3,959	925	1,450	1,584	0.4	0.2	0.4	1.2
Other hallucinogens	2,951	776	1,035	1,140	0.3	0.1	0.3	0.8
LSD	1,008	149	415	444	0.1	*	0.1	0.3
Phencyclidine (PCP)/PCP combinations	4,296	2,021	1,342	933	0.4	0.3	0.4	0.7
Inhalants	724	323	250	151	0.1	0.1	0.1	0.1
Other inhalants	509	218	187	104	*	*	0.1	0.1
Aerosols	183	89	56	38	*	*	*	*
Solvents	10	4	3	3	*	*	*	*
Anesthetics	15	10	2	3	*	*	*	*
Nitrites	7	2	2	3	*	*	*	*
Other	19,540	2,960	9,594	6,986	1.8	0.5	3.0	5.1
Other drugs	17,483	2,491	8,626	6,366	1.6	0.4	2.7	4.6
Other over-the-counter	1,152	199	537	416	0.1	*	0.2	0.3
Ketamine	465	164	185	116	*	*	0.1	0.1
GHB/GBL	393	90	231	72	*	*	0.1	0.1
Diphenhydramine	38	10	13	15	*	*	*	*
Diphenylhydantoin/phenytoin (Dilantin)	9	6	2	1	*	*	*	*

- - Quantity is zero; * Less than 0.05 percent.

[1] Admissions can report up to three substances of use, so in the total column an individual admission may be counted up to three times.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data Set items, which are reported at each state's option. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.19a. Admissions aged 12 years and older reporting detailed drugs, by primary, secondary, and tertiary substance use: Number, 2010-2020

Detailed drug	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total[1]	1,455,266	1,534,349	1,483,006	1,432,240	1,316,881	1,391,451	1,440,650	1,556,922	1,686,975	1,538,541	1,064,627
Primary substance use	800,438	848,359	813,556	791,655	724,557	786,279	815,200	889,923	974,681	883,923	602,713
Alcohol	352,026	360,937	345,671	327,462	299,856	286,741	292,065	295,035	320,936	311,115	234,326
Marijuana/hashish	146,507	152,827	136,825	127,258	109,002	107,019	105,918	107,250	116,297	99,909	65,802
Cocaine	74,262	74,363	63,416	54,716	46,478	44,650	46,345	52,991	62,683	58,985	37,239
Opiates	184,771	212,484	215,522	226,140	213,622	283,949	288,384	341,930	372,723	312,151	186,032
Stimulants	26,542	27,937	32,328	36,678	38,222	42,479	56,657	64,973	72,415	75,291	63,956
Tranquilizers	9,229	10,726	10,015	8,784	8,481	8,929	10,560	11,368	11,654	10,497	7,975
Sedatives/hypnotics	1,295	1,449	1,490	1,692	1,486	1,538	1,508	1,665	1,741	1,497	1,154
Hallucinogens	484	683	826	765	728	858	945	1,121	1,172	1,181	925
Phencyclidine (PCP)/PCP combinations	2,517	3,302	3,368	3,087	2,612	2,818	2,801	3,058	3,011	3,029	2,021
Inhalants	441	476	449	402	309	321	471	410	408	351	323
Other[2]	2,364	3,175	3,646	4,671	3,761	6,977	9,546	10,122	11,641	9,917	2,960
Secondary substance use	457,748	482,081	468,857	448,713	413,472	425,485	439,034	469,848	503,406	463,307	324,208
Alcohol	111,578	111,938	104,736	95,551	83,208	81,729	80,331	80,444	78,550	71,240	49,054
Marijuana/hashish	120,336	122,543	120,058	117,725	109,313	109,247	110,925	114,673	120,673	111,090	80,924
Cocaine	107,748	110,376	102,005	94,325	85,457	91,326	95,687	115,295	133,888	123,681	77,675
Opiates	58,797	65,951	68,474	68,158	62,241	66,489	67,528	71,798	76,369	69,385	47,282
Stimulants	15,379	16,004	17,255	19,150	20,087	23,035	29,487	34,800	41,516	42,487	37,133
Tranquilizers	25,588	33,483	30,820	30,199	28,328	31,846	33,452	34,267	32,848	26,559	18,631
Sedatives/hypnotics	2,154	2,046	1,999	1,872	1,593	1,526	1,504	1,663	1,737	1,409	873
Hallucinogens	1,244	1,357	1,441	1,489	1,250	1,467	1,532	1,539	1,684	1,598	1,450
Phencyclidine (PCP)/PCP combinations	1,813	2,107	2,186	1,990	1,719	1,700	1,726	1,778	1,786	1,931	1,342
Inhalants	476	500	419	370	331	349	370	329	380	320	250
Other[2]	12,635	15,776	19,464	17,884	19,945	16,771	16,492	13,262	13,975	13,607	9,594

Continued. See notes at end of table.

Table 2.19a. Admissions aged 12 years and older reporting detailed drugs, by primary, secondary, and tertiary substance use: Number, 2010-2020 (continued)

Detailed drug	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Tertiary substance use	197,080	203,909	200,593	191,872	178,852	179,687	186,416	197,151	208,888	191,311	137,706
Alcohol	41,165	40,958	39,218	37,149	33,532	33,023	33,499	34,214	34,781	31,382	21,470
Marijuana/hashish	50,006	51,762	51,527	50,015	47,438	48,070	50,161	54,309	59,356	56,211	40,001
Cocaine	40,720	41,341	39,173	36,578	33,159	32,923	33,942	37,395	40,271	36,460	25,310
Opiates	25,457	26,789	26,342	24,971	23,067	23,607	24,273	24,924	26,255	23,721	16,467
Stimulants	11,264	11,186	11,655	11,422	11,225	11,667	12,903	14,064	15,647	14,679	13,179
Tranquilizers	16,305	19,008	18,855	18,178	16,893	18,000	18,747	19,326	19,412	15,930	11,015
Sedatives/hypnotics	1,442	1,402	1,345	1,281	1,131	983	1,056	1,152	1,104	874	610
Hallucinogens	2,188	2,131	2,191	2,034	1,784	1,821	1,794	1,877	1,876	1,741	1,584
Phencyclidine (PCP)/PCP combinations	1,302	1,432	1,481	1,255	1,091	1,115	1,193	1,104	1,134	1,147	933
Inhalants	618	587	486	487	371	305	300	224	233	207	151
Other[2]	6,613	7,313	8,320	8,502	9,161	8,173	8,548	8,562	8,819	8,959	6,986

[1] Admissions can report up to three substances of use, so in the total row an individual admission may be counted up to three times.

[2] Includes over-the-counter medications and other drugs.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Items in this table are Supplemental Data items, which are reported at each state's option.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 2.19b. Admissions aged 12 years and older reporting detailed drugs, by primary, secondary, and tertiary substance use: Column percent distribution, 2010-2020

Detailed drug	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total[1]	1,455,266	1,534,349	1,483,006	1,432,240	1,316,881	1,391,451	1,440,650	1,556,922	1,686,975	1,538,541	1,064,627
Primary substance use	800,438	848,359	813,556	791,655	724,557	786,279	815,200	889,923	974,681	883,923	602,713
Alcohol	44.0	42.5	42.5	41.4	41.4	36.5	35.8	33.2	32.9	35.2	38.9
Marijuana/hashish	18.3	18.0	16.8	16.1	15.0	13.6	13.0	12.1	11.9	11.3	10.9
Cocaine	9.3	8.8	7.8	6.9	6.4	5.7	5.7	6.0	6.4	6.7	6.2
Opiates	23.1	25.0	26.5	28.6	29.5	36.1	35.4	38.4	38.2	35.3	30.9
Stimulants	3.3	3.3	4.0	4.6	5.3	5.4	7.0	7.3	7.4	8.5	10.6
Tranquilizers	1.2	1.3	1.2	1.1	1.2	1.1	1.3	1.3	1.2	1.2	1.3
Sedatives/hypnotics	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Hallucinogens	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
Phencyclidine (PCP) /PCP combinations	0.3	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3
Inhalants	0.1	0.1	0.1	0.1	0.0	*	0.1	*	*	*	0.1
Other[2]	0.3	0.4	0.4	0.6	0.5	0.9	1.2	1.1	1.2	1.1	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Secondary substance use	457,748	482,081	468,857	448,713	413,472	425,485	439,034	469,848	503,406	463,307	324,208
Alcohol	24.4	23.2	22.3	21.3	20.1	19.2	18.3	17.1	15.6	15.4	15.1
Marijuana/hashish	26.3	25.4	25.6	26.2	26.4	25.7	25.3	24.4	24.0	24.0	25.0
Cocaine	23.5	22.9	21.8	21.0	20.7	21.5	21.8	24.5	26.6	26.7	24.0
Opiates	12.8	13.7	14.6	15.2	15.1	15.6	15.4	15.3	15.2	15.0	14.6
Stimulants	3.4	3.3	3.7	4.3	4.9	5.4	6.7	7.4	8.2	9.2	11.5
Tranquilizers	5.6	6.9	6.6	6.7	6.9	7.5	7.6	7.3	6.5	5.7	5.7
Sedatives/hypnotics	0.5	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.3	0.3	0.3
Hallucinogens	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4
Phencyclidine (PCP) /PCP combinations	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Inhalants	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Other[2]	2.8	3.3	4.2	4.0	4.8	3.9	3.8	2.8	2.8	2.9	3.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Continued. See notes at end of table.

Table 2.19b. Admissions aged 12 years and older reporting detailed drugs, by primary, secondary, and tertiary substance use: Column percent distribution, 2010-2020 (continued)

Detailed drug	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Tertiary substance use	197,080	203,909	200,593	191,872	178,852	179,687	186,416	197,151	208,888	191,311	137,706
Alcohol	20.9	20.1	19.6	19.4	18.7	18.4	18.0	17.4	16.7	16.4	15.6
Marijuana/hashish	25.4	25.4	25.7	26.1	26.5	26.8	26.9	27.5	28.4	29.4	29.0
Cocaine	20.7	20.3	19.5	19.1	18.5	18.3	18.2	19.0	19.3	19.1	18.4
Opiates	12.9	13.1	13.1	13.0	12.9	13.1	13.0	12.6	12.6	12.4	12.0
Stimulants	5.7	5.5	5.8	6.0	6.3	6.5	6.9	7.1	7.5	7.7	9.6
Tranquilizers	8.3	9.3	9.4	9.5	9.4	10.0	10.1	9.8	9.3	8.3	8.0
Sedatives/hypnotics	0.7	0.7	0.7	0.7	0.6	0.5	0.6	0.6	0.5	0.5	0.4
Hallucinogens	1.1	1.0	1.1	1.1	1.0	1.0	1.0	1.0	0.9	0.9	1.2
Phencyclidine (PCP) /PCP combinations	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.5	0.6	0.7
Inhalants	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1
Other[2]	3.4	3.6	4.1	4.4	5.1	4.5	4.6	4.3	4.2	4.7	5.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

* Less than 0.05 percent.

[1] Admissions can report up to three substances of use, so in the total row an individual admission may be counted up to three times.

[2] Includes over-the-counter medications and other drugs.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. The data items in this table are Supplemental Data Set items, which are reported at each state's option. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.1a. Admissions aged 12 to 14 years, by primary substance use: Number, 2010-2020

Primary substance	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total admissions aged 12–14 years	22,960	24,241	21,579	18,263	13,532	11,877	11,367	12,396	11,108	11,794	6,654
Marijuana/hashish	16,381	17,698	16,119	13,927	10,472	9,042	8,408	7,834	7,632	7,381	4,227
Alcohol	3,610	3,510	3,096	2,373	1,618	1,314	1,196	1,090	966	861	441
Alcohol only	1,704	1,765	1,622	1,213	770	620	552	581	556	431	170
Alcohol w/ secondary drug	1,906	1,745	1,474	1,160	848	694	644	509	410	430	271
Stimulants	740	603	251	249	223	191	291	209	240	264	127
Methamphetamine	164	173	185	201	177	156	254	167	176	192	88
Other amphetamines	172	94	49	39	36	27	28	26	16	27	16
Other stimulants	404	336	17	9	10	8	9	16	48	45	23
Cocaine	95	92	78	70	49	33	42	33	56	43	24
Smoked cocaine	39	20	28	30	17	9	8	8	19	9	5
Non-smoked cocaine	56	72	50	40	32	24	34	25	37	34	19
Opiates	306	304	255	215	171	118	123	128	153	222	35
Heroin	52	68	56	55	49	34	28	72	94	109	10
Other opiates/synthetics	254	236	199	160	122	84	95	56	59	113	25
Non-Rx methadone	7	4	3	9	5	1	1	3	1	- -	- -
Other opiates/synthetics	247	232	196	151	117	83	94	53	58	113	25
Other drugs	569	561	514	354	261	313	314	301	285	321	157
Tranquilizers	105	76	72	51	37	41	76	95	101	78	47
Benzodiazepine	93	64	61	45	30	36	74	93	98	77	47
Other tranquilizers	12	12	11	6	7	5	2	2	3	1	- -
Inhalants	170	141	91	66	33	30	35	21	15	15	9
Hallucinogens	31	46	51	36	32	37	31	15	10	10	14
Sedatives/hypnotics	45	41	33	24	9	12	17	27	22	14	7
Barbiturates	11	5	1	2	- -	1	3	3	6	1	1
Other sedatives/hypnotics	34	36	32	22	9	11	14	24	16	13	6
Over-the-counter	46	62	57	54	48	49	43	22	8	20	8
Phencyclidine (PCP)	1	4	1	5	2	2	- -	- -	- -	8	2
Other	171	191	209	118	100	142	112	121	129	176	70
None reported	1,259	1,473	1,266	1,075	738	866	993	2,801	1,776	2,702	1,643

- - Quantity is zero.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.1b. Admissions aged 12 to 14 years, by primary substance use: Column percent distribution, 2010-2020

Primary substance	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Marijuana/hashish	71.3	73.0	74.7	76.3	77.4	76.1	74.0	63.2	68.7	62.6	63.5
Alcohol	15.7	14.5	14.3	13.0	12.0	11.1	10.5	8.8	8.7	7.3	6.6
Alcohol only	7.4	7.3	7.5	6.6	5.7	5.2	4.9	4.7	5.0	3.7	2.6
Alcohol w/ secondary drug	8.3	7.2	6.8	6.4	6.3	5.8	5.7	4.1	3.7	3.6	4.1
Stimulants	3.2	2.5	1.2	1.4	1.6	1.6	2.6	1.7	2.2	2.2	1.9
Methamphetamine	0.7	0.7	0.9	1.1	1.3	1.3	2.2	1.3	1.6	1.6	1.3
Other amphetamines	0.7	0.4	0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.2	0.2
Other stimulants	1.8	1.4	0.1	*	0.1	0.1	0.1	0.1	0.4	0.4	0.3
Cocaine	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.3	0.5	0.4	0.4
Smoked cocaine	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Non-smoked cocaine	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.3	0.3
Opiates	1.3	1.3	1.2	1.2	1.3	1.0	1.1	1.0	1.4	1.9	0.5
Heroin	0.2	0.3	0.3	0.3	0.4	0.3	0.2	0.6	0.8	0.9	0.2
Other opiates/synthetics	1.1	1.0	0.9	0.9	0.9	0.7	0.8	0.5	0.5	1.0	0.4
Non-Rx methadone	*	*	*	*	*	*	*	*	*	- -	- -
Other opiates/synthetics	1.1	1.0	0.9	0.8	0.9	0.7	0.8	0.4	0.5	1.0	0.4
Other drugs	2.5	2.3	2.4	1.9	1.9	2.6	2.8	2.4	2.6	2.7	2.4
Tranquilizers	0.5	0.3	0.3	0.3	0.3	0.3	0.7	0.8	0.9	0.7	0.7
Benzodiazepine	0.4	0.3	0.3	0.2	0.2	0.3	0.7	0.8	0.9	0.7	0.7
Other tranquilizers	0.1	*	0.1	*	0.1	*	*	*	*	*	- -
Inhalants	0.7	0.6	0.4	0.4	0.2	0.3	0.3	0.2	0.1	0.1	0.1
Hallucinogens	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.1	0.1	0.1	0.2
Sedatives/hypnotics	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1
Barbiturates	*	*	*	*	- -	*	*	*	0.1	*	*
Other sedatives/hypnotics	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Over-the-counter	0.2	0.3	0.3	0.3	0.4	0.4	0.4	0.2	0.1	0.2	0.1
Phencyclidine (PCP)	*	*	*	*	*	*	- -	- -	- -	0.1	*
Other	0.7	0.8	1.0	0.6	0.7	1.2	1.0	1.0	1.2	1.5	1.1
None reported	5.5	6.1	5.9	5.9	5.5	7.3	8.7	22.6	16.0	22.9	24.7

- - Quantity is zero; * Less than 0.05 percent.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.2a. Admissions aged 15 to 17 years, by primary substance use: Number, 2010-2020

Primary substance	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total admissions aged 15–17 years	118,569	121,062	102,202	85,812	67,047	61,218	58,342	57,566	51,136	46,108	28,110
Marijuana/hashish	87,194	91,025	77,075	64,637	50,765	45,974	43,737	41,213	39,222	33,952	19,903
Alcohol	18,560	16,343	13,399	10,660	7,719	6,416	6,011	5,273	4,154	3,500	2,546
Alcohol only	6,353	5,726	4,591	3,545	2,386	2,150	1,960	1,841	1,636	1,324	933
Alcohol w/ secondary drug	12,207	10,617	8,808	7,115	5,333	4,266	4,051	3,432	2,518	2,176	1,613
Stimulants	2,974	3,088	2,892	3,166	2,773	2,455	2,854	2,467	1,927	1,660	1,024
Methamphetamine	1,885	2,039	2,375	2,762	2,424	2,155	2,569	2,177	1,675	1,375	886
Other amphetamines	861	723	441	351	308	248	214	220	133	181	96
Other stimulants	228	326	76	53	41	52	71	70	119	104	42
Cocaine	1,114	1,092	851	581	482	457	518	595	555	394	231
Smoked cocaine	285	285	215	202	119	103	123	97	119	92	39
Non-smoked cocaine	829	807	636	379	363	354	395	498	436	302	192
Opiates	4,266	4,457	3,863	3,342	2,681	2,330	1,890	1,350	959	718	517
Heroin	1,426	1,560	1,658	1,812	1,609	1,431	1,152	752	509	328	137
Other opiates/synthetics	2,840	2,897	2,205	1,530	1,072	899	738	598	450	390	380
Non-Rx methadone	55	42	31	20	22	18	6	14	5	7	- -
Other opiates/synthetics	2,785	2,855	2,174	1,510	1,050	881	732	584	445	383	380
Other drugs	2,383	2,484	2,295	1,971	1,461	1,702	1,894	1,845	1,583	1,388	917
Tranquilizers	665	703	529	405	375	521	810	866	718	544	421
Benzodiazepine	617	662	486	383	356	504	799	855	707	538	419
Other tranquilizers	48	41	43	22	19	17	11	11	11	6	2
Inhalants	268	257	156	117	61	53	58	42	45	44	31
Hallucinogens	284	316	323	311	236	251	217	168	120	120	143
Sedatives/hypnotics	217	159	121	99	70	105	107	139	155	100	87
Barbiturates	39	23	16	12	9	17	9	14	20	8	11
Other sedatives/hypnotics	178	136	105	87	61	88	98	125	135	92	76
Over-the-counter	353	258	259	273	204	140	130	84	68	63	41
Phencyclidine (PCP)	35	44	43	16	13	16	8	6	3	46	7
Other	561	747	864	750	502	616	564	540	474	471	187
None reported	2,078	2,573	1,827	1,455	1,166	1,884	1,438	4,823	2,736	4,496	2,972

- - Quantity is zero.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.2b. Admissions aged 15 to 17 years, by primary substance use: Column percent distribution, 2010-2020

Primary substance	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Marijuana/hashish	73.5	75.2	75.4	75.3	75.7	75.1	75.0	71.6	76.7	73.6	70.8
Alcohol	15.7	13.5	13.1	12.4	11.5	10.5	10.3	9.2	8.1	7.6	9.1
Alcohol only	5.4	4.7	4.5	4.1	3.6	3.5	3.4	3.2	3.2	2.9	3.3
Alcohol w/ secondary drug	10.3	8.8	8.6	8.3	8.0	7.0	6.9	6.0	4.9	4.7	5.7
Stimulants	2.5	2.6	2.8	3.7	4.1	4.0	4.9	4.3	3.8	3.6	3.6
Methamphetamine	1.6	1.7	2.3	3.2	3.6	3.5	4.4	3.8	3.3	3.0	3.2
Other amphetamines	0.7	0.6	0.4	0.4	0.5	0.4	0.4	0.4	0.3	0.4	0.3
Other stimulants	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1
Cocaine	0.9	0.9	0.8	0.7	0.7	0.7	0.9	1.0	1.1	0.9	0.8
Smoked cocaine	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1
Non-smoked cocaine	0.7	0.7	0.6	0.4	0.5	0.6	0.7	0.9	0.9	0.7	0.7
Opiates	3.6	3.7	3.8	3.9	4.0	3.8	3.2	2.3	1.9	1.6	1.8
Heroin	1.2	1.3	1.6	2.1	2.4	2.3	2.0	1.3	1.0	0.7	0.5
Other opiates/synthetics	2.4	2.4	2.2	1.8	1.6	1.5	1.3	1.0	0.9	0.8	1.4
Non-Rx methadone	*	*	*	*	*	*	*	*	*	*	- -
Other opiates/synthetics	2.3	2.4	2.1	1.8	1.6	1.4	1.3	1.0	0.9	0.8	1.4
Other drugs	2.0	2.1	2.2	2.3	2.2	2.8	3.2	3.2	3.1	3.0	3.3
Tranquilizers	0.6	0.6	0.5	0.5	0.6	0.9	1.4	1.5	1.4	1.2	1.5
Benzodiazepine	0.5	0.5	0.5	0.4	0.5	0.8	1.4	1.5	1.4	1.2	1.5
Other tranquilizers	*	*	*	*	*	*	*	*	*	*	*
Inhalants	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Hallucinogens	0.2	0.3	0.3	0.4	0.4	0.4	0.4	0.3	0.2	0.3	0.5
Sedatives/hypnotics	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.3
Barbiturates	*	*	*	*	*	*	*	*	*	*	*
Other sedatives/hypnotics	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.2	0.3
Over-the-counter	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1
Phencyclidine (PCP)	*	*	*	*	*	*	*	*	*	0.1	*
Other	0.5	0.6	0.8	0.9	0.7	1.0	1.0	0.9	0.9	1.0	0.7
None reported	1.8	2.1	1.8	1.7	1.7	3.1	2.5	8.4	5.4	9.8	10.6

- - Quantity is zero; * Less than 0.05 percent.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.3a. Gender, race, and ethnicity among admissions aged 12 to 14 years, by primary substance use: Number, 2020

Gender, race, and ethnicity	All admissions aged 12–14 years	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12–14 years	6,654	170	271	10	25	5	19	4,227	104	47	7	14	2	9	1,744
Gender															
Male	4,187	80	136	5	17	5	6	2,796	52	19	2	8	2	6	1,053
Female	2,464	90	135	5	8	- -	13	1,430	52	28	5	6	- -	3	689
Total	6,651	170	271	10	25	5	19	4,226	104	47	7	14	2	9	1,742
Race															
American Indian or Alaska Native	160	6	26	- -	- -	- -	- -	115	10	- -	- -	- -	- -	- -	3
Asian[1]	40	1	3	- -	- -	- -	1	23	- -	- -	- -	- -	- -	- -	12
Black or African American	1,621	19	16	- -	2	- -	- -	846	6	4	- -	2	- -	- -	726
Native Hawaiian or Other Pacific Islander	54	1	3	- -	- -	- -	- -	41	4	- -	- -	- -	- -	- -	5
White	3,413	112	176	9	19	3	14	2,177	65	34	2	8	2	8	784
Other	1,233	26	41	1	4	2	4	924	17	8	5	4	- -	1	196
Total	6,521	165	265	10	25	5	19	4,126	102	46	7	14	2	9	1,726
Ethnicity															
Specific Hispanic or Latino origin	2,068	51	66	2	8	3	7	1,492	23	12	6	3	2	1	392
Mexican	779	11	31	- -	3	2	1	646	14	5	4	1	2	- -	59
Puerto Rican	173	3	3	- -	- -	- -	- -	84	1	- -	1	- -	- -	- -	81
Cuban	76	2	- -	- -	- -	- -	- -	36	- -	- -	- -	1	- -	- -	37
Other	1,040	35	32	2	5	1	6	726	8	7	1	1	- -	1	215
Not of Hispanic or Latino origin	4,388	114	199	7	17	2	12	2,625	75	35	1	11	- -	8	1,282
Total	6,456	165	265	9	25	5	19	4,117	98	47	7	14	2	9	1,674

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.3b. Gender, race, and ethnicity among admissions aged 12 to 14 years, by primary substance use: Column percent distribution, 2020

Gender, race, and ethnicity	All admissions aged 12–14 years	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Mari-juana/ hashish	Metham-phetamine/ amphet-amines	Tran-quil-izers	Seda-tives	Hallu-cino-gens	Phen-cycli-dine (PCP)	Inhal-ants	Other/ none speci-fied
Total admissions aged 12–14 years	6,654	170	271	10	25	5	19	4,227	104	47	7	14	2	9	1,744
Gender															
Male	63.0	47.1	50.2	50.0	68.0	100.0	31.6	66.2	50.0	40.4	28.6	57.1	100.0	66.7	60.4
Female	37.0	52.9	49.8	50.0	32.0	- -	68.4	33.8	50.0	59.6	71.4	42.9	- -	33.3	39.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Race															
American Indian or Alaska Native	2.5	3.6	9.8	- -	- -	- -	- -	2.8	9.8	- -	- -	- -	- -	- -	0.2
Asian[1]	0.6	0.6	1.1	- -	- -	- -	5.3	0.6	- -	- -	- -	- -	- -	- -	0.7
Black or African American	24.9	11.5	6.0	- -	8.0	- -	- -	20.5	5.9	8.7	- -	14.3	- -	- -	42.1
Native Hawaiian or Other Pacific Islander	0.8	0.6	1.1	- -	- -	- -	- -	1.0	3.9	- -	- -	- -	- -	- -	0.3
White	52.3	67.9	66.4	90.0	76.0	60.0	73.7	52.8	63.7	73.9	28.6	57.1	100.0	88.9	45.4
Other	18.9	15.8	15.5	10.0	16.0	40.0	21.1	22.4	16.7	17.4	71.4	28.6	- -	11.1	11.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Ethnicity															
Specific Hispanic or Latino origin	32.0	30.9	24.9	22.2	32.0	60.0	36.8	36.2	23.5	25.5	85.7	21.4	100.0	11.1	23.4
Mexican	12.1	6.7	11.7	- -	12.0	40.0	5.3	15.7	14.3	10.6	57.1	7.1	100.0	- -	3.5
Puerto Rican	2.7	1.8	1.1	- -	- -	- -	- -	2.0	1.0	- -	14.3	- -	- -	- -	4.8
Cuban	1.2	1.2	- -	- -	- -	- -	- -	0.9	- -	- -	- -	7.1	- -	- -	2.2
Other	16.1	21.2	12.1	22.2	20.0	20.0	31.6	17.6	8.2	14.9	14.3	7.1	- -	11.1	12.8
Not of Hispanic or Latino origin	68.0	69.1	75.1	77.8	68.0	40.0	63.2	63.8	76.5	74.5	14.3	78.6	- -	88.9	76.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.4a. Gender, race, and ethnicity among admissions aged 15 to 17 years, by primary substance use: Number, 2020

Gender, race, and ethnicity	All admissions aged 15–17 years	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Mari-juana/ hashish	Metham-phetamine/ amphet-amines	Tran-quil-izers	Seda-tives	Hallu-cino-gens	Phen-cycli-dine (PCP)	Inhal-ants	Other/ none speci-fied
Total admissions aged 15–17 years	28,110	933	1,613	137	380	39	192	19,903	982	421	87	143	7	31	3,242
Gender															
Male	19,576	563	979	74	257	12	104	14,561	458	273	48	105	5	19	2,118
Female	8,512	369	631	63	122	27	85	5,332	523	148	39	38	2	12	1,121
Total	28,088	932	1,610	137	379	39	189	19,893	981	421	87	143	7	31	3,239
Race															
American Indian or Alaska Native	646	46	117	4	9	- -	2	378	69	2	1	2	- -	2	14
Asian[1]	253	6	24	- -	2	- -	1	187	6	4	3	1	- -	1	18
Black or African American	6,013	114	113	7	33	2	7	4,412	33	24	4	10	2	2	1,250
Native Hawaiian or Other Pacific Islander	162	4	14	- -	3	2	4	115	10	1	1	- -	- -	- -	8
White	15,742	619	1,067	107	238	25	139	10,809	702	330	59	109	5	19	1,514
Other	4,752	118	244	16	79	9	34	3,618	133	55	19	16	- -	7	404
Total	27,568	907	1,579	134	364	38	187	19,519	953	416	87	138	7	31	3,208
Ethnicity															
Specific Hispanic or Latino origin	7,941	246	403	21	99	12	66	5,950	218	118	31	26	5	8	738
Mexican	3,065	97	195	11	60	3	25	2,381	122	30	14	14	2	3	108
Puerto Rican	599	9	15	- -	- -	1	3	409	3	9	3	1	- -	- -	146
Cuban	254	6	7	- -	1	1	- -	152	4	2	- -	- -	- -	1	80
Other	4,023	134	186	10	38	7	38	3,008	89	77	14	11	3	4	404
Not of Hispanic or Latino origin	19,401	671	1,160	113	274	27	124	13,441	736	298	55	117	2	22	2,361
Total	27,342	917	1,563	134	373	39	190	19,391	954	416	86	143	7	30	3,099

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.4b. Gender, race, and ethnicity among admissions aged 15 to 17 years, by primary substance use: Column percent distribution, 2020

Gender, race, and ethnicity	All admissions aged 15–17 years	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Mari-juana/ hashish	Metham-phetamine/ amphet-amines	Tran-quil-izers	Seda-tives	Hallu-cino-gens	Phen-cycli-dine (PCP)	Inhal-ants	Other/ none speci-fied
Total admissions aged 15–17 years	28,110	933	1,613	137	380	39	192	19,903	982	421	87	143	7	31	3,242
Gender															
Male	69.7	60.4	60.8	54.0	67.8	30.8	55.0	73.2	46.7	64.8	55.2	73.4	71.4	61.3	65.4
Female	30.3	39.6	39.2	46.0	32.2	69.2	45.0	26.8	53.3	35.2	44.8	26.6	28.6	38.7	34.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Race															
American Indian or Alaska Native	2.3	5.1	7.4	3.0	2.5	- -	1.1	1.9	7.2	0.5	1.1	1.4	- -	6.5	0.4
Asian[1]	0.9	0.7	1.5	- -	0.5	- -	0.5	1.0	0.6	1.0	3.4	0.7	- -	3.2	0.6
Black or African American	21.8	12.6	7.2	5.2	9.1	5.3	3.7	22.6	3.5	5.8	4.6	7.2	28.6	6.5	39.0
Native Hawaiian or Other Pacific Islander	0.6	0.4	0.9	- -	0.8	5.3	2.1	0.6	1.0	0.2	1.1	- -	- -	- -	0.2
White	57.1	68.2	67.6	79.9	65.4	65.8	74.3	55.4	73.7	79.3	67.8	79.0	71.4	61.3	47.2
Other	17.2	13.0	15.5	11.9	21.7	23.7	18.2	18.5	14.0	13.2	21.8	11.6	- -	22.6	12.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Ethnicity															
Specific Hispanic or Latino origin	29.0	26.8	25.8	15.7	26.5	30.8	34.7	30.7	22.9	28.4	36.0	18.2	71.4	26.7	23.8
Mexican	11.2	10.6	12.5	8.2	16.1	7.7	13.2	12.3	12.8	7.2	16.3	9.8	28.6	10.0	3.5
Puerto Rican	2.2	1.0	1.0	- -	- -	2.6	1.6	2.1	0.3	2.2	3.5	0.7	- -	- -	4.7
Cuban	0.9	0.7	0.4	- -	0.3	2.6	- -	0.8	0.4	0.5	- -	- -	- -	3.3	2.6
Other	14.7	14.6	11.9	7.5	10.2	17.9	20.0	15.5	9.3	18.5	16.3	7.7	42.9	13.3	13.0
Not of Hispanic or Latino origin	71.0	73.2	74.2	84.3	73.5	69.2	65.3	69.3	77.1	71.6	64.0	81.8	28.6	73.3	76.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.5a. Age at admission and treatment referral source among admissions aged 12 to 17 years, by primary substance use: Number, 2020

Age at admission and treatment referral source	*All admissions aged 12–17 years*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total admissions aged 12–17 years	34,764	1,103	1,884	147	405	44	211	24,130	1,086	468	94	157	9	40	4,986
Age at admission															
12 years	618	22	12	1	- -	1	1	241	7	1	- -	1	- -	1	330
13 years	1,809	32	73	4	4	2	5	1,123	18	11	4	3	1	4	525
14 years	4,227	116	186	5	21	2	13	2,863	79	35	3	10	1	4	889
15 years	7,503	227	378	14	73	3	35	5,354	172	86	20	29	2	12	1,098
16 years	10,284	332	547	36	127	15	64	7,489	312	142	26	44	1	11	1,138
17 years	10,323	374	688	87	180	21	93	7,060	498	193	41	70	4	8	1,006
No. of admissions	34,764	1,103	1,884	147	405	44	211	24,130	1,086	468	94	157	9	40	4,986
Treatment referral source															
Self or individual	6,803	335	439	56	156	17	40	4,436	225	116	26	37	3	14	903
Substance use care provider	2,226	82	106	15	48	4	23	1,213	78	36	15	7	- -	3	596
Other health care provider	6,116	98	225	11	64	5	27	3,333	142	65	9	27	- -	4	2,106
School (educational)	2,363	126	96	4	12	3	10	1,873	21	17	3	12	- -	2	184
Employer/EAP	688	20	2	- -	2	- -	- -	220	2	- -	- -	- -	- -	1	441
Other community referral	4,087	103	261	26	51	5	28	3,124	204	75	13	32	3	6	156
Court/criminal justice system	11,744	321	722	29	68	9	74	9,459	382	150	25	40	3	9	453
No. of admissions	34,027	1,085	1,851	141	401	43	202	23,658	1,054	459	91	155	9	39	4,839

- - Quantity is zero.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.5b. Age at admission and treatment referral source among admissions aged 12 to 17 years, by primary substance use: Column percent distribution, 2020

Age at admission and treatment referral source	*All admissions aged 12–17 years*	*Primary substance use at admission*													
		Alcohol		*Opiates*		*Cocaine*									
		Alcohol only	*With secondary drug*	*Heroin*	*Other opiates*	*Smoked cocaine*	*Other route*	*Mari-juana/ hashish*	*Metham-phetamine/ amphet-amines*	*Tran-quil-izers*	*Seda-tives*	*Hallu-cino-gens*	*Phen-cycli-dine (PCP)*	*Inhal-ants*	*Other/ none speci-fied*
Total admissions aged 12–17 years	34,764	1,103	1,884	147	405	44	211	24,130	1,086	468	94	157	9	40	4,986
Age at admission															
12 years	1.8	2.0	0.6	0.7	- -	2.3	0.5	1.0	0.6	0.2	- -	0.6	- -	2.5	6.6
13 years	5.2	2.9	3.9	2.7	1.0	4.5	2.4	4.7	1.7	2.4	4.3	1.9	11.1	10.0	10.5
14 years	12.2	10.5	9.9	3.4	5.2	4.5	6.2	11.9	7.3	7.5	3.2	6.4	11.1	10.0	17.8
15 years	21.6	20.6	20.1	9.5	18.0	6.8	16.6	22.2	15.8	18.4	21.3	18.5	22.2	30.0	22.0
16 years	29.6	30.1	29.0	24.5	31.4	34.1	30.3	31.0	28.7	30.3	27.7	28.0	11.1	27.5	22.8
17 years	29.7	33.9	36.5	59.2	44.4	47.7	44.1	29.3	45.9	41.2	43.6	44.6	44.4	20.0	20.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	34,764	1,103	1,884	147	405	44	211	24,130	1,086	468	94	157	9	40	4,986
Treatment referral source															
Self or individual	20.0	30.9	23.7	39.7	38.9	39.5	19.8	18.8	21.3	25.3	28.6	23.9	33.3	35.9	18.7
Substance use care provider	6.5	7.6	5.7	10.6	12.0	9.3	11.4	5.1	7.4	7.8	16.5	4.5	- -	7.7	12.3
Other health care provider	18.0	9.0	12.2	7.8	16.0	11.6	13.4	14.1	13.5	14.2	9.9	17.4	- -	10.3	43.5
School (educational)	6.9	11.6	5.2	2.8	3.0	7.0	5.0	7.9	2.0	3.7	3.3	7.7	- -	5.1	3.8
Employer/EAP	2.0	1.8	0.1	- -	0.5	- -	- -	0.9	0.2	- -	- -	- -	- -	2.6	9.1
Other community referral	12.0	9.5	14.1	18.4	12.7	11.6	13.9	13.2	19.4	16.3	14.3	20.6	33.3	15.4	3.2
Court/criminal justice system	34.5	29.6	39.0	20.6	17.0	20.9	36.6	40.0	36.2	32.7	27.5	25.8	33.3	23.1	9.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	34,027	1,085	1,851	141	401	43	202	23,658	1,054	459	91	155	9	39	4,839

- - Quantity is zero.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.6a. Admissions aged 12 to 14 years, by marijuana involvement and treatment referral source: Number, 2010-2020

Marijuana involvement[1] and treatment referral source	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total admissions aged 12–14 years	22,960	24,241	21,579	18,263	13,532	11,877	11,367	12,396	11,108	11,794	6,654
Marijuana-involved[1] admissions	18,392	19,540	17,752	15,233	11,459	9,906	8,987	8,287	8,154	7,821	4,536
Criminal justice referral	6,844	6,940	6,257	5,529	4,158	3,432	3,076	3,045	2,902	2,410	1,474
Both alcohol and marijuana	2,919	2,656	2,415	2,137	1,534	1,172	981	857	695	634	446
Primary marijuana, no alcohol	3,806	4,168	3,724	3,294	2,532	2,187	2,010	2,129	2,138	1,728	996
Marijuana not primary, no alcohol	119	116	118	98	92	73	85	59	69	48	32
Other referral source	11,548	12,600	11,495	9,704	7,301	6,474	5,911	5,242	5,252	5,411	3,062
Both alcohol and marijuana	5,477	5,339	4,823	3,965	2,974	2,465	2,322	1,788	1,403	1,281	819
Primary marijuana, no alcohol	5,760	7,023	6,445	5,540	4,176	3,855	3,421	3,326	3,727	4,030	2,156
Marijuana not primary, no alcohol	311	238	227	199	151	154	168	128	122	100	87
All other admissions, no marijuana	4,097	4,217	3,417	2,722	1,865	1,785	1,680	3,373	2,385	3,388	1,962
Criminal justice referral	800	760	714	478	311	295	242	388	385	402	191
Primary alcohol	374	320	262	196	112	94	73	111	128	118	38
Other drugs and drug combinations[2]	150	162	151	121	94	99	75	96	117	132	35
No substance reported	276	278	301	161	105	102	94	181	140	152	118
Other referral source	3,297	3,457	2,703	2,244	1,554	1,490	1,438	2,985	2,000	2,986	1,771
Primary alcohol	1,448	1,543	1,442	1,075	706	571	509	459	425	340	151
Other drugs and drug combinations[2]	912	810	364	293	251	229	239	273	311	396	137
No substance reported	937	1,104	897	876	597	690	690	2,253	1,264	2,250	1,483
No. of admissions	22,489	23,757	21,169	17,955	13,324	11,691	10,667	11,660	10,539	11,209	6,498

[1] Admissions reporting marijuana as a primary, secondary, or tertiary substance were considered to be marijuana-involved.

[2] Drug combinations includes combinations of alcohol and drugs.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.6b. Admissions aged 12 to 14 years, by marijuana involvement and treatment referral source: Column percent distribution, 2010-2020

Marijuana involvement[1] and treatment referral source	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total admissions aged 12–14 years	22,960	24,241	21,579	18,263	13,532	11,877	11,367	12,396	11,108	11,794	6,654
Marijuana-involved[1] admissions	81.8	82.2	83.9	84.8	86.0	84.7	84.3	71.1	77.4	69.8	69.8
Criminal justice referral	30.4	29.2	29.6	30.8	31.2	29.4	28.8	26.1	27.5	21.5	22.7
Both alcohol and marijuana	13.0	11.2	11.4	11.9	11.5	10.0	9.2	7.3	6.6	5.7	6.9
Primary marijuana, no alcohol	16.9	17.5	17.6	18.3	19.0	18.7	18.8	18.3	20.3	15.4	15.3
Marijuana not primary, no alcohol	0.5	0.5	0.6	0.5	0.7	0.6	0.8	0.5	0.7	0.4	0.5
Other referral source	51.3	53.0	54.3	54.0	54.8	55.4	55.4	45.0	49.8	48.3	47.1
Both alcohol and marijuana	24.4	22.5	22.8	22.1	22.3	21.1	21.8	15.3	13.3	11.4	12.6
Primary marijuana, no alcohol	25.6	29.6	30.4	30.9	31.3	33.0	32.1	28.5	35.4	36.0	33.2
Marijuana not primary, no alcohol	1.4	1.0	1.1	1.1	1.1	1.3	1.6	1.1	1.2	0.9	1.3
All other admissions, no marijuana	18.2	17.8	16.1	15.2	14.0	15.3	15.7	28.9	22.6	30.2	30.2
Criminal justice referral	3.6	3.2	3.4	2.7	2.3	2.5	2.3	3.3	3.7	3.6	2.9
Primary alcohol	1.7	1.3	1.2	1.1	0.8	0.8	0.7	1.0	1.2	1.1	0.6
Other drugs and drug combinations[2]	0.7	0.7	0.7	0.7	0.7	0.8	0.7	0.8	1.1	1.2	0.5
No substance reported	1.2	1.2	1.4	0.9	0.8	0.9	0.9	1.6	1.3	1.4	1.8
Other referral source	14.7	14.6	12.8	12.5	11.7	12.7	13.5	25.6	19.0	26.6	27.3
Primary alcohol	6.4	6.5	6.8	6.0	5.3	4.9	4.8	3.9	4.0	3.0	2.3
Other drugs and drug combinations[2]	4.1	3.4	1.7	1.6	1.9	2.0	2.2	2.3	3.0	3.5	2.1
No substance reported	4.2	4.6	4.2	4.9	4.5	5.9	6.5	19.3	12.0	20.1	22.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	22,489	23,757	21,169	17,955	13,324	11,691	10,667	11,660	10,539	11,209	6,498

[1] Admissions reporting marijuana as a primary, secondary, or tertiary substance were considered to be marijuana-involved.

[2] Drug combinations includes combinations of alcohol and drugs.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.7a. Admissions aged 15 to 17 years, by marijuana involvement and treatment referral source: Number, 2010-2020

Marijuana involvement[1] and treatment referral source	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total admissions aged 15–17 years	118,569	121,062	102,202	85,812	67,047	61,218	58,342	57,566	51,136	46,108	28,110
Marijuana-involved[1] admissions	102,706	104,710	89,489	75,361	59,157	53,163	49,786	46,504	43,614	37,473	22,561
Criminal justice referral	51,354	49,681	43,318	36,701	28,202	24,794	22,391	21,437	19,498	14,956	9,215
Both alcohol and marijuana	25,479	22,932	19,566	16,099	12,042	9,745	7,956	6,929	5,575	4,486	2,841
Primary marijuana, no alcohol	24,430	25,257	22,245	19,227	14,920	13,894	13,335	13,531	13,124	9,853	5,986
Marijuana not primary, no alcohol	1,445	1,492	1,507	1,375	1,240	1,155	1,100	977	799	617	388
Other referral source	51,352	55,029	46,171	38,660	30,955	28,369	27,395	25,067	24,116	22,517	13,346
Both alcohol and marijuana	26,208	25,881	21,735	17,575	13,763	11,641	10,812	9,195	6,842	5,962	4,319
Primary marijuana, no alcohol	22,491	26,524	21,911	18,775	15,259	14,899	14,612	14,162	16,001	15,552	8,211
Marijuana not primary, no alcohol	2,653	2,624	2,525	2,310	1,933	1,829	1,971	1,710	1,273	1,003	816
All other admissions, no marijuana	13,710	13,816	10,827	9,084	6,729	7,105	6,056	8,583	6,290	7,383	4,968
Criminal justice referral	5,639	5,046	4,278	3,390	2,474	2,507	2,080	2,395	1,791	1,450	864
Primary alcohol	3,329	2,776	2,279	1,719	1,136	963	872	758	672	520	335
Other drugs and drug combinations[2]	1,489	1,556	1,322	1,264	1,028	1,011	883	910	765	614	276
No substance reported	821	714	677	407	310	533	325	727	354	316	253
Other referral source	8,071	8,770	6,549	5,694	4,255	4,598	3,976	6,188	4,499	5,933	4,104
Primary alcohol	3,835	3,733	2,948	2,339	1,665	1,552	1,394	1,340	1,163	946	733
Other drugs and drug combinations[2]	3,095	3,340	2,590	2,393	1,844	1,873	1,849	1,650	1,456	1,214	748
No substance reported	1,141	1,697	1,011	962	746	1,173	733	3,198	1,880	3,773	2,623
No. of admissions	116,416	118,526	100,316	84,445	65,886	60,268	55,842	55,087	49,904	44,856	27,529

[1] Admissions reporting marijuana as a primary, secondary, or tertiary substance were considered to be marijuana-involved.

[2] Drug combinations includes combinations of alcohol and drugs.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.7b. Admissions aged 15 to 17 years, by marijuana involvement and treatment referral source: Column percent distribution, 2010-2020

Marijuana involvement[1] and treatment referral source	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total admissions aged 15–17 years	118,569	121,062	102,202	85,812	67,047	61,218	58,342	57,566	51,136	46,108	28,110
Marijuana-involved[1] admissions	88.2	88.3	89.2	89.2	89.8	88.2	89.2	84.4	87.4	83.5	82.0
Criminal justice referral	44.1	41.9	43.2	43.5	42.8	41.1	40.1	38.9	39.1	33.3	33.5
Both alcohol and marijuana	21.9	19.3	19.5	19.1	18.3	16.2	14.2	12.6	11.2	10.0	10.3
Primary marijuana, no alcohol	21.0	21.3	22.2	22.8	22.6	23.1	23.9	24.6	26.3	22.0	21.7
Marijuana not primary, no alcohol	1.2	1.3	1.5	1.6	1.9	1.9	2.0	1.8	1.6	1.4	1.4
Other referral source	44.1	46.4	46.0	45.8	47.0	47.1	49.1	45.5	48.3	50.2	48.5
Both alcohol and marijuana	22.5	21.8	21.7	20.8	20.9	19.3	19.4	16.7	13.7	13.3	15.7
Primary marijuana, no alcohol	19.3	22.4	21.8	22.2	23.2	24.7	26.2	25.7	32.1	34.7	29.8
Marijuana not primary, no alcohol	2.3	2.2	2.5	2.7	2.9	3.0	3.5	3.1	2.6	2.2	3.0
All other admissions, no marijuana	11.8	11.7	10.8	10.8	10.2	11.8	10.8	15.6	12.6	16.5	18.0
Criminal justice referral	4.8	4.3	4.3	4.0	3.8	4.2	3.7	4.3	3.6	3.2	3.1
Primary alcohol	2.9	2.3	2.3	2.0	1.7	1.6	1.6	1.4	1.3	1.2	1.2
Other drugs and drug combinations[2]	1.3	1.3	1.3	1.5	1.6	1.7	1.6	1.7	1.5	1.4	1.0
No substance reported	0.7	0.6	0.7	0.5	0.5	0.9	0.6	1.3	0.7	0.7	0.9
Other referral source	6.9	7.4	6.5	6.7	6.5	7.6	7.1	11.2	9.0	13.2	14.9
Primary alcohol	3.3	3.1	2.9	2.8	2.5	2.6	2.5	2.4	2.3	2.1	2.7
Other drugs and drug combinations[2]	2.7	2.8	2.6	2.8	2.8	3.1	3.3	3.0	2.9	2.7	2.7
No substance reported	1.0	1.4	1.0	1.1	1.1	1.9	1.3	5.8	3.8	8.4	9.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	116,416	118,526	100,316	84,445	65,886	60,268	55,842	55,087	49,904	44,856	27,529

[1] Admissions reporting marijuana as a primary, secondary, or tertiary substance were considered to be marijuana-involved.

[2] Drug combinations includes combinations of alcohol and drugs.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.8a. Heroin admissions aged 12 years and older, by age group, race, and ethnicity: Number, 2010-2020

Age group, race, and ethnicity	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total heroin admissions	270,236	286,264	305,439	345,940	371,184	438,929	465,421	513,545	520,140	441,986	292,126
Race											
12 to 14 years	52	68	56	55	47	31	26	60	68	91	10
American Indian or Alaska Native	- -	5	4	3	2	-	2	2	5	3	- -
Asian[1]	- -	- -	1	1	1	-	- -	- -	- -	- -	- -
Black or African American	6	6	4	1	1	2	1	3	3	2	-
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	38	46	44	46	38	27	21	47	45	65	9
Other	8	11	3	4	5	2	2	8	15	21	1
15 to 17 years	1,410	1,543	1,634	1,782	1,568	1,372	1,115	731	481	307	134
American Indian or Alaska Native	16	28	37	34	33	31	25	18	17	7	4
Asian[1]	7	8	12	13	12	9	11	9	4	1	-
Black or African American	20	61	39	42	28	44	25	33	13	12	7
Native Hawaiian or Other Pacific Islander	2	4	3	2	-	4	3	1	1	-	- -
White	1,248	1,326	1,429	1,559	1,373	1,180	923	596	378	247	107
Other	117	116	114	132	122	104	128	74	68	40	16
18 to 20 years	15,566	15,940	16,585	17,710	15,615	13,793	12,229	9,905	7,428	5,058	2,923
American Indian or Alaska Native	122	144	170	217	197	177	181	166	128	103	57
Asian[1]	104	93	95	82	75	85	93	34	53	37	16
Black or African American	232	271	283	311	344	363	392	328	317	226	134
Native Hawaiian or Other Pacific Islander	27	23	44	35	26	30	28	25	15	15	8
White	14,367	14,573	15,180	16,045	13,985	12,120	10,561	8,547	6,317	4,199	2,413
Other	714	836	813	1,020	988	1,018	974	805	598	478	295
21 to 24 years	41,906	45,540	50,841	59,369	59,220	59,062	57,935	51,061	41,482	29,654	17,743
American Indian or Alaska Native	284	405	580	664	672	755	843	763	638	483	320
Asian[1]	165	225	241	317	354	387	358	313	211	188	102
Black or African American	796	882	1,071	1,356	1,487	1,932	2,127	2,405	2,290	1,764	992
Native Hawaiian or Other Pacific Islander	63	60	108	111	115	144	159	114	169	105	67
White	38,255	41,764	46,300	53,631	52,797	51,668	49,762	43,359	34,626	24,429	14,580
Other	2,343	2,204	2,541	3,290	3,795	4,176	4,686	4,107	3,548	2,685	1,682
25 to 34 years	87,151	97,382	109,706	131,911	150,039	177,770	198,629	215,819	214,007	180,668	121,386
American Indian or Alaska Native	580	770	952	1,230	1,614	1,755	2,279	2,467	2,615	2,260	1,660
Asian[1]	408	517	495	627	734	911	1,162	1,118	1,085	969	658
Black or African American	4,471	4,483	4,534	4,767	5,445	7,372	8,186	10,803	12,928	12,886	7,427
Native Hawaiian or Other Pacific Islander	184	172	207	250	302	390	442	541	695	564	364
White	71,149	81,336	93,671	114,256	129,793	153,144	169,307	182,587	180,162	148,604	99,702
Other	10,359	10,104	9,847	10,781	12,151	14,198	17,253	18,303	16,522	15,385	11,575

Continued. See notes at end of table.

Table 3.8a. Heroin admissions aged 12 years and older, by age group, race, and ethnicity: Number, 2010-2020 (continued)

Age group, race, and ethnicity	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
35 to 44 years	58,044	57,862	57,366	62,199	66,931	83,179	90,411	108,410	118,005	107,054	78,114
American Indian or Alaska Native	439	455	486	612	649	785	1,012	1,114	1,140	1,111	990
Asian[1]	200	227	264	291	335	321	472	486	510	528	411
Black or African American	15,880	14,347	11,808	10,258	9,126	12,319	9,702	12,021	12,642	11,487	6,161
Native Hawaiian or Other Pacific Islander	167	137	173	162	185	211	284	293	417	345	288
White	28,851	30,746	33,378	39,672	45,066	57,235	65,350	80,061	89,166	80,316	59,988
Other	12,507	11,950	11,257	11,204	11,570	12,308	13,591	14,435	14,130	13,267	10,276
45 to 54 years	47,557	48,086	47,336	48,365	49,851	64,621	62,630	76,263	78,385	66,862	40,010
American Indian or Alaska Native	386	390	385	435	506	476	537	593	654	541	361
Asian[1]	132	110	92	96	116	178	164	192	244	259	164
Black or African American	19,983	20,451	18,488	17,588	16,660	26,859	21,549	30,000	31,282	25,553	10,577
Native Hawaiian or Other Pacific Islander	86	85	103	117	123	130	159	162	233	196	145
White	17,633	17,861	18,726	20,132	21,707	26,430	28,958	34,242	35,539	30,702	21,749
Other	9,337	9,189	9,542	9,997	10,739	10,548	11,263	11,074	10,433	9,611	7,014
55 to 64 years	14,860	16,215	17,391	18,870	20,913	28,557	28,840	37,800	42,314	37,215	22,705
American Indian or Alaska Native	119	173	138	168	234	199	228	284	341	275	209
Asian[1]	46	46	58	59	69	106	77	96	86	86	48
Black or African American	7,559	8,388	8,432	8,852	9,457	14,748	12,834	18,825	22,064	19,158	9,477
Native Hawaiian or Other Pacific Islander	31	20	35	44	37	53	60	66	101	84	77
White	4,993	5,210	6,006	6,755	7,626	9,679	10,833	13,363	15,033	12,789	9,259
Other	2,112	2,378	2,722	2,992	3,490	3,772	4,808	5,166	4,689	4,823	3,635
65 to 74 years	1,108	1,151	1,482	1,766	2,064	3,082	3,490	5,230	6,585	6,101	4,225
American Indian or Alaska Native	9	5	21	12	26	31	22	33	33	39	51
Asian[1]	6	8	6	8	7	14	34	24	17	15	19
Black or African American	575	565	711	905	1,059	1,779	1,759	2,919	3,774	3,466	2,118
Native Hawaiian or Other Pacific Islander	1	6	8	2	4	5	11	8	6	10	5
White	316	312	468	542	646	870	1,115	1,588	2,088	1,848	1,427
Other	201	255	268	297	322	383	549	658	667	723	605
75 years and older	97	94	78	89	98	145	141	213	302	316	171
American Indian or Alaska Native	- -	1	- -	2	1	1	2	1	8	5	1
Asian[1]	-	- -	1	2	1	-	7	3	3	1	-
Black or African American	47	40	27	38	42	72	60	93	147	118	70
Native Hawaiian or Other Pacific Islander	- -	- -	- -	1	1	-	1	- -	- -	- -	- -
White	33	32	26	28	29	46	45	77	93	123	66
Other	17	21	24	18	24	26	26	39	51	69	34
Total	267,751	283,881	302,475	342,116	366,346	431,612	455,446	505,492	509,057	433,326	287,421

Continued. See notes at end of table.

Table 3.8a. Heroin admissions aged 12 years and older, by age group, race, and ethnicity: Number, 2010-2020 (continued)

Age group, race, and ethnicity	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total heroin admissions	270,236	286,264	305,439	345,940	371,184	438,929	465,421	513,545	520,140	441,986	292,126
Ethnicity											
12 to 14 years	50	66	54	54	47	34	27	71	85	96	9
Specific Hispanic or Latino origin	16	12	12	10	14	6	8	37	58	72	2
Mexican	5	5	4	2	5	2	6	2	2	1	- -
Puerto Rican	1	1	2	3	1	-	- -	- -	- -	1	- -
Cuban	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Other	10	6	6	5	8	4	2	35	56	70	2
Not of Hispanic or Latino origin	34	54	42	44	33	28	19	34	27	24	7
15 to 17 years	1,393	1,517	1,612	1,764	1,568	1,398	1,121	734	500	311	134
Specific Hispanic or Latino origin	156	178	161	191	210	189	202	144	147	99	21
Mexican	39	59	61	66	81	65	108	66	26	23	11
Puerto Rican	11	17	15	34	23	32	30	11	7	2	-
Cuban	1	2	-	3	4	2	- -	1	- -	- -	- -
Other	105	100	85	88	102	90	64	66	114	74	10
Not of Hispanic or Latino origin	1,237	1,339	1,451	1,573	1,358	1,209	919	590	353	212	113
18 to 20 years	15,308	15,741	16,526	17,706	15,726	13,823	12,136	9,868	7,424	5,069	2,928
Specific Hispanic or Latino origin	1,066	1,397	1,400	1,621	1,560	1,460	1,349	1,173	1,028	794	530
Mexican	308	364	376	522	514	472	424	391	306	220	166
Puerto Rican	173	218	240	269	276	281	261	220	207	158	98
Cuban	16	33	25	31	21	11	15	13	19	11	5
Other	569	782	759	799	749	696	649	549	496	405	261
Not of Hispanic or Latino origin	14,242	14,344	15,126	16,085	14,166	12,363	10,787	8,695	6,396	4,275	2,398
21 to 24 years	41,015	44,747	50,383	59,122	59,200	59,091	57,522	50,737	41,339	29,790	17,818
Specific Hispanic or Latino origin	3,117	3,409	3,743	4,658	5,559	5,701	6,115	5,720	5,045	4,222	2,629
Mexican	719	813	1,007	1,278	1,569	1,701	1,887	1,757	1,589	1,220	706
Puerto Rican	821	828	923	1,132	1,386	1,409	1,522	1,323	1,110	1,047	723
Cuban	74	108	83	86	87	96	102	78	53	69	31
Other	1,503	1,660	1,730	2,162	2,517	2,495	2,604	2,562	2,293	1,886	1,169
Not of Hispanic or Latino origin	37,898	41,338	46,640	54,464	53,641	53,390	51,407	45,017	36,294	25,568	15,189
25 to 34 years	85,805	95,761	108,800	131,107	149,414	177,227	196,475	213,657	212,925	180,442	121,437
Specific Hispanic or Latino origin	13,371	13,750	13,527	14,881	16,082	17,946	20,301	22,039	23,055	21,397	16,839
Mexican	2,256	2,131	2,220	2,637	3,496	3,888	4,689	4,959	5,469	5,313	4,253
Puerto Rican	6,914	6,989	6,826	6,893	6,769	7,068	7,430	7,467	7,526	7,051	5,507
Cuban	190	359	235	255	258	252	333	354	451	372	277
Other	4,011	4,271	4,246	5,096	5,559	6,738	7,849	9,259	9,609	8,661	6,802
Not of Hispanic or Latino origin	72,434	82,011	95,273	116,226	133,332	159,281	176,174	191,618	189,870	159,045	104,598

Continued. See notes at end of table.

Table 3.8a. Heroin admissions aged 12 years and older, by age group, race, and ethnicity: Number, 2010-2020 (continued)

Age group, race, and ethnicity	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
35 to 44 years	57,859	57,536	57,366	62,297	67,090	82,985	89,824	107,746	117,817	107,294	78,271
Specific Hispanic or Latino origin	16,000	15,737	15,283	15,329	15,352	15,940	16,724	17,912	19,491	18,384	14,597
Mexican	2,334	1,920	1,803	1,939	2,423	2,298	2,571	2,687	3,220	3,030	2,478
Puerto Rican	10,305	10,282	10,001	9,827	9,356	9,722	9,678	9,842	10,012	9,415	7,251
Cuban	156	210	161	147	134	144	161	172	267	218	163
Other	3,205	3,325	3,318	3,416	3,439	3,776	4,314	5,211	5,992	5,721	4,705
Not of Hispanic or Latino origin	41,859	41,799	42,083	46,968	51,738	67,045	73,100	89,834	98,326	88,910	63,674
45 to 54 years	47,416	47,845	47,272	48,383	49,937	63,759	62,613	76,101	78,407	67,077	40,221
Specific Hispanic or Latino origin	11,977	12,096	12,456	13,178	14,066	13,347	13,623	13,918	14,355	13,610	10,214
Mexican	2,713	2,422	2,457	2,359	3,026	2,393	2,163	2,017	2,063	1,743	1,333
Puerto Rican	6,783	7,125	7,584	8,155	8,301	8,242	8,632	8,614	8,723	8,414	6,236
Cuban	156	184	152	147	133	102	133	116	135	167	92
Other	2,325	2,365	2,263	2,517	2,606	2,610	2,695	3,171	3,434	3,286	2,553
Not of Hispanic or Latino origin	35,439	35,749	34,816	35,205	35,871	50,412	48,990	62,183	64,052	53,467	30,007
55 to 64 years	14,795	16,151	17,369	18,831	20,892	28,200	28,776	37,698	42,231	37,203	22,694
Specific Hispanic or Latino origin	2,825	3,100	3,487	3,888	4,491	4,677	4,886	5,609	6,369	6,439	5,044
Mexican	941	844	866	1,026	1,485	1,305	1,226	1,346	1,467	1,346	989
Puerto Rican	1,298	1,567	1,890	1,952	2,102	2,355	2,532	2,898	3,272	3,391	2,798
Cuban	40	58	66	74	78	77	60	72	75	103	67
Other	546	631	665	836	826	940	1,068	1,293	1,555	1,599	1,190
Not of Hispanic or Latino origin	11,970	13,051	13,882	14,943	16,401	23,523	23,890	32,089	35,862	30,764	17,650
65 to 74 years	1,107	1,153	1,479	1,758	2,069	3,063	3,476	5,216	6,575	6,108	4,228
Specific Hispanic or Latino origin	265	308	363	398	427	476	613	766	899	963	817
Mexican	121	129	115	136	160	162	186	229	284	307	208
Puerto Rican	98	148	181	189	187	226	292	349	334	390	384
Cuban	1	3	4	3	5	5	8	10	15	12	18
Other	45	28	63	70	75	83	127	178	266	254	207
Not of Hispanic or Latino origin	842	845	1,116	1,360	1,642	2,587	2,863	4,450	5,676	5,145	3,411
75 years and older	96	94	76	89	99	147	142	218	303	321	172
Specific Hispanic or Latino origin	23	27	23	24	28	35	35	60	76	108	48
Mexican	11	14	12	11	16	8	12	21	27	37	13
Puerto Rican	8	13	6	10	6	21	19	13	19	27	18
Cuban	2	- -	- -	- -	1	1	-	- -	1	1	- -
Other	2	-	5	3	5	5	4	26	29	43	17
Not of Hispanic or Latino origin	73	67	53	65	71	112	107	158	227	213	124
Total	264,844	280,611	300,937	341,111	366,042	429,727	452,112	502,046	507,606	433,711	287,912

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.8b. Heroin admissions aged 12 years and older, by age group, race, and ethnicity: Column percent distribution, 2010-2020

Age group, race, and ethnicity	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total heroin admissions	270,236	286,264	305,439	345,940	371,184	438,929	465,421	513,545	520,140	441,986	292,126
Race											
12 to 14 years	*	*	*	*	*	*	*	*	*	*	*
American Indian or Alaska Native	- -	*	*	*	*	- -	*	*	*	*	- -
Asian[1]	- -	- -	*	*	*	- -	- -	- -	- -	- -	- -
Black or African American	*	*	*	*	*	*	*	*	*	*	- -
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	*	*	*	*	*	*	*	*	*	*	*
Other	*	*	*	*	*	*	*	*	*	*	*
15 to 17 years	0.5	0.5	0.5	0.5	0.4	0.3	0.2	0.1	0.1	0.1	*
American Indian or Alaska Native	*	*	*	*	*	*	*	*	*	*	*
Asian[1]	*	*	*	*	*	*	*	*	*	*	- -
Black or African American	*	*	*	*	*	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	- -	*	*	*	*	- -	- -
White	0.5	0.5	0.5	0.5	0.4	0.3	0.2	0.1	0.1	0.1	*
Other	*	*	*	*	*	*	*	*	*	*	*
18 to 20 years	5.8	5.6	5.5	5.2	4.3	3.2	2.7	2.0	1.5	1.2	1.0
American Indian or Alaska Native	*	0.1	0.1	0.1	0.1	*	*	*	*	*	*
Asian[1]	*	*	*	*	*	*	*	*	*	*	*
Black or African American	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*
White	5.4	5.1	5.0	4.7	3.8	2.8	2.3	1.7	1.2	1.0	0.8
Other	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1
21 to 24 years	15.7	16.0	16.8	17.4	16.2	13.7	12.7	10.1	8.1	6.8	6.2
American Indian or Alaska Native	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1
Asian[1]	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*
Black or African American	0.3	0.3	0.4	0.4	0.4	0.4	0.5	0.5	0.4	0.4	0.3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*
White	14.3	14.7	15.3	15.7	14.4	12.0	10.9	8.6	6.8	5.6	5.1
Other	0.9	0.8	0.8	1.0	1.0	1.0	1.0	0.8	0.7	0.6	0.6
25 to 34 years	32.5	34.3	36.3	38.6	41.0	41.2	43.6	42.7	42.0	41.7	42.2
American Indian or Alaska Native	0.2	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.6
Asian[1]	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2
Black or African American	1.7	1.6	1.5	1.4	1.5	1.7	1.8	2.1	2.5	3.0	2.6
Native Hawaiian or Other Pacific Islander	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
White	26.6	28.7	31.0	33.4	35.4	35.5	37.2	36.1	35.4	34.3	34.7
Other	3.9	3.6	3.3	3.2	3.3	3.3	3.8	3.6	3.2	3.6	4.0

Continued. See notes at end of table.

Table 3.8b. Heroin admissions aged 12 years and older, by age group, race, and ethnicity: Column percent distribution, 2010-2020 (continued)

Age group, race, and ethnicity	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
35 to 44 years	21.7	20.4	19.0	18.2	18.3	19.3	19.9	21.4	23.2	24.7	27.2
American Indian or Alaska Native	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3
Asian[1]	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Black or African American	5.9	5.1	3.9	3.0	2.5	2.9	2.1	2.4	2.5	2.7	2.1
Native Hawaiian or Other Pacific Islander	0.1	*	0.1	*	0.1	*	0.1	0.1	0.1	0.1	0.1
White	10.8	10.8	11.0	11.6	12.3	13.3	14.3	15.8	17.5	18.5	20.9
Other	4.7	4.2	3.7	3.3	3.2	2.9	3.0	2.9	2.8	3.1	3.6
45 to 54 years	17.8	16.9	15.6	14.1	13.6	15.0	13.8	15.1	15.4	15.4	13.9
American Indian or Alaska Native	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Asian[1]	*	*	*	*	*	*	*	*	*	0.1	0.1
Black or African American	7.5	7.2	6.1	5.1	4.5	6.2	4.7	5.9	6.1	5.9	3.7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	0.1
White	6.6	6.3	6.2	5.9	5.9	6.1	6.4	6.8	7.0	7.1	7.6
Other	3.5	3.2	3.2	2.9	2.9	2.4	2.5	2.2	2.0	2.2	2.4
55 to 64 years	5.5	5.7	5.7	5.5	5.7	6.6	6.3	7.5	8.3	8.6	7.9
American Indian or Alaska Native	*	0.1	*	*	0.1	*	0.1	0.1	0.1	0.1	0.1
Asian[1]	*	*	*	*	*	*	*	*	*	*	*
Black or African American	2.8	3.0	2.8	2.6	2.6	3.4	2.8	3.7	4.3	4.4	3.3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*
White	1.9	1.8	2.0	2.0	2.1	2.2	2.4	2.6	3.0	3.0	3.2
Other	0.8	0.8	0.9	0.9	1.0	0.9	1.1	1.0	0.9	1.1	1.3
65 to 74 years	0.4	0.4	0.5	0.5	0.6	0.7	0.8	1.0	1.3	1.4	1.5
American Indian or Alaska Native	*	*	*	*	*	*	*	*	*	*	*
Asian[1]	*	*	*	*	*	*	*	*	*	*	*
Black or African American	0.2	0.2	0.2	0.3	0.3	0.4	0.4	0.6	0.7	0.8	0.7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*
White	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.4	0.5
Other	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
75 years and older	*	*	*	*	*	*	*	*	0.1	0.1	0.1
American Indian or Alaska Native	- -	*	- -	*	*	*	*	*	*	*	*
Asian[1]	- -	- -	*	*	*	- -	*	*	*	*	- -
Black or African American	*	*	*	*	*	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	- -	- -	- -	*	*	- -	*	- -	- -	- -	- -
White	*	*	*	*	*	*	*	*	*	*	*
Other	*	*	*	*	*	*	*	*	*	*	*
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Continued. See notes at end of table.

Table 3.8b. Heroin admissions aged 12 years and older, by age group, race, and ethnicity: Column percent distribution, 2010-2020 (continued)

Age group, race, and ethnicity	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total heroin admissions	270,236	286,264	305,439	345,940	371,184	438,929	465,421	513,545	520,140	441,986	292,126
Ethnicity											
12 to 14 years	*	*	*	*	*	*	*	*	*	*	*
Specific Hispanic or Latino origin	*	*	*	*	*	*	*	*	*	*	*
Mexican	*	*	*	*	*	*	*	*	*	*	- -
Puerto Rican	*	*	*	*	*	- -	- -	- -	- -	*	- -
Cuban	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Other	*	*	*	*	*	*	*	*	*	*	*
Not of Hispanic or Latino origin	*	*	*	*	*	*	*	*	*	*	*
15 to 17 years	0.5	0.5	0.5	0.5	0.4	0.3	0.2	0.1	0.1	0.1	*
Specific Hispanic or Latino origin	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*
Mexican	*	*	*	*	*	*	*	*	*	*	*
Puerto Rican	*	*	*	*	*	*	*	*	*	*	- -
Cuban	*	*	- -	*	*	*	- -	*	- -	- -	- -
Other	*	*	*	*	*	*	*	*	*	*	*
Not of Hispanic or Latino origin	0.5	0.5	0.5	0.5	0.4	0.3	0.2	0.1	0.1	*	*
18 to 20 years	5.8	5.6	5.5	5.2	4.3	3.2	2.7	2.0	1.5	1.2	1.0
Specific Hispanic or Latino origin	0.4	0.5	0.5	0.5	0.4	0.3	0.3	0.2	0.2	0.2	0.2
Mexican	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Puerto Rican	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*
Cuban	*	*	*	*	*	*	*	*	*	*	*
Other	0.2	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1
Not of Hispanic or Latino origin	5.4	5.1	5.0	4.7	3.9	2.9	2.4	1.7	1.3	1.0	0.8
21 to 24 years	15.5	15.9	16.7	17.3	16.2	13.8	12.7	10.1	8.1	6.9	6.2
Specific Hispanic or Latino origin	1.2	1.2	1.2	1.4	1.5	1.3	1.4	1.1	1.0	1.0	0.9
Mexican	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.2
Puerto Rican	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.2	0.2	0.3
Cuban	*	*	*	*	*	*	*	*	*	*	*
Other	0.6	0.6	0.6	0.6	0.7	0.6	0.6	0.5	0.5	0.4	0.4
Not of Hispanic or Latino origin	14.3	14.7	15.5	16.0	14.7	12.4	11.4	9.0	7.2	5.9	5.3
25 to 34 years	32.4	34.1	36.2	38.4	40.8	41.2	43.5	42.6	41.9	41.6	42.2
Specific Hispanic or Latino origin	5.0	4.9	4.5	4.4	4.4	4.2	4.5	4.4	4.5	4.9	5.8
Mexican	0.9	0.8	0.7	0.8	1.0	0.9	1.0	1.0	1.1	1.2	1.5
Puerto Rican	2.6	2.5	2.3	2.0	1.8	1.6	1.6	1.5	1.5	1.6	1.9
Cuban	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Other	1.5	1.5	1.4	1.5	1.5	1.6	1.7	1.8	1.9	2.0	2.4
Not of Hispanic or Latino origin	27.3	29.2	31.7	34.1	36.4	37.1	39.0	38.2	37.4	36.7	36.3

Continued. See notes at end of table.

Table 3.8b. Heroin admissions aged 12 years and older, by age group, race, and ethnicity: Column percent distribution, 2010-2020 (continued)

Age group, race, and ethnicity	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
35 to 44 years	21.8	20.5	19.1	18.3	18.3	19.3	19.9	21.5	23.2	24.7	27.2
Specific Hispanic or Latino origin	6.0	5.6	5.1	4.5	4.2	3.7	3.7	3.6	3.8	4.2	5.1
Mexican	0.9	0.7	0.6	0.6	0.7	0.5	0.6	0.5	0.6	0.7	0.9
Puerto Rican	3.9	3.7	3.3	2.9	2.6	2.3	2.1	2.0	2.0	2.2	2.5
Cuban	0.1	0.1	0.1	*	*	*	*	*	0.1	0.1	0.1
Other	1.2	1.2	1.1	1.0	0.9	0.9	1.0	1.0	1.2	1.3	1.6
Not of Hispanic or Latino origin	15.8	14.9	14.0	13.8	14.1	15.6	16.2	17.9	19.4	20.5	22.1
45 to 54 years	17.9	17.1	15.7	14.2	13.6	14.8	13.8	15.2	15.4	15.5	14.0
Specific Hispanic or Latino origin	4.5	4.3	4.1	3.9	3.8	3.1	3.0	2.8	2.8	3.1	3.5
Mexican	1.0	0.9	0.8	0.7	0.8	0.6	0.5	0.4	0.4	0.4	0.5
Puerto Rican	2.6	2.5	2.5	2.4	2.3	1.9	1.9	1.7	1.7	1.9	2.2
Cuban	0.1	0.1	0.1	*	*	*	*	*	*	*	*
Other	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.7	0.8	0.9
Not of Hispanic or Latino origin	13.4	12.7	11.6	10.3	9.8	11.7	10.8	12.4	12.6	12.3	10.4
55 to 64 years	5.6	5.8	5.8	5.5	5.7	6.6	6.4	7.5	8.3	8.6	7.9
Specific Hispanic or Latino origin	1.1	1.1	1.2	1.1	1.2	1.1	1.1	1.1	1.3	1.5	1.8
Mexican	0.4	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3
Puerto Rican	0.5	0.6	0.6	0.6	0.6	0.5	0.6	0.6	0.6	0.8	1.0
Cuban	*	*	*	*	*	*	*	*	*	*	*
Other	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.4	0.4
Not of Hispanic or Latino origin	4.5	4.7	4.6	4.4	4.5	5.5	5.3	6.4	7.1	7.1	6.1
65 to 74 years	0.4	0.4	0.5	0.5	0.6	0.7	0.8	1.0	1.3	1.4	1.5
Specific Hispanic or Latino origin	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3
Mexican	*	*	*	*	*	*	*	*	0.1	0.1	0.1
Puerto Rican	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Cuban	*	*	*	*	*	*	*	*	*	*	*
Other	*	*	*	*	*	*	*	*	0.1	0.1	0.1
Not of Hispanic or Latino origin	0.3	0.3	0.4	0.4	0.4	0.6	0.6	0.9	1.1	1.2	1.2
75 years and older	*	*	*	*	*	*	*	*	0.1	0.1	0.1
Specific Hispanic or Latino origin	*	*	*	*	*	*	*	*	*	*	*
Mexican	*	*	*	*	*	*	*	*	*	*	*
Puerto Rican	*	*	*	*	*	*	*	*	*	*	*
Cuban	*	- -	- -	- -	*	*	- -	- -	*	*	- -
Other	*	- -	*	*	*	*	*	*	*	*	*
Not of Hispanic or Latino origin	*	*	*	*	*	*	*	*	*	*	*
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.9a. Heroin admissions aged 12 years and older, by usual route of administration, age group, and characteristics of treatment episode: Number, 2010-2020

Usual route of administration, age group, and characteristics of treatment episode	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total heroin admissions	270,236	286,264	305,439	345,940	371,184	438,929	465,421	513,545	520,140	441,986	292,126
Injection	186,805	199,735	216,633	247,940	265,168	298,706	316,301	330,477	321,171	259,013	172,348
Age group											
12 to 14 years	21	36	23	25	16	17	9	6	10	7	1
15 to 17 years	842	842	934	1,059	895	809	572	351	204	108	47
18 to 20 years	12,142	12,027	12,393	13,134	11,513	9,958	8,258	6,430	4,404	2,707	1,491
21 to 24 years	33,878	36,705	40,510	47,015	45,998	45,184	42,870	36,519	28,102	18,646	10,318
25 to 34 years	69,273	78,017	88,238	105,661	119,048	137,485	151,207	158,804	152,884	122,805	80,461
35 to 44 years	35,123	36,626	37,971	43,074	47,270	57,220	64,281	74,291	79,817	69,813	51,017
45 to 54 years	25,605	25,257	25,462	25,898	27,344	31,565	32,377	35,007	34,831	28,614	18,853
55 to 64 years	9,189	9,514	10,224	10,956	11,874	14,739	14,724	16,434	17,614	13,634	8,342
65 to 74 years	671	661	831	1,057	1,147	1,654	1,938	2,532	3,176	2,554	1,743
75 years and older	61	50	47	61	63	75	65	103	129	125	75
Treatment episode											
No prior treatment episode	30,937	33,509	36,812	44,481	48,232	54,096	54,787	58,963	80,503	63,298	39,289
One or more prior treatment episodes	137,672	147,870	159,220	179,630	187,871	214,977	217,897	231,690	207,912	170,962	116,446
Average duration of use (years) prior to treatment[1]	11 yrs.	10 yrs.	9 yrs.	9 yrs.	10 yrs.	10 yrs.	10 yrs.	11 yrs.	14 yrs.	14 yrs.	14 yrs.

Continued. See notes at end of table.

Table 3.9a. Heroin admissions aged 12 years and older, by usual route of administration, age group, and characteristics of treatment episode: Number, 2010-2020 (continued)

Usual route of administration, age group, and characteristics of treatment episode	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Inhalation	69,344	70,176	70,134	76,362	79,637	109,601	110,247	139,996	152,566	143,100	89,985
Age group											
12 to 14 years	12	7	6	14	13	9	7	10	2	5	4
15 to 17 years	278	227	285	400	367	314	248	151	97	70	43
18 to 20 years	2,021	2,075	2,331	2,760	2,458	2,396	2,334	2,149	1,824	1,506	865
21 to 24 years	5,351	5,423	6,373	7,966	8,100	8,984	9,193	9,343	8,736	7,366	4,685
25 to 34 years	14,144	14,744	15,951	19,052	21,789	29,618	32,668	40,013	44,338	42,454	28,384
35 to 44 years	21,269	19,612	17,583	17,159	17,028	22,815	22,262	28,341	31,473	30,973	21,574
45 to 54 years	20,615	21,385	20,359	21,011	20,752	31,213	28,680	37,923	40,100	35,569	19,069
55 to 64 years	5,213	6,223	6,627	7,328	8,261	12,873	13,343	19,531	22,814	21,819	13,047
65 to 74 years	408	444	593	650	839	1,323	1,449	2,454	3,049	3,204	2,230
75 years and older	33	36	26	22	30	56	63	81	133	134	84
Treatment episode											
No prior treatment episode	12,936	12,039	11,937	14,398	16,735	24,086	22,894	28,900	34,760	30,873	17,962
One or more prior treatment episodes	47,426	48,497	48,143	50,808	50,743	72,003	72,831	94,762	100,065	94,621	59,608
Average duration of use (years) prior to treatment[1]	15 yrs.	14 yrs.	13 yrs.	12 yrs.	12 yrs.	13 yrs.	12 yrs.	13 yrs.	15 yrs.	15 yrs.	13 yrs.
Other route[2]	13,219	15,355	17,488	20,143	24,266	28,532	36,165	39,280	42,362	36,998	27,225
No. of admissions	269,368	285,266	304,255	344,445	369,071	436,839	462,713	509,753	516,099	439,111	289,558

- - Quantity is zero.

[1] Calculated among all admissions with no prior treatment episode.

[2] Other route refers to oral, smoking, and other routes of administration.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.9b. Heroin admissions aged 12 years and older, by usual route of administration, age group, and characteristics of treatment episode: Column percent distribution, 2010-2020

Usual route of administration, age group, and characteristics of treatment episode	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total heroin admissions	270,236	286,264	305,439	345,940	371,184	438,929	465,421	513,545	520,140	441,986	292,126
Injection	69.3	70.0	71.2	72.0	71.8	68.4	68.4	64.8	62.2	59.0	59.5
Age group											
12 to 14 years	*	*	*	*	*	*	*	*	*	*	*
15 to 17 years	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.1	*	*	*
18 to 20 years	4.5	4.2	4.1	3.8	3.1	2.3	1.8	1.3	0.9	0.6	0.5
21 to 24 years	12.6	12.9	13.3	13.6	12.5	10.3	9.3	7.2	5.4	4.2	3.6
25 to 34 years	25.7	27.3	29.0	30.7	32.3	31.5	32.7	31.2	29.6	28.0	27.8
35 to 44 years	13.0	12.8	12.5	12.5	12.8	13.1	13.9	14.6	15.5	15.9	17.6
45 to 54 years	9.5	8.9	8.4	7.5	7.4	7.2	7.0	6.9	6.7	6.5	6.5
55 to 64 years	3.4	3.3	3.4	3.2	3.2	3.4	3.2	3.2	3.4	3.1	2.9
65 to 74 years	0.2	0.2	0.3	0.3	0.3	0.4	0.4	0.5	0.6	0.6	0.6
75 years and older	*	*	*	*	*	*	*	*	*	*	*
Treatment episode											
No prior treatment episode	18.3	18.5	18.8	19.8	20.4	20.1	20.1	20.3	27.9	27.0	25.2
One or more prior treatment episodes	81.7	81.5	81.2	80.2	79.6	79.9	79.9	79.7	72.1	73.0	74.8
Average duration of use (years) prior to treatment[1]	11 yrs.	10 yrs.	9 yrs.	9 yrs.	10 yrs.	10 yrs.	10 yrs.	11 yrs.	14 yrs.	14 yrs.	14 yrs.

Continued. See notes at end of table.

Table 3.9b. Heroin admissions aged 12 years and older, by usual route of administration, age group, and characteristics of treatment episode: Column percent distribution, 2010-2020 (continued)

Usual route of administration, age group, and characteristics of treatment episode	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Inhalation	25.7	24.6	23.1	22.2	21.6	25.1	23.8	27.5	29.6	32.6	31.1
Age group											
12 to 14 years	*	*	*	*	*	*	*	*	*	*	*
15 to 17 years	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*
18 to 20 years	0.8	0.7	0.8	0.8	0.7	0.5	0.5	0.4	0.4	0.3	0.3
21 to 24 years	2.0	1.9	2.1	2.3	2.2	2.1	2.0	1.8	1.7	1.7	1.6
25 to 34 years	5.3	5.2	5.2	5.5	5.9	6.8	7.1	7.8	8.6	9.7	9.8
35 to 44 years	7.9	6.9	5.8	5.0	4.6	5.2	4.8	5.6	6.1	7.1	7.5
45 to 54 years	7.7	7.5	6.7	6.1	5.6	7.1	6.2	7.4	7.8	8.1	6.6
55 to 64 years	1.9	2.2	2.2	2.1	2.2	2.9	2.9	3.8	4.4	5.0	4.5
65 to 74 years	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.5	0.6	0.7	0.8
75 years and older	*	*	*	*	*	*	*	*	*	*	*
Treatment episode											
No prior treatment episode	21.4	19.9	19.9	22.1	24.8	25.1	23.9	23.4	25.8	24.6	23.2
One or more prior treatment episodes	78.6	80.1	80.1	77.9	75.2	74.9	76.1	76.6	74.2	75.4	76.8
Average duration of use (years) prior to treatment[1]	15 yrs.	14 yrs.	13 yrs.	12 yrs.	12 yrs.	13 yrs.	12 yrs.	13 yrs.	15 yrs.	15 yrs.	13 yrs.
Other route[2]	4.9	5.4	5.7	5.8	6.6	6.5	7.8	7.7	8.2	8.4	9.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	269,368	285,266	304,255	344,445	369,071	436,839	462,713	509,753	516,099	439,111	289,558

- - Quantity is zero; * Less than 0.05 percent.

[1] Calculated among all admissions with no prior treatment episode.

[2] Other route refers to oral, smoking, and other routes of administration.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.10a. Heroin admissions aged 12 years and older with and without planned medication-assisted opioid therapy, by usual route of administration and age group: Number, 2010-2020

Usual route of administration and age group	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total heroin admissions	270,236	286,264	305,439	345,940	371,184	438,929	465,421	513,545	520,140	441,986	292,126
Total medication-assisted opioid therapy[1] admissions	75,853	79,578	84,017	92,266	103,761	156,216	155,524	195,021	209,042	166,703	117,818
Usual route of administration											
With planned medication-assisted opioid therapy[1]											
Injection	50,604	53,442	56,157	62,345	70,804	100,287	101,280	120,423	126,107	97,227	69,989
Inhalation	21,555	21,704	22,621	23,955	24,589	44,480	42,953	59,979	64,642	54,291	36,379
Smoking	2,389	3,067	3,607	3,929	5,755	6,886	7,248	8,362	10,982	9,932	8,618
Other[2]	994	1,003	1,189	1,446	1,942	4,021	3,328	4,938	5,593	4,360	2,223
No. of admissions	75,542	79,216	83,574	91,675	103,090	155,674	154,809	193,702	207,324	165,810	117,209
Without planned medication-assisted opioid therapy											
Injection	132,258	142,660	153,370	175,305	187,252	190,056	203,931	197,300	178,400	143,795	88,344
Inhalation	47,264	47,593	45,764	49,981	53,299	63,245	64,660	76,104	81,649	79,930	44,345
Smoking	5,881	7,730	8,586	9,876	11,338	12,002	18,953	18,917	18,486	15,879	11,025
Other[2]	3,267	3,296	3,683	4,215	4,594	5,033	5,868	5,869	5,971	5,246	3,605
No. of admissions	188,670	201,279	211,403	239,377	256,483	270,336	293,412	298,190	284,506	244,850	147,319

Continued. See notes at end of table.

Table 3.10a. Heroin admissions aged 12 years and older with and without planned medication-assisted opioid therapy, by usual route of administration and age group: Number, 2010-2020 (continued)

Usual route of administration and age group	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Age group											
With planned medication-assisted opioid therapy[1]											
12 to 14 years	4	5	3	2	2	-	- -	33	40	39	2
15 to 17 years	43	50	58	50	94	121	68	69	87	71	15
18 to 20 years	2,416	2,586	2,604	2,698	2,493	2,868	2,618	2,412	2,065	1,503	921
21 to 24 years	8,001	8,779	9,365	10,641	11,315	14,540	14,100	14,407	12,911	9,198	5,918
25 to 34 years	21,773	24,157	26,936	31,691	36,823	55,140	59,263	72,326	77,603	63,821	45,733
35 to 44 years	17,874	17,700	17,766	18,918	21,164	32,780	33,391	43,586	49,912	41,932	32,660
45 to 54 years	17,794	17,636	17,770	17,902	19,778	31,750	28,273	36,813	37,729	28,018	17,959
55 to 64 years	7,245	7,927	8,572	9,262	10,775	16,939	15,586	21,657	23,912	18,206	11,778
65 to 74 years	647	690	890	1,043	1,253	1,997	2,140	3,563	4,590	3,707	2,710
75 years and older	56	48	53	59	64	81	85	155	193	208	122
No. of admissions	75,853	79,578	84,017	92,266	103,761	156,216	155,524	195,021	209,042	166,703	117,818
Without planned medication-assisted opioid therapy											
12 to 14 years	48	63	52	51	45	34	28	38	35	32	7
15 to 17 years	1,355	1,486	1,551	1,700	1,464	1,277	1,066	656	368	214	110
18 to 20 years	12,910	13,125	13,415	14,370	13,064	10,747	9,307	7,252	5,180	3,217	1,761
21 to 24 years	33,271	36,022	39,774	46,403	47,042	43,743	42,500	35,249	27,444	18,845	10,337
25 to 34 years	64,585	72,426	80,256	95,867	110,525	119,731	135,886	138,199	129,386	107,129	66,011
35 to 44 years	39,914	39,996	38,910	42,130	45,147	49,998	56,274	62,766	64,650	60,052	40,018
45 to 54 years	29,217	30,064	28,844	29,557	29,645	33,095	34,871	38,469	39,137	36,414	19,438
55 to 64 years	7,389	8,198	8,653	9,373	10,001	11,734	13,674	15,837	18,107	18,117	9,657
65 to 74 years	450	455	584	720	809	1,083	1,381	1,674	2,073	2,365	1,383
75 years and older	41	45	25	27	33	65	59	66	115	104	47
No. of admissions	189,180	201,880	212,064	240,198	257,775	271,507	295,046	300,206	286,495	246,489	148,769

- - Quantity is zero.

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

[2] Other refers to oral and other routes of administration.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.10b. Heroin admissions aged 12 years and older with and without planned medication-assisted opioid therapy, by usual route of administration and age group: Column percent distribution, 2010-2020

Usual route of administration and age group	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total heroin admissions	270,236	286,264	305,439	345,940	371,184	438,929	465,421	513,545	520,140	441,986	292,126
Total medication-assisted opioid therapy[1] admissions	28.6	28.3	28.4	27.8	28.7	36.5	34.5	39.4	42.2	40.3	44.2
Usual route of administration											
With planned medication-assisted opioid therapy[1]											
Injection	67.0	67.5	67.2	68.0	68.7	64.4	65.4	62.2	60.8	58.6	59.7
Inhalation	28.5	27.4	27.1	26.1	23.9	28.6	27.7	31.0	31.2	32.7	31.0
Smoking	3.2	3.9	4.3	4.3	5.6	4.4	4.7	4.3	5.3	6.0	7.4
Other[2]	1.3	1.3	1.4	1.6	1.9	2.6	2.1	2.5	2.7	2.6	1.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	75,542	79,216	83,574	91,675	103,090	155,674	154,809	193,702	207,324	165,810	117,209
Without planned medication-assisted opioid therapy											
Injection	70.1	70.9	72.5	73.2	73.0	70.3	69.5	66.2	62.7	58.7	60.0
Inhalation	25.1	23.6	21.6	20.9	20.8	23.4	22.0	25.5	28.7	32.6	30.1
Smoking	3.1	3.8	4.1	4.1	4.4	4.4	6.5	6.3	6.5	6.5	7.5
Other[2]	1.7	1.6	1.7	1.8	1.8	1.9	2.0	2.0	2.1	2.1	2.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	188,670	201,279	211,403	239,377	256,483	270,336	293,412	298,190	284,506	244,850	147,319

Continued. See notes at end of table.

Table 3.10b. Heroin admissions aged 12 years and older with and without planned medication-assisted opioid therapy, by usual route of administration and age group: Column percent distribution, 2010-2020 (continued)

Usual route of administration and age group	*2010*	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Age group											
With planned medication-assisted opioid therapy[1]											
12 to 14 years	*	*	*	*	*	- -	- -	*	*	*	*
15 to 17 years	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*
18 to 20 years	3.2	3.2	3.1	2.9	2.4	1.8	1.7	1.2	1.0	0.9	0.8
21 to 24 years	10.5	11.0	11.1	11.5	10.9	9.3	9.1	7.4	6.2	5.5	5.0
25 to 34 years	28.7	30.4	32.1	34.3	35.5	35.3	38.1	37.1	37.1	38.3	38.8
35 to 44 years	23.6	22.2	21.1	20.5	20.4	21.0	21.5	22.3	23.9	25.2	27.7
45 to 54 years	23.5	22.2	21.2	19.4	19.1	20.3	18.2	18.9	18.0	16.8	15.2
55 to 64 years	9.6	10.0	10.2	10.0	10.4	10.8	10.0	11.1	11.4	10.9	10.0
65 to 74 years	0.9	0.9	1.1	1.1	1.2	1.3	1.4	1.8	2.2	2.2	2.3
75 years and older	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	75,853	79,578	84,017	92,266	103,761	156,216	155,524	195,021	209,042	166,703	117,818
Without planned medication-assisted opioid therapy											
12 to 14 years	*	*	*	*	*	*	*	*	*	*	*
15 to 17 years	0.7	0.7	0.7	0.7	0.6	0.5	0.4	0.2	0.1	0.1	0.1
18 to 20 years	6.8	6.5	6.3	6.0	5.1	4.0	3.2	2.4	1.8	1.3	1.2
21 to 24 years	17.6	17.8	18.8	19.3	18.2	16.1	14.4	11.7	9.6	7.6	6.9
25 to 34 years	34.1	35.9	37.8	39.9	42.9	44.1	46.1	46.0	45.2	43.5	44.4
35 to 44 years	21.1	19.8	18.3	17.5	17.5	18.4	19.1	20.9	22.6	24.4	26.9
45 to 54 years	15.4	14.9	13.6	12.3	11.5	12.2	11.8	12.8	13.7	14.8	13.1
55 to 64 years	3.9	4.1	4.1	3.9	3.9	4.3	4.6	5.3	6.3	7.4	6.5
65 to 74 years	0.2	0.2	0.3	0.3	0.3	0.4	0.5	0.6	0.7	1.0	0.9
75 years and older	*	*	*	*	*	*	*	*	*	*	*
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	189,180	201,880	212,064	240,198	257,775	271,507	295,046	300,206	286,495	246,489	148,769

- - Quantity is zero; * Less than 0.05 percent.

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

[2] Other refers to oral and other routes of administration.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.11a. Primary substance use among admissions aged 12 years and older, by additional substance use: Number, 2020

Primary, secondary, or tertiary substance use	All admissions	Primary substance use at admission												
		Alcohol	Opiates		Cocaine		Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other[1]
			Heroin	Other opiates	Smoked cocaine	Other route								
Total (primary substance use)	1,242,967	442,014	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	9,310
Any use of substance[2]	2,171,253	595,223	354,557	148,873	119,590	125,614	388,115	296,647	68,101	6,685	8,424	7,556	1,660	50,208
Percentage of admissions with substance use	n/a	47.9	28.5	12.0	9.6	10.1	31.2	23.9	5.5	0.5	0.7	0.6	0.1	4.0
Rate of substance use per primary admission	1.7	1.3	1.2	1.7	2.9	4.2	2.8	1.7	4.9	3.0	4.4	2.0	2.4	5.4
Secondary or tertiary substance use														
None	464,164	213,483	87,594	31,422	12,865	8,520	56,384	44,658	3,164	983	497	1,115	237	3,242
Marijuana/hashish	248,625	99,569	44,928	17,532	11,426	8,663	- -	58,755	3,424	407	725	1,327	140	1,729
Alcohol	153,203	- -	37,364	11,388	14,023	9,009	38,406	36,770	2,903	316	417	1,012	193	1,402
Non-smoked cocaine	95,846	31,972	41,293	6,568	- -	- -	8,163	5,578	1,274	86	173	291	30	418
Opiates other than heroin	60,584	14,296	21,711	629	1,720	1,789	5,880	11,300	2,371	186	94	84	37	487
Smoked cocaine	77,630	30,474	35,852	3,521	- -	- -	3,007	3,312	781	38	97	231	30	287
Methamphetamine/amphetamines	120,825	30,220	51,112	12,742	2,086	2,137	18,275	1,273	1,454	180	232	151	74	889
Tranquilizers	54,319	11,179	24,854	7,678	782	988	4,131	4,195	16	64	71	50	15	296
Heroin	62,424	22,111	- -	7,312	5,668	4,077	3,443	16,324	2,592	110	100	152	13	522
Sedatives	4,469	979	1,053	801	71	86	592	706	88	7	23	1	2	60
Hallucinogens	6,525	1,622	649	249	158	259	2,367	988	123	17	- -	29	9	55
Phencyclidine (PCP)	3,864	1,445	640	108	312	170	816	272	45	2	18	- -	2	34
Inhalants	964	388	74	58	13	21	119	221	31	5	12	1	- -	21
Other[1]	41,030	15,483	7,801	2,937	1,247	769	6,013	6,013	422	60	51	57	41	136

- - Quantity is zero and n/a- not applicable.

[1] Includes other stimulants, over-the-counter medications, and other drugs.

[2] Includes primary, secondary, or tertiary uses. Admissions may be counted in multiple columns.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.11b. Primary substance use among admissions aged 12 years and older, by additional substance use: Column percent distribution, 2010-2020

Secondary or tertiary substance use		Primary substance use at admission												
			Opiates		Cocaine									
	All admissions	Alcohol	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other[1]
Secondary or tertiary substance use	1,242,967	442,014	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	9,310
None	37.3	48.3	30.0	35.3	30.7	28.6	40.4	25.2	22.9	44.2	26.2	30.2	34.1	34.8
Marijuana/hashish	20.0	22.5	15.4	19.7	27.2	29.1	- -	33.2	24.8	18.3	38.2	35.9	20.1	18.6
Alcohol	12.3	- -	12.8	12.8	33.4	30.3	27.5	20.8	21.0	14.2	22.0	27.4	27.7	15.1
Non-smoked cocaine	7.7	7.2	14.1	7.4	- -	- -	5.9	3.1	9.2	3.9	9.1	7.9	4.3	4.5
Opiates other than heroin	4.9	3.2	7.4	0.7	4.1	6.0	4.2	6.4	17.2	8.4	4.9	2.3	5.3	5.2
Smoked cocaine	6.2	6.9	12.3	4.0	- -	- -	2.2	1.9	5.7	1.7	5.1	6.3	4.3	3.1
Methamphetamine/amphetamines	9.7	6.8	17.5	14.3	5.0	7.2	13.1	0.7	10.5	8.1	12.2	4.1	10.6	9.5
Tranquilizers	4.4	2.5	8.5	8.6	1.9	3.3	3.0	2.4	0.1	2.9	3.7	1.4	2.2	3.2
Heroin	5.0	5.0	- -	8.2	13.5	13.7	2.5	9.2	18.8	4.9	5.3	4.1	1.9	5.6
Sedatives	0.4	0.2	0.4	0.9	0.2	0.3	0.4	0.4	0.6	0.3	1.2	*	0.3	0.6
Hallucinogens	0.5	0.4	0.2	0.3	0.4	0.9	1.7	0.6	0.9	0.8	- -	0.8	1.3	0.6
Phencyclidine (PCP)	0.3	0.3	0.2	0.1	0.7	0.6	0.6	0.2	0.3	0.1	0.9	- -	0.3	0.4
Inhalants	0.1	0.1	*	0.1	*	0.1	0.1	0.1	0.2	0.2	0.6	*	- -	0.2
Other	3.3	3.5	2.7	3.3	3.0	2.6	4.3	3.4	3.1	2.7	2.7	1.5	5.9	1.5

- - Quantity is zero; * Less than 0.05 percent.

[1] Other refers to oral and other routes of administration.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.11c. Primary substance use among admissions aged 12 years and older, by additional substance use: Row percent distribution, 2010-2020

Secondary or tertiary substance use	All admissions	Primary substance use at admission												
		Alcohol	Opiates		Cocaine		Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other[1]
			Heroin	Other opiates	Smoked cocaine	Other route								
Secondary or tertiary substance use	1,242,967	442,014	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	9,310
None	100.0	46.0	18.9	6.8	2.8	1.8	12.1	9.6	0.7	0.2	0.1	0.2	0.1	0.7
Marijuana/hashish	100.0	40.0	18.1	7.1	4.6	3.5	- -	23.6	1.4	0.2	0.3	0.5	0.1	0.7
Alcohol	100.0	- -	24.4	7.4	9.2	5.9	25.1	24.0	1.9	0.2	0.3	0.7	0.1	0.9
Non-smoked cocaine	100.0	33.4	43.1	6.9	- -	- -	8.5	5.8	1.3	0.1	0.2	0.3	*	0.4
Opiates other than heroin	100.0	23.6	35.8	1.0	2.8	3.0	9.7	18.7	3.9	0.3	0.2	0.1	0.1	0.8
Smoked cocaine	100.0	39.3	46.2	4.5	- -	- -	3.9	4.3	1.0	*	0.1	0.3	*	0.4
Methamphetamine/amphetamines	100.0	25.0	42.3	10.5	1.7	1.8	15.1	1.1	1.2	0.1	0.2	0.1	0.1	0.7
Tranquilizers	100.0	20.6	45.8	14.1	1.4	1.8	7.6	7.7	*	0.1	0.1	0.1	*	0.5
Heroin	100.0	35.4	- -	11.7	9.1	6.5	5.5	26.2	4.2	0.2	0.2	0.2	*	0.8
Sedatives	100.0	21.9	23.6	17.9	1.6	1.9	13.2	15.8	2.0	0.2	0.5	*	*	1.3
Hallucinogens	100.0	24.9	9.9	3.8	2.4	4.0	36.3	15.1	1.9	0.3	- -	0.4	0.1	0.8
Phencyclidine (PCP)	100.0	37.4	16.6	2.8	8.1	4.4	21.1	7.0	1.2	0.1	0.5	- -	0.1	0.9
Inhalants	100.0	40.2	7.7	6.0	1.3	2.2	12.3	22.9	3.2	0.5	1.2	0.1	- -	2.2
Other	100.0	37.7	19.0	7.2	3.0	1.9	14.7	14.7	1.0	0.1	0.1	0.1	0.1	0.3

- - Quantity is zero; * Less than 0.05 percent.

[1] Other refers to oral and other routes of administration.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 3.12. Substance use combinations, by selected primary substance use: Number and column percent distribution, 2020

Primary substance	*Secondary and tertiary substances*	*Number*	*Percent of all admissions*	*Percent of primary substance*
All admissions aged 12 years and older		1,416,357	100.0	
Alcohol		442,014	31.2	100.0
No other substance	*n/a*	248,433	17.5	56.2
1 other substance	Marijuana/hashish	58,770	4.1	13.3
	Cocaine	28,506	2.0	6.4
	Opiates	13,905	1.0	3.1
	Methamphetamine/amphetamines	14,349	1.0	3.2
	Other	13,317	0.9	3.0
2 other substances	Cocaine & marijuana/hashish	18,488	1.3	4.2
	Marijuana/hashish & methamphetamine/amphetamines	8,616	0.6	1.9
	Marijuana/hashish & opiates	5,208	0.4	1.2
	Cocaine & opiates	9,313	0.7	2.1
	Cocaine & methamphetamine/amphetamines	2,617	0.2	0.6
	Methamphetamine/amphetamines & opiates	3,101	0.2	0.7
	Marijuana/hashish & other	8,487	0.6	1.9
	Opiates & other	3,845	0.3	0.9
	Cocaine & other	3,522	0.2	0.8
	Methamphetamine/amphetamines & other	1,537	0.1	0.3
Opiates		381,040	26.9	100.0
No other substance	*n/a*	153,528	10.8	40.3
1 other substance	Marijuana/hashish	25,227	1.8	6.6
	Cocaine	44,839	3.2	11.8
	Alcohol	18,720	1.3	4.9
	Methamphetamine/amphetamines	38,129	2.7	10.0
	Other	19,593	1.4	5.1
2 other substances	Cocaine & marijuana/hashish	14,590	1.0	3.8
	Alcohol & marijuana/hashish	6,622	0.5	1.7
	Alcohol & cocaine	13,545	1.0	3.6
	Marijuana/hashish & methamphetamine/amphetamines	9,781	0.7	2.6
	Alcohol & methamphetamine/amphetamines	4,688	0.3	1.2
	Cocaine & methamphetamine/amphetamines	5,155	0.4	1.4
	Marijuana/hashish & other	6,240	0.4	1.6
	Cocaine & other	9,105	0.6	2.4
	Alcohol & other	5,177	0.4	1.4
	Methamphetamine/amphetamines & other	6,101	0.4	1.6
Marijuana/hashish		139,481	9.8	100.0
No other substance	*n/a*	70,277	5.0	50.4
1 other substance	Alcohol	24,367	1.7	17.5
	Methamphetamine/amphetamines	10,199	0.7	7.3
	Cocaine	4,125	0.3	3.0
	Opiates	3,411	0.2	2.4
	Other	5,782	0.4	4.1
2 other substances	Alcohol & cocaine	3,919	0.3	2.8
	Alcohol & methamphetamine/amphetamines	3,949	0.3	2.8
	Alcohol & opiates	1,681	0.1	1.2
	Cocaine & opiates	1,136	0.1	0.8
	Methamphetamine/amphetamines & opiates	1,767	0.1	1.3
	Cocaine & methamphetamine/amphetamines	1,056	0.1	0.8
	Alcohol & other	4,490	0.3	3.2
	Opiates & other	1,084	0.1	0.8
	Methamphetamine/amphetamines & other	1,304	0.1	0.9
	Cocaine & other	934	0.1	0.7

Continued. See notes at end of table.

Table 3.12. Substance use combinations, by selected primary substance use: Number and column percent distribution, 2020 (continued)

Primary substance	*Secondary and tertiary substances*	*Number*	*Percent of all admissions*	*Percent of primary substance*
Methamphetamine/amphetamines		177,089	12.5	100.0
No other substance	*n/a*	69,829	4.9	39.4
1 other substance	Marijuana/hashish	33,708	2.4	19.0
	Alcohol	17,290	1.2	9.8
	Opiates	13,118	0.9	7.4
	Cocaine	2,840	0.2	1.6
	Other	4,302	0.3	2.4
2 other substances	Alcohol & marijuana/hashish	12,722	0.9	7.2
	Marijuana/hashish & opiates	6,331	0.4	3.6
	Alcohol & opiates	3,436	0.2	1.9
	Cocaine & marijuana/hashish	2,327	0.2	1.3
	Alcohol & cocaine	1,760	0.1	1.0
	Cocaine & opiates	1,506	0.1	0.9
	Marijuana/hashish & other	3,667	0.3	2.1
	Alcohol & other	1,562	0.1	0.9
	Opiates & other	2,234	0.2	1.3
	Cocaine & other	457	*	0.3
Cocaine		71,725	5.1	100.0
No other substance	*n/a*	25,177	1.8	35.1
1 other substance	Alcohol	10,858	0.8	15.1
	Marijuana/hashish	7,982	0.6	11.1
	Opiates	6,326	0.4	8.8
	Methamphetamine/amphetamines	1,560	0.1	2.2
	Other	1,387	0.1	1.9
2 other substances	Alcohol & marijuana/hashish	7,778	0.5	10.8
	Alcohol & opiates	2,539	0.2	3.5
	Marijuana/hashish & opiates	2,268	0.2	3.2
	Alcohol & methamphetamine/amphetamines	784	0.1	1.1
	Marijuana/hashish & methamphetamine/amphetamines	941	0.1	1.3
	Opiates & methamphetamine/amphetamines	713	0.1	1.0
	Alcohol & other	1,073	0.1	1.5
	Marijuana/hashish & other	1,120	0.1	1.6
	Opiates & other	994	0.1	1.4
	Methamphetamine/amphetamines & other	225	*	0.3
Other[1]		31,618	2.2	100.0
Other substance only	*n/a*	12,464	0.9	39.4
1 other substance	Opiates	2,906	0.2	9.2
	Marijuana/hashish	3,455	0.2	10.9
	Alcohol	2,337	0.2	7.4
	Cocaine	1,090	0.1	3.4
	Methamphetamine/amphetamines	1,284	0.1	4.1
2 other substances	Alcohol & marijuana/hashish	1,933	0.1	6.1
	Methamphetamine/amphetamines & opiates	570	*	1.8
	Alcohol & opiates	967	0.1	3.1
	Cocaine & opiates	1,055	0.1	3.3
	Marijuana/hashish & opiates	1,027	0.1	3.2
	Alcohol & cocaine	666	*	2.1
	Cocaine & marijuana/hashish	738	0.1	2.3
	Marijuana/hashish & methamphetamine/amphetamines	599	*	1.9
	Alcohol & methamphetamine/amphetamines	340	*	1.1
	Cocaine & methamphetamine/amphetamines	187	*	0.6
Not applicable		173,390	12.2	100.0

* Less than 0.05 percent; *n/a* Not applicable.

[1] *Other* includes any substances other than alcohol, opiates, marijuana/hashish, methamphetamine/amphetamines, or cocaine.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 4.1a. Primary substance use and age at admission among admissions aged 12 years and older, by type of treatment service: Number and average age at admission, 2020

Primary substance use and age at admission		*Type of treatment service*										
		Ambulatory		*Detoxification*			*Rehabilitation/residential*			*Medication-assisted opioid therapy* [1]		
	All admissions	*Out-patient*	*Intensive outpatient*	*Free-standing residential*	*Hospital inpatient*	*Ambu-latory*	*Short-term (<30 days)*	*Long-term (30+ days)*	*Hospital (non-detox)*	*Out-patient*	*Detox-ification*	*Resi-dential*
Total	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310
Primary substance												
Alcohol	442,014	169,352	50,224	101,028	16,929	7,252	52,211	30,163	1,240	6,712	2,580	4,323
Opiates	381,040	79,981	26,299	71,961	7,226	1,373	27,134	18,820	559	116,255	12,629	18,803
Marijuana/hashish	139,481	101,444	20,261	2,321	327	54	6,627	5,871	73	2,107	52	344
Cocaine	71,725	29,353	8,899	6,865	323	49	13,105	7,478	180	2,857	441	2,175
Methamphetamine/amphetamines	177,089	76,751	27,899	17,735	518	402	24,269	24,413	298	3,065	205	1,534
Tranquilizers	13,798	3,544	1,341	3,484	972	41	1,807	817	26	615	402	749
Sedatives	2,223	1,065	170	226	50	241	183	161	2	91	3	31
Other/none specified[2]	188,987	152,615	5,821	7,293	1,679	41	5,253	2,447	1,004	12,209	274	351
No. of admissions	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310

Continued. See notes at end of table.

Table 4.1a. Primary substance use and age at admission among admissions aged 12 years and older, by type of treatment service: Number and average age at admission, 2020 (continued)

Primary substance use and age at admission		*Type of treatment service*										
		Ambulatory		*Detoxification*			*Rehabilitation/residential*			*Medication-assisted opioid therapy* [1]		
	All admissions	*Out-patient*	*Intensive outpatient*	*Free-standing residential*	*Hospital inpatient*	*Ambu-latory*	*Short-term (<30 days)*	*Long-term (30+ days)*	*Hospital (non-detox)*	*Out-patient*	*Detox-ification*	*Resi-dential*
Age at admission												
12 years	618	536	51	6	- -	- -	5	19	- -	- -	1	- -
13 years	1,809	1,390	215	20	2	- -	73	104	2	3	- -	- -
14 years	4,227	3,109	545	44	- -	- -	252	262	- -	15	- -	- -
15 years	7,503	5,394	934	78	4	- -	548	519	- -	22	- -	4
16 years	10,284	7,263	1,281	127	7	2	813	726	3	53	1	8
17 years	10,323	7,205	1,343	159	7	- -	743	766	3	82	4	11
18 years	9,535	6,252	1,043	554	62	54	614	544	18	295	26	73
19 years	12,161	7,208	1,494	873	125	59	962	735	18	527	53	107
20 years	15,973	9,046	2,017	1,271	129	57	1,292	969	39	886	78	189
21 to 24 years	102,090	51,989	12,432	10,268	1,133	451	8,560	6,855	234	7,576	947	1,645
25 to 29 years	223,641	98,661	23,938	30,309	3,112	842	19,034	15,178	480	24,030	2,985	5,072
30 to 34 years	252,021	105,798	25,183	36,415	3,901	1,236	21,993	16,681	557	30,155	3,751	6,351
35 to 39 years	213,290	89,018	21,175	32,223	3,657	1,473	19,416	13,589	507	24,376	2,978	4,878
40 to 44 years	154,807	64,727	15,333	24,934	3,067	936	14,590	9,609	367	16,139	1,875	3,230
45 to 49 years	117,886	48,032	10,967	20,845	2,923	1,287	11,674	7,206	307	11,196	1,249	2,200
50 to 54 years	112,989	42,628	9,637	22,085	3,710	1,339	12,251	7,159	288	10,614	1,125	2,153
55 to 59 years	92,786	35,217	7,764	18,130	3,373	782	10,528	5,719	283	8,740	798	1,452
60 to 64 years	50,386	19,889	3,933	9,349	1,822	469	5,281	2,670	179	5,620	514	660
65 to 69 years	16,861	7,128	1,205	2,443	677	144	1,502	663	73	2,637	162	227
70 to 74 years	5,037	2,351	315	587	250	165	350	151	15	777	35	41
75 years and older	2,130	1,264	109	193	63	157	108	46	9	168	4	9
No. of admissions	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310
Average age at admission	38 yrs.	37 yrs.	36 yrs.	40 yrs.	43 yrs.	43 yrs.	39 yrs.	37 yrs.	40 yrs.	39 yrs.	37 yrs.	37 yrs.

- - Quantity is zero.

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

[2] Includes none, phencyclidine (PCP), hallucinogens, other stimulants, inhalants, over-the-counter medications, other drugs, missing, unknown, not collected, and invalid.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 4.1b. Primary substance use and age at admission among admissions aged 12 years and older, by type of treatment service: Column percent distribution and average age at admission, 2020

Primary substance use and age at admission		*Type of treatment service*										
		Ambulatory		*Detoxification*			*Rehabilitation/residential*			*Medication-assisted opioid therapy* [1]		
	All admissions	*Out-patient*	*Intensive outpatient*	*Free-standing residential*	*Hospital inpatient*	*Ambu-latory*	*Short-term (<30 days)*	*Long-term (30+ days)*	*Hospital (non-detox)*	*Out-patient*	*Detox-ification*	*Resi-dential*
Total	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310
Primary substance												
Alcohol	31.2	27.6	35.6	47.9	60.4	76.7	40.0	33.5	36.7	4.7	15.6	15.3
Opiates	26.9	13.0	18.7	34.1	25.8	14.5	20.8	20.9	16.5	80.8	76.1	66.4
Marijuana/hashish	9.8	16.5	14.4	1.1	1.2	0.6	5.1	6.5	2.2	1.5	0.3	1.2
Cocaine	5.1	4.8	6.3	3.3	1.2	0.5	10.0	8.3	5.3	2.0	2.7	7.7
Methamphetamine/amphetamines	12.5	12.5	19.8	8.4	1.8	4.3	18.6	27.1	8.8	2.1	1.2	5.4
Tranquilizers	1.0	0.6	1.0	1.7	3.5	0.4	1.4	0.9	0.8	0.4	2.4	2.6
Sedatives	0.2	0.2	0.1	0.1	0.2	2.5	0.1	0.2	0.1	0.1	*	0.1
Other/none specified[2]	13.3	24.9	4.1	3.5	6.0	0.4	4.0	2.7	29.7	8.5	1.7	1.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310

Continued. See notes at end of table.

Table 4.1b. Primary substance use and age at admission among admissions aged 12 years and older, by type of treatment service: Column percent distribution and average age at admission, 2020 (continued)

Primary substance use and age at admission		Type of treatment service										
		Ambulatory		Detoxification			Rehabilitation/residential			Medication-assisted opioid therapy [1]		
	All admissions	Out-patient	Intensive outpatient	Free-standing residential	Hospital inpatient	Ambu-latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out-patient	Detox-ification	Resi-dential
Age at admission												
12 years	*	0.1	*	*	- -	- -	*	*	- -	- -	*	- -
13 years	0.1	0.2	0.2	*	*	- -	0.1	0.1	0.1	*	- -	- -
14 years	0.3	0.5	0.4	*	- -	- -	0.2	0.3	- -	*	- -	- -
15 years	0.5	0.9	0.7	*	*	- -	0.4	0.6	- -	*	- -	*
16 years	0.7	1.2	0.9	0.1	*	*	0.6	0.8	0.1	*	*	*
17 years	0.7	1.2	1.0	0.1	*	- -	0.6	0.8	0.1	0.1	*	*
18 years	0.7	1.0	0.7	0.3	0.2	0.6	0.5	0.6	0.5	0.2	0.2	0.3
19 years	0.9	1.2	1.1	0.4	0.4	0.6	0.7	0.8	0.5	0.4	0.3	0.4
20 years	1.1	1.5	1.4	0.6	0.5	0.6	1.0	1.1	1.2	0.6	0.5	0.7
21 to 24 years	7.2	8.5	8.8	4.9	4.0	4.8	6.6	7.6	6.9	5.3	5.7	5.8
25 to 29 years	15.8	16.1	17.0	14.4	11.1	8.9	14.6	16.8	14.2	16.7	18.0	17.9
30 to 34 years	17.8	17.2	17.9	17.3	13.9	13.1	16.8	18.5	16.5	21.0	22.6	22.4
35 to 39 years	15.1	14.5	15.0	15.3	13.0	15.6	14.9	15.1	15.0	16.9	18.0	17.2
40 to 44 years	10.9	10.5	10.9	11.8	10.9	9.9	11.2	10.7	10.9	11.2	11.3	11.4
45 to 49 years	8.3	7.8	7.8	9.9	10.4	13.6	8.9	8.0	9.1	7.8	7.5	7.8
50 to 54 years	8.0	6.9	6.8	10.5	13.2	14.2	9.4	7.9	8.5	7.4	6.8	7.6
55 to 59 years	6.6	5.7	5.5	8.6	12.0	8.3	8.1	6.3	8.4	6.1	4.8	5.1
60 to 64 years	3.6	3.2	2.8	4.4	6.5	5.0	4.0	3.0	5.3	3.9	3.1	2.3
65 to 69 years	1.2	1.2	0.9	1.2	2.4	1.5	1.2	0.7	2.2	1.8	1.0	0.8
70 to 74 years	0.4	0.4	0.2	0.3	0.9	1.7	0.3	0.2	0.4	0.5	0.2	0.1
75 years and older	0.2	0.2	0.1	0.1	0.2	1.7	0.1	0.1	0.3	0.1	*	*
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310
Average age at admission	38 yrs.	37 yrs.	36 yrs.	40 yrs.	43 yrs.	43 yrs.	39 yrs.	37 yrs.	40 yrs.	39 yrs.	37 yrs.	37 yrs.

- - Quantity is zero; * Less than 0.05 percent.

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

[2] Includes none, phencyclidine (PCP), hallucinogens, other stimulants, inhalants, over-the-counter medications, other drugs, missing, unknown, not collected, and invalid.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 4.1c. Primary substance use and age at admission among admissions aged 12 years and older, by type of treatment service: Row percent distribution, 2020

Primary substance use and age at admission		*Type of treatment service*											
		Ambulatory		*Detoxification*			*Rehabilitation/residential*			*Medication-assisted opioid therapy*[1]			
	All admissions	*Out-patient*	*Intensive outpatient*	*Free-standing residential*	*Hospital inpatient*	*Ambu-latory*	*Short-term (<30 days)*	*Long-term (30+ days)*	*Hospital (non-detox)*	*Out-patient*	*Detox-ification*	*Resi-dential*	*Total*
Total	1,416,357	43.4	9.9	14.9	2.0	0.7	9.2	6.4	0.2	10.2	1.2	2.0	100.0
Primary substance													
Alcohol	442,014	38.3	11.4	22.9	3.8	1.6	11.8	6.8	0.3	1.5	0.6	1.0	100.0
Opiates	381,040	21.0	6.9	18.9	1.9	0.4	7.1	4.9	0.1	30.5	3.3	4.9	100.0
Marijuana/hashish	139,481	72.7	14.5	1.7	0.2	*	4.8	4.2	0.1	1.5	*	0.2	100.0
Cocaine	71,725	40.9	12.4	9.6	0.5	0.1	18.3	10.4	0.3	4.0	0.6	3.0	100.0
Methamphetamine/amphetamines	177,089	43.3	15.8	10.0	0.3	0.2	13.7	13.8	0.2	1.7	0.1	0.9	100.0
Tranquilizers	13,798	25.7	9.7	25.3	7.0	0.3	13.1	5.9	0.2	4.5	2.9	5.4	100.0
Sedatives	2,223	47.9	7.6	10.2	2.2	10.8	8.2	7.2	0.1	4.1	0.1	1.4	100.0
Other/none specified[2]	188,987	80.8	3.1	3.9	0.9	*	2.8	1.3	0.5	6.5	0.1	0.2	100.0
No. of admissions	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310	

Continued. See notes at end of table.

Table 4.1c. Primary substance use and age at admission among admissions aged 12 years and older, by type of treatment service: Row percent distribution, 2020 (continued)

Primary substance use and age at admission		Type of treatment service											
		Ambulatory		Detoxification			Rehabilitation/residential			Medication-assisted opioid therapy [1]			
	All admissions	Out-patient	Intensive outpatient	Free-standing residential	Hospital inpatient	Ambu-latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out-patient	Detox-ification	Resi-dential	Total
Age at admission													
12 years	618	86.7	8.3	1.0	- -	- -	0.8	3.1	- -	- -	0.2	- -	100.0
13 years	1,809	76.8	11.9	1.1	0.1	- -	4.0	5.7	0.1	0.2	- -	- -	100.0
14 years	4,227	73.6	12.9	1.0	- -	- -	6.0	6.2	- -	0.4	- -	- -	100.0
15 years	7,503	71.9	12.4	1.0	0.1	- -	7.3	6.9	- -	0.3	- -	0.1	100.0
16 years	10,284	70.6	12.5	1.2	0.1	*	7.9	7.1	*	0.5	*	0.1	100.0
17 years	10,323	69.8	13.0	1.5	0.1	- -	7.2	7.4	*	0.8	*	0.1	100.0
18 years	9,535	65.6	10.9	5.8	0.7	0.6	6.4	5.7	0.2	3.1	0.3	0.8	100.0
19 years	12,161	59.3	12.3	7.2	1.0	0.5	7.9	6.0	0.1	4.3	0.4	0.9	100.0
20 years	15,973	56.6	12.6	8.0	0.8	0.4	8.1	6.1	0.2	5.5	0.5	1.2	100.0
21 to 24 years	102,090	50.9	12.2	10.1	1.1	0.4	8.4	6.7	0.2	7.4	0.9	1.6	100.0
25 to 29 years	223,641	44.1	10.7	13.6	1.4	0.4	8.5	6.8	0.2	10.7	1.3	2.3	100.0
30 to 34 years	252,021	42.0	10.0	14.4	1.5	0.5	8.7	6.6	0.2	12.0	1.5	2.5	100.0
35 to 39 years	213,290	41.7	9.9	15.1	1.7	0.7	9.1	6.4	0.2	11.4	1.4	2.3	100.0
40 to 44 years	154,807	41.8	9.9	16.1	2.0	0.6	9.4	6.2	0.2	10.4	1.2	2.1	100.0
45 to 49 years	117,886	40.7	9.3	17.7	2.5	1.1	9.9	6.1	0.3	9.5	1.1	1.9	100.0
50 to 54 years	112,989	37.7	8.5	19.5	3.3	1.2	10.8	6.3	0.3	9.4	1.0	1.9	100.0
55 to 59 years	92,786	38.0	8.4	19.5	3.6	0.8	11.3	6.2	0.3	9.4	0.9	1.6	100.0
60 to 64 years	50,386	39.5	7.8	18.6	3.6	0.9	10.5	5.3	0.4	11.2	1.0	1.3	100.0
65 to 69 years	16,861	42.3	7.1	14.5	4.0	0.9	8.9	3.9	0.4	15.6	1.0	1.3	100.0
70 to 74 years	5,037	46.7	6.3	11.7	5.0	3.3	6.9	3.0	0.3	15.4	0.7	0.8	100.0
75 years and older	2,130	59.3	5.1	9.1	3.0	7.4	5.1	2.2	0.4	7.9	0.2	0.4	100.0
No. of admissions	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310	
Average age at admission	38 yrs.	37 yrs.	36 yrs.	40 yrs.	43 yrs.	43 yrs.	39 yrs.	37 yrs.	40 yrs.	39 yrs.	37 yrs.	37 yrs.	

- - Quantity is zero; * Less than 0.05 percent.

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

[2] Includes none, phencyclidine (PCP), hallucinogens, other stimulants, inhalants, over-the-counter medications, other drugs, missing, unknown, not collected, and invalid.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 4.2a. Gender, race, and ethnicity among admissions aged 12 years and older, by type of treatment service: Number, 2020

Gender, race, and ethnicity		Type of treatment service										
		Ambulatory		Detoxification			Rehabilitation/residential			Medication-assisted opioid therapy [1]		
	All admissions	Out-patient	Intensive outpatient	Free-standing residential	Hospital inpatient	Ambu-latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out-patient	Detox-ification	Resi-dential
Total	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310
Gender												
Male	918,299	383,665	87,376	154,573	20,886	7,250	86,866	57,448	2,310	87,498	11,648	18,779
Female	497,175	230,121	53,439	56,226	7,135	2,185	43,687	32,509	1,071	56,358	4,927	9,517
No. of admissions	1,415,474	613,786	140,815	210,799	28,021	9,435	130,553	89,957	3,381	143,856	16,575	28,296
Race												
American Indian or Alaska Native	46,522	23,738	3,365	4,669	299	4,975	2,556	3,494	125	2,499	93	709
Asian[2]	8,426	3,804	1,022	1,106	214	31	572	700	8	784	79	106
Black or African American	242,728	107,902	26,593	36,437	6,046	595	28,036	15,273	373	15,665	2,118	3,690
Native Hawaiian or Other Pacific Islander	5,115	1,917	702	945	56	13	276	590	13	500	38	65
White	916,884	380,179	95,780	138,902	16,698	3,334	87,564	56,522	2,381	102,737	12,761	20,026
Other	131,089	50,776	11,689	20,558	3,819	465	8,984	12,782	178	17,055	1,248	3,535
Total	1,350,764	568,316	139,151	202,617	27,132	9,413	127,988	89,361	3,078	139,240	16,337	28,131
Ethnicity												
Specific Hispanic or Latino origin	199,178	78,502	16,534	36,068	5,088	765	14,356	17,780	245	24,018	1,565	4,257
Mexican	59,291	25,015	5,736	9,723	242	190	2,139	8,606	38	7,166	230	206
Puerto Rican	48,170	12,881	2,894	10,784	2,066	148	3,897	2,894	117	8,892	946	2,651
Cuban	3,330	1,516	335	526	28	14	183	329	-	308	20	71
Other	88,387	39,090	7,569	15,035	2,752	413	8,137	5,951	90	7,652	369	1,329
Not of Hispanic or Latino origin	1,153,503	487,383	121,712	170,784	22,304	8,602	114,040	71,421	2,827	115,813	14,727	23,890
Total	1,352,681	565,885	138,246	206,852	27,392	9,367	128,396	89,201	3,072	139,831	16,292	28,147

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

[2] For some states, "Asian" includes "Pacific Islanders."

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 4.2b. Gender, race, and ethnicity among admissions aged 12 years and older, by type of treatment service: Column percent distribution, 2020

Gender, race, and ethnicity		Type of treatment service										
		Ambulatory		Detoxification			Rehabilitation/residential			Medication-assisted opioid therapy [1]		
	All admissions	Out-patient	Intensive outpatient	Free-standing residential	Hospital inpatient	Ambu-latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out-patient	Detox-ification	Resi-dential
Total	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310
Gender												
Male	64.9	62.5	62.1	73.3	74.5	76.8	66.5	63.9	68.3	60.8	70.3	66.4
Female	35.1	37.5	37.9	26.7	25.5	23.2	33.5	36.1	31.7	39.2	29.7	33.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,415,474	613,786	140,815	210,799	28,021	9,435	130,553	89,957	3,381	143,856	16,575	28,296
Race												
American Indian or Alaska Native	3.4	4.2	2.4	2.3	1.1	52.9	2.0	3.9	4.1	1.8	0.6	2.5
Asian[2]	0.6	0.7	0.7	0.5	0.8	0.3	0.4	0.8	0.3	0.6	0.5	0.4
Black or African American	18.0	19.0	19.1	18.0	22.3	6.3	21.9	17.1	12.1	11.3	13.0	13.1
Native Hawaiian or Other Pacific Islander	0.4	0.3	0.5	0.5	0.2	0.1	0.2	0.7	0.4	0.4	0.2	0.2
White	67.9	66.9	68.8	68.6	61.5	35.4	68.4	63.3	77.4	73.8	78.1	71.2
Other	9.7	8.9	8.4	10.1	14.1	4.9	7.0	14.3	5.8	12.2	7.6	12.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,350,764	568,316	139,151	202,617	27,132	9,413	127,988	89,361	3,078	139,240	16,337	28,131
Ethnicity												
Specific Hispanic or Latino origin	14.7	13.9	12.0	17.4	18.6	8.2	11.2	19.9	8.0	17.2	9.6	15.1
Mexican	4.4	4.4	4.1	4.7	0.9	2.0	1.7	9.6	1.2	5.1	1.4	0.7
Puerto Rican	3.6	2.3	2.1	5.2	7.5	1.6	3.0	3.2	3.8	6.4	5.8	9.4
Cuban	0.2	0.3	0.2	0.3	0.1	0.1	0.1	0.4	- -	0.2	0.1	0.3
Other	6.5	6.9	5.5	7.3	10.0	4.4	6.3	6.7	2.9	5.5	2.3	4.7
Not of Hispanic or Latino origin	85.3	86.1	88.0	82.6	81.4	91.8	88.8	80.1	92.0	82.8	90.4	84.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,352,681	565,885	138,246	206,852	27,392	9,367	128,396	89,201	3,072	139,831	16,292	28,147

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

[2] For some states, "Asian" includes "Pacific Islanders."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 4.2c. Gender, race, and ethnicity among admissions aged 12 years and older, by type of treatment service: Row percent distribution, 2020

Gender, race, and ethnicity		Type of treatment service											
		Ambulatory		Detoxification			Rehabilitation/residential			Medication-assisted opioid therapy [1]			
	All admissions	Out-patient	Intensive outpatient	Free-standing residential	Hospital inpatient	Ambu-latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out-patient	Detox-ification	Resi-dential	Total
Total	1,416,357	43.4	9.9	14.9	2.0	0.7	9.2	6.4	0.2	10.2	1.2	2.0	100.0
Gender													
Male	918,299	41.8	9.5	16.8	2.3	0.8	9.5	6.3	0.3	9.5	1.3	2.0	100.0
Female	497,175	46.3	10.7	11.3	1.4	0.4	8.8	6.5	0.2	11.3	1.0	1.9	100.0
No. of admissions	1,415,474	613,786	140,815	210,799	28,021	9,435	130,553	89,957	3,381	143,856	16,575	28,296	
Race													
American Indian or Alaska Native	46,522	51.0	7.2	10.0	0.6	10.7	5.5	7.5	0.3	5.4	0.2	1.5	100.0
Asian[2]	8,426	45.1	12.1	13.1	2.5	0.4	6.8	8.3	0.1	9.3	0.9	1.3	100.0
Black or African American	242,728	44.5	11.0	15.0	2.5	0.2	11.6	6.3	0.2	6.5	0.9	1.5	100.0
Native Hawaiian or Other Pacific Islander	5,115	37.5	13.7	18.5	1.1	0.3	5.4	11.5	0.3	9.8	0.7	1.3	100.0
White	916,884	41.5	10.4	15.1	1.8	0.4	9.6	6.2	0.3	11.2	1.4	2.2	100.0
Other	131,089	38.7	8.9	15.7	2.9	0.4	6.9	9.8	0.1	13.0	1.0	2.7	100.0
No. of admissions	1,350,764	568,316	139,151	202,617	27,132	9,413	127,988	89,361	3,078	139,240	16,337	28,131	
Ethnicity													
Specific Hispanic or Latino origin	199,178	39.4	8.3	18.1	2.6	0.4	7.2	8.9	0.1	12.1	0.8	2.1	100.0
Mexican	59,291	42.2	9.7	16.4	0.4	0.3	3.6	14.5	0.1	12.1	0.4	0.3	100.0
Puerto Rican	48,170	26.7	6.0	22.4	4.3	0.3	8.1	6.0	0.2	18.5	2.0	5.5	100.0
Cuban	3,330	45.5	10.1	15.8	0.8	0.4	5.5	9.9	- -	9.2	0.6	2.1	100.0
Other	88,387	44.2	8.6	17.0	3.1	0.5	9.2	6.7	0.1	8.7	0.4	1.5	100.0
Not of Hispanic or Latino origin	1,153,503	42.3	10.6	14.8	1.9	0.7	9.9	6.2	0.2	10.0	1.3	2.1	100.0
No. of admissions	1,352,681	565,885	138,246	206,852	27,392	9,367	128,396	89,201	3,072	139,831	16,292	28,147	

* Less than 0.05 percent.

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

[2] For some states, "Asian" includes "Pacific Islanders."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 4.3a. Treatment referral source, frequency of use, and number of prior treatment episodes among admissions aged 12 years and older, by type of treatment service: Number, 2020

Treatment referral source, frequency of use, and number of prior treatment episodes		*Type of treatment service*										
		Ambulatory		*Detoxification*			*Rehabilitation/residential*			*Medication-assisted opioid therapy* [1]		
	All admissions	*Out-patient*	*Intensive outpatient*	*Free-standing residential*	*Hospital inpatient*	*Ambu-latory*	*Short-term (<30 days)*	*Long-term (30+ days)*	*Hospital (non-detox)*	*Out-patient*	*Detox-ification*	*Resi-dential*
Total	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310
Treatment referral source												
Self or individual	581,543	166,222	46,365	135,343	21,934	3,798	59,454	32,913	1,474	91,870	12,377	9,793
Court/criminal justice system	308,707	189,859	44,855	11,349	405	4,414	19,712	19,724	298	14,067	259	3,765
Other community referral	136,992	65,253	18,373	15,760	675	140	14,244	12,122	91	7,519	709	2,106
Substance use care provider	128,913	23,220	16,261	21,868	894	297	22,379	18,037	136	12,934	2,150	10,737
Other health care provider	91,420	35,389	9,030	17,363	2,481	767	11,118	5,750	345	6,797	772	1,608
School (educational)	3,444	2,733	276	83	2	5	131	75	2	101	7	29
Employer/EAP	7,576	3,507	731	1,871	21	8	458	446	8	455	33	38
No. of admissions	1,258,595	486,183	135,891	203,637	26,412	9,429	127,496	89,067	2,354	133,743	16,307	28,076
Frequency of use												
No use	336,515	200,988	54,522	2,361	811	164	11,592	24,854	189	35,317	300	5,417
Some use	345,206	152,684	48,234	41,158	1,798	3,947	32,934	32,184	737	25,579	1,161	4,790
Daily use	549,476	108,324	33,307	159,357	23,255	5,318	82,168	32,087	1,452	71,395	14,816	17,997
No. of admissions	1,231,197	461,996	136,063	202,876	25,864	9,429	126,694	89,125	2,378	132,291	16,277	28,204
No. of prior treatment episodes												
None	506,282	274,766	48,412	52,980	2,162	1,728	35,391	39,136	1,238	45,627	2,384	2,458
1	221,332	101,765	27,980	23,143	988	1,733	25,834	11,849	411	22,477	1,906	3,246
2	153,925	65,428	18,800	15,253	893	1,254	17,555	8,866	344	20,388	1,664	3,480
3	99,139	36,793	11,460	11,229	579	1,040	12,270	6,578	229	14,291	1,436	3,234
4	66,249	25,729	6,847	8,306	529	575	7,519	4,403	193	8,827	1,099	2,222
5 or more	237,496	69,839	17,984	54,670	1,792	1,377	27,509	16,271	483	26,728	7,334	13,509
No. of admissions	1,284,423	574,320	131,483	165,581	6,943	7,707	126,078	87,103	2,898	138,338	15,823	28,149

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 4.3b. Treatment referral source, frequency of use, and number of prior treatment episodes among admissions aged 12 years and older, by type of treatment service: Column percent distribution, 2020

Treatment referral source, frequency of use, and number of prior treatment episodes		*Type of treatment service*										
		Ambulatory		*Detoxification*			*Rehabilitation/residential*			*Medication-assisted opioid therapy* [1]		
	All admissions	*Out-patient*	*Intensive outpatient*	*Free-standing residential*	*Hospital inpatient*	*Ambu-latory*	*Short-term (<30 days)*	*Long-term (30+ days)*	*Hospital (non-detox)*	*Out-patient*	*Detox-ification*	*Resi-dential*
Total	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310
Treatment referral source												
Self or individual	46.2	34.2	34.1	66.5	83.0	40.3	46.6	37.0	62.6	68.7	75.9	34.9
Court/criminal justice system	24.5	39.1	33.0	5.6	1.5	46.8	15.5	22.1	12.7	10.5	1.6	13.4
Other community referral	10.9	13.4	13.5	7.7	2.6	1.5	11.2	13.6	3.9	5.6	4.3	7.5
Substance use care provider	10.2	4.8	12.0	10.7	3.4	3.1	17.6	20.3	5.8	9.7	13.2	38.2
Other health care provider	7.3	7.3	6.6	8.5	9.4	8.1	8.7	6.5	14.7	5.1	4.7	5.7
School (educational)	0.3	0.6	0.2	*	*	0.1	0.1	0.1	0.1	0.1	*	0.1
Employer/EAP	0.6	0.7	0.5	0.9	0.1	0.1	0.4	0.5	0.3	0.3	0.2	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,258,595	486,183	135,891	203,637	26,412	9,429	127,496	89,067	2,354	133,743	16,307	28,076
Frequency of use												
No use	27.3	43.5	40.1	1.2	3.1	1.7	9.1	27.9	7.9	26.7	1.8	19.2
Some use	28.0	33.0	35.4	20.3	7.0	41.9	26.0	36.1	31.0	19.3	7.1	17.0
Daily use	44.6	23.4	24.5	78.5	89.9	56.4	64.9	36.0	61.1	54.0	91.0	63.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,231,197	461,996	136,063	202,876	25,864	9,429	126,694	89,125	2,378	132,291	16,277	28,204
No. of prior treatment episodes												
None	39.4	47.8	36.8	32.0	31.1	22.4	28.1	44.9	42.7	33.0	15.1	8.7
1	17.2	17.7	21.3	14.0	14.2	22.5	20.5	13.6	14.2	16.2	12.0	11.5
2	12.0	11.4	14.3	9.2	12.9	16.3	13.9	10.2	11.9	14.7	10.5	12.4
3	7.7	6.4	8.7	6.8	8.3	13.5	9.7	7.6	7.9	10.3	9.1	11.5
4	5.2	4.5	5.2	5.0	7.6	7.5	6.0	5.1	6.7	6.4	6.9	7.9
5 or more	18.5	12.2	13.7	33.0	25.8	17.9	21.8	18.7	16.7	19.3	46.4	48.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	1,284,423	574,320	131,483	165,581	6,943	7,707	126,078	87,103	2,898	138,338	15,823	28,149

* Less than 0.05 percent.

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 4.3c. Treatment referral source, frequency of use, and number of prior treatment episodes among admissions aged 12 years and older, by type of treatment service: Row percent distribution, 2020

Treatment referral source, frequency of use, and number of prior treatment episodes		*Type of treatment service*											
		Ambulatory		*Detoxification*			*Rehabilitation/residential*			*Medication-assisted opioid therapy*[1]			
	All admissions	*Out-patient*	*Intensive outpatient*	*Free-standing residential*	*Hospital inpatient*	*Ambu-latory*	*Short-term (<30 days)*	*Long-term (30+ days)*	*Hospital (non-detox)*	*Out-patient*	*Detox-ification*	*Resi-dential*	*Total*
Total	1,416,357	43.4	9.9	14.9	2.0	0.7	9.2	6.4	0.2	10.2	1.2	2.0	100.0
Treatment referral source													
Self or individual	581,543	28.6	8.0	23.3	3.8	0.7	10.2	5.7	0.3	15.8	2.1	1.7	100.0
Court/criminal justice system	308,707	61.5	14.5	3.7	0.1	1.4	6.4	6.4	0.1	4.6	0.1	1.2	100.0
Other community referral	136,992	47.6	13.4	11.5	0.5	0.1	10.4	8.8	0.1	5.5	0.5	1.5	100.0
Substance use care provider	128,913	18.0	12.6	17.0	0.7	0.2	17.4	14.0	0.1	10.0	1.7	8.3	100.0
Other health care provider	91,420	38.7	9.9	19.0	2.7	0.8	12.2	6.3	0.4	7.4	0.8	1.8	100.0
School (educational)	3,444	79.4	8.0	2.4	0.1	0.1	3.8	2.2	0.1	2.9	0.2	0.8	100.0
Employer/EAP	7,576	46.3	9.6	24.7	0.3	0.1	6.0	5.9	0.1	6.0	0.4	0.5	100.0
No. of admissions	1,258,595	486,183	135,891	203,637	26,412	9,429	127,496	89,067	2,354	133,743	16,307	28,076	
Frequency of use													
No use	336,515	59.7	16.2	0.7	0.2	*	3.4	7.4	0.1	10.5	0.1	1.6	100.0
Some use	345,206	44.2	14.0	11.9	0.5	1.1	9.5	9.3	0.2	7.4	0.3	1.4	100.0
Daily use	549,476	19.7	6.1	29.0	4.2	1.0	15.0	5.8	0.3	13.0	2.7	3.3	100.0
No. of admissions	1,231,197	461,996	136,063	202,876	25,864	9,429	126,694	89,125	2,378	132,291	16,277	28,204	
No. of prior treatment episodes													
None	506,282	54.3	9.6	10.5	0.4	0.3	7.0	7.7	0.2	9.0	0.5	0.5	100.0
1	221,332	46.0	12.6	10.5	0.4	0.8	11.7	5.4	0.2	10.2	0.9	1.5	100.0
2	153,925	42.5	12.2	9.9	0.6	0.8	11.4	5.8	0.2	13.2	1.1	2.3	100.0
3	99,139	37.1	11.6	11.3	0.6	1.0	12.4	6.6	0.2	14.4	1.4	3.3	100.0
4	66,249	38.8	10.3	12.5	0.8	0.9	11.3	6.6	0.3	13.3	1.7	3.4	100.0
5 or more	237,496	29.4	7.6	23.0	0.8	0.6	11.6	6.9	0.2	11.3	3.1	5.7	100.0
No. of admissions	1,284,423	574,320	131,483	165,581	6,943	7,707	126,078	87,103	2,898	138,338	15,823	28,149	

* Less than 0.05 percent.

[1] Therapy with methadone, buprenorphine, and/or naltrexone is part of the client's treatment plan.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

State Admissions

Table 5.1a. Admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	1,928,013	1,930,730	1,828,592	1,760,960	1,648,177	1,701,769	1,817,472	1,980,674	2,028,183	1,884,900	1,416,357
Census region[1]											
Northeast	616,640	613,437	597,241	610,493	582,992	569,892	569,110	576,577	576,358	574,126	445,035
Midwest	452,402	413,800	384,215	361,040	345,912	363,515	364,546	394,851	400,316	380,829	303,606
South	432,362	487,738	427,293	384,650	327,738	426,393	454,251	543,094	589,309	498,232	303,347
West	424,741	413,154	416,688	401,631	387,418	338,858	426,067	463,610	459,249	428,612	363,118
Census division[1]											
New England	171,476	183,128	183,511	190,468	192,168	185,268	185,388	186,889	180,208	175,160	138,828
Middle Atlantic	445,164	430,309	413,730	420,025	390,824	384,624	383,722	389,688	396,150	398,966	306,207
East North Central	277,699	253,903	221,501	199,674	191,593	206,156	195,979	222,672	226,427	210,166	163,761
West North Central	174,703	159,897	162,714	161,366	154,319	157,359	168,567	172,179	173,889	170,663	139,845
South Atlantic	277,584	344,424	294,454	259,778	207,706	299,993	323,808	401,536	442,356	352,357	176,055
East South Central	59,002	49,258	46,110	47,603	47,031	51,602	54,627	59,231	66,510	67,197	56,864
West South Central	95,776	94,056	86,729	77,269	73,001	74,798	75,816	82,327	80,443	78,678	70,428
Mountain	157,549	153,880	163,827	157,431	153,331	139,427	164,463	191,949	283,052	265,226	239,260
Pacific	267,192	259,274	252,861	244,200	234,087	199,431	261,604	271,661	176,197	163,386	123,858
State or jurisdiction											
Alabama	21,736	8,078	9,519	10,224	9,537	11,070	12,085	12,787	18,319	17,551	14,779
Alaska	7,049	7,191	6,448	6,582	6,471	6,753	7,295	7,574	7,612	6,648	5,512
Arizona	28,735	23,284	24,159	21,618	22,968	23,746	30,681	59,760	149,053	136,535	144,377
Arkansas	14,157	12,181	12,538	11,825	8,740	11,743	12,559	11,524	11,388	13,735	10,790
California	163,338	156,429	157,952	155,933	159,118	151,367	153,840	146,877	165,808	154,238	116,891
Colorado	79,229	77,851	87,975	86,483	89,922	75,317	90,142	84,052	84,383	81,709	69,727
Connecticut	51,951	62,315	61,993	64,040	67,129	67,866	69,027	69,310	66,718	65,104	48,395
Delaware	6,707	6,925	7,501	6,486	7,814	8,054	7,321	11,967	19,163	16,110	12,293
District of Columbia	3,312	7,607	5,766	5,243	5,466	6,222	5,330	5,676	5,482	5,434	3,066
Florida	61,435	104,304	64,715	50,946	34,055	31,681	31,935	52,316	101,971	60,957	41,846
Georgia	42,285	43,699	44,549	44,390	45,093	46,505	38,468	35,888	36,434	37,420	33,649
Hawaii	6,617	6,843	6,854	6,778	6,401	6,488	6,271	5,234	2,777	2,500	1,455
Idaho	4,333	4,884	6,560	5,606	2,866	2,861	2,866	2,846	1,472	770	‡
Illinois	73,272	59,474	36,849	33,840	28,561	46,816	26,670	42,339	49,784	49,168	36,211
Indiana	24,398	24,365	24,676	25,742	25,834	21,867	21,600	25,805	32,677	28,855	23,721
Iowa	33,280	27,720	28,272	29,558	28,568	28,944	27,739	27,765	28,749	28,380	24,120
Kansas	14,975	13,844	13,366	10,876	6,480	6,293	13,172	13,371	11,864	12,026	11,089
Kentucky	22,142	20,600	16,562	17,169	18,013	19,001	19,684	20,419	20,755	21,999	18,467
Louisiana	26,168	25,170	18,795	12,946	10,413	11,250	11,510	16,449	15,053	12,152	12,812
Maine	13,618	15,288	15,148	15,749	15,038	12,839	10,461	8,943	8,769	8,459	6,135

Continued. See notes at end of table.

Table 5.1a. Admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	42,891	65,905	62,468	51,397	41,092	113,201	95,534	150,873	163,851	118,750	‡
Massachusetts	81,255	80,734	82,464	84,950	83,523	78,548	77,843	80,411	78,864	77,675	63,927
Michigan	61,529	58,526	55,885	55,276	62,697	62,660	75,959	79,177	77,361	78,078	64,535
Minnesota	50,983	51,549	52,838	53,197	53,406	55,850	57,924	62,040	62,322	62,770	50,673
Mississippi	3,372	7,136	6,451	5,649	4,496	6,477	6,887	7,845	6,759	7,586	6,664
Missouri	43,300	34,184	38,062	38,203	37,799	37,927	37,387	35,437	39,332	36,281	26,816
Montana	7,752	9,001	8,793	7,568	6,144	5,920	5,639	2,738	1,623	1,271	1,178
Nebraska	15,014	16,603	12,976	13,202	12,556	13,339	14,456	15,097	13,345	12,179	10,229
Nevada	8,753	9,216	9,369	8,829	8,205	9,791	14,119	19,257	14,590	12,023	8,833
New Hampshire	6,324	5,479	4,280	4,646	4,182	3,639	4,669	5,380	3,569	2,309	1,604
New Jersey	71,573	73,469	76,505	89,160	64,418	68,643	76,156	82,066	89,100	97,888	81,368
New Mexico	7,976	9,848	8,567	8,121	6,038	4,446	3,835	6,232	11,362	11,392	‡
New York	311,437	304,861	294,601	285,757	283,885	281,856	280,008	279,320	277,845	270,970	201,573
North Carolina	62,492	65,915	60,005	57,728	45,156	59,542	94,776	83,936	57,922	54,929	42,046
North Dakota	2,510	1,789	2,653	2,739	3,344	2,898	5,965	5,230	3,832	2,667	1,600
Ohio	89,148	83,818	74,248	59,416	55,425	55,127	51,543	51,193	42,086	29,169	21,386
Oklahoma	13,943	13,492	13,154	12,823	14,363	14,437	15,219	15,535	15,426	14,708	13,554
Oregon	52,066	52,002	47,356	41,322	26,904	‡	‡	‡	‡	‡	‡
Pennsylvania	62,154	51,979	42,624	45,108	42,521	34,125	27,558	28,302	29,205	30,108	23,266
Puerto Rico	1,868	2,601	3,155	3,146	4,117	3,111	3,498	2,542	2,951	3,101	1,251
Rhode Island	10,416	11,168	10,882	11,623	11,109	11,469	12,648	12,790	12,563	12,658	13,781
South Carolina	27,800	19,207	19,927	16,031	‡	8,027	19,318	31,408	29,798	30,767	22,149
South Dakota	14,641	14,208	14,547	13,591	12,166	12,108	11,924	13,239	14,445	16,360	15,318
Tennessee	11,752	13,444	13,578	14,561	14,985	15,054	15,971	18,180	20,677	20,061	16,954
Texas	41,508	43,213	42,242	39,675	39,485	37,368	36,528	38,819	38,576	38,083	33,272
Utah	15,063	14,201	13,223	13,773	11,774	11,779	11,766	11,831	15,063	16,242	11,421
Vermont	7,912	8,144	8,744	9,460	11,187	10,907	10,740	10,055	9,725	8,955	4,986
Virginia	26,688	27,684	27,739	25,034	25,060	22,974	24,109	24,360	25,020	25,833	19,528
Washington	38,122	36,809	34,251	33,585	35,193	34,823	94,198	111,976	‡	‡	‡
West Virginia	3,974	3,178	1,784	2,523	3,970	3,787	7,017	5,112	2,715	2,157	1,478
Wisconsin	29,352	27,720	29,843	25,400	19,076	19,686	20,207	24,158	24,519	24,896	17,908
Wyoming	5,708	5,595	5,181	5,433	5,414	5,567	5,415	5,233	5,506	5,284	3,724

‡ No data, or less than a full calendar year of data, submitted.

[1] Admissions reported for Census regions and divisions will not sum to the total number of admissions, because Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons made among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 5.1b. Admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	731	726	682	651	613	627	664	718	731	691	519
Census region[1]											
Northeast	1,300	1,286	1,246	1,269	1,209	1,180	1,177	1,191	1,189	1,185	920
Midwest	802	730	675	631	602	631	631	682	689	654	520
South	449	500	433	385	338	417	439	519	557	466	304
West	705	678	676	644	614	561	697	750	736	758	569
Census division[1]											
New England	1,376	1,460	1,454	1,501	1,505	1,446	1,442	1,448	1,391	1,349	1,068
Middle Atlantic	1,273	1,224	1,172	1,187	1,102	1,084	1,081	1,097	1,116	1,125	866
East North Central	709	646	561	504	482	518	491	557	565	524	408
West North Central	1,014	923	933	919	874	886	944	960	964	941	768
South Atlantic	546	670	566	493	422	556	592	725	790	623	343
East South Central	379	315	293	300	295	323	340	366	409	411	408
West South Central	319	309	281	247	229	231	231	248	240	232	205
Mountain	862	831	872	827	793	710	823	944	1,369	1,260	1,322
Pacific	637	611	590	564	535	489	636	655	422	461	271
State or jurisdiction											
Alabama	537	199	233	249	231	268	292	308	439	419	351
Alaska	1,199	1,209	1,069	1,080	1,062	1,106	1,188	1,235	1,247	1,092	904
Arizona	540	432	441	389	406	413	524	1,002	2,451	2,200	2,273
Arkansas	578	494	506	475	350	468	498	455	447	537	419
California	522	495	495	484	489	461	464	440	495	458	348
Colorado	1,879	1,816	2,018	1,949	1,991	1,632	1,916	1,758	1,736	1,655	1,396
Connecticut	1,697	2,025	2,005	2,066	2,161	2,185	2,224	2,233	2,147	2,096	1,560
Delaware	878	897	962	822	979	998	899	1,455	2,305	1,918	1,442
District of Columbia	618	1,391	1,034	921	946	1,059	895	943	904	891	498
Florida	378	634	388	301	198	181	179	288	552	326	221
Georgia	525	537	540	533	535	545	444	409	411	416	370
Hawaii	570	584	578	566	532	536	515	431	229	206	121
Idaho	338	377	501	423	213	210	206	199	101	51	‡
Illinois	679	549	339	310	261	429	245	389	458	454	336
Indiana	449	446	449	466	465	392	386	459	577	506	414
Iowa	1,297	1,073	1,090	1,132	1,088	1,098	1,048	1,045	1,078	1,060	897
Kansas	632	582	558	452	268	259	541	549	485	491	451
Kentucky	604	558	446	460	481	506	522	540	547	578	484
Louisiana	689	657	487	334	267	287	293	419	384	310	326
Maine	1,181	1,322	1,308	1,357	1,291	1,103	896	763	744	714	515

Continued. See notes at end of table.

Table 5.1b. Admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	874	1,330	1,249	1,020	811	2,222	1,869	2,939	3,183	2,300	‡
Massachusetts	1,437	1,415	1,432	1,462	1,425	1,331	1,312	1,346	1,314	1,291	1,061
Michigan	734	696	662	653	738	736	890	925	901	908	752
Minnesota	1,143	1,147	1,168	1,166	1,162	1,208	1,242	1,319	1,314	1,314	1,055
Mississippi	136	288	259	226	179	258	274	312	269	301	265
Missouri	856	673	747	746	736	736	723	682	754	693	511
Montana	919	1,060	1,028	876	705	674	635	304	179	139	127
Nebraska	1,093	849	857	810	853	919	952	836	758	632	‡
Nevada	387	405	406	377	345	404	572	765	568	459	330
New Hampshire	556	479	372	402	359	311	397	454	300	193	133
New Jersey	959	980	1,017	1,181	852	906	1,004	1,079	1,170	1,285	1,068
New Mexico	464	568	491	463	344	253	217	352	639	637	‡
New York	1,876	1,826	1,756	1,697	1,682	1,669	1,658	1,657	1,652	1,615	1,208
North Carolina	776	810	729	693	536	698	1,096	958	653	611	462
North Dakota	437	308	447	450	539	459	945	828	604	419	250
Ohio	913	856	757	603	561	557	519	514	422	292	214
Oklahoma	445	427	413	399	444	442	464	472	467	442	405
Oregon	1,594	1,575	1,422	1,231	792	‡	‡	‡	‡	‡	‡
Pennsylvania	569	474	388	410	386	309	250	256	264	272	210
Puerto Rico	59	83	101	102	135	103	118	87	104	109	44

Continued. See notes at end of table.

Table 5.1b. Admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Rhode Island	1,143	1,224	1,189	1,268	1,209	1,246	1,372	1,387	1,357	1,365	1,488
South Carolina	710	486	498	396	‡	193	456	732	684	696	493
South Dakota	2,157	2,074	2,097	1,941	1,725	1,708	1,663	1,825	1,974	2,216	2,052
Tennessee	219	248	248	264	270	269	282	318	358	344	288
Texas	201	206	197	182	178	165	159	166	163	158	136
Utah	696	645	590	604	507	498	486	477	594	627	432
Vermont	1,453	1,489	1,598	1,726	2,042	1,988	1,959	1,830	1,768	1,625	905
Virginia	393	403	399	357	354	323	336	337	344	354	265
Washington	669	638	586	569	588	572	1,520	1,773	‡	‡	‡
West Virginia	248	198	111	157	248	238	443	325	173	138	95
Wisconsin	610	573	615	521	389	401	410	488	493	498	357
Wyoming	1,208	1,178	1,072	1,113	1,109	1,135	1,105	1,074	1,128	1,077	751

‡ No data, or less than a full calendar year of data, submitted.

[1] Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Table 5.1c. Admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020, adjusted for age, gender, and race/ethnicity

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older, adjusted for age, gender, and race/ethnicity* [1]										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	693	692	654	628	595	607	644	700	723	670	519
Census region[2]											
Northeast	1,324	1,311	1,274	1,295	1,234	1,213	1,210	1,227	1,234	1,233	953
Midwest	758	690	632	594	567	610	612	675	673	639	508
South	394	443	385	347	308	372	396	477	517	432	285
West	714	690	698	666	619	569	717	764	811	758	682
Census division[2]											
New England	1,448	1,535	1,524	1,561	1,560	1,513	1,505	1,508	1,460	1,420	1,118
Middle Atlantic	1,265	1,220	1,176	1,192	1,112	1,102	1,101	1,123	1,148	1,162	893
East North Central	657	597	513	465	446	499	484	563	551	515	402
West North Central	965	876	885	872	827	842	892	908	915	881	716
South Atlantic	475	591	498	440	381	484	521	655	725	565	325
East South Central	353	299	282	294	293	320	344	377	425	422	342
West South Central	294	287	260	232	219	225	226	246	239	233	208
Mountain	819	798	842	801	730	658	785	886	1,171	1,081	1,105
Pacific	681	655	641	614	578	533	704	726	562	521	397
State or jurisdiction											
Alabama	378	123	167	178	159	185	244	260	381	367	306
Alaska	616	609	534	540	534	558	612	632	668	617	490
Arizona	532	429	446	391	397	412	533	918	2,070	1,872	1,932
Arkansas	486	420	426	410	302	414	448	410	402	488	387
California	569	542	552	543	548	521	525	498	560	520	396
Colorado	1,870	1,836	2,011	1,959	1,860	1,526	1,852	1,698	1,691	1,608	1,353
Connecticut	1,812	2,122	2,100	2,156	2,250	2,287	2,316	2,293	2,181	2,098	1,552
Delaware	781	818	892	769	924	932	848	1,391	2,197	1,844	1,405
District of Columbia	248	569	406	362	376	431	354	376	365	362	203
Florida	405	682	424	334	223	205	203	328	620	362	249
Georgia	411	419	427	426	437	452	375	348	351	360	321
Hawaii	674	686	665	627	581	591	577	499	275	277	161
Idaho	304	357	470	402	202	213	198	185	97	50	‡
Illinois	623	504	313	289	245	407	234	376	449	448	334
Indiana	419	414	418	432	432	388	356	427	542	469	383
Iowa	1,438	1,214	1,193	1,224	1,185	1,185	1,109	1,089	1,129	1,115	922
Kansas	634	583	559	454	271	262	544	564	448	382	373
Kentucky	501	459	368	390	406	447	469	497	507	561	475
Louisiana	540	519	378	273	218	236	237	341	313	255	276
Maine	1,297	1,641	1,576	1,687	1,424	1,186	878	741	721	684	480

Continued. See notes at end of table.

Table 5.1c. Admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020, adjusted for age, gender, and race/ethnicity (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older, adjusted for age, gender, and race/ethnicity* [1]										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	737	1,140	1,084	897	718	1,820	1,487	2,498	2,691	1,871	‡
Massachusetts	1,416	1,386	1,403	1,433	1,390	1,312	1,306	1,352	1,339	1,335	1,095
Michigan	662	631	606	591	685	714	948	1,011	889	897	741
Minnesota	1,116	1,115	1,152	1,161	1,158	1,199	1,245	1,340	1,363	1,320	1,051
Mississippi	110	233	212	190	146	214	231	280	244	270	244
Missouri	761	596	663	665	660	664	647	615	685	634	470
Montana	919	1,077	1,013	842	660	627	575	262	151	110	132
Nebraska	1,003	1,122	853	860	790	851	887	904	771	740	625
Nevada	380	407	412	387	357	397	508	727	515	430	323
New Hampshire	554	437	359	376	354	312	368	406	290	192	130
New Jersey	968	1,001	1,049	1,227	891	958	1,066	1,154	1,255	1,380	1,156
New Mexico	283	375	369	352	245	169	143	225	361	371	‡
New York	1,790	1,750	1,696	1,651	1,645	1,650	1,650	1,657	1,657	1,628	1,225
North Carolina	616	653	592	566	441	581	930	824	567	536	412
North Dakota	372	251	345	360	406	340	733	656	445	288	170
Ohio	830	780	685	550	508	504	475	474	384	266	202
Oklahoma	396	380	363	353	387	389	415	432	422	401	374
Oregon	1,709	1,650	1,502	1,276	783	‡	‡	‡	‡	‡	‡
Pennsylvania	540	449	376	397	365	295	235	238	252	268	209

Continued. See notes at end of table.

Table 5.1c. Admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020, adjusted for age, gender, and race/ethnicity (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older, adjusted for age, gender, and race/ethnicity* [1]										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Rhode Island	1,075	1,142	1,104	1,159	1,083	1,129	1,268	1,289	1,306	1,327	1,424
South Carolina	595	398	413	332	‡	169	411	656	608	623	446
South Dakota	1,793	1,628	1,614	1,436	1,260	1,240	973	889	1,051	1,195	1,090
Tennessee	310	320	313	336	346	350	359	401	457	419	321
Texas	179	185	182	171	173	164	160	170	167	163	141
Utah	832	739	660	688	553	521	519	525	650	695	481
Vermont	1,940	1,673	1,682	1,871	2,269	2,182	2,044	2,012	1,949	1,819	1,007
Virginia	346	361	345	312	314	286	295	297	304	317	239
Washington	685	644	596	577	593	574	1,433	1,707	‡	‡	‡
West Virginia	219	105	93	153	248	236	315	241	140	126	94
Wisconsin	614	596	643	562	398	413	420	522	515	533	386
Wyoming	1,311	1,161	1,000	1,031	1,040	1,110	1,066	1,084	1,108	1,052	777

‡ No data, or less than a full calendar year of data, submitted.

[1] Adjusted for age, gender, and race/ethnicity to the 2020 U.S. resident population.

[2] Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions (excluding Puerto Rico). Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Table 5.2a. Primary alcohol admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	777,769	753,437	701,823	647,104	587,238	561,431	587,615	593,094	605,926	578,756	442,014
Census region[1]											
Northeast	248,339	238,653	222,484	213,425	198,794	193,136	189,108	194,597	206,413	213,472	168,559
Midwest	204,189	181,232	166,061	149,800	138,354	136,132	131,758	137,663	137,610	135,066	114,383
South	147,233	161,701	142,789	126,101	103,818	109,808	119,677	130,316	133,222	121,197	80,473
West	177,170	170,675	169,206	156,503	144,208	120,859	144,966	129,227	127,372	107,632	78,299
Census division[1]											
New England	63,659	65,631	63,201	60,282	59,900	58,014	56,289	58,903	60,429	61,422	48,427
Middle Atlantic	184,680	173,022	159,283	153,143	138,894	135,122	132,819	135,694	145,984	152,050	120,132
East North Central	112,436	98,771	87,124	75,170	69,027	69,127	65,379	72,097	73,815	71,548	58,383
West North Central	91,753	82,461	78,937	74,630	69,327	67,005	66,379	65,566	63,795	63,518	56,000
South Atlantic	97,617	117,894	103,163	89,980	69,987	76,841	88,428	98,467	101,299	87,998	50,950
East South Central	19,624	15,149	14,247	13,845	13,282	13,419	13,037	13,369	13,562	14,333	12,854
West South Central	29,992	28,658	25,379	22,276	20,549	19,548	18,212	18,480	18,361	18,866	16,669
Mountain	89,562	88,583	93,248	88,586	85,371	71,459	78,267	74,936	86,583	68,843	47,537
Pacific	87,608	82,092	75,958	67,917	58,837	49,400	66,699	54,291	40,789	38,789	30,762
State or jurisdiction											
Alabama	7,288	2,367	2,975	3,045	2,833	2,676	3,047	2,840	3,265	3,439	2,976
Alaska	5,250	5,207	4,591	4,594	4,402	4,429	4,558	4,747	4,303	3,592	3,084
Arizona	9,935	8,629	8,289	6,947	7,094	7,101	8,257	11,520	24,989	10,895	2,087
Arkansas	5,470	4,723	4,555	3,860	3,061	3,315	3,315	2,653	2,723	3,274	2,534
California	37,238	34,640	34,814	32,029	31,098	31,967	31,948	31,002	35,932	34,606	27,362
Colorado	57,441	56,497	62,724	60,900	61,464	49,383	56,610	48,882	48,292	44,982	38,727
Connecticut	19,906	24,063	24,693	23,132	23,261	23,298	22,859	22,817	23,563	23,725	16,869
Delaware	1,513	1,496	1,469	1,075	1,039	753	521	1,460	3,037	3,029	2,285
District of Columbia	745	2,213	1,956	1,807	2,060	2,381	1,818	1,855	1,848	1,778	1,016
Florida	14,386	28,567	19,987	17,022	12,480	11,249	10,586	15,917	26,627	15,664	11,002
Georgia	17,976	18,856	19,208	18,792	18,006	17,874	15,501	13,615	12,805	13,349	12,430
Hawaii	2,120	2,247	2,058	1,892	1,631	1,552	1,419	1,113	554	591	316
Idaho	1,392	1,657	2,269	2,009	977	923	748	817	367	211	‡
Illinois	24,084	18,407	11,849	10,930	9,097	13,483	7,267	10,799	13,169	14,361	11,751
Indiana	9,915	9,856	9,993	9,831	9,019	7,341	6,368	7,195	9,027	7,746	6,395
Iowa	16,451	13,112	12,558	12,610	12,289	11,702	10,491	10,124	10,332	10,206	9,468
Kansas	6,160	5,410	4,967	3,864	2,076	1,985	3,899	3,994	3,321	3,115	3,098
Kentucky	7,401	6,388	4,989	4,754	4,605	4,436	4,040	3,904	4,011	4,283	3,865
Louisiana	7,727	7,003	4,108	3,132	2,297	1,724	1,503	2,083	2,165	2,111	1,836
Maine	6,255	6,432	5,703	5,649	5,498	4,531	3,743	3,289	3,366	3,177	2,059

Continued. See notes at end of table.

Table 5.2a. Primary alcohol admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	12,331	19,613	18,390	14,197	11,308	14,802	14,256	20,946	24,932	22,484	‡
Massachusetts	26,640	24,578	23,170	22,277	22,097	21,069	20,429	23,145	24,454	25,716	21,294
Michigan	24,768	22,676	21,216	20,616	22,856	21,165	26,479	28,629	28,742	30,834	26,422
Minnesota	27,244	26,179	25,323	23,779	23,402	23,084	22,362	23,103	23,463	23,885	20,524
Mississippi	1,113	2,291	2,226	1,857	1,472	2,057	1,888	2,060	1,580	1,906	1,768
Missouri	17,168	13,520	14,663	14,070	13,185	12,328	11,385	10,068	10,097	9,399	7,337
Montana	4,710	5,278	4,965	4,166	3,249	3,023	2,683	1,358	923	712	662
Nebraska	11,952	12,535	9,102	8,747	8,259	8,346	8,475	8,467	6,529	5,592	4,980
Nevada	3,285	3,337	3,082	2,930	2,850	2,413	2,528	4,817	1,983	1,724	1,234
New Hampshire	2,867	2,596	1,799	1,753	1,363	999	1,171	1,379	1,042	691	458
New Jersey	23,194	22,034	21,687	25,461	15,082	17,371	20,692	21,693	24,804	30,417	26,468
New Mexico	3,002	4,248	3,972	3,729	3,045	2,303	1,657	2,518	4,091	3,975	‡
New York	137,186	131,533	122,854	113,328	111,138	107,322	103,766	105,402	112,233	112,568	86,302
North Carolina	21,489	25,711	21,887	19,556	14,359	17,926	27,638	21,888	11,584	10,775	8,425
North Dakota	1,451	1,011	1,400	1,351	1,472	1,276	2,108	1,743	1,321	960	539
Ohio	32,666	28,595	23,735	17,893	16,070	15,224	13,586	12,282	10,333	6,663	5,085
Oklahoma	4,961	4,534	4,325	4,203	4,524	4,108	3,940	3,861	3,873	3,828	3,889
Oregon	27,138	25,760	22,375	17,569	10,011	‡	‡	‡	‡	‡	‡
Pennsylvania	24,300	19,455	14,742	14,354	12,674	10,429	8,361	8,599	8,947	9,065	7,362
Puerto Rico	838	1,176	1,283	1,275	2,064	1,496	2,106	1,291	1,309	1,389	300
Rhode Island	4,162	4,386	4,269	4,087	4,009	4,444	4,732	4,945	4,408	4,701	5,816
South Carolina	16,602	9,024	8,795	7,099	‡	2,799	8,532	13,868	12,417	12,697	9,535
South Dakota	11,327	10,694	10,924	10,209	8,644	8,284	7,659	8,067	8,732	10,361	10,054
Tennessee	3,822	4,103	4,057	4,189	4,372	4,250	4,062	4,565	4,706	4,705	4,245
Texas	11,834	12,398	12,391	11,081	10,667	10,401	9,454	9,883	9,600	9,653	8,410
Utah	6,120	5,477	4,878	4,986	3,765	3,437	3,231	2,737	3,480	3,964	3,046
Vermont	3,829	3,576	3,567	3,384	3,672	3,673	3,355	3,328	3,596	3,412	1,931
Virginia	10,961	11,270	10,917	9,687	9,236	7,698	7,084	7,066	7,118	7,421	5,827
Washington	15,862	14,238	12,120	11,833	11,695	11,452	28,774	17,429	‡	‡	‡
West Virginia	1,614	1,144	554	745	1,499	1,359	2,492	1,852	931	801	430
Wisconsin	21,003	19,237	20,331	15,900	11,985	11,914	11,679	13,192	12,544	11,944	8,730
Wyoming	3,677	3,460	3,069	2,919	2,927	2,876	2,553	2,287	2,458	2,380	1,781

‡ No data, or less than a full calendar year of data, submitted.

[1] Admissions reported for Census regions and divisions will not sum to the total number of admissions, because Puerto Rico is not included in any Census region or division.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution. Primary alcohol admissions include admissions for use of alcohol only or primary alcohol use with secondary drug use.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 5.2b. Primary alcohol admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	295	283	262	239	219	207	215	215	218	212	162
Census region[1]											
Northeast	523	500	464	444	412	400	391	402	426	441	348
Midwest	362	320	292	262	241	236	228	238	237	232	196
South	153	166	145	126	107	107	116	124	126	113	81
West	294	280	275	251	229	200	237	209	204	190	123
Census division[1]											
New England	511	523	501	475	469	453	438	456	467	473	372
Middle Atlantic	528	492	451	433	392	381	374	382	411	429	340
East North Central	287	251	221	190	174	174	164	180	184	178	145
West North Central	533	476	453	425	393	377	372	365	354	350	308
South Atlantic	192	229	198	171	142	142	162	178	181	156	99
East South Central	126	97	90	87	83	84	81	83	83	88	92
West South Central	100	94	82	71	65	60	56	56	55	56	49
Mountain	490	479	497	465	442	364	392	369	419	327	263
Pacific	209	194	177	157	135	121	162	131	98	109	67
State or jurisdiction											
Alabama	180	58	73	74	69	65	74	68	78	82	71
Alaska	893	875	761	754	723	725	742	774	705	590	506
Arizona	187	160	151	125	125	123	141	193	411	176	33
Arkansas	223	191	184	155	123	132	131	105	107	128	98
California	119	110	109	99	96	97	96	93	107	103	81
Colorado	1,362	1,318	1,439	1,373	1,361	1,070	1,204	1,023	993	911	775
Connecticut	650	782	799	746	749	750	736	735	758	764	544
Delaware	198	194	188	136	130	93	64	178	365	361	268
District of Columbia	139	405	351	317	357	405	305	308	305	292	165
Florida	89	174	120	101	73	64	59	87	144	84	58
Georgia	223	232	233	226	214	209	179	155	144	149	137
Hawaii	183	192	174	158	136	128	117	92	46	49	26
Idaho	109	128	173	152	73	68	54	57	25	14	‡
Illinois	223	170	109	100	83	123	67	99	121	133	109
Indiana	183	180	182	178	162	132	114	128	159	136	112
Iowa	641	508	484	483	468	444	397	381	388	381	352
Kansas	260	227	207	160	86	82	160	164	136	127	126
Kentucky	202	173	134	127	123	118	107	103	106	113	101
Louisiana	203	183	107	81	59	44	38	53	55	54	47
Maine	542	556	492	487	472	389	320	280	286	268	173

Continued. See notes at end of table.

Table 5.2b. Primary alcohol admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	251	396	368	282	223	291	279	408	484	435	‡
Massachusetts	471	431	402	383	377	357	344	388	408	427	353
Michigan	296	270	251	243	269	249	310	334	335	359	308
Minnesota	611	583	560	521	509	499	480	491	495	500	427
Mississippi	45	92	89	74	59	82	75	82	63	76	70
Missouri	340	266	288	275	257	239	220	194	194	180	140
Montana	559	621	580	482	373	344	302	151	102	78	71
Nebraska	787	820	591	564	528	530	534	530	406	346	307
Nevada	145	147	134	125	120	100	102	191	77	66	46
New Hampshire	252	227	156	152	117	85	100	116	88	58	38
New Jersey	311	294	288	337	199	229	273	285	326	399	347
New Mexico	175	245	228	213	174	131	94	142	230	222	‡
New York	826	788	732	673	659	635	615	625	667	671	517
North Carolina	267	316	266	235	170	210	320	250	131	120	93
North Dakota	253	174	236	222	237	202	334	276	208	151	84
Ohio	335	292	242	182	163	154	137	123	104	67	51
Oklahoma	158	144	136	131	140	126	120	117	117	115	116
Oregon	831	780	672	523	295	‡	‡	‡	‡	‡	‡
Pennsylvania	223	178	134	130	115	95	76	78	81	82	66
Puerto Rico	27	38	41	41	68	50	71	44	46	49	11

Continued. See notes at end of table.

Table 5.2b. Primary alcohol admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Rhode Island	457	481	467	446	436	483	513	536	476	507	628
South Carolina	424	228	220	175	‡	67	202	323	285	287	212
South Dakota	1,669	1,561	1,575	1,458	1,225	1,168	1,068	1,112	1,193	1,404	1,347
Tennessee	71	76	74	76	79	76	72	80	81	81	72
Texas	57	59	58	51	48	46	41	42	40	40	34
Utah	283	249	218	219	162	145	133	110	137	153	115
Vermont	703	654	652	617	670	669	612	606	654	619	350
Virginia	161	164	157	138	131	108	99	98	98	102	79
Washington	278	247	208	200	195	188	464	276	‡	‡	‡
West Virginia	101	71	35	46	94	85	157	118	59	51	28
Wisconsin	436	398	419	326	245	242	237	266	252	239	174
Wyoming	778	728	635	598	600	586	521	469	504	485	359

‡ No data, or less than a full calendar year of data, submitted.

[1] Puerto Rico is not included in any Census region or division.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution. Primary alcohol admissions include admissions for use of alcohol only or primary alcohol use with secondary drug use.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Table 5.3a. Primary marijuana/hashish admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	358,034	352,367	317,646	292,473	253,367	242,386	248,166	247,427	246,686	211,484	139,481
Census region[1]											
Northeast	91,969	86,197	79,734	78,749	70,492	67,336	64,620	63,302	59,902	54,629	36,679
Midwest	96,547	84,786	76,486	70,738	63,682	60,954	58,234	59,346	57,993	49,639	36,257
South	97,629	107,820	90,298	79,087	64,146	67,128	73,077	79,037	86,540	74,943	48,034
West	71,666	73,088	70,386	63,173	54,342	46,578	51,845	45,358	41,878	31,989	18,395
Census division[1]											
New England	16,328	15,295	14,158	13,552	13,873	13,507	12,728	12,281	11,215	10,030	6,635
Middle Atlantic	75,641	70,902	65,576	65,197	56,619	53,829	51,892	51,021	48,687	44,599	30,044
East North Central	58,588	51,426	42,616	38,738	34,122	31,860	28,087	30,504	30,676	24,947	18,677
West North Central	37,959	33,360	33,870	32,000	29,560	29,094	30,147	28,842	27,317	24,692	17,580
South Atlantic	62,226	78,269	65,531	56,381	41,763	44,439	49,603	53,655	60,590	50,411	29,069
East South Central	12,617	8,882	8,006	8,279	7,932	8,992	9,882	9,708	10,570	10,460	8,389
West South Central	22,786	20,669	16,761	14,427	14,451	13,697	13,592	15,674	15,380	14,072	10,576
Mountain	20,553	20,553	20,738	18,494	17,027	15,830	16,285	17,112	22,851	15,176	7,875
Pacific	51,113	52,535	49,648	44,679	37,315	30,748	35,560	28,246	19,027	16,813	10,520
State or jurisdiction											
Alabama	6,221	2,154	2,378	2,426	2,187	2,780	3,020	3,136	3,806	3,707	2,980
Alaska	546	641	562	605	605	604	633	563	552	459	323
Arizona	5,277	5,096	4,913	3,861	4,258	4,711	5,302	6,744	12,592	5,220	1,016
Arkansas	2,790	2,311	2,230	1,940	1,414	2,252	2,597	2,525	2,410	2,450	1,808
California	31,079	32,123	31,176	27,860	24,280	22,153	20,992	18,425	18,125	15,995	10,026
Colorado	7,307	6,522	6,988	6,544	6,873	5,909	6,341	6,019	5,793	5,735	4,164
Connecticut	8,355	7,826	7,258	6,944	7,852	8,152	7,830	7,803	7,186	6,386	4,032
Delaware	1,756	1,663	1,379	1,221	1,035	752	319	588	1,073	1,265	788
District of Columbia	534	1,277	819	659	608	576	418	548	430	425	245
Florida	18,131	27,787	15,205	9,936	4,890	4,751	4,936	8,078	20,108	13,154	7,295
Georgia	8,899	8,586	8,864	9,124	9,109	9,002	6,993	6,807	7,572	7,412	6,248
Hawaii	2,044	1,950	1,992	2,036	1,787	1,743	1,578	1,189	350	359	171
Idaho	1,172	1,423	1,790	1,408	493	434	406	352	200	120	‡
Illinois	17,607	13,856	8,816	8,312	6,680	8,559	5,305	6,937	8,577	8,182	5,473
Indiana	5,401	5,098	4,945	5,481	5,364	4,437	4,349	5,210	6,313	5,121	4,361
Iowa	9,350	8,211	8,209	8,087	7,522	7,541	7,062	6,799	6,590	6,240	4,788
Kansas	4,509	4,257	3,985	2,976	1,795	1,803	3,112	2,969	2,619	1,823	1,566
Kentucky	3,696	2,838	1,996	2,098	2,239	2,442	2,941	2,770	2,789	3,133	2,233
Louisiana	6,024	5,260	2,589	1,621	1,239	1,035	659	1,329	1,221	1,496	1,254
Maine	1,162	1,235	1,126	1,066	896	790	546	439	352	283	136

Continued. See notes at end of table.

Table 5.3a. Primary marijuana/hashish admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	7,233	13,422	12,236	9,843	7,521	8,177	6,737	8,501	8,201	5,503	‡
Massachusetts	3,192	2,935	2,879	2,800	2,571	2,324	2,211	2,024	1,874	1,721	1,397
Michigan	10,869	9,375	8,741	8,859	8,659	6,487	7,414	7,107	6,269	4,609	3,624
Minnesota	9,560	9,265	9,300	8,964	8,489	8,568	8,484	8,423	8,174	7,838	5,283
Mississippi	652	1,557	1,409	1,199	1,103	1,519	1,719	1,560	1,219	1,334	1,280
Missouri	10,878	7,951	8,523	8,234	8,186	7,500	7,256	6,731	6,490	5,604	3,603
Montana	1,429	1,729	1,560	1,315	1,101	1,015	922	397	128	62	50
Nebraska	990	1,119	1,034	1,188	982	1,274	1,372	1,487	1,345	1,261	990
Nevada	1,544	1,738	1,733	1,580	1,087	819	559	886	1,168	1,038	620
New Hampshire	783	614	488	436	366	233	209	199	113	77	50
New Jersey	11,210	11,896	12,279	13,966	9,133	10,039	10,767	10,758	10,822	10,218	7,223
New Mexico	484	723	651	611	327	216	147	121	82	72	‡
New York	54,262	50,582	47,205	45,323	42,373	39,246	37,285	36,122	33,627	30,074	19,969
North Carolina	13,285	13,632	14,738	14,977	12,626	14,354	20,115	17,058	11,714	11,106	6,638
North Dakota	705	496	750	731	867	718	1,314	896	462	352	202
Ohio	21,895	20,410	17,312	13,183	11,367	10,335	9,129	8,991	7,105	4,668	3,640
Oklahoma	2,929	2,843	2,650	2,491	2,833	2,852	2,679	2,653	2,458	1,791	1,379
Oregon	8,895	9,173	8,003	6,748	3,664	‡	‡	‡	‡	‡	‡
Pennsylvania	10,169	8,424	6,092	5,908	5,113	4,544	3,840	4,141	4,238	4,307	2,852
Puerto Rico	223	476	742	726	705	390	390	384	373	284	116
Rhode Island	1,589	1,514	1,239	1,231	980	924	883	803	787	773	686
South Carolina	6,087	5,232	5,759	4,719	‡	1,742	5,168	7,457	6,881	6,910	4,654
South Dakota	1,967	2,061	2,069	1,820	1,719	1,690	1,547	1,537	1,637	1,574	1,148
Tennessee	2,048	2,333	2,223	2,556	2,403	2,251	2,202	2,242	2,756	2,286	1,896
Texas	11,043	10,255	9,292	8,375	8,965	7,558	7,657	9,167	9,291	8,335	6,135
Utah	2,395	2,273	2,091	2,108	1,937	1,767	1,691	1,734	2,043	2,148	1,589
Vermont	1,247	1,171	1,168	1,075	1,208	1,084	1,049	1,013	903	790	334
Virginia	5,802	6,297	6,309	5,546	5,439	4,597	4,339	4,237	4,414	4,513	3,142
Washington	8,549	8,648	7,915	7,430	6,979	6,248	12,357	8,069	‡	‡	‡
West Virginia	499	373	222	356	535	488	578	381	197	123	59
Wisconsin	2,816	2,687	2,802	2,903	2,052	2,042	1,890	2,259	2,412	2,367	1,579
Wyoming	945	1,049	1,012	1,067	951	959	917	859	845	781	436

‡ No data, or less than a full calendar year of data, submitted.

[1] Admissions reported for Census regions and divisions will not sum to the total number of admissions, because Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons made among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 5.3b. Primary marijuana/hashish admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	136	133	118	108	94	89	91	90	89	77	51
Census region[1]											
Northeast	194	181	166	164	146	139	134	131	124	113	76
Midwest	171	150	134	124	111	106	101	102	100	85	62
South	101	111	91	79	66	66	71	75	82	70	48
West	119	120	114	101	86	77	85	73	67	57	29
Census division[1]											
New England	131	122	112	107	109	105	99	95	87	77	51
Middle Atlantic	216	202	186	184	160	152	146	144	137	126	85
East North Central	149	131	108	98	86	80	70	76	77	62	47
West North Central	220	193	194	182	167	164	169	161	151	136	97
South Atlantic	122	152	126	107	85	82	91	97	108	89	57
East South Central	81	57	51	52	50	56	61	60	65	64	60
West South Central	76	68	54	46	45	42	41	47	46	42	31
Mountain	112	111	110	97	88	81	81	84	110	72	44
Pacific	122	124	116	103	85	75	86	68	46	47	23
State or jurisdiction											
Alabama	154	53	58	59	53	67	73	75	91	89	71
Alaska	93	108	93	99	99	99	103	92	90	75	53
Arizona	99	94	90	69	75	82	90	113	207	84	16
Arkansas	114	94	90	78	57	90	103	100	95	96	70
California	99	102	98	86	75	67	63	55	54	48	30
Colorado	173	152	160	147	152	128	135	126	119	116	83
Connecticut	273	254	235	224	253	262	252	251	231	206	130
Delaware	230	215	177	155	130	93	39	71	129	151	92
District of Columbia	100	234	147	116	105	98	70	91	71	70	40
Florida	112	169	91	59	28	27	28	44	109	70	39
Georgia	111	105	107	110	108	105	81	78	85	82	69
Hawaii	176	166	168	170	149	144	130	98	29	30	14
Idaho	92	110	137	106	37	32	29	25	14	8	‡
Illinois	163	128	81	76	61	78	49	64	79	75	51
Indiana	99	93	90	99	97	80	78	93	111	90	76
Iowa	364	318	316	310	287	286	267	256	247	233	178
Kansas	190	179	166	124	74	74	128	122	107	74	64
Kentucky	101	77	54	56	60	65	78	73	73	82	58
Louisiana	159	137	67	42	32	26	17	34	31	38	32
Maine	101	107	97	92	77	68	47	37	30	24	11

Continued. See notes at end of table.

Table 5.3b. Primary marijuana/hashish admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	147	271	245	195	148	161	132	166	159	107	‡
Massachusetts	56	51	50	48	44	39	37	34	31	29	23
Michigan	130	112	104	105	102	76	87	83	73	54	42
Minnesota	214	206	206	197	185	185	182	179	172	164	110
Mississippi	26	63	57	48	44	61	68	62	48	53	51
Missouri	215	157	167	161	159	146	140	130	124	107	69
Montana	169	204	182	152	126	115	104	44	14	7	5
Nebraska	65	73	67	77	63	81	86	93	84	78	61
Nevada	68	76	75	68	46	34	23	35	45	40	23
New Hampshire	69	54	42	38	31	20	18	17	9	6	4
New Jersey	150	159	163	185	121	133	142	141	142	134	95
New Mexico	28	42	37	35	19	12	8	7	5	4	‡
New York	327	303	281	269	251	232	221	214	200	179	120
North Carolina	165	168	179	180	150	168	233	195	132	124	73
North Dakota	123	85	126	120	140	114	208	142	73	55	32
Ohio	224	209	176	134	115	104	92	90	71	47	36
Oklahoma	94	90	83	78	88	87	82	81	74	54	41
Oregon	272	278	240	201	108	‡	‡	‡	‡	‡	‡
Pennsylvania	93	77	55	54	46	41	35	37	38	39	26
Puerto Rico	7	15	24	23	23	13	13	13	13	10	4

Continued. See notes at end of table.

Table 5.3b. Primary marijuana/hashish admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Rhode Island	174	166	135	134	107	100	96	87	85	83	74
South Carolina	155	132	144	117	‡	42	122	174	158	156	104
South Dakota	290	301	298	260	244	238	216	212	224	213	154
Tennessee	38	43	41	46	43	40	39	39	48	39	32
Texas	54	49	43	38	40	33	33	39	39	35	25
Utah	111	103	93	92	83	75	70	70	81	83	60
Vermont	229	214	214	196	221	198	191	184	164	143	61
Virginia	85	92	91	79	77	65	61	59	61	62	43
Washington	150	150	136	126	117	103	199	128	‡	‡	‡
West Virginia	31	23	14	22	33	31	36	24	13	8	4
Wisconsin	58	56	58	60	42	42	38	46	48	47	31
Wyoming	200	221	209	219	195	195	187	176	173	159	88

‡ No data, or less than a full calendar year of data, submitted.

[1] Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Table 5.4a. Primary cocaine admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	159,105	152,419	126,437	107,106	89,681	86,707	92,285	104,677	115,029	108,003	71,725
Census region[1]											
Northeast	57,421	54,828	47,938	43,607	37,202	34,218	35,467	38,906	42,365	43,060	31,121
Midwest	33,440	28,754	21,401	17,659	15,053	16,423	16,013	20,120	21,221	20,861	14,915
South	48,347	51,462	41,078	32,610	26,199	27,194	31,441	36,200	40,854	36,024	20,540
West	19,781	17,186	15,785	13,049	11,041	8,755	9,248	9,385	10,501	7,963	5,116
Census division[1]											
New England	10,409	11,018	10,278	9,169	8,469	7,838	8,764	10,530	11,577	11,433	8,507
Middle Atlantic	47,012	43,810	37,660	34,438	28,733	26,380	26,703	28,376	30,788	31,627	22,614
East North Central	25,312	22,017	15,485	12,796	10,839	12,434	11,820	15,396	16,587	16,525	11,881
West North Central	8,128	6,737	5,916	4,863	4,214	3,989	4,193	4,724	4,634	4,336	3,034
South Atlantic	30,424	35,624	28,280	21,938	17,228	18,638	22,966	27,105	31,842	27,675	13,637
East South Central	6,639	5,124	4,471	4,167	3,744	3,921	4,079	4,435	4,336	4,237	3,356
West South Central	11,284	10,714	8,327	6,505	5,227	4,635	4,396	4,660	4,676	4,112	3,547
Mountain	6,341	5,818	5,580	4,255	3,616	3,003	3,346	3,971	5,309	3,357	1,888
Pacific	13,440	11,368	10,205	8,794	7,425	5,752	5,902	5,414	5,192	4,606	3,228
State or jurisdiction											
Alabama	2,927	1,038	1,096	1,031	912	923	984	966	974	870	750
Alaska	170	108	64	56	60	73	65	62	71	64	43
Arizona	1,200	1,105	1,062	762	632	674	820	1,081	2,694	1,093	151
Arkansas	1,051	919	816	660	395	499	591	527	473	404	322
California	10,688	9,016	8,374	7,453	6,355	4,970	4,494	4,467	5,034	4,479	3,158
Colorado	3,345	3,131	3,173	2,405	2,187	1,743	1,961	2,029	1,884	1,661	1,480
Connecticut	4,618	5,552	5,274	4,598	4,310	4,059	4,359	4,453	4,859	4,482	3,126
Delaware	443	352	342	230	253	150	160	504	910	818	597
District of Columbia	560	1,714	1,223	1,056	939	918	725	955	984	994	592
Florida	6,769	9,208	5,239	3,309	2,220	1,759	1,863	3,665	8,209	4,546	3,482
Georgia	5,520	5,186	4,795	4,449	4,698	4,503	4,164	3,627	3,571	3,383	2,950
Hawaii	152	191	152	112	134	143	122	119	87	63	27
Idaho	48	30	33	24	12	19	22	11	6	10	‡
Illinois	8,974	7,205	3,490	2,876	2,198	3,833	1,742	3,207	3,658	3,908	2,592
Indiana	1,499	1,643	1,469	1,133	971	793	920	1,117	1,343	1,187	807
Iowa	962	787	684	588	561	488	425	500	497	418	346
Kansas	1,207	962	820	511	239	203	453	469	357	383	324
Kentucky	1,784	1,509	1,060	1,102	977	1,036	1,087	1,097	1,066	1,170	873
Louisiana	3,800	3,592	1,979	1,302	773	652	547	975	985	909	740
Maine	446	527	472	540	435	298	320	333	405	379	265

Continued. See notes at end of table.

Table 5.4a. Primary cocaine admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	4,157	5,810	4,904	3,114	2,380	3,597	4,060	6,923	9,063	8,690	‡
Massachusetts	3,646	3,341	3,093	2,776	2,484	2,290	2,621	4,007	4,370	4,629	3,608
Michigan	5,252	5,003	4,113	3,945	3,885	3,968	5,298	6,112	6,928	7,388	5,640
Minnesota	2,195	2,140	1,921	1,677	1,561	1,653	1,751	2,294	2,406	2,181	1,453
Mississippi	486	983	855	588	490	671	650	663	593	751	614
Missouri	3,248	2,270	2,030	1,787	1,602	1,430	1,345	1,175	1,099	1,129	700
Montana	90	67	67	42	33	27	24	12	4	3	‡
Nebraska	402	460	347	234	169	156	155	187	185	164	132
Nevada	519	443	400	268	257	180	178	420	180	156	82
New Hampshire	430	349	252	192	173	154	200	363	219	160	104
New Jersey	4,866	4,713	4,482	4,740	3,297	3,381	3,624	4,172	4,807	5,351	4,248
New Mexico	217	288	188	208	108	66	72	140	268	183	‡
New York	36,104	34,265	30,135	27,083	23,392	21,426	21,787	22,714	24,283	24,495	17,096
North Carolina	8,175	9,003	7,865	6,805	4,872	5,559	8,892	7,642	5,268	5,346	3,291
North Dakota	18	12	16	5	13	11	15	37	14	4	9
Ohio	7,803	6,579	4,753	3,553	3,019	3,006	3,050	3,626	3,014	2,187	1,443
Oklahoma	630	592	444	321	337	271	278	300	264	233	244
Oregon	815	734	545	424	193	‡	‡	‡	‡	‡	‡
Pennsylvania	6,042	4,832	3,043	2,615	2,044	1,573	1,292	1,490	1,698	1,781	1,270
Puerto Rico	116	189	235	181	186	117	116	66	88	95	33
Rhode Island	880	846	829	781	723	674	850	794	902	865	878
South Carolina	1,953	1,662	1,539	1,039	‡	367	1,074	1,597	1,514	1,456	948
South Dakota	96	106	98	61	69	48	49	62	76	57	70
Tennessee	1,442	1,594	1,460	1,446	1,365	1,291	1,358	1,709	1,703	1,446	1,119
Texas	5,803	5,611	5,088	4,222	3,722	3,213	2,980	2,858	2,954	2,566	2,241
Utah	853	697	614	509	341	256	230	240	234	208	146
Vermont	389	403	358	282	344	363	414	580	822	918	526
Virginia	2,741	2,617	2,322	1,883	1,799	1,718	1,896	2,089	2,262	2,408	1,760
Washington	1,615	1,319	1,070	749	683	566	1,221	766	‡	‡	‡
West Virginia	106	72	51	53	67	67	132	103	61	34	17
Wisconsin	1,784	1,587	1,660	1,289	766	834	810	1,334	1,644	1,855	1,399
Wyoming	69	57	43	37	46	38	39	38	39	43	29

‡ No data, or less than a full calendar year of data, submitted.

[1] Admissions reported for Census regions and divisions will not sum to the total number of admissions, because Puerto Rico is not included in any Census region or division.

NOTE: "Primary cocaine admissions" refers to admissions for which cocaine was the primary substance of use, regardless of the route of administration (e.g., smoked, inhaled, other routes). Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 5.4b. Primary cocaine admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	60	57	47	40	33	32	34	38	41	40	26
Census region[1]											
Northeast	121	115	100	91	77	71	73	80	87	89	64
Midwest	59	51	38	31	26	29	28	35	37	36	26
South	50	53	42	33	27	27	30	35	39	34	21
West	33	28	26	21	18	14	15	15	17	14	8
Census division[1]											
New England	84	88	81	72	66	61	68	82	89	88	65
Middle Atlantic	134	125	107	97	81	74	75	80	87	89	64
East North Central	65	56	39	32	27	31	30	39	41	41	30
West North Central	47	39	34	28	24	22	23	26	26	24	17
South Atlantic	60	69	54	42	35	35	42	49	57	49	27
East South Central	43	33	28	26	24	25	25	27	27	26	24
West South Central	38	35	27	21	16	14	13	14	14	12	10
Mountain	35	31	30	22	19	15	17	20	26	16	10
Pacific	32	27	24	20	17	14	14	13	12	13	7
State or jurisdiction											
Alabama	72	26	27	25	22	22	24	23	23	21	18
Alaska	29	18	11	9	10	12	11	10	12	11	7
Arizona	23	20	19	14	11	12	14	18	44	18	2
Arkansas	43	37	33	27	16	20	23	21	19	16	13
California	34	29	26	23	20	15	14	13	15	13	9
Colorado	79	73	73	54	48	38	42	42	39	34	30
Connecticut	151	180	171	148	139	131	140	143	156	144	101
Delaware	58	46	44	29	32	19	20	61	109	97	70
District of Columbia	105	313	219	185	163	156	122	159	162	163	96
Florida	42	56	31	20	13	10	10	20	44	24	18
Georgia	69	64	58	53	56	53	48	41	40	38	32
Hawaii	13	16	13	9	11	12	10	10	7	5	2
Idaho	4	2	3	2	†	1	2	†	†	†	‡
Illinois	83	66	32	26	20	35	16	29	34	36	24
Indiana	28	30	27	20	17	14	16	20	24	21	14
Iowa	37	30	26	23	21	19	16	19	19	16	13
Kansas	51	40	34	21	10	8	19	19	15	16	13
Kentucky	49	41	29	30	26	28	29	29	28	31	23
Louisiana	100	94	51	34	20	17	14	25	25	23	19
Maine	39	46	41	47	37	26	27	28	34	32	22

Continued. See notes at end of table.

Table 5.4b. Primary cocaine admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	85	117	98	62	47	71	79	135	176	168	‡
Massachusetts	64	59	54	48	42	39	44	67	73	77	60
Michigan	63	60	49	47	46	47	62	71	81	86	66
Minnesota	49	48	42	37	34	36	38	49	51	46	30
Mississippi	20	40	34	23	20	27	26	26	24	30	24
Missouri	64	45	40	35	31	28	26	23	21	22	13
Montana	11	8	8	5	4	3	3	1	†	†	‡
Nebraska	26	30	23	15	11	10	10	12	12	10	8
Nevada	23	19	17	11	11	7	7	17	7	6	3
New Hampshire	38	31	22	17	15	13	17	31	18	13	9
New Jersey	65	63	60	63	44	45	48	55	63	70	56
New Mexico	13	17	11	12	6	4	4	8	15	10	‡
New York	217	205	180	161	139	127	129	135	144	146	102
North Carolina	102	111	96	82	58	65	103	87	59	59	36
North Dakota	3	2	3	†	2	2	2	6	2	†	1
Ohio	80	67	48	36	31	30	31	36	30	22	14
Oklahoma	20	19	14	10	10	8	8	9	8	7	7
Oregon	25	22	16	13	6	‡	‡	‡	‡	‡	‡
Pennsylvania	55	44	28	24	19	14	12	13	15	16	11
Puerto Rico	4	6	8	6	6	4	4	2	3	3	1

Continued. See notes at end of table.

Table 5.4b. Primary cocaine admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Rhode Island	97	93	91	85	79	73	92	86	97	93	95
South Carolina	50	42	38	26	‡	9	25	37	35	33	21
South Dakota	14	15	14	9	10	7	7	9	10	8	9
Tennessee	27	29	27	26	25	23	24	30	29	25	19
Texas	28	27	24	19	17	14	13	12	12	11	9
Utah	39	32	27	22	15	11	9	10	9	8	6
Vermont	71	74	65	51	63	66	76	106	149	167	95
Virginia	40	38	33	27	25	24	26	29	31	33	24
Washington	28	23	18	13	11	9	20	12	‡	‡	‡
West Virginia	7	4	3	3	4	4	8	7	4	2	1
Wisconsin	37	33	34	26	16	17	16	27	33	37	28
Wyoming	15	12	9	8	9	8	8	8	8	9	6

‡ No data, or less than a full calendar year of data, submitted; † Less than 1 per 100,000 population.

[1] Puerto Rico is not included in any Census region or division.

NOTE: "Primary cocaine admissions" refers to admissions for which cocaine was the primary substance of use, regardless of the route of administration (e.g., smoked, inhaled, other routes). Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Table 5.5a. Primary methamphetamine/amphetamine admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	117,350	115,160	125,518	140,132	144,581	145,802	187,199	206,125	224,274	225,149	177,089
Census region[1]											
Northeast	1,835	2,056	2,261	2,650	2,892	3,320	4,097	5,244	7,215	10,265	10,105
Midwest	21,055	20,919	24,991	29,772	32,657	36,142	46,963	56,245	65,802	71,141	58,589
South	18,640	19,888	20,768	24,544	24,795	30,668	38,313	45,690	52,248	57,219	49,046
West	75,820	72,297	77,496	83,166	84,237	75,667	97,817	98,943	99,009	86,524	59,349
Census division[1]											
New England	408	411	470	537	543	589	724	971	1,017	1,437	1,400
Middle Atlantic	1,427	1,645	1,791	2,113	2,349	2,731	3,373	4,273	6,198	8,828	8,705
East North Central	4,294	4,679	4,689	5,079	5,993	6,450	8,052	12,651	19,049	22,397	20,138
West North Central	16,761	16,240	20,302	24,693	26,664	29,692	38,911	43,594	46,753	48,744	38,451
South Atlantic	5,284	6,608	6,872	7,936	7,592	9,777	13,554	16,705	20,826	21,511	18,047
East South Central	3,784	3,528	3,261	3,856	4,174	5,679	7,801	10,421	12,819	15,167	12,809
West South Central	9,572	9,752	10,635	12,752	13,029	15,212	16,958	18,564	18,603	20,541	18,190
Mountain	16,747	17,123	20,198	21,760	22,200	22,026	27,990	35,048	44,822	34,585	20,841
Pacific	59,073	55,174	57,298	61,406	62,037	53,641	69,827	63,895	54,187	51,939	38,508
State or jurisdiction											
Alabama	1,934	940	1,009	1,220	1,181	1,504	2,041	2,481	3,081	3,231	2,923
Alaska	184	228	310	337	362	485	559	694	754	768	594
Arizona	3,988	3,885	4,461	4,352	4,633	4,609	6,711	10,488	20,577	8,896	2,145
Arkansas	2,541	2,183	2,296	2,930	2,166	3,507	3,843	3,832	3,794	4,985	3,936
California	45,192	41,386	42,956	46,272	48,396	45,327	48,704	47,229	52,025	49,986	37,156
Colorado	5,586	5,299	6,814	8,076	9,359	8,896	12,596	13,812	14,282	15,298	12,787
Connecticut	118	125	143	128	142	121	137	150	161	186	138
Delaware	9	9	15	19	23	14	12	48	106	121	127
District of Columbia	3	23	15	14	17	26	19	33	37	52	40
Florida	1,175	1,927	1,508	1,410	1,047	1,031	1,085	2,587	5,639	3,005	2,303
Georgia	2,190	2,352	2,875	3,678	4,495	5,643	5,643	5,882	6,403	7,073	6,770
Hawaii	1,838	1,917	2,098	2,089	2,188	2,315	2,424	2,203	1,408	1,185	758
Idaho	1,153	1,164	1,641	1,536	1,001	1,047	1,266	1,233	672	310	‡
Illinois	1,084	1,110	826	888	883	1,651	1,399	2,762	4,143	5,446	4,576
Indiana	1,459	1,713	1,810	2,194	2,633	2,141	2,754	3,961	6,293	6,545	5,796
Iowa	4,254	3,563	4,433	5,457	5,648	6,360	6,943	7,722	8,430	8,655	7,351
Kansas	1,914	1,988	2,343	2,420	1,715	1,670	4,482	4,755	4,369	5,070	4,352
Kentucky	1,026	1,119	938	1,139	1,386	1,839	2,469	3,487	4,490	5,968	4,963
Louisiana	830	1,011	744	925	834	1,110	1,067	1,665	2,077	2,207	2,175
Maine	90	104	101	106	119	93	90	118	123	227	238

Continued. See notes at end of table.

Table 5.5a. Primary methamphetamine/amphetamine admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	94	131	135	130	94	144	238	369	603	736	‡
Massachusetts	106	100	134	181	153	185	259	297	390	599	591
Michigan	819	818	859	809	1,196	1,063	1,731	2,276	3,468	5,013	5,463
Minnesota	4,139	4,479	5,599	7,402	8,945	10,186	12,520	14,598	16,253	17,300	13,363
Mississippi	299	530	458	518	518	1,023	1,367	1,704	1,502	1,930	1,491
Missouri	4,536	3,937	5,282	6,144	6,590	7,220	8,305	8,700	9,754	9,981	6,955
Montana	498	763	909	1,009	1,014	1,132	1,264	709	442	375	358
Nebraska	1,115	1,435	1,622	1,997	2,011	2,296	3,132	3,594	3,612	3,757	2,929
Nevada	1,879	1,946	2,282	2,230	2,185	2,086	1,510	3,653	2,044	1,760	1,112
New Hampshire	45	30	34	45	47	91	139	301	193	177	190
New Jersey	246	277	242	394	257	359	508	675	960	1,450	1,623
New Mexico	494	855	873	935	531	305	426	656	1,100	1,555	‡
New York	939	1,132	1,269	1,341	1,604	1,906	2,262	2,709	3,678	4,775	4,593
North Carolina	889	1,140	1,042	1,428	1,370	1,836	4,105	4,209	3,719	5,200	4,274
North Dakota	146	117	246	410	655	592	1,698	1,789	1,339	623	483
Ohio	624	723	724	701	703	827	1,086	2,230	3,392	3,221	2,691
Oklahoma	2,740	2,729	2,991	3,268	3,810	4,360	4,961	5,481	5,389	5,333	4,941
Oregon	7,147	6,998	7,240	7,571	5,626	‡	‡	‡	‡	‡	‡
Pennsylvania	242	236	280	378	488	466	603	889	1,560	2,603	2,489
Puerto Rico	‡	‡	2	‡	‡	5	9	3	‡	‡	‡
Rhode Island	12	26	24	38	38	51	53	70	79	131	168
South Carolina	560	622	839	797	‡	356	1,233	1,955	2,141	2,525	1,765
South Dakota	657	721	777	863	1,100	1,368	1,831	2,436	2,996	3,358	3,018
Tennessee	525	939	856	979	1,089	1,313	1,924	2,749	3,746	4,038	3,432
Texas	3,461	3,829	4,604	5,629	6,219	6,235	7,087	7,586	7,343	8,016	7,138
Utah	2,496	2,573	2,580	2,812	2,554	2,864	2,936	3,175	4,371	5,006	3,431
Vermont	37	26	34	39	44	48	46	35	71	117	75
Virginia	283	325	407	397	460	631	938	1,287	1,931	2,602	2,603
Washington	4,712	4,645	4,694	5,137	5,465	5,514	18,140	13,769	‡	‡	‡
West Virginia	81	79	36	63	86	96	281	335	247	197	165
Wisconsin	308	315	470	487	578	768	1,082	1,422	1,753	2,172	1,612
Wyoming	653	638	638	810	923	1,087	1,281	1,322	1,334	1,385	1,008

‡ No data, or less than a full calendar year of data, submitted.

[1] Admissions reported for Census regions and divisions will not sum to the total number of admissions, because Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 5.5b. Primary methamphetamine/amphetamine admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	45	43	47	52	54	54	68	75	81	82	65
Census region[1]											
Northeast	4	4	5	6	6	7	8	11	15	21	21
Midwest	37	37	44	52	57	63	81	97	113	122	100
South	19	20	21	25	26	30	37	44	49	54	49
West	126	119	126	133	134	125	160	160	159	153	93
Census division[1]											
New England	3	3	4	4	4	5	6	8	8	11	11
Middle Atlantic	4	5	5	6	7	8	9	12	17	25	25
East North Central	11	12	12	13	15	16	20	32	48	56	50
West North Central	97	94	116	141	151	167	218	243	259	269	211
South Atlantic	10	13	13	15	15	18	25	30	37	38	35
East South Central	24	23	21	24	26	35	49	64	79	93	92
West South Central	32	32	34	41	41	47	52	56	56	61	53
Mountain	92	93	108	114	115	112	140	172	217	164	115
Pacific	141	130	134	142	142	132	170	154	130	146	84
State or jurisdiction											
Alabama	48	23	25	30	29	36	49	60	74	77	69
Alaska	31	38	51	55	59	79	91	113	124	126	97
Arizona	75	72	81	78	82	80	115	176	338	143	34
Arkansas	104	89	93	118	87	140	152	151	149	195	153
California	145	131	135	144	149	138	147	142	155	149	111
Colorado	132	124	156	182	207	193	268	289	294	310	256
Connecticut	4	4	5	4	5	4	4	5	5	6	4
Delaware	1	1	2	2	3	2	1	6	13	14	15
District of Columbia	†	4	3	2	3	4	3	5	6	9	6
Florida	7	12	9	8	6	6	6	14	31	16	12
Georgia	27	29	35	44	53	66	65	67	72	79	74
Hawaii	158	164	177	175	182	191	199	181	116	98	63
Idaho	90	90	125	116	74	77	91	86	46	21	‡
Illinois	10	10	8	8	8	15	13	25	38	50	42
Indiana	27	31	33	40	47	38	49	70	111	115	101
Iowa	166	138	171	209	215	241	262	291	316	323	273
Kansas	81	84	98	101	71	69	184	195	179	207	177
Kentucky	28	30	25	31	37	49	66	92	118	157	130
Louisiana	22	26	19	24	21	28	27	42	53	56	55
Maine	8	9	9	9	10	8	8	10	10	19	20

Continued. See notes at end of table.

Table 5.5b. Primary methamphetamine/amphetamine admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	2	3	3	3	2	3	5	7	12	14	‡
Massachusetts	2	2	2	3	3	3	4	5	7	10	10
Michigan	10	10	10	10	14	12	20	27	40	58	64
Minnesota	93	100	124	162	195	220	269	310	343	362	278
Mississippi	12	21	18	21	21	41	54	68	60	77	59
Missouri	90	78	104	120	128	140	161	168	187	191	132
Montana	59	90	106	117	116	129	142	79	49	41	38
Nebraska	73	94	105	129	129	146	197	225	225	232	181
Nevada	83	86	99	95	92	86	61	145	80	67	41
New Hampshire	4	3	3	4	4	8	12	25	16	15	16
New Jersey	3	4	3	5	3	5	7	9	13	19	21
New Mexico	29	49	50	53	30	17	24	37	62	87	‡
New York	6	7	8	8	10	11	13	16	22	28	28
North Carolina	11	14	13	17	16	22	47	48	42	58	47
North Dakota	25	20	41	67	106	94	269	283	211	98	75
Ohio	6	7	7	7	7	8	11	22	34	32	27
Oklahoma	88	86	94	102	118	134	151	167	163	160	147
Oregon	219	212	217	226	166	‡	‡	‡	‡	‡	‡
Pennsylvania	2	2	3	3	4	4	5	8	14	23	22
Puerto Rico	‡	‡	†	‡	‡	†	†	†	‡	‡	‡

Continued. See notes at end of table.

Table 5.5b. Primary methamphetamine/amphetamine admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Rhode Island	1	3	3	4	4	6	6	8	9	14	18
South Carolina	14	16	21	20	‡	9	29	46	49	57	39
South Dakota	97	105	112	123	156	193	255	336	409	455	404
Tennessee	10	17	16	18	20	23	34	48	65	69	58
Texas	17	18	22	26	28	28	31	32	31	33	29
Utah	115	117	115	123	110	121	121	128	172	193	130
Vermont	7	5	6	7	8	9	8	6	13	21	14
Virginia	4	5	6	6	7	9	13	18	27	36	35
Washington	83	80	80	87	91	91	293	218	‡	‡	‡
West Virginia	5	5	2	4	5	6	18	21	16	13	11
Wisconsin	6	7	10	10	12	16	22	29	35	43	32
Wyoming	138	134	132	166	189	222	261	271	273	282	203

‡ No data, or less than a full calendar year of data, submitted; † Less than 1 per 100,000 population.

[1] Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Table 5.6a. Primary opiates (heroin and non-heroin) admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	444,301	487,852	490,272	511,983	509,419	580,362	612,215	665,540	677,296	571,200	381,040
Census region[1]											
Northeast	200,325	213,057	225,820	250,810	248,080	250,131	256,344	253,649	240,004	230,727	179,011
Midwest	83,198	85,020	81,356	80,546	84,793	102,173	100,510	110,047	105,886	93,476	70,848
South	92,015	118,292	106,050	101,006	88,270	148,835	149,301	204,583	224,691	164,979	74,979
West	68,126	70,890	76,405	78,984	87,471	78,228	105,293	96,574	105,634	80,822	55,464
Census division[1]											
New England	73,770	82,557	87,400	97,972	100,717	97,820	98,618	95,014	87,156	81,104	64,757
Middle Atlantic	126,555	130,500	138,420	152,838	147,363	152,311	157,726	158,635	152,848	149,623	114,254
East North Central	66,283	67,367	61,590	59,510	64,194	78,602	76,191	85,190	79,939	69,868	51,072
West North Central	16,915	17,653	19,766	21,036	20,599	23,571	24,319	24,857	25,947	23,608	19,776
South Atlantic	60,757	83,979	73,634	68,365	56,909	116,362	117,341	171,336	187,452	129,244	44,160
East South Central	14,372	14,526	14,380	15,595	16,268	17,791	17,903	19,329	23,029	20,984	17,591
West South Central	16,886	19,787	18,036	17,046	15,093	14,682	14,057	13,918	14,210	14,751	13,228
Mountain	16,298	17,097	19,932	20,788	22,040	20,929	26,773	34,202	52,007	33,253	17,595
Pacific	51,828	53,793	56,473	58,196	65,431	57,299	78,520	62,372	53,627	47,569	37,869
State or jurisdiction											
Alabama	2,897	1,353	1,754	2,103	2,093	2,750	2,501	2,916	6,702	5,783	4,756
Alaska	601	683	685	731	846	951	1,290	1,299	1,735	1,608	1,327
Arizona	4,492	4,145	4,832	5,261	5,733	5,279	7,160	12,594	28,728	10,190	1,862
Arkansas	1,761	1,565	2,122	2,056	1,406	1,794	1,782	1,554	1,567	2,018	1,680
California	36,564	36,640	38,758	40,640	47,473	45,329	45,939	43,941	51,556	45,709	36,367
Colorado	4,899	5,538	7,279	7,665	9,200	8,631	11,828	12,548	13,341	13,209	11,739
Connecticut	14,257	19,038	19,223	22,737	24,988	26,732	27,962	27,758	24,898	23,323	17,427
Delaware	2,627	3,012	3,647	3,322	4,100	3,248	2,891	6,265	10,237	8,963	7,199
District of Columbia	1,256	1,775	1,197	1,252	1,353	1,711	1,844	1,706	1,591	1,600	791
Florida	17,298	29,356	18,866	15,974	11,673	11,103	11,873	19,143	33,299	13,043	10,466
Georgia	3,595	3,728	4,071	4,159	4,365	4,667	4,754	4,645	4,769	4,771	4,221
Hawaii	354	407	445	428	478	494	482	443	336	252	175
Idaho	452	475	687	533	334	389	388	401	212	112	‡
Illinois	20,858	18,122	11,258	10,250	9,189	18,308	10,420	17,847	19,398	16,462	11,024
Indiana	3,530	4,409	5,038	5,588	6,311	5,864	6,077	6,918	8,245	7,177	5,730
Iowa	1,787	1,578	1,782	2,095	2,060	2,403	2,410	2,237	2,340	2,207	1,826
Kansas	938	968	970	885	515	498	1,001	972	873	649	655
Kentucky	7,304	7,920	6,939	7,491	8,153	8,588	8,399	8,292	7,271	6,469	5,529
Louisiana	5,215	6,635	4,628	4,139	3,046	2,030	1,860	2,035	2,217	2,213	1,558
Maine	5,496	6,699	7,433	8,099	7,800	6,915	5,615	4,637	4,376	4,271	3,350

Continued. See notes at end of table.

Table 5.6a. Primary opiates (heroin and non-heroin) admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	18,047	25,314	25,156	22,754	18,649	74,142	59,671	103,551	110,554	72,681	‡
Massachusetts	46,216	48,066	51,472	55,360	54,927	51,421	50,798	49,134	45,834	42,976	35,429
Michigan	18,816	19,694	19,899	20,030	24,976	28,848	33,868	33,708	30,753	29,264	22,534
Minnesota	6,934	8,394	9,470	10,003	9,743	11,019	11,313	12,124	10,464	10,147	8,826
Mississippi	580	1,127	1,076	941	720	999	1,037	1,589	1,664	1,464	1,328
Missouri	6,403	5,488	6,435	6,917	7,139	8,292	7,994	7,928	10,905	9,411	7,574
Montana	940	1,070	1,188	955	686	639	543	209	101	106	99
Nebraska	289	650	452	464	384	637	549	526	487	444	379
Nevada	1,361	1,511	1,601	1,511	1,529	1,328	1,820	2,492	1,060	845	469
New Hampshire	2,079	1,826	1,628	2,132	2,155	2,063	2,847	3,064	1,922	1,177	774
New Jersey	30,247	32,436	35,794	40,695	28,599	32,457	38,295	42,125	44,969	47,415	38,958
New Mexico	905	1,136	1,234	1,316	1,140	959	1,039	1,546	3,115	3,512	‡
New York	76,794	80,821	85,944	91,824	97,877	103,779	106,691	104,036	95,793	90,522	66,512
North Carolina	9,410	12,134	11,908	12,597	9,789	13,927	25,762	23,372	14,682	15,704	12,080
North Dakota	166	125	200	212	309	280	630	561	315	252	157
Ohio	19,976	21,517	21,236	19,222	20,326	21,824	21,537	21,240	15,854	10,884	7,561
Oklahoma	1,830	1,738	1,803	1,739	1,962	2,035	2,155	2,155	2,514	2,580	2,165
Oregon	7,634	8,836	8,814	8,630	6,868	‡	‡	‡	‡	‡	‡
Pennsylvania	19,514	17,243	16,682	20,319	20,887	16,075	12,740	12,474	12,086	11,686	8,784
Puerto Rico	637	593	641	637	805	995	767	687	1,081	1,196	738
Rhode Island	3,439	4,063	4,121	5,081	5,059	5,082	5,659	5,472	5,963	5,803	5,721
South Carolina	2,202	2,297	2,573	2,057	‡	530	1,667	4,116	4,613	4,948	3,751
South Dakota	398	450	457	460	449	442	422	509	563	498	359
Tennessee	3,591	4,126	4,611	5,060	5,302	5,454	5,966	6,532	7,392	7,268	5,978
Texas	8,080	9,849	9,483	9,112	8,679	8,823	8,260	8,174	7,912	7,940	7,825
Utah	2,943	2,914	2,802	3,071	2,937	3,190	3,451	3,765	4,695	4,630	2,997
Vermont	2,283	2,865	3,523	4,563	5,788	5,607	5,737	4,949	4,163	3,554	2,056
Virginia	4,772	4,972	5,368	5,049	5,406	5,697	5,983	6,443	6,647	6,706	5,004
Washington	6,675	7,227	7,771	7,767	9,766	10,525	30,809	16,689	‡	‡	‡
West Virginia	1,550	1,391	848	1,201	1,574	1,337	2,896	2,095	1,060	828	648
Wisconsin	3,103	3,625	4,159	4,420	3,392	3,758	4,289	5,477	5,689	6,081	4,223
Wyoming	306	308	309	476	481	514	544	647	755	649	429

‡ No data, or less than a full calendar year of data, submitted.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution. Primary opiates include both heroin and non-heroin opiates reported as the primary substance use. Non-heroin opiates/synthetics include codeine, hydrocodone, hydromorphone, meperidine, morphine, non-prescription methadone, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 5.6b. Primary opiates (heroin and non-heroin) admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	169	183	183	189	190	214	224	241	244	209	140
Census region[1]											
Northeast	422	447	471	522	514	518	530	524	495	476	370
Midwest	147	150	143	141	148	177	174	190	182	160	121
South	95	121	107	101	91	146	144	195	212	154	75
West	113	116	124	127	139	130	172	156	169	143	87
Census division[1]											
New England	592	658	693	772	789	764	767	736	673	625	498
Middle Atlantic	362	371	392	432	415	429	444	447	430	422	323
East North Central	169	171	156	150	161	197	191	213	200	174	127
West North Central	98	102	113	120	117	133	136	139	144	130	109
South Atlantic	119	163	141	130	116	216	215	309	335	228	86
East South Central	92	93	91	98	102	111	111	120	142	128	126
West South Central	56	65	58	54	47	45	43	42	42	44	39
Mountain	89	92	106	109	114	107	134	168	251	158	97
Pacific	123	127	132	134	150	141	191	150	128	134	83
State or jurisdiction											
Alabama	72	33	43	51	51	67	60	70	161	138	113
Alaska	102	115	114	120	139	156	210	212	284	264	218
Arizona	84	77	88	95	101	92	122	211	472	164	29
Arkansas	72	63	86	83	56	71	71	61	62	79	65
California	117	116	122	126	146	138	139	132	154	136	108
Colorado	116	129	167	173	204	187	251	262	274	268	235
Connecticut	466	619	622	733	804	861	901	894	801	751	562
Delaware	344	390	468	421	514	403	355	762	1,232	1,067	844
District of Columbia	234	325	215	220	234	291	310	284	262	262	128
Florida	106	179	113	94	68	63	66	105	180	70	55
Georgia	45	46	49	50	52	55	55	53	54	53	46
Hawaii	31	35	38	36	40	41	40	36	28	21	15
Idaho	35	37	53	40	25	29	28	28	15	7	‡
Illinois	193	167	103	94	84	168	96	164	179	152	102
Indiana	65	81	92	101	114	105	109	123	146	126	100
Iowa	70	61	69	80	78	91	91	84	88	82	68
Kansas	40	41	40	37	21	21	41	40	36	26	27
Kentucky	199	215	187	201	218	229	223	219	192	170	145
Louisiana	137	173	120	107	78	52	47	52	56	56	40
Maine	476	579	642	698	670	594	481	395	371	360	281

Continued. See notes at end of table.

Table 5.6b. Primary opiates (heroin and non-heroin) admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	368	511	503	452	368	1,455	1,167	2,017	2,147	1,408	‡
Massachusetts	817	843	894	953	937	872	856	823	764	714	588
Michigan	224	234	236	236	294	339	397	394	358	340	262
Minnesota	156	187	209	219	212	238	243	258	221	212	184
Mississippi	23	45	43	38	29	40	41	63	66	58	53
Missouri	127	108	126	135	139	161	155	153	209	180	144
Montana	111	126	139	111	79	73	61	23	11	12	11
Nebraska	19	43	29	30	25	40	35	33	30	27	23
Nevada	60	66	69	65	64	55	74	99	41	32	18
New Hampshire	183	160	141	185	185	176	242	259	161	98	64
New Jersey	405	433	476	539	378	428	505	554	591	622	511
New Mexico	53	66	71	75	65	55	59	87	175	196	‡
New York	463	484	512	545	580	615	632	617	569	540	399
North Carolina	117	149	145	151	116	163	298	267	165	175	133
North Dakota	29	21	34	35	50	44	100	89	50	40	25
Ohio	205	220	216	195	206	220	217	213	159	109	76
Oklahoma	58	55	57	54	61	62	66	65	76	78	65
Oregon	234	268	265	257	202	‡	‡	‡	‡	‡	‡
Pennsylvania	179	157	152	185	189	146	115	113	109	105	79
Puerto Rico	20	19	21	21	26	33	26	23	38	42	26

Continued. See notes at end of table.

Table 5.6b. Primary opiates (heroin and non-heroin) admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Rhode Island	377	445	450	554	550	552	614	593	644	626	618
South Carolina	56	58	64	51	‡	13	39	96	106	112	84
South Dakota	59	66	66	66	64	62	59	70	77	67	48
Tennessee	67	76	84	92	95	97	105	114	128	125	101
Texas	39	47	44	42	39	39	36	35	33	33	32
Utah	136	132	125	135	127	135	142	152	185	179	113
Vermont	419	524	644	833	1,057	1,022	1,047	901	757	645	373
Virginia	70	72	77	72	76	80	83	89	91	92	68
Washington	117	125	133	132	163	173	497	264	‡	‡	‡
West Virginia	97	87	53	75	98	84	183	133	68	53	42
Wisconsin	64	75	86	91	69	76	87	111	114	122	84
Wyoming	65	65	64	97	99	105	111	133	155	132	87

‡ No data, or less than a full calendar year of data, submitted.

[1] Puerto Rico is not included in any Census region or division.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution. Primary opiates include both heroin and non-heroin opiates reported as the primary substance use. Non-heroin opiates/synthetics include codeine, hydrocodone, hydromorphone, meperidine, morphine, non-prescription methadone, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Table 5.7a. Primary heroin admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	270,236	286,264	305,439	345,940	371,184	438,929	465,421	513,545	520,140	441,986	292,126
Census region[1]	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Northeast	145,532	150,544	165,936	196,604	204,235	210,946	219,853	218,317	205,442	197,030	151,247
Midwest	49,318	49,667	47,909	48,915	55,349	72,285	71,739	81,518	79,073	69,254	51,656
South	29,978	37,729	38,912	43,265	44,128	93,250	89,546	134,700	149,548	110,159	44,793
West	44,827	47,759	52,055	56,534	66,684	61,481	83,551	78,341	85,035	64,403	43,715
Census division[1]											
New England	52,828	59,482	65,738	78,465	84,688	84,626	86,417	83,452	75,566	69,246	54,263
Middle Atlantic	92,704	91,062	100,198	118,139	119,547	126,320	133,436	134,865	129,876	127,784	96,984
East North Central	42,540	42,339	38,577	38,448	44,099	58,392	56,747	65,417	62,160	54,116	39,582
West North Central	6,778	7,328	9,332	10,467	11,250	13,893	14,992	16,101	16,913	15,138	12,074
South Atlantic	21,567	27,161	28,369	30,344	30,127	78,025	73,466	117,308	130,124	90,402	26,800
East South Central	1,529	1,740	2,773	4,441	5,725	7,034	7,889	8,777	10,588	10,304	9,246
West South Central	6,882	8,828	7,770	8,480	8,276	8,191	8,191	8,615	8,836	9,453	8,747
Mountain	9,067	9,393	10,984	12,652	14,688	15,084	20,117	26,686	39,763	24,390	13,423
Pacific	35,760	38,366	41,071	43,882	51,996	46,397	63,434	51,655	45,272	40,013	30,292
State or jurisdiction											
Alabama	212	177	215	347	561	856	1,012	1,255	2,807	2,701	2,354
Alaska	243	289	328	450	571	697	965	1,055	1,459	1,352	1,139
Arizona	3,101	2,675	3,061	3,677	4,165	4,034	5,654	10,211	22,024	7,237	1,207
Arkansas	53	42	77	74	77	132	211	251	305	424	331
California	26,970	27,523	29,497	31,971	38,858	37,172	38,133	37,149	43,608	38,492	29,021
Colorado	2,518	3,018	3,982	4,533	6,293	6,581	9,185	9,805	10,867	10,581	8,912
Connecticut	11,690	15,543	15,763	19,283	21,785	23,787	25,071	24,839	21,999	19,944	14,452
Delaware	1,283	1,326	2,210	2,450	3,428	2,820	2,564	5,712	9,091	7,819	6,342
District of Columbia	1,209	1,706	1,145	1,205	1,293	1,592	1,726	1,602	1,502	1,519	716
Florida	1,487	2,106	2,051	2,660	3,153	4,333	5,418	10,257	17,300	7,031	5,720
Georgia	532	481	659	911	1,191	1,492	1,180	1,319	1,667	1,883	1,773
Hawaii	105	107	131	124	185	209	237	235	205	169	132
Idaho	127	116	183	201	179	208	260	295	153	91	‡
Illinois	18,455	15,820	9,578	8,650	7,906	16,589	9,214	16,323	17,667	14,665	9,553
Indiana	1,233	1,672	1,903	2,354	3,176	3,321	3,797	4,489	5,488	4,881	4,076
Iowa	380	299	419	592	652	904	944	955	1,088	1,063	983
Kansas	162	146	142	159	86	85	242	279	288	255	255
Kentucky	1,059	1,232	2,052	3,437	4,263	4,857	4,872	4,789	4,290	3,606	3,177
Louisiana	1,887	2,308	1,535	1,954	1,757	1,034	1,101	1,206	1,454	1,492	1,039
Maine	972	1,297	1,765	2,691	3,695	3,831	3,222	2,861	2,974	2,980	2,553

Continued. See notes at end of table.

Table 5.7a. Primary heroin admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	12,844	16,650	16,685	16,827	14,770	58,914	46,553	81,038	86,447	56,516	‡
Massachusetts	36,801	38,632	43,700	49,439	50,577	47,659	47,208	45,501	42,409	39,650	32,497
Michigan	10,756	11,189	11,958	12,259	16,179	19,890	24,510	24,566	22,887	22,034	17,401
Minnesota	2,351	3,438	4,676	5,279	5,594	6,846	7,636	8,622	7,629	7,607	6,447
Mississippi	59	91	114	104	157	235	314	539	596	666	565
Missouri	3,812	3,302	3,939	4,241	4,730	5,790	5,674	5,702	7,383	5,731	4,012
Montana	99	150	207	187	106	136	124	57	37	61	65
Nebraska	23	75	64	76	52	115	121	105	123	150	152
Nevada	792	879	937	917	988	954	1,380	1,845	716	651	375
New Hampshire	914	859	771	1,204	1,538	1,707	2,435	2,664	1,499	922	654
New Jersey	22,846	23,539	27,018	32,664	24,008	27,574	33,128	36,780	39,434	41,633	33,568
New Mexico	381	463	559	705	512	441	418	876	1,490	1,451	‡
New York	57,574	56,797	61,919	70,359	79,421	86,251	90,267	88,364	81,102	77,037	56,472
North Carolina	1,823	2,459	2,811	3,267	2,974	5,198	10,760	10,674	7,104	8,327	6,835
North Dakota	10	7	16	22	63	87	281	299	183	98	74
Ohio	10,702	11,796	13,000	12,538	14,590	16,103	16,341	16,179	11,949	8,032	5,426
Oklahoma	185	227	242	319	359	439	647	817	970	1,247	1,149
Oregon	4,875	5,873	5,956	6,043	5,147	‡	‡	‡	‡	‡	‡
Pennsylvania	12,284	10,726	11,261	15,116	16,118	12,495	10,041	9,721	9,340	9,114	6,944
Puerto Rico	581	565	627	622	788	967	732	669	1,042	1,140	715
Rhode Island	2,056	2,520	2,633	3,703	3,909	4,083	4,614	4,285	4,001	3,463	2,631
South Carolina	221	244	291	228	‡	172	581	1,945	2,315	2,672	2,004
South Dakota	40	61	76	98	73	66	94	139	219	234	151
Tennessee	199	240	392	553	744	1,086	1,691	2,194	2,895	3,331	3,150
Texas	4,757	6,251	5,916	6,133	6,083	6,586	6,232	6,341	6,107	6,290	6,228
Utah	2,001	2,035	1,986	2,308	2,288	2,568	2,899	3,315	4,122	4,076	2,645
Vermont	395	631	1,106	2,145	3,184	3,559	3,867	3,302	2,684	2,287	1,476
Virginia	1,995	1,992	2,353	2,397	2,752	3,030	3,399	3,870	4,246	4,277	3,022
Washington	3,567	4,574	5,159	5,294	7,235	8,319	24,099	13,216	‡	‡	‡
West Virginia	173	197	164	399	566	474	1,285	891	452	358	388
Wisconsin	1,394	1,862	2,138	2,647	2,248	2,489	2,885	3,860	4,169	4,504	3,126
Wyoming	48	57	69	124	157	162	197	282	354	242	219

‡ No data, or less than a full calendar year of data, submitted.

[1] Admissions reported for Census regions and divisions will not sum to the total number of admissions, because Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 5.7b. Primary heroin admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	102	108	114	128	138	162	170	186	187	162	107
Census region[1]											
Northeast	307	316	346	409	423	437	455	451	424	407	313
Midwest	87	88	84	86	96	126	124	141	136	119	89
South	31	39	39	43	46	91	86	129	141	103	45
West	74	78	84	91	106	102	137	127	136	114	69
Census division[1]											
New England	424	474	521	618	663	661	672	647	583	533	417
Middle Atlantic	265	259	284	334	337	356	376	380	366	360	274
East North Central	109	108	98	97	111	147	142	164	155	135	99
West North Central	39	42	54	60	64	78	84	90	94	83	66
South Atlantic	42	53	54	58	61	145	134	212	232	160	52
East South Central	10	11	18	28	36	44	49	54	65	63	66
West South Central	23	29	25	27	26	25	25	26	26	28	25
Mountain	50	51	58	66	76	77	101	131	192	116	74
Pacific	85	90	96	101	119	114	154	124	108	113	66
State or jurisdiction											
Alabama	5	4	5	8	14	21	24	30	67	65	56
Alaska	41	49	54	74	94	114	157	172	239	222	187
Arizona	58	50	56	66	74	70	96	171	362	117	19
Arkansas	2	2	3	3	3	5	8	10	12	17	13
California	86	87	92	99	119	113	115	111	130	114	86
Colorado	60	70	91	102	139	143	195	205	224	214	178
Connecticut	382	505	510	622	701	766	808	800	708	642	466
Delaware	168	172	283	311	430	350	315	694	1,094	931	744
District of Columbia	226	312	205	212	224	271	290	266	248	249	116
Florida	9	13	12	16	18	25	30	56	94	38	30
Georgia	7	6	8	11	14	17	14	15	19	21	19
Hawaii	9	9	11	10	15	17	19	19	17	14	11
Idaho	10	9	14	15	13	15	19	21	10	6	‡
Illinois	171	146	88	79	72	152	84	150	163	135	89
Indiana	23	31	35	43	57	60	68	80	97	86	71
Iowa	15	12	16	23	25	34	36	36	41	40	37
Kansas	7	6	6	7	4	4	10	11	12	10	10
Kentucky	29	33	55	92	114	129	129	127	113	95	83
Louisiana	50	60	40	50	45	26	28	31	37	38	26
Maine	84	112	152	232	317	329	276	244	252	251	214

Continued. See notes at end of table.

Table 5.7b. Primary heroin admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	262	336	334	334	291	1,156	911	1,578	1,679	1,095	‡
Massachusetts	651	677	759	851	863	808	796	762	707	659	539
Michigan	128	133	142	145	190	234	287	287	267	256	203
Minnesota	53	77	103	116	122	148	164	183	161	159	134
Mississippi	2	4	5	4	6	9	12	21	24	26	22
Missouri	75	65	77	83	92	112	110	110	142	109	76
Montana	12	18	24	22	12	15	14	6	4	7	7
Nebraska	2	5	4	5	3	7	8	7	8	9	9
Nevada	35	39	41	39	42	39	56	73	28	25	14
New Hampshire	80	75	67	104	132	146	207	225	126	77	54
New Jersey	306	314	359	433	317	364	437	484	518	546	440
New Mexico	22	27	32	40	29	25	24	49	84	81	‡
New York	347	340	369	418	471	511	535	524	482	459	339
North Carolina	23	30	34	39	35	61	124	122	80	93	75
North Dakota	2	1	3	4	10	14	45	47	29	15	12
Ohio	110	121	132	127	148	163	165	163	120	80	54
Oklahoma	6	7	8	10	11	13	20	25	29	38	34
Oregon	149	178	179	180	152	‡	‡	‡	‡	‡	‡
Pennsylvania	113	98	102	137	146	113	91	88	84	82	63
Puerto Rico	18	18	20	20	26	32	25	23	37	40	25

Continued. See notes at end of table.

Table 5.7b. Primary heroin admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Rhode Island	226	276	288	404	425	444	500	465	432	373	284
South Carolina	6	6	7	6	‡	4	14	45	53	60	45
South Dakota	6	9	11	14	10	9	13	19	30	32	20
Tennessee	4	4	7	10	13	19	30	38	50	57	53
Texas	23	30	28	28	27	29	27	27	26	26	25
Utah	92	92	89	101	99	109	120	134	163	157	100
Vermont	73	115	202	391	581	649	705	601	488	415	268
Virginia	29	29	34	34	39	43	47	54	58	59	41
Washington	63	79	88	90	121	137	389	209	‡	‡	‡
West Virginia	11	12	10	25	35	30	81	57	29	23	25
Wisconsin	29	39	44	54	46	51	59	78	84	90	62
Wyoming	10	12	14	25	32	33	40	58	73	49	44

‡ No data, or less than a full calendar year of data, submitted.

[1] Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Table 5.8a. Primary non-heroin opiates/synthetics admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Numer, 2010-2020

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	174,065	201,588	184,833	166,043	138,235	141,433	146,794	151,995	157,156	129,214	88,914
Census region[1]											
Northeast	54,793	62,513	59,884	54,206	43,845	39,185	36,491	35,332	34,562	33,697	27,764
Midwest	33,880	35,353	33,447	31,631	29,444	29,888	28,771	28,529	26,813	24,222	19,192
South	62,037	80,563	67,138	57,741	44,142	55,585	59,755	69,883	75,143	54,820	30,186
West	23,299	23,131	24,350	22,450	20,787	16,747	21,742	18,233	20,599	16,419	11,749
Census division[1]											
New England	20,942	23,075	21,662	19,507	16,029	13,194	12,201	11,562	11,590	11,858	10,494
Middle Atlantic	33,851	39,438	38,222	34,699	27,816	25,991	24,290	23,770	22,972	21,839	17,270
East North Central	23,743	25,028	23,013	21,062	20,095	20,210	19,444	19,773	17,779	15,752	11,490
West North Central	10,137	10,325	10,434	10,569	9,349	9,678	9,327	8,756	9,034	8,470	7,702
South Atlantic	39,190	56,818	45,265	38,021	26,782	38,337	43,875	54,028	57,328	38,842	17,360
East South Central	12,843	12,786	11,607	11,154	10,543	10,757	10,014	10,552	12,441	10,680	8,345
West South Central	10,004	10,959	10,266	8,566	6,817	6,491	5,866	5,303	5,374	5,298	4,481
Mountain	7,231	7,704	8,948	8,136	7,352	5,845	6,656	7,516	12,244	8,863	4,172
Pacific	16,068	15,427	15,402	14,314	13,435	10,902	15,086	10,717	8,355	7,556	7,577
State or jurisdiction											
Alabama	2,685	1,176	1,539	1,756	1,532	1,894	1,489	1,661	3,895	3,082	2,402
Alaska	358	394	357	281	275	254	325	244	276	256	188
Arizona	1,391	1,470	1,771	1,584	1,568	1,245	1,506	2,383	6,704	2,953	655
Arkansas	1,708	1,523	2,045	1,982	1,329	1,662	1,571	1,303	1,262	1,594	1,349
California	9,594	9,117	9,261	8,669	8,615	8,157	7,806	6,792	7,948	7,217	7,346
Colorado	2,381	2,520	3,297	3,132	2,907	2,050	2,643	2,743	2,474	2,628	2,827
Connecticut	2,567	3,495	3,460	3,454	3,203	2,945	2,891	2,919	2,899	3,379	2,975
Delaware	1,344	1,686	1,437	872	672	428	327	553	1,146	1,144	857
District of Columbia	47	69	52	47	60	119	118	104	89	81	75
Florida	15,811	27,250	16,815	13,314	8,520	6,770	6,455	8,886	15,999	6,012	4,746
Georgia	3,063	3,247	3,412	3,248	3,174	3,175	3,574	3,326	3,102	2,888	2,448
Hawaii	249	300	314	304	293	285	245	208	131	83	43
Idaho	325	359	504	332	155	181	128	106	59	21	‡
Illinois	2,403	2,302	1,680	1,600	1,283	1,719	1,206	1,524	1,731	1,797	1,471
Indiana	2,297	2,737	3,135	3,234	3,135	2,543	2,280	2,429	2,757	2,296	1,654
Iowa	1,407	1,279	1,363	1,503	1,408	1,499	1,466	1,282	1,252	1,144	843
Kansas	776	822	828	726	429	413	759	693	585	394	400
Kentucky	6,245	6,688	4,887	4,054	3,890	3,731	3,527	3,503	2,981	2,863	2,352
Louisiana	3,328	4,327	3,093	2,185	1,289	996	759	829	763	721	519
Maine	4,524	5,402	5,668	5,408	4,105	3,084	2,393	1,776	1,402	1,291	797

Continued. See notes at end of table.

Table 5.8a. Primary non-heroin opiates/synthetics admissions aged 12 years and older, by Census region, Census division, and state or jurisdiction: Number, 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Number of admissions aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Maryland	5,203	8,664	8,471	5,927	3,879	15,228	13,118	22,513	24,107	16,165	‡
Massachusetts	9,415	9,434	7,772	5,921	4,350	3,762	3,590	3,633	3,425	3,326	2,932
Michigan	8,060	8,505	7,941	7,771	8,797	8,958	9,358	9,142	7,866	7,230	5,133
Minnesota	4,583	4,956	4,794	4,724	4,149	4,173	3,677	3,502	2,835	2,540	2,379
Mississippi	521	1,036	962	837	563	764	723	1,050	1,068	798	763
Missouri	2,591	2,186	2,496	2,676	2,409	2,502	2,320	2,226	3,522	3,680	3,562
Montana	841	920	981	768	580	503	419	152	64	45	34
Nebraska	266	575	388	388	332	522	428	421	364	294	227
Nevada	569	632	664	594	541	374	440	647	344	194	94
New Hampshire	1,165	967	857	928	617	356	412	400	423	255	120
New Jersey	7,401	8,897	8,776	8,031	4,591	4,883	5,167	5,345	5,535	5,782	5,390
New Mexico	524	673	675	611	628	518	621	670	1,625	2,061	‡
New York	19,220	24,024	24,025	21,465	18,456	17,528	16,424	15,672	14,691	13,485	10,040
North Carolina	7,587	9,675	9,097	9,330	6,815	8,729	15,002	12,698	7,578	7,377	5,245
North Dakota	156	118	184	190	246	193	349	262	132	154	83
Ohio	9,274	9,721	8,236	6,684	5,736	5,721	5,196	5,061	3,905	2,852	2,135
Oklahoma	1,645	1,511	1,561	1,420	1,603	1,596	1,508	1,338	1,544	1,333	1,016
Oregon	2,759	2,963	2,858	2,587	1,721	‡	‡	‡	‡	‡	‡
Pennsylvania	7,230	6,517	5,421	5,203	4,769	3,580	2,699	2,753	2,746	2,572	1,840
Puerto Rico	56	28	14	15	17	28	35	18	39	56	23
Rhode Island	1,383	1,543	1,488	1,378	1,150	999	1,045	1,187	1,962	2,340	3,090
South Carolina	1,981	2,053	2,282	1,829	‡	358	1,086	2,171	2,298	2,276	1,747
South Dakota	358	389	381	362	376	376	328	370	344	264	208
Tennessee	3,392	3,886	4,219	4,507	4,558	4,368	4,275	4,338	4,497	3,937	2,828
Texas	3,323	3,598	3,567	2,979	2,596	2,237	2,028	1,833	1,805	1,650	1,597
Utah	942	879	816	763	649	622	552	450	573	554	352
Vermont	1,888	2,234	2,417	2,418	2,604	2,048	1,870	1,647	1,479	1,267	580
Virginia	2,777	2,980	3,015	2,652	2,654	2,667	2,584	2,573	2,401	2,429	1,982
Washington	3,108	2,653	2,612	2,473	2,531	2,206	6,710	3,473	‡	‡	‡
West Virginia	1,377	1,194	684	802	1,008	863	1,611	1,204	608	470	260
Wisconsin	1,709	1,763	2,021	1,773	1,144	1,269	1,404	1,617	1,520	1,577	1,097
Wyoming	258	251	240	352	324	352	347	365	401	407	210

‡ No data, or less than a full calendar year of data, submitted.

[1] Admissions reported for Census regions and divisions will not sum to the total number of admissions, because Puerto Rico is not included in any Census region or division.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution. Non-heroin opiates/synthetics include codeine, hydrocodone, hydromorphone, meperidine, morphine, non-prescription methadone, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 5.8b. Primary non-heroin opiates/synthetics admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total	66	76	69	61	51	52	54	55	57	47	33
Census region[1]											
Northeast	115	131	125	113	91	81	75	73	71	70	57
Midwest	60	62	59	55	51	52	50	49	46	42	33
South	64	83	68	58	46	54	58	67	71	51	30
West	39	38	40	36	33	28	36	29	33	29	18
Census division[1]											
New England	168	184	172	154	126	103	95	90	89	91	81
Middle Atlantic	97	112	108	98	78	73	68	67	65	62	49
East North Central	61	64	58	53	51	51	49	49	44	39	29
West North Central	59	60	60	60	53	55	52	49	50	47	42
South Atlantic	77	110	87	72	54	71	80	98	102	69	34
East South Central	83	82	74	70	66	67	62	65	77	65	60
West South Central	33	36	33	27	21	20	18	16	16	16	13
Mountain	40	42	48	43	38	30	33	37	59	42	23
Pacific	38	36	36	33	31	27	37	26	20	21	17
State or jurisdiction											
Alabama	66	29	38	43	37	46	36	40	93	74	57
Alaska	61	66	59	46	45	42	53	40	45	42	31
Arizona	26	27	32	28	28	22	26	40	110	48	10
Arkansas	70	62	82	80	53	66	62	51	50	62	52
California	31	29	29	27	26	25	24	20	24	21	22
Colorado	56	59	76	71	64	44	56	57	51	53	57
Connecticut	84	114	112	111	103	95	93	94	93	109	96
Delaware	176	218	184	111	84	53	40	67	138	136	101
District of Columbia	9	13	9	8	10	20	20	17	15	13	12
Florida	97	166	101	79	50	39	36	49	87	32	25
Georgia	38	40	41	39	38	37	41	38	35	32	27
Hawaii	21	26	26	25	24	24	20	17	11	7	4
Idaho	25	28	39	25	12	13	9	7	4	1	‡
Illinois	22	21	15	15	12	16	11	14	16	17	14
Indiana	42	50	57	59	56	46	41	43	49	40	29

Continued. See notes at end of table.

Table 5.8b. Primary non-heroin opiates/synthetics admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Iowa	55	50	53	58	54	57	55	48	47	43	31
Kansas	33	35	35	30	18	17	31	28	24	16	16
Kentucky	170	181	132	109	104	99	94	93	79	75	62
Louisiana	88	113	80	56	33	25	19	21	19	18	13
Maine	392	467	489	466	353	265	205	151	119	109	67
Maryland	106	175	169	118	77	299	257	439	468	313	‡
Massachusetts	167	165	135	102	74	64	60	61	57	55	49
Michigan	96	101	94	92	104	105	110	107	92	84	60
Minnesota	103	110	106	104	90	90	79	74	60	53	50
Mississippi	21	42	39	33	22	30	29	42	42	32	30
Missouri	51	43	49	52	47	49	45	43	68	70	68
Montana	100	108	115	89	67	57	47	17	7	5	4
Nebraska	18	38	25	25	21	33	27	26	23	18	14
Nevada	25	28	29	25	23	15	18	26	13	7	4
New Hampshire	102	85	74	80	53	30	35	34	36	21	10
New Jersey	99	119	117	106	61	64	68	70	73	76	71
New Mexico	30	39	39	35	36	29	35	38	91	115	‡
New York	116	144	143	127	109	104	97	93	87	80	60
North Carolina	94	119	110	112	81	102	173	145	85	82	58
North Dakota	27	20	31	31	40	31	55	41	21	24	13
Ohio	95	99	84	68	58	58	52	51	39	29	21
Oklahoma	53	48	49	44	50	49	46	41	47	40	30
Oregon	84	90	86	77	51	‡	‡	‡	‡	‡	‡
Pennsylvania	66	59	49	47	43	32	24	25	25	23	17
Puerto Rico	2	†	†	†	†	†	1	†	1	2	†

Continued. See notes at end of table.

Table 5.8b. Primary non-heroin opiates/synthetics admissions aged 12 years and older per 100,000 population, by Census region, Census division, and state or jurisdiction: 2010-2020 (continued)

Census region, Census division, and state or jurisdiction	*Admissions per 100,000 population aged 12 years and older*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Rhode Island	152	169	163	150	125	109	113	129	212	252	334
South Carolina	51	52	57	45	‡	9	26	51	53	51	39
South Dakota	53	57	55	52	53	53	46	51	47	36	28
Tennessee	63	72	78	82	83	79	76	77	79	68	48
Texas	16	17	17	14	12	10	9	8	8	7	7
Utah	44	40	36	33	28	26	23	18	23	21	13
Vermont	347	409	442	441	475	373	341	300	269	230	105
Virginia	41	43	43	38	38	37	36	36	33	33	27
Washington	55	46	45	42	42	36	108	55	‡	‡	‡
West Virginia	86	74	43	50	63	54	102	76	39	30	17
Wisconsin	36	36	42	36	23	26	28	33	31	32	22
Wyoming	55	53	50	72	66	72	71	75	82	83	42

‡ No data, or less than a full calendar year of data, submitted; † Less than 1 per 100,000 population.

[1] Puerto Rico is not included in any Census region or division.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution. Non-heroin opiates/synthetics include codeine, hydrocodone, hydromorphone, meperidine, morphine, non-prescription methadone, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Table 6.1a. Admissions aged 12 years and older, by type of service at admission and Census region, Census division, and state or jurisdiction: Number, 2020

Census region, Census division, and state or jurisdiction	Number of admissions 12 years and older	Type of service at admission										
		Ambulatory[1]		Detoxification[1]			Rehabilitation/residential[1]			Medication-assisted opioid therapy[2]		
		Out-patient	Intensive outpatient	Free-standing residential	Hospital inpatient	Ambu-latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out-patient	Detox-ification	Resi-dential
Total	1,416,357	614,105	140,914	210,913	28,024	9,453	130,589	90,170	3,382	143,911	16,586	28,310
Census region[3]												
Northeast	445,035	126,003	33,540	90,990	20,916	2,604	48,285	24,474	569	67,407	8,978	21,269
Midwest	303,606	116,280	59,974	24,183	754	6,334	41,366	20,893	1,479	20,854	6,073	5,416
South	303,347	166,705	28,014	43,078	3,257	142	33,377	12,984	143	14,215	582	850
West	363,118	204,254	19,386	52,662	2,998	373	7,561	31,761	1,166	41,231	953	773
Census division[3]												
New England	138,828	34,761	10,285	47,417	1,274	601	8,817	8,313	496	17,787	5,392	3,685
Middle Atlantic	306,207	91,242	23,255	43,573	19,642	2,003	39,468	16,161	73	49,620	3,586	17,584
East North Central	163,761	75,960	18,345	17,291	372	364	20,566	8,148	661	13,734	5,552	2,768
West North Central	139,845	40,320	41,629	6,892	382	5,970	20,800	12,745	818	7,120	521	2,648
South Atlantic	176,055	113,230	14,655	23,263	2,622	112	8,569	5,973	133	6,649	556	293
East South Central	56,864	20,800	8,364	9,666	439	- -	8,710	3,949	10	4,433	18	475
West South Central	70,428	32,675	4,995	10,149	196	30	16,098	3,062	- -	3,133	8	82
Mountain	239,260	158,866	7,901	38,382	2,998	331	6,875	4,067	1,166	17,615	480	579
Pacific	123,858	45,388	11,485	14,280	- -	42	686	27,694	- -	23,616	473	194
State or jurisdiction												
Alabama	14,779	7,227	2,291	907	- -	- -	1,182	1,706	- -	1,406	2	58
Alaska	5,512	2,052	481	1,325	- -	- -	44	590	- -	839	36	145
Arizona	144,377	128,783	125	2,558	1,519	- -	- -	- -	924	10,208	226	34
Arkansas	10,790	4,412	1,705	270	140	- -	3,659	70	- -	494	3	37
California	116,891	43,192	10,746	12,314	- -	42	642	26,708	- -	22,763	437	47
Colorado	69,727	20,263	4,782	30,561	1,462	326	5,095	2,015	195	4,998	8	22
Connecticut	48,395	14,198	7,926	10,787	1,119	38	3,100	3,253	492	7,427	19	36
Delaware	12,293	757	3,417	4,195	- -	- -	860	419	- -	2,621	9	15
District of Columbia	3,066	398	265	231	205	- -	1,440	186	- -	105	13	223
Florida	41,846	29,758	2,427	6,382	- -	- -	36	3,237	6	- -	- -	- -
Georgia	33,649	21,576	3,950	5,119	765	25	- -	1,338	- -	512	340	24
Hawaii	1,455	144	258	641	- -	- -	- -	396	- -	14	- -	2
Idaho	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Illinois	36,211	18,941	4,858	3,863	- -	- -	6,205	1,035	- -	1,113	79	117
Indiana	23,721	13,835	4,502	410	40	12	1,428	1,132	68	1,978	82	234

Continued. See notes at end of table.

Table 6.1a. Admissions aged 12 years and older, by type of service at admission and Census region, Census division, and state or jurisdiction: Number, 2020 (continued)

Census region, Census division, and state or jurisdiction	Number of admissions 12 years and older	Type of service at admission										
		Ambulatory[1]		Detoxification[1]			Rehabilitation/residential[1]			Medication-assisted opioid therapy[2]		
		Out-patient	Intensive outpatient	Free-standing residential	Hospital inpatient	Ambu-latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out-patient	Detox-ification	Resi-dential
Iowa	24,120	14,535	2,618	545	354	12	3,832	790	342	892	31	169
Kansas	11,089	5,890	841	1,799	8	4	2,081	317	5	108	21	15
Kentucky	18,467	9,161	287	4,022	159	- -	1,120	731	- -	2,699	14	274
Louisiana	12,812	6,489	896	267	56	3	4,388	569	- -	104	- -	40
Maine	6,135	3,523	422	206	155	410	340	269	- -	549	211	50
Maryland	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Massachusetts	63,927	11,140	- -	32,967	- -	104	2,461	4,546	- -	4,547	4,951	3,211
Michigan	64,535	21,341	4,058	9,116	- -	336	12,163	2,747	- -	7,687	5,114	1,973
Minnesota	50,673	56	23,991	- -	- -	- -	9,378	9,991	471	4,488	- -	2,298
Mississippi	6,664	3,116	583	28	20	- -	1,721	745	10	303	1	137
Missouri	26,816	8,185	11,456	2,871	20	- -	2,509	- -	- -	1,341	381	53
Montana	1,178	796	189	36	- -	- -	- -	157	- -	- -	- -	- -
Nebraska	10,229	6,225	526	1,648	- -	6	979	599	- -	142	83	21
Nevada	8,833	4,039	525	2,455	- -	3	1,129	503	36	90	5	48
New Hampshire	1,604	650	324	- -	- -	10	316	46	- -	161	- -	97
New Jersey	81,368	16,488	17,771	9,808	184	300	9,421	5,994	12	16,025	2,885	2,480
New Mexico	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
New York	201,573	66,400	2,017	30,568	19,169	1,703	26,771	9,425	- -	30,867	72	14,581
North Carolina	42,046	26,863	1,126	6,904	113	- -	4,137	595	94	2,209	2	3
North Dakota	1,600	700	148	29	- -	- -	379	257	- -	46	2	39
Ohio	21,386	10,045	4,173	1,176	56	16	331	2,195	497	2,180	275	442
Oklahoma	13,554	8,214	- -	2,098	- -	- -	1,013	2,188	- -	41	- -	- -
Oregon	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Pennsylvania	23,266	8,354	3,467	3,197	289	- -	3,276	742	61	2,728	629	523
Puerto Rico	1,251	863	- -	- -	99	- -	- -	58	25	204	- -	2

Continued. See notes at end of table.

Table 6.1a. Admissions aged 12 years and older, by type of service at admission and Census region, Census division, and state or jurisdiction: Number, 2020 (continued)

Census region, Census division, and state or jurisdiction	Number of admissions 12 years and older	Type of service at admission										
		Ambulatory[1]		Detoxification[1]			Rehabilitation/residential[1]			Medication-assisted opioid therapy[2]		
		Out-patient	Intensive outpatient	Free-standing residential	Hospital inpatient	Ambu-latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out-patient	Detox-ification	Resi-dential
Rhode Island	13,781	3,703	1,255	2,878	- -	39	2,036	195	4	3,571	94	6
South Carolina	22,149	16,215	2,677	138	1,478	27	126	66	- -	1,202	192	28
South Dakota	15,318	4,729	2,049	- -	- -	5,948	1,642	791	- -	103	3	53
Tennessee	16,954	1,296	5,203	4,709	260	- -	4,687	767	- -	25	1	6
Texas	33,272	13,560	2,394	7,514	- -	27	7,038	235	- -	2,494	5	5
Utah	11,421	3,612	1,223	2,758	7	2	481	333	7	2,288	241	469
Vermont	4,986	1,547	358	579	- -	- -	564	4	- -	1,532	117	285
Virginia	19,528	16,888	307	294	61	- -	1,885	93	- -	- -	- -	- -
Washington	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
West Virginia	1,478	775	486	- -	- -	60	85	39	33	- -	- -	- -
Wisconsin	17,908	11,798	754	2,726	276	- -	439	1,039	96	776	2	2
Wyoming	3,724	1,373	1,057	14	10	- -	170	1,059	4	31	- -	6

- - Quantity is zero; ‡ No data, or less than a full calendar year of data, submitted.

[1] Ambulatory, detoxification, and rehabilitation/residential types of service exclude medication-assisted opioid therapy.

[2] Therapy with methadone, buprenorphine, and/or naltrexone is part of client's treatment plan.

[3] Admissions reported for Census regions and divisions will not sum to the total number of admissions, because Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 6.1b. Admissions aged 12 years and older, by type of service at admission and Census region, Census division, and state or jurisdiction: Row percent distribution, 2020

Census region, Census division, and state or jurisdiction	Number of admissions 12 years and older	Type of service at admission											
		Ambulatory[1]		Detoxification[1]			Rehabilitation/residential[1]			Medication-assisted opioid therapy[2]			
		Out-patient	Intensive outpatient	Free-standing residential	Hospital inpatient	Ambu-latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out-patient	Detox-ification	Resi-dential	Total
Total	1,416,357	43.4	9.9	14.9	2.0	0.7	9.2	6.4	0.2	10.2	1.2	2.0	100.0
Census region[3]													
Northeast	445,035	28.3	7.5	20.4	4.7	0.6	10.8	5.5	0.1	15.1	2.0	4.8	100.0
Midwest	303,606	38.3	19.8	8.0	0.2	2.1	13.6	6.9	0.5	6.9	2.0	1.8	100.0
South	303,347	55.0	9.2	14.2	1.1	*	11.0	4.3	*	4.7	0.2	0.3	100.0
West	363,118	56.3	5.3	14.5	0.8	0.1	2.1	8.7	0.3	11.4	0.3	0.2	100.0
Census division[3]													
New England	138,828	25.0	7.4	34.2	0.9	0.4	6.4	6.0	0.4	12.8	3.9	2.7	100.0
Middle Atlantic	306,207	29.8	7.6	14.2	6.4	0.7	12.9	5.3	*	16.2	1.2	5.7	100.0
East North Central	163,761	46.4	11.2	10.6	0.2	0.2	12.6	5.0	0.4	8.4	3.4	1.7	100.0
West North Central	139,845	28.8	29.8	4.9	0.3	4.3	14.9	9.1	0.6	5.1	0.4	1.9	100.0
South Atlantic	176,055	64.3	8.3	13.2	1.5	0.1	4.9	3.4	0.1	3.8	0.3	0.2	100.0
East South Central	56,864	36.6	14.7	17.0	0.8	- -	15.3	6.9	*	7.8	*	0.8	100.0
West South Central	70,428	46.4	7.1	14.4	0.3	*	22.9	4.3	- -	4.4	*	0.1	100.0
Mountain	239,260	66.4	3.3	16.0	1.3	0.1	2.9	1.7	0.5	7.4	0.2	0.2	100.0
Pacific	123,858	36.6	9.3	11.5	- -	*	0.6	22.4	- -	19.1	0.4	0.2	100.0
State or jurisdiction													
Alabama	14,779	48.9	15.5	6.1	- -	- -	8.0	11.5	- -	9.5	*	0.4	100.0
Alaska	5,512	37.2	8.7	24.0	- -	- -	0.8	10.7	- -	15.2	0.7	2.6	100.0
Arizona	144,377	89.2	0.1	1.8	1.1	- -	- -	- -	0.6	7.1	0.2	*	100.0
Arkansas	10,790	40.9	15.8	2.5	1.3	- -	33.9	0.6	- -	4.6	*	0.3	100.0
California	116,891	37.0	9.2	10.5	- -	*	0.5	22.8	- -	19.5	0.4	*	100.0
Colorado	69,727	29.1	6.9	43.8	2.1	0.5	7.3	2.9	0.3	7.2	*	*	100.0
Connecticut	48,395	29.3	16.4	22.3	2.3	0.1	6.4	6.7	1.0	15.3	*	0.1	100.0
Delaware	12,293	6.2	27.8	34.1	- -	- -	7.0	3.4	- -	21.3	0.1	0.1	100.0
District of Columbia	3,066	13.0	8.6	7.5	6.7	- -	47.0	6.1	- -	3.4	0.4	7.3	100.0
Florida	41,846	71.1	5.8	15.3	- -	- -	0.1	7.7	*	- -	- -	- -	100.0
Georgia	33,649	64.1	11.7	15.2	2.3	0.1	- -	4.0	- -	1.5	1.0	0.1	100.0
Hawaii	1,455	9.9	17.7	44.1	- -	- -	- -	27.2	- -	1.0	- -	0.1	100.0
Idaho	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Illinois	36,211	52.3	13.4	10.7	- -	- -	17.1	2.9	- -	3.1	0.2	0.3	100.0
Indiana	23,721	58.3	19.0	1.7	0.2	0.1	6.0	4.8	0.3	8.3	0.3	1.0	100.0

Continued. See notes at end of table.

Table 6.1b. Admissions aged 12 years and older, by type of service at admission and Census region, Census division, and state or jurisdiction: Row percent distribution, 2020 (continued)

Census region, Census division, and state or jurisdiction	Number of admissions 12 years and older	Type of service at admission											
		Ambulatory [1]		Detoxification [1]			Rehabilitation/residential [1]			Medication-assisted opioid therapy [2]			
		Out-patient	Intensive outpatient	Free-standing residential	Hospital inpatient	Ambu-latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out-patient	Detox-ification	Resi-dential	Total
Iowa	24,120	60.3	10.9	2.3	1.5	*	15.9	3.3	1.4	3.7	0.1	0.7	100.0
Kansas	11,089	53.1	7.6	16.2	0.1	*	18.8	2.9	*	1.0	0.2	0.1	100.0
Kentucky	18,467	50	2	22	0.9	- -	6.1	4.0	- -	14.6	0.1	1.5	100.0
Louisiana	12,812	51	7	2	0.4	*	34.2	4.4	- -	0.8	- -	0.3	100.0
Maine	6,135	57	7	3	2.5	6.7	5.5	4.4	- -	8.9	3.4	0.8	100.0
Maryland	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Massachusetts	63,927	17.4	- -	51.6	- -	0.2	3.8	7.1	- -	7.1	7.7	5.0	100.0
Michigan	64,535	33.1	6.3	14.1	- -	0.5	18.8	4.3	- -	11.9	7.9	3.1	100.0
Minnesota	50,673	0.1	47.3	- -	- -	- -	18.5	19.7	0.9	8.9	- -	4.5	100.0
Mississippi	6,664	46.8	8.7	0.4	0.3	- -	25.8	11.2	0.2	4.5	*	2.1	100.0
Missouri	26,816	30.5	42.7	10.7	0.1	- -	9.4	- -	- -	5.0	1.4	0.2	100.0
Montana	1,178	67.6	16.0	3.1	- -	- -	- -	13.3	- -	- -	- -	- -	100.0
Nebraska	10,229	60.9	5.1	16.1	- -	0.1	9.6	5.9	- -	1.4	0.8	0.2	100.0
Nevada	8,833	45.7	5.9	27.8	- -	*	12.8	5.7	0.4	1.0	0.1	0.5	100.0
New Hampshire	1,604	40.5	20.2	- -	- -	0.6	19.7	2.9	- -	10.0	- -	6.0	100.0
New Jersey	81,368	20.3	21.8	12.1	0.2	0.4	11.6	7.4	*	19.7	3.5	3.0	100.0
New Mexico	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
New York	201,573	32.9	1.0	15.2	9.5	0.8	13.3	4.7	- -	15.3	*	7.2	100.0
North Carolina	42,046	63.9	2.7	16.4	0.3	- -	9.8	1.4	0.2	5.3	*	*	100.0
North Dakota	1,600	43.8	9.3	1.8	- -	- -	23.7	16.1	- -	2.9	0.1	2.4	100.0
Ohio	21,386	47.0	19.5	5.5	0.3	0.1	1.5	10.3	2.3	10.2	1.3	2.1	100.0
Oklahoma	13,554	60.6	- -	15.5	- -	- -	7.5	16.1	- -	0.3	- -	- -	100.0
Oregon	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Pennsylvania	23,266	35.9	14.9	13.7	1.2	- -	14.1	3.2	0.3	11.7	2.7	2.2	100.0
Puerto Rico	1,251	69.0	- -	- -	7.9	- -	- -	4.6	2.0	16.3	- -	0.2	100.0

Continued. See notes at end of table.

Table 6.1b. Admissions aged 12 years and older, by type of service at admission and Census region, Census division, and state or jurisdiction: Row percent distribution, 2020 (continued)

Census region, Census division, and state or jurisdiction	Number of admissions 12 years and older	Type of service at admission											
		Ambulatory [1]		Detoxification [1]			Rehabilitation/residential [1]			Medication-assisted opioid therapy [2]			
		Out-patient	Intensive outpatient	Free-standing residential	Hospital inpatient	Ambu-latory	Short-term (<30 days)	Long-term (30+ days)	Hospital (non-detox)	Out-patient	Detox-ification	Resi-dential	Total
Rhode Island	13,781	26.9	9.1	20.9	- -	0.3	14.8	1.4	*	25.9	0.7	*	100.0
South Carolina	22,149	73.2	12.1	0.6	6.7	0.1	0.6	0.3	- -	5.4	0.9	0.1	100.0
South Dakota	15,318	30.9	13.4	- -	- -	38.8	10.7	5.2	- -	0.7	*	0.3	100.0
Tennessee	16,954	7.6	30.7	27.8	1.5	- -	27.6	4.5	- -	0.1	*	*	100.0
Texas	33,272	40.8	7.2	22.6	- -	0.1	21.2	0.7	- -	7.5	*	*	100.0
Utah	11,421	31.6	10.7	24.1	0.1	*	4.2	2.9	0.1	20.0	2.1	4.1	100.0
Vermont	4,986	31.0	7.2	11.6	- -	- -	11.3	0.1	- -	30.7	2.3	5.7	100.0
Virginia	19,528	86.5	1.6	1.5	0.3	- -	9.7	0.5	- -	- -	- -	- -	100.0
Washington	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
West Virginia	1,478	52.4	32.9	- -	- -	4.1	5.8	2.6	2.2	- -	- -	- -	100.0
Wisconsin	17,908	65.9	4.2	15.2	1.5	- -	2.5	5.8	0.5	4.3	*	*	100.0
Wyoming	3,724	36.9	28.4	0.4	0.3	- -	4.6	28.4	0.1	0.8	- -	0.2	100.0

- - Quantity is zero; * Less than 0.05 percent; ‡ No data, or less than a full calendar year of data, submitted.

[1] Ambulatory, detoxification, and rehabilitation/residential types of service exclude medication-assisted opioid therapy.

[2] Therapy with methadone, buprenorphine, and/or naltrexone is part of client's treatment plan.

[3] Admissions reported for Census regions and divisions will not sum to the total number of admissions, because Puerto Rico is not included in any Census region or division.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution. Percentages may not sum to 100 percent due to rounding. Percentages are based on all admissions with known and valid values. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 6.2a. Admissions aged 12 years and older, by primary substance use and Census region, Census division, and state or jurisdiction: Number, 2020

Census region, Census division, and state or jurisdiction	Number of admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total	1,416,357	248,433	193,581	292,126	88,914	41,960	29,765	139,481	177,089	13,798	2,223	1,899	3,692	696	182,700
Census region[1]															
Northeast	445,035	88,104	80,455	151,247	27,764	17,678	13,443	36,679	10,105	7,575	949	696	2,092	178	8,070
Midwest	303,606	66,926	47,457	51,656	19,192	9,932	4,983	36,257	58,589	2,013	302	450	411	204	5,234
South	303,347	46,981	33,492	44,793	30,186	11,737	8,803	48,034	49,046	3,307	573	531	925	182	24,757
West	363,118	46,138	32,161	43,715	11,749	2,601	2,515	18,395	59,349	903	399	222	264	123	144,584
Census division[1]															
New England	138,828	28,683	19,744	54,263	10,494	4,758	3,749	6,635	1,400	2,095	98	198	576	55	6,080
Middle Atlantic	306,207	59,421	60,711	96,984	17,270	12,920	9,694	30,044	8,705	5,480	851	498	1,516	123	1,990
East North Central	163,761	32,683	25,700	39,582	11,490	8,304	3,577	18,677	20,138	1,262	165	195	207	108	1,673
West North Central	139,845	34,243	21,757	12,074	7,702	1,628	1,406	17,580	38,451	751	137	255	204	96	3,561
South Atlantic	176,055	30,449	20,501	26,800	17,360	7,694	5,943	29,069	18,047	1,700	337	328	474	126	17,227
East South Central	56,864	7,095	5,759	9,246	8,345	2,153	1,203	8,389	12,809	674	81	53	26	26	1,005
West South Central	70,428	9,437	7,232	8,747	4,481	1,890	1,657	10,576	18,190	933	155	150	425	30	6,525
Mountain	239,260	29,578	17,959	13,423	4,172	819	1,069	7,875	20,841	469	84	135	7	49	142,780
Pacific	123,858	16,560	14,202	30,292	7,577	1,782	1,446	10,520	38,508	434	315	87	257	74	1,804
State or jurisdiction															
Alabama	14,779	1,931	1,045	2,354	2,402	462	288	2,980	2,923	193	8	11	- -	4	178
Alaska	5,512	1,417	1,667	1,139	188	21	22	323	594	11	4	2	- -	‡	124
Arizona	144,377	1,176	911	1,207	655	52	99	1,016	2,145	15	2	11	- -	‡	137,088
Arkansas	10,790	1,474	1,060	331	1,349	210	112	1,808	3,936	96	38	28	24	12	312
California	116,891	15,009	12,353	29,021	7,346	1,744	1,414	10,026	37,156	417	311	85	257	74	1,678
Colorado	69,727	24,651	14,076	8,912	2,827	657	823	4,164	12,787	368	65	88	5	23	281
Connecticut	48,395	9,351	7,518	14,452	2,975	1,684	1,442	4,032	138	602	64	143	529	32	5,433
Delaware	12,293	1,318	967	6,342	857	378	219	788	127	52	7	41	31	3	1,163
District of Columbia	3,066	424	592	716	75	516	76	245	40	3	- -	60	296	- -	23
Florida	41,846	10,370	632	5,720	4,746	1,847	1,635	7,295	2,303	428	92	64	6	52	6,656
Georgia	33,649	5,926	6,504	1,773	2,448	1,679	1,271	6,248	6,770	463	24	43	4	28	468
Hawaii	1,455	134	182	132	43	17	10	171	758	6	- -	- -	- -	- -	2
Idaho	‡	‡	‡	‡	‡	‡	‡	‡	‡	- -	- -	- -	- -	‡	‡
Illinois	36,211	6,145	5,606	9,553	1,471	1,707	885	5,473	4,576	315	29	57	113	4	277
Indiana	23,721	2,777	3,618	4,076	1,654	451	356	4,361	5,796	234	30	34	18	30	286
Iowa	24,120	5,579	3,889	983	843	155	191	4,788	7,351	123	24	44	4	15	131
Kansas	11,089	1,905	1,193	255	400	212	112	1,566	4,352	47	22	14	23	3	985
Kentucky	18,467	2,090	1,775	3,177	2,352	585	288	2,233	4,963	209	40	20	7	8	720
Louisiana	12,812	821	1,015	1,039	519	542	198	1,254	2,175	81	31	26	34	4	5,073
Maine	6,135	1,342	717	2,553	797	173	92	136	238	32	4	3	- -	2	46

Continued. See notes at end of table.

Table 6.2a. Admissions aged 12 years and older, by primary substance use and Census region, Census division, and state or jurisdiction: Number, 2020 (continued)

Census region, Census division, and state or jurisdiction	Number of admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Maryland	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Massachusetts	63,927	12,685	8,609	32,497	2,932	1,906	1,702	1,397	591	1,179	4	22	47	6	350
Michigan	64,535	15,076	11,346	17,401	5,133	4,260	1,380	3,624	5,463	493	67	45	6	47	194
Minnesota	50,673	12,109	8,415	6,447	2,379	686	767	5,283	13,363	393	63	152	51	34	531
Mississippi	6,664	1,048	720	565	763	385	229	1,280	1,491	100	8	11	19	6	39
Missouri	26,816	3,931	3,406	4,012	3,562	503	197	3,603	6,955	147	8	20	122	14	336
Montana	1,178	347	315	65	34	‡	‡	50	358	2	‡	‡	- -	2	5
Nebraska	10,229	2,918	2,062	152	227	51	81	990	2,929	30	13	8	4	7	757
Nevada	8,833	581	653	375	94	25	57	620	1,112	9	2	9	2	2	5,292
New Hampshire	1,604	313	145	654	120	69	35	50	190	11	- -	4	- -	‡	13
New Jersey	81,368	16,712	9,756	33,568	5,390	2,243	2,005	7,223	1,623	1,606	14	172	577	24	455
New Mexico	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	- -	‡	‡
New York	201,573	38,194	48,108	56,472	10,040	9,937	7,159	19,969	4,593	3,660	800	286	849	81	1,425
North Carolina	42,046	5,261	3,164	6,835	5,245	1,889	1,402	6,638	4,274	358	170	44	39	13	6,714
North Dakota	1,600	125	414	74	83	4	5	202	483	2	‡	3	- -	‡	205
Ohio	21,386	2,551	2,534	5,426	2,135	896	547	3,640	2,691	141	26	32	63	16	688
Oklahoma	13,554	2,012	1,877	1,149	1,016	142	102	1,379	4,941	135	42	17	75	7	660
Oregon	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Pennsylvania	23,266	4,515	2,847	6,944	1,840	740	530	2,852	2,489	214	37	40	90	18	110
Puerto Rico	1,251	284	16	715	23	12	21	116	‡	‡	‡	‡	- -	9	55
Rhode Island	13,781	3,761	2,055	2,631	3,090	570	308	686	168	244	21	21	- -	12	214
South Carolina	22,149	4,054	5,481	2,004	1,747	470	478	4,654	1,765	276	14	30	‡	13	1,163
South Dakota	15,318	7,676	2,378	151	208	17	53	1,148	3,018	9	7	14	‡	23	616
Tennessee	16,954	2,026	2,219	3,150	2,828	721	398	1,896	3,432	172	25	11	‡	8	68
Texas	33,272	5,130	3,280	6,228	1,597	996	1,245	6,135	7,138	621	44	79	292	7	480
Utah	11,421	1,742	1,304	2,645	352	82	64	1,589	3,431	70	11	20	- -	19	92
Vermont	4,986	1,231	700	1,476	580	356	170	334	75	27	5	5	‡	3	24
Virginia	19,528	2,748	3,079	3,022	1,982	908	852	3,142	2,603	113	30	46	98	17	888
Washington	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
West Virginia	1,478	348	82	388	260	7	10	59	165	7	‡	‡	- -	‡	152
Wisconsin	17,908	6,134	2,596	3,126	1,097	990	409	1,579	1,612	79	13	27	7	11	228
Wyoming	3,724	1,081	700	219	210	3	26	436	1,008	5	4	7	- -	3	22

- - Quantity is zero; ‡ No data, or less than a full calendar year of data, submitted.

[1] Admissions reported for Census regions and divisions will not sum to the total number of admissions, because Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 6.2b. Admissions aged 12 years and older per 100,000 population, by primary substance use and Census region, Census division, and state or jurisdiction: 2020

Census region, Census division, and state or jurisdiction	Number of admissions aged 12 years and older	Admissions per 100,000 population aged 12 years and older															
			Primary substance use at admission														
			Alcohol		Opiates		Cocaine										
		Total	Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total	1,416,357	519	91	71	107	33	15	11	51	65	5	†	†	1	†	67
Census region[1]																	
Northeast	445,035	920	182	166	313	57	37	28	76	21	16	2	1	4	†	17
Midwest	303,606	520	115	81	89	33	17	9	62	100	3	†	†	†	†	9
South	303,347	304	47	34	45	30	12	9	48	49	3	†	†	†	†	25
West	363,118	569	72	50	69	18	4	4	29	93	1	†	†	†	†	227
Census division[1]																	
New England	138,828	1,068	221	152	417	81	37	29	51	11	16	†	2	4	†	47
Middle Atlantic	306,207	866	168	172	274	49	37	27	85	25	15	2	1	4	†	6
East North Central	163,761	408	81	64	99	29	21	9	47	50	3	†	†	†	†	4
West North Central	139,845	768	188	119	66	42	9	8	97	211	4	†	1	1	†	20
South Atlantic	176,055	343	59	40	52	34	15	12	57	35	3	†	†	†	†	34
East South Central	56,864	408	51	41	66	60	15	9	60	92	5	†	†	†	†	7
West South Central	70,428	205	27	21	25	13	6	5	31	53	3	†	†	1	†	19
Mountain	239,260	1,322	163	99	74	23	5	6	44	115	3	†	†	†	†	789
Pacific	123,858	271	36	31	66	17	4	3	23	84	†	†	†	†	†	4
State or jurisdiction																	
Alabama	14,779	351	46	25	56	57	11	7	71	69	5	†	†	- -	†	4
Alaska	5,512	904	232	273	187	31	3	4	53	97	2	†	†	- -	- -	20
Arizona	144,377	2,273	19	14	19	10	†	2	16	34	†	†	†	- -	- -	2,158
Arkansas	10,790	419	57	41	13	52	8	4	70	153	4	1	1	†	†	12
California	116,891	348	45	37	86	22	5	4	30	111	1	†	†	†	†	5
Colorado	69,727	1,396	493	282	178	57	13	16	83	256	7	1	2	†	†	6
Connecticut	48,395	1,560	301	242	466	96	54	46	130	4	19	2	5	17	1	175
Delaware	12,293	1,442	155	113	744	101	44	26	92	15	6	†	5	4	†	136
District of Columbia	3,066	498	69	96	116	12	84	12	40	6	†	- -	10	48	- -	4
Florida	41,846	221	55	3	30	25	10	9	39	12	2	†	†	†	†	35
Georgia	33,649	370	65	72	19	27	18	14	69	74	5	†	†	†	†	5
Hawaii	1,455	121	11	15	11	4	1	†	14	63	†	- -	- -	- -	- -	†
Idaho	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Illinois	36,211	336	57	52	89	14	16	8	51	42	3	†	†	1	†	3
Indiana	23,721	414	48	63	71	29	8	6	76	101	4	†	†	†	†	5

Continued. See notes at end of table.

Table 6.2b. Admissions aged 12 years and older per 100,000 population, by primary substance use and Census region, Census division, and state or jurisdiction: 2020 (continued)

Census region, Census division, and state or jurisdiction	Number of admissions aged 12 years and older	Admissions per 100,000 population aged 12 years and older															
			Primary substance use at admission														
			Alcohol		Opiates		Cocaine										
		Total	Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Iowa	24,120	882	103	135	152	62	17	13	162	216	9	1	1	†	1	11
Kansas	11,089	982	227	158	40	34	6	8	195	299	5	†	2	†	†	5
Kentucky	18,467	290	50	31	7	10	6	3	41	114	1	†	†	†	†	26
Louisiana	12,812	470	53	45	81	60	15	7	57	126	5	1	†	†	†	18
Maine	6,135	1,075	69	85	87	44	45	17	105	183	7	3	2	3	†	426
Maryland	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Massachusetts	63,927	1,061	211	143	539	49	32	28	23	10	20	†	†	†	†	6
Michigan	64,535	752	176	132	203	60	50	16	42	64	6	†	†	†	†	2
Minnesota	50,673	1,055	252	175	134	50	14	16	110	278	8	1	3	1	†	11
Mississippi	6,664	265	42	29	22	30	15	9	51	59	4	†	†	†	†	2
Missouri	26,816	511	75	65	76	68	10	4	69	132	3	†	†	2	†	6
Montana	1,178	127	37	34	7	4	- -	- -	5	38	†	- -	- -	- -	†	†
Nebraska	10,229	630	180	127	9	14	3	5	61	181	2	†	†	†	†	47
Nevada	8,833	330	22	24	14	4	†	2	23	41	†	†	†	†	†	197
New Hampshire	1,604	133	26	12	54	10	6	3	4	16	†	- -	†	- -	- -	1
New Jersey	81,368	1,068	219	128	440	71	29	26	95	21	21	†	2	8	†	6
New Mexico	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
New York	201,573	1,208	229	288	339	60	60	43	120	28	22	5	2	5	†	9
North Carolina	42,046	462	58	35	75	58	21	15	73	47	4	2	†	†	†	74
North Dakota	1,600	250	20	65	12	13	†	†	32	75	†	- -	†	- -	- -	32
Ohio	21,386	214	25	25	54	21	9	5	36	27	1	†	†	†	†	7
Oklahoma	13,554	405	60	56	34	30	4	3	41	147	4	1	†	2	†	20
Oregon	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Pennsylvania	23,266	210	41	26	63	17	7	5	26	22	2	†	†	†	†	†
Puerto Rico	1,251	44	10	†	25	†	†	†	4	- -	- -	- -	- -	- -	†	2

Continued. See notes at end of table.

Table 6.2b. Admissions aged 12 years and older per 100,000 population, by primary substance use and Census region, Census division, and state or jurisdiction: 2020 (continued)

Census region, Census division, and state or jurisdiction	Number of admissions aged 12 years and older	Admissions per 100,000 population aged 12 years and older															
			Primary substance use at admission														
			Alcohol		Opiates		Cocaine										
		Total	Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Rhode Island	13,781	1,488	406	222	284	334	62	33	74	18	26	2	2	- -	1	23
South Carolina	22,149	493	90	122	45	39	10	11	104	39	6	†	†	- -	†	26
South Dakota	15,318	2,052	1,028	319	20	28	2	7	154	404	1	†	2	- -	3	83
Tennessee	16,954	288	34	38	53	48	12	7	32	58	3	†	†	- -	†	1
Texas	33,272	136	21	13	25	7	4	5	25	29	3	†	†	1	†	2
Utah	11,421	432	66	49	100	13	3	2	60	130	3	†	†	- -	†	3
Vermont	4,986	905	223	127	268	105	65	31	61	14	5	†	†	- -	†	4
Virginia	19,528	265	37	42	41	27	12	12	43	35	2	†	†	1	†	12
Washington	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
West Virginia	1,478	95	22	5	25	17	†	†	4	11	†	- -	- -	- -	- -	10
Wisconsin	17,908	357	122	52	62	22	20	8	31	32	2	†	†	†	†	5
Wyoming	3,724	751	218	141	44	42	†	5	88	203	1	†	1	- -	†	4

- - Quantity is zero; ‡ No data, or less than a full calendar year of data, submitted; † Less than 1 per 100,000 population.

[1] Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Table 6.2c. Admissions aged 12 years and older per 100,000 population, by primary substance use and Census region, Census division, and state or jurisdiction: 2020, adjusted for age, gender, and race/ethnicity

Census region, Census division, and state or jurisdiction	Number of admissions aged 12 years and older	Admissions per 100,000 population aged 12 years and older		Admissions per 100,000 population aged 12 years and older, adjusted for age, gender, and race/ethnicity[1]													
				Primary substance use at admission													
				Alcohol		Opiates		Cocaine									
		Unadjusted	Adjusted[1]	Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Total	1,416,357	519	519	93	73	110	33	16	11	52	66	5	†	†	1	†	55
Census region[2]																	
Northeast	445,035	920	953	184	175	324	58	38	29	84	21	16	2	2	5	†	16
Midwest	303,606	520	508	113	82	88	30	20	9	63	91	3	†	†	†	†	7
South	303,347	304	285	45	30	44	30	9	8	42	49	3	†	†	†	†	22
West	363,118	569	682	91	63	87	24	9	5	35	110	2	†	†	†	†	254
Census division[2]																	
New England	138,828	1,068	1,118	218	161	441	80	42	32	63	10	15	†	2	7	†	46
Middle Atlantic	306,207	866	893	171	176	284	50	37	29	90	25	16	2	1	5	†	6
East North Central	163,761	408	402	81	65	96	26	22	10	48	45	3	†	†	†	†	4
West North Central	139,845	768	716	167	113	65	41	15	10	98	185	4	†	1	2	†	14
South Atlantic	176,055	343	325	57	35	53	35	12	10	50	36	3	†	†	†	†	32
East South Central	56,864	408	342	43	36	56	49	13	7	50	77	4	†	†	†	†	6
West South Central	70,428	205	208	28	21	26	14	5	4	28	56	3	†	†	1	†	19
Mountain	239,260	1,322	1,105	157	97	65	21	7	6	43	105	2	†	†	†	†	601
Pacific	123,858	271	397	54	45	105	26	9	5	30	112	1	†	†	1	†	6
State or jurisdiction																	
Alabama	14,779	351	306	39	22	51	52	7	5	57	65	4	†	†	- -	†	3
Alaska	5,512	904	490	89	106	149	24	5	2	33	66	2	†	†	- -	- -	14
Arizona	144,377	2,273	1,932	14	10	17	10	1	1	14	29	†	†	†	- -	- -	1,834
Arkansas	10,790	419	387	55	38	12	46	7	4	66	139	3	1	†	†	†	12
California	116,891	348	396	52	42	107	27	9	5	30	115	1	1	†	1	†	6
Colorado	69,727	1,396	1,353	488	287	154	52	22	18	85	234	6	1	2	†	†	5
Connecticut	48,395	1,560	1,552	293	237	476	95	57	47	134	4	19	2	5	19	†	163
Delaware	12,293	1,442	1,405	148	105	761	99	37	24	83	15	5	†	5	3	†	117
District of Columbia	3,066	498	203	36	44	43	5	30	6	15	3	†	- -	4	16	- -	1
Florida	41,846	221	249	61	4	37	30	10	9	41	15	3	†	†	†	†	38
Georgia	33,649	370	321	59	54	20	27	11	9	53	78	5	†	†	†	†	5
Hawaii	1,455	121	161	26	29	20	6	2	†	16	61	†	- -	- -	- -	- -	†
Idaho	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Illinois	36,211	336	334	57	52	86	14	15	8	51	43	3	†	†	1	†	- -
Indiana	23,721	414	383	49	62	62	26	9	7	74	84	4	†	†	†	†	- -

Continued. See notes at end of table.

Table 6.2c. Admissions aged 12 years and older per 100,000 population, by primary substance use and Census region, Census division, and state or jurisdiction: 2020, adjusted for age, gender, and race/ethnicity (continued)

Census region, Census division, and state or jurisdiction	Number of admissions aged 12 years and older	Admissions per 100,000 population aged 12 years and older		Admissions per 100,000 population aged 12 years and older, adjusted for age, gender, and race/ethnicity[1]													
				Primary substance use at admission													
				Alcohol		Opiates		Cocaine									
		Unadjusted	Adjusted[1]	Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Iowa	24,120	882	922	203	154	39	30	13	10	210	250	4	1	2	†	†	4
Kansas	11,089	982	373	69	42	8	13	13	6	58	140	1	†	†	2	†	19
Kentucky	18,467	290	475	54	50	84	57	22	9	58	115	5	1	†	†	†	18
Louisiana	12,812	470	276	19	21	25	12	8	3	24	52	2	†	†	†	†	108
Maine	6,135	1,075	480	100	56	195	57	19	14	18	16	3	†	†	- -	†	4
Maryland	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Massachusetts	63,927	1,061	1,095	211	150	562	48	35	30	25	9	18	†	†	†	†	6
Michigan	64,535	752	741	173	133	195	57	51	17	45	60	5	†	†	†	†	2
Minnesota	50,673	1,055	1,051	232	176	130	54	26	23	121	262	8	1	4	2	†	11
Mississippi	6,664	265	244	39	23	25	32	9	7	39	64	4	†	†	†	†	2
Missouri	26,816	511	470	70	62	72	61	11	4	65	113	2	†	†	3	†	6
Montana	1,178	127	132	32	35	7	2	- -	- -	5	50	†	- -	- -	- -	†	†
Nebraska	10,229	630	625	190	130	9	14	7	6	68	172	2	†	†	†	†	27
Nevada	8,833	330	323	18	22	13	3	1	2	22	37	†	†	†	†	†	203
New Hampshire	1,604	133	130	23	11	56	8	8	3	6	13	†	- -	†	- -	- -	†
New Jersey	81,368	1,068	1,156	234	138	483	78	30	28	99	24	24	†	2	8	†	7
New Mexico	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
New York	201,573	1,208	1,225	235	284	347	64	58	43	121	29	23	5	2	5	†	9
North Carolina	42,046	462	412	52	30	71	54	16	13	59	45	4	2	†	†	†	66
North Dakota	1,600	250	170	11	40	12	6	1	2	24	50	†	- -	†	- -	- -	23
Ohio	21,386	214	202	25	24	51	19	9	6	36	23	1	†	†	†	†	6
Oklahoma	13,554	405	374	55	53	30	27	6	4	41	129	4	1	†	3	†	19
Oregon	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Pennsylvania	23,266	210	209	40	26	64	15	7	5	27	19	2	†	†	1	†	1
Puerto Rico	1,251	44	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*	*n/a*

Continued. See notes at end of table.

Table 6.2c. Admissions aged 12 years and older per 100,000 population, by primary substance use and Census region, Census division, and state or jurisdiction: 2020, adjusted for age, gender, and race/ethnicity (continued)

Census region, Census division, and state or jurisdiction	Number of admissions aged 12 years and older	Admissions per 100,000 population aged 12 years and older		Admissions per 100,000 population aged 12 years and older, adjusted for age, gender, and race/ethnicity[1]													
				Primary substance use at admission													
				Alcohol		Opiates		Cocaine									
		Unadjusted	Adjusted[1]	Alcohol only	With secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/hashish	Methamphetamine/amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/none specified
Rhode Island	13,781	1,488	1,424	379	219	267	315	66	34	79	16	24	2	2	- -	1	19
South Carolina	22,149	493	446	85	108	45	38	8	8	86	39	6	†	†	- -	†	23
South Dakota	15,318	2,052	1,090	461	170	14	22	2	6	108	248	†	1	†	- -	2	54
Tennessee	16,954	288	321	39	43	55	48	17	8	41	63	3	†	†	- -	†	1
Texas	33,272	136	141	22	14	27	7	4	4	23	33	3	†	†	1	†	2
Utah	11,421	432	481	74	54	97	12	12	5	72	146	3	†	†	- -	†	5
Vermont	4,986	905	1,007	227	136	294	123	90	37	75	12	5	2	†	- -	†	4
Virginia	19,528	265	239	36	38	37	25	10	9	38	33	2	†	†	1	†	10
Washington	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
West Virginia	1,478	95	94	24	6	22	15	†	†	4	9	†	- -	- -	- -	- -	11
Wisconsin	17,908	357	386	131	62	64	19	34	10	34	27	1	†	†	†	†	4
Wyoming	3,724	751	777	204	139	42	36	3	10	112	216	†	†	4	- -	†	10

- - Quantity is zero; ‡ No data, or less than a full calendar year of data, submitted; † Less than 1 per 100,000 population; *n/a* Population detail required for adjustment was not available.

[1] Adjusted for age, gender, and race/ethnicity to the 2020 U.S. resident population.

[2] Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21. Population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Table 7.1a. Alabama admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	14,779	1,931	1,045	2,354	2,402	462	288	2,980	2,923	193	8	11	- -	4	178
Gender															
Male	8,552	1,349	721	1,262	1,108	276	165	1,875	1,585	90	3	4	- -	4	110
Female	6,227	582	324	1,092	1,294	186	123	1,105	1,338	103	5	7	- -	- -	68
No. of admissions	14,779	1,931	1,045	2,354	2,402	462	288	2,980	2,923	193	8	11	- -	4	178
Age at admission															
12 years	8	- -	- -	- -	- -	- -	- -	7	- -	- -	- -	- -	- -	1	- -
13 years	43	- -	2	2	- -	- -	- -	34	- -	2	- -	- -	- -	1	2
14 years	85	3	4	- -	- -	- -	- -	75	1	2	- -	- -	- -	- -	- -
15 years	161	6	5	- -	1	- -	- -	146	- -	1	- -	- -	- -	- -	2
16 years	263	11	13	- -	- -	- -	1	217	11	6	- -	- -	- -	1	3
17 years	332	6	23	2	1	- -	2	271	17	3	- -	2	- -	- -	5
18 years	129	10	13	2	3	- -	- -	89	11	- -	- -	- -	- -	- -	1
19 years	153	12	8	11	10	- -	2	69	25	6	1	- -	- -	- -	9
20 years	173	10	10	15	11	- -	2	75	42	5	1	- -	- -	- -	2
21 to 24 years	1,101	87	64	120	99	4	22	427	226	30	1	- -	- -	1	20
25 to 29 years	2,366	194	138	504	316	19	50	523	552	28	1	1	- -	- -	40
30 to 34 years	2,607	250	157	570	492	32	50	374	613	39	2	2	- -	- -	26
35 to 39 years	2,405	248	160	509	501	55	50	291	519	36	- -	4	- -	- -	32
40 to 44 years	1,717	244	125	315	323	50	39	162	423	16	- -	1	- -	- -	19
45 to 49 years	1,117	218	91	135	210	66	25	99	257	9	- -	- -	- -	- -	7
50 to 54 years	849	222	94	68	176	91	14	62	113	3	- -	1	- -	- -	5
55 to 59 years	724	228	85	55	124	78	22	39	80	7	2	- -	- -	- -	4
60 to 64 years	370	108	44	28	94	45	7	15	29	- -	- -	- -	- -	- -	- -
65 to 69 years	121	47	8	9	28	18	2	4	4	- -	- -	- -	- -	- -	1
70 to 74 years	45	20	1	7	12	4	- -	1	- -	- -	- -	- -	- -	- -	- -
75 years and older	10	7	- -	2	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	14,779	1,931	1,045	2,354	2,402	462	288	2,980	2,923	193	8	11	- -	4	178
Race															
American Indian or Alaska Native	58	3	4	5	14	8	- -	10	14	- -	- -	- -	- -	- -	- -
Asian[1]	18	2	2	4	2	- -	1	2	5	- -	- -	- -	- -	- -	- -
Black or African American	3,594	645	294	270	248	355	196	1,328	156	27	2	6	- -	1	66
Native Hawaiian or Other Pacific Islander	9	2	1	- -	2	- -	- -	2	1	- -	- -	- -	- -	- -	1
White	10,752	1,220	712	2,045	2,102	93	81	1,518	2,700	163	6	5	- -	3	104
Other	346	59	32	30	34	5	10	120	46	3	- -	- -	- -	- -	7
No. of admissions	14,777	1,931	1,045	2,354	2,402	461	288	2,980	2,922	193	8	11	- -	4	178

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.1b. Alabama admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	14,779	1,931	1,045	2,354	2,402	462	288	2,980	2,923	193	8	11	- -	4	178
Gender															
Male	57.9	69.9	69.0	53.6	46.1	59.7	57.3	62.9	54.2	46.6	37.5	36.4	- -	100.0	61.8
Female	42.1	30.1	31.0	46.4	53.9	40.3	42.7	37.1	45.8	53.4	62.5	63.6	- -	- -	38.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	14,779	1,931	1,045	2,354	2,402	462	288	2,980	2,923	193	8	11	- -	4	178
Age at admission															
12 years	0.1	- -	- -	- -	- -	- -	- -	0.2	- -	- -	- -	- -	- -	25.0	- -
13 years	0.3	- -	0.2	0.1	- -	- -	- -	1.1	- -	1.0	- -	- -	- -	25.0	1.1
14 years	0.6	0.2	0.4	- -	- -	- -	- -	2.5	*	1.0	- -	- -	- -	- -	- -
15 years	1.1	0.3	0.5	- -	*	- -	- -	4.9	- -	0.5	- -	- -	- -	- -	1.1
16 years	1.8	0.6	1.2	- -	- -	- -	0.3	7.3	0.4	3.1	- -	- -	- -	25.0	1.7
17 years	2.2	0.3	2.2	0.1	*	- -	0.7	9.1	0.6	1.6	- -	18.2	- -	- -	2.8
18 years	0.9	0.5	1.2	0.1	0.1	- -	- -	3.0	0.4	- -	- -	- -	- -	- -	0.6
19 years	1.0	0.6	0.8	0.5	0.4	- -	0.7	2.3	0.9	3.1	12.5	- -	- -	- -	5.1
20 years	1.2	0.5	1.0	0.6	0.5	- -	0.7	2.5	1.4	2.6	12.5	- -	- -	- -	1.1
21 to 24 years	7.4	4.5	6.1	5.1	4.1	0.9	7.6	14.3	7.7	15.5	12.5	- -	- -	25.0	11.2
25 to 29 years	16.0	10.0	13.2	21.4	13.2	4.1	17.4	17.6	18.9	14.5	12.5	9.1	- -	- -	22.5
30 to 34 years	17.6	12.9	15.0	24.2	20.5	6.9	17.4	12.6	21.0	20.2	25.0	18.2	- -	- -	14.6
35 to 39 years	16.3	12.8	15.3	21.6	20.9	11.9	17.4	9.8	17.8	18.7	- -	36.4	- -	- -	18.0
40 to 44 years	11.6	12.6	12.0	13.4	13.4	10.8	13.5	5.4	14.5	8.3	- -	9.1	- -	- -	10.7
45 to 49 years	7.6	11.3	8.7	5.7	8.7	14.3	8.7	3.3	8.8	4.7	- -	- -	- -	- -	3.9
50 to 54 years	5.7	11.5	9.0	2.9	7.3	19.7	4.9	2.1	3.9	1.6	- -	9.1	- -	- -	2.8
55 to 59 years	4.9	11.8	8.1	2.3	5.2	16.9	7.6	1.3	2.7	3.6	25.0	- -	- -	- -	2.2
60 to 64 years	2.5	5.6	4.2	1.2	3.9	9.7	2.4	0.5	1.0	- -	- -	- -	- -	- -	- -
65 to 69 years	0.8	2.4	0.8	0.4	1.2	3.9	0.7	0.1	0.1	- -	- -	- -	- -	- -	0.6
70 to 74 years	0.3	1.0	0.1	0.3	0.5	0.9	- -	*	- -	- -	- -	- -	- -	- -	- -
75 years and older	0.1	0.4	- -	0.1	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	14,779	1,931	1,045	2,354	2,402	462	288	2,980	2,923	193	8	11	- -	4	178
Race															
American Indian or Alaska Native	0.4	0.2	0.4	0.2	0.6	1.7	- -	0.3	0.5	- -	- -	- -	- -	- -	- -
Asian[1]	0.1	0.1	0.2	0.2	0.1	- -	0.3	0.1	0.2	- -	- -	- -	- -	- -	- -
Black or African American	24.3	33.4	28.1	11.5	10.3	77.0	68.1	44.6	5.3	14.0	25.0	54.5	- -	25.0	37.1
Native Hawaiian or Other Pacific Islander	0.1	0.1	0.1	- -	0.1	- -	- -	0.1	*	- -	- -	- -	- -	- -	0.6
White	72.8	63.2	68.1	86.9	87.5	20.2	28.1	50.9	92.4	84.5	75.0	45.5	- -	75.0	58.4
Other	2.3	3.1	3.1	1.3	1.4	1.1	3.5	4.0	1.6	1.6	- -	- -	- -	- -	3.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	14,777	1,931	1,045	2,354	2,402	461	288	2,980	2,922	193	8	11	- -	4	178

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.2a. Alaska admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	5,512	1,417	1,667	1,139	188	21	22	323	594	11	4	2	- -	- -	124
Gender															
Male	3,149	802	1,031	615	92	14	9	199	304	6	1	2	- -	- -	74
Female	2,360	614	635	524	96	7	13	124	289	5	3	- -	- -	- -	50
No. of admissions	5,509	1,416	1,666	1,139	188	21	22	323	593	11	4	2	- -	- -	124
Age at admission															
12 years	4	- -	- -	- -	- -	- -	- -	4	- -	- -	- -	- -	- -	- -	- -
13 years	6	- -	- -	- -	- -	- -	- -	5	- -	- -	- -	- -	- -	- -	1
14 years	10	- -	1	- -	- -	- -	- -	7	1	- -	- -	- -	- -	- -	1
15 years	36	5	8	- -	- -	- -	- -	19	2	- -	- -	- -	- -	- -	2
16 years	35	1	6	1	- -	- -	- -	16	8	1	- -	- -	- -	- -	2
17 years	52	3	16	1	2	- -	1	23	5	1	- -	- -	- -	- -	- -
18 years	26	2	5	2	2	- -	2	6	7	- -	- -	- -	- -	- -	- -
19 years	33	6	7	9	- -	- -	- -	4	7	- -	- -	- -	- -	- -	- -
20 years	42	8	13	6	1	- -	1	7	4	- -	- -	- -	- -	- -	2
21 to 24 years	334	74	90	64	14	1	- -	39	41	1	- -	- -	- -	- -	10
25 to 29 years	885	176	230	251	25	1	4	52	123	- -	2	- -	- -	- -	21
30 to 34 years	1,102	256	299	301	39	- -	3	42	129	1	1	- -	- -	- -	31
35 to 39 years	929	204	254	234	41	4	6	34	132	1	- -	1	- -	- -	18
40 to 44 years	594	157	200	98	24	2	2	21	73	2	1	1	- -	- -	13
45 to 49 years	471	179	163	64	8	7	2	15	19	1	- -	- -	- -	- -	13
50 to 54 years	356	131	136	40	10	3	- -	10	20	- -	- -	- -	- -	- -	6
55 to 59 years	289	79	130	43	7	2	- -	6	18	2	- -	- -	- -	- -	2
60 to 64 years	204	87	73	20	8	1	1	7	4	1	- -	- -	- -	- -	2
65 to 69 years	73	36	24	4	3	- -	- -	5	1	- -	- -	- -	- -	- -	- -
70 to 74 years	20	10	8	1	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	11	3	4	- -	3	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
No. of admissions	5,512	1,417	1,667	1,139	188	21	22	323	594	11	4	2	- -	- -	124
Race															
American Indian or Alaska Native	2,431	873	944	222	55	3	5	130	164	- -	2	- -	- -	- -	33
Asian[1]	36	4	4	8	1	- -	- -	2	12	- -	1	- -	- -	- -	4
Black or African American	111	19	15	34	10	4	- -	10	15	1	- -	- -	- -	- -	3
Native Hawaiian or Other Pacific Islander	41	10	7	5	- -	- -	- -	2	10	- -	- -	- -	- -	- -	7
White	2,015	321	404	711	93	6	12	113	292	7	1	2	- -	- -	53
Other	829	178	287	148	24	8	5	62	94	2	- -	- -	- -	- -	21
No. of admissions	5,463	1,405	1,661	1,128	183	21	22	319	587	10	4	2	- -	- -	121

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.2b. Alaska admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	5,512	1,417	1,667	1,139	188	21	22	323	594	11	4	2	- -	- -	124
Gender															
Male	57.2	56.6	61.9	54.0	48.9	66.7	40.9	61.6	51.3	54.5	25.0	100.0	- -	- -	59.7
Female	42.8	43.4	38.1	46.0	51.1	33.3	59.1	38.4	48.7	45.5	75.0	- -	- -	- -	40.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	100.0
No. of admissions	5,509	1,416	1,666	1,139	188	21	22	323	593	11	4	2	- -	- -	124
Age at admission															
12 years	0.1	- -	- -	- -	- -	- -	- -	1.2	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	- -	- -	- -	- -	- -	- -	1.5	- -	- -	- -	- -	- -	- -	0.8
14 years	0.2	- -	0.1	- -	- -	- -	- -	2.2	0.2	- -	- -	- -	- -	- -	0.8
15 years	0.7	0.4	0.5	- -	- -	- -	- -	5.9	0.3	- -	- -	- -	- -	- -	1.6
16 years	0.6	0.1	0.4	0.1	- -	- -	- -	5.0	1.3	9.1	- -	- -	- -	- -	1.6
17 years	0.9	0.2	1.0	0.1	1.1	- -	4.5	7.1	0.8	9.1	- -	- -	- -	- -	- -
18 years	0.5	0.1	0.3	0.2	1.1	- -	9.1	1.9	1.2	- -	- -	- -	- -	- -	- -
19 years	0.6	0.4	0.4	0.8	- -	- -	- -	1.2	1.2	- -	- -	- -	- -	- -	- -
20 years	0.8	0.6	0.8	0.5	0.5	- -	4.5	2.2	0.7	- -	- -	- -	- -	- -	1.6
21 to 24 years	6.1	5.2	5.4	5.6	7.4	4.8	- -	12.1	6.9	9.1	- -	- -	- -	- -	8.1
25 to 29 years	16.1	12.4	13.8	22.0	13.3	4.8	18.2	16.1	20.7	- -	50.0	- -	- -	- -	16.9
30 to 34 years	20.0	18.1	17.9	26.4	20.7	- -	13.6	13.0	21.7	9.1	25.0	- -	- -	- -	25.0
35 to 39 years	16.9	14.4	15.2	20.5	21.8	19.0	27.3	10.5	22.2	9.1	- -	50.0	- -	- -	14.5
40 to 44 years	10.8	11.1	12.0	8.6	12.8	9.5	9.1	6.5	12.3	18.2	25.0	50.0	- -	- -	10.5
45 to 49 years	8.5	12.6	9.8	5.6	4.3	33.3	9.1	4.6	3.2	9.1	- -	- -	- -	- -	10.5
50 to 54 years	6.5	9.2	8.2	3.5	5.3	14.3	- -	3.1	3.4	- -	- -	- -	- -	- -	4.8
55 to 59 years	5.2	5.6	7.8	3.8	3.7	9.5	- -	1.9	3.0	18.2	- -	- -	- -	- -	1.6
60 to 64 years	3.7	6.1	4.4	1.8	4.3	4.8	4.5	2.2	0.7	9.1	- -	- -	- -	- -	1.6
65 to 69 years	1.3	2.5	1.4	0.4	1.6	- -	- -	1.5	0.2	- -	- -	- -	- -	- -	- -
70 to 74 years	0.4	0.7	0.5	0.1	0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	0.2	0.2	0.2	- -	1.6	- -	- -	0.3	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	100.0
No. of admissions	5,512	1,417	1,667	1,139	188	21	22	323	594	11	4	2	- -	- -	124
Race															
American Indian or Alaska Native	44.5	62.1	56.8	19.7	30.1	14.3	22.7	40.8	27.9	- -	50.0	- -	- -	- -	27.3
Asian[1]	0.7	0.3	0.2	0.7	0.5	- -	- -	0.6	2.0	- -	25.0	- -	- -	- -	3.3
Black or African American	2.0	1.4	0.9	3.0	5.5	19.0	- -	3.1	2.6	10.0	- -	- -	- -	- -	2.5
Native Hawaiian or Other Pacific Islander	0.8	0.7	0.4	0.4	- -	- -	- -	0.6	1.7	- -	- -	- -	- -	- -	5.8
White	36.9	22.8	24.3	63.0	50.8	28.6	54.5	35.4	49.7	70.0	25.0	100.0	- -	- -	43.8
Other	15.2	12.7	17.3	13.1	13.1	38.1	22.7	19.4	16.0	20.0	- -	- -	- -	- -	17.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	100.0
No. of admissions	5,463	1,405	1,661	1,128	183	21	22	319	587	10	4	2	- -	- -	121

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.3a. Arizona admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	144,377	1,176	911	1,207	655	52	99	1,016	2,145	15	2	11	- -	- -	137,088
Gender															
Male	83,752	759	573	727	361	23	66	621	1,216	12	1	8	- -	- -	79,385
Female	60,625	417	338	480	294	29	33	395	929	3	1	3	- -	- -	57,703
No. of admissions	144,377	1,176	911	1,207	655	52	99	1,016	2,145	15	2	11	- -	- -	137,088
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15 years	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1
16 years	4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	4
17 years	8	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	8
18 years	1,467	5	7	2	10	- -	1	40	9	1	- -	- -	- -	- -	1,392
19 years	1,666	6	14	6	14	1	4	41	20	- -	- -	- -	- -	- -	1,560
20 years	1,916	7	9	13	32	- -	- -	39	13	1	- -	- -	- -	- -	1,802
21 to 24 years	11,215	64	64	118	96	5	22	225	130	4	- -	3	- -	- -	10,484
25 to 29 years	22,380	118	146	327	155	1	16	242	361	3	- -	2	- -	- -	21,009
30 to 34 years	24,858	207	151	284	128	1	23	164	457	1	1	1	- -	- -	23,440
35 to 39 years	20,894	157	164	171	80	6	15	78	371	2	1	- -	- -	- -	19,849
40 to 44 years	15,222	147	116	107	51	9	3	63	260	1	- -	3	- -	- -	14,462
45 to 49 years	12,253	104	77	58	30	12	6	35	200	- -	- -	1	- -	- -	11,730
50 to 54 years	11,665	134	64	45	16	2	3	42	161	1	- -	1	- -	- -	11,196
55 to 59 years	10,318	123	63	36	21	11	4	23	100	- -	- -	- -	- -	- -	9,937
60 to 64 years	6,711	75	28	23	15	2	- -	19	50	- -	- -	- -	- -	- -	6,499
65 to 69 years	2,533	16	6	14	5	2	- -	5	12	- -	- -	- -	- -	- -	2,473
70 to 74 years	853	10	1	3	2	- -	- -	- -	1	1	- -	- -	- -	- -	835
75 years and older	413	3	1	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	- -	407
No. of admissions	144,377	1,176	911	1,207	655	52	99	1,016	2,145	15	2	11	- -	- -	137,088
Race															
American Indian or Alaska Native	15,564	270	227	46	29	2	4	81	137	- -	- -	- -	- -	- -	14,768
Asian[1]	696	2	2	6	1	1	- -	5	9	- -	- -	- -	- -	- -	670
Black or African American	9,848	58	35	46	57	19	15	109	121	- -	- -	6	- -	- -	9,382
Native Hawaiian or Other Pacific Islander	462	2	- -	2	1	- -	1	4	7	- -	- -	- -	- -	- -	445
White	77,385	584	437	795	376	14	43	500	1,252	4	2	3	- -	- -	73,375
Other	91	- -	- -	1	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	89
No. of admissions	104,046	916	701	896	465	36	63	699	1,526	4	2	9	- -	- -	98,729

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.3b. Arizona admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	144,377	1,176	911	1,207	655	52	99	1,016	2,145	15	2	11	- -	- -	137,088
Gender															
Male	58.0	64.5	62.9	60.2	55.1	44.2	66.7	61.1	56.7	80.0	50.0	72.7	- -	- -	57.9
Female	42.0	35.5	37.1	39.8	44.9	55.8	33.3	38.9	43.3	20.0	50.0	27.3	- -	- -	42.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	100.0
No. of admissions	144,377	1,176	911	1,207	655	52	99	1,016	2,145	15	2	11	- -	- -	137,088
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15 years	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	*
16 years	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	*
17 years	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	*
18 years	1.0	0.4	0.8	0.2	1.5	- -	1.0	3.9	0.4	6.7	- -	- -	- -	- -	1.0
19 years	1.2	0.5	1.5	0.5	2.1	1.9	4.0	4.0	0.9	- -	- -	- -	- -	- -	1.1
20 years	1.3	0.6	1.0	1.1	4.9	- -	- -	3.8	0.6	6.7	- -	- -	- -	- -	1.3
21 to 24 years	7.8	5.4	7.0	9.8	14.7	9.6	22.2	22.1	6.1	26.7	- -	27.3	- -	- -	7.6
25 to 29 years	15.5	10.0	16.0	27.1	23.7	1.9	16.2	23.8	16.8	20.0	- -	18.2	- -	- -	15.3
30 to 34 years	17.2	17.6	16.6	23.5	19.5	1.9	23.2	16.1	21.3	6.7	50.0	9.1	- -	- -	17.1
35 to 39 years	14.5	13.4	18.0	14.2	12.2	11.5	15.2	7.7	17.3	13.3	50.0	- -	- -	- -	14.5
40 to 44 years	10.5	12.5	12.7	8.9	7.8	17.3	3.0	6.2	12.1	6.7	- -	27.3	- -	- -	10.5
45 to 49 years	8.5	8.8	8.5	4.8	4.6	23.1	6.1	3.4	9.3	- -	- -	9.1	- -	- -	8.6
50 to 54 years	8.1	11.4	7.0	3.7	2.4	3.8	3.0	4.1	7.5	6.7	- -	9.1	- -	- -	8.2
55 to 59 years	7.1	10.5	6.9	3.0	3.2	21.2	4.0	2.3	4.7	- -	- -	- -	- -	- -	7.2
60 to 64 years	4.6	6.4	3.1	1.9	2.3	3.8	- -	1.9	2.3	- -	- -	- -	- -	- -	4.7
65 to 69 years	1.8	1.4	0.7	1.2	0.8	3.8	- -	0.5	0.6	- -	- -	- -	- -	- -	1.8
70 to 74 years	0.6	0.9	0.1	0.2	0.3	- -	- -	- -	*	6.7	- -	- -	- -	- -	0.6
75 years and older	0.3	0.3	0.1	- -	- -	- -	2.0	- -	- -	- -	- -	- -	- -	- -	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	100.0
No. of admissions	144,377	1,176	911	1,207	655	52	99	1,016	2,145	15	2	11	- -	- -	137,088
Race															
American Indian or Alaska Native	15.0	29.5	32.4	5.1	6.2	5.6	6.3	11.6	9.0	- -	- -	- -	- -	- -	15.0
Asian[1]	0.7	0.2	0.3	0.7	0.2	2.8	- -	0.7	0.6	- -	- -	- -	- -	- -	0.7
Black or African American	9.5	6.3	5.0	5.1	12.3	52.8	23.8	15.6	7.9	- -	- -	66.7	- -	- -	9.5
Native Hawaiian or Other Pacific Islander	0.4	0.2	- -	0.2	0.2	- -	1.6	0.6	0.5	- -	- -	- -	- -	- -	0.5
White	74.4	63.8	62.3	88.7	80.9	38.9	68.3	71.5	82.0	100.0	100.0	33.3	- -	- -	74.3
Other	0.1	- -	- -	0.1	0.2	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	100.0
No. of admissions	104,046	916	701	896	465	36	63	699	1,526	4	2	9	- -	- -	98,729

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.4a. Arkansas admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	10,790	1,474	1,060	331	1,349	210	112	1,808	3,936	96	38	28	24	12	312
Gender															
Male	6,634	1,025	759	184	711	127	78	1,206	2,283	47	22	14	16	5	157
Female	4,152	448	300	146	637	83	34	602	1,653	49	16	14	8	7	155
No. of admissions	10,786	1,473	1,059	330	1,348	210	112	1,808	3,936	96	38	28	24	12	312
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	10	- -	- -	- -	- -	- -	- -	10	- -	- -	- -	- -	- -	- -	- -
14 years	30	- -	1	- -	- -	- -	- -	27	1	- -	- -	- -	- -	- -	1
15 years	54	2	2	- -	- -	- -	- -	47	1	- -	- -	- -	- -	1	1
16 years	103	2	6	- -	2	- -	- -	86	1	1	- -	1	- -	- -	4
17 years	99	- -	1	- -	1	1	- -	88	5	1	- -	- -	- -	- -	2
18 years	75	12	6	- -	2	- -	1	28	20	2	- -	- -	- -	- -	4
19 years	115	19	9	- -	11	- -	2	45	27	1	- -	- -	- -	- -	1
20 years	136	31	12	3	6	1	- -	37	38	3	1	2	- -	- -	2
21 to 24 years	876	83	83	37	81	2	8	254	283	14	5	3	- -	1	22
25 to 29 years	1,860	177	157	113	280	8	18	343	669	18	11	5	- -	2	59
30 to 34 years	2,107	192	188	83	368	14	21	308	833	17	7	8	6	5	57
35 to 39 years	1,792	233	192	58	246	20	14	206	746	19	5	7	10	3	33
40 to 44 years	1,241	196	130	22	146	21	18	140	511	6	5	1	6	- -	39
45 to 49 years	875	189	77	4	88	31	11	78	354	3	3	1	- -	- -	36
50 to 54 years	657	128	89	6	53	42	8	54	246	6	1	- -	1	- -	23
55 to 59 years	455	114	69	- -	35	40	7	33	144	3	- -	- -	1	- -	9
60 to 64 years	212	64	28	3	16	22	2	18	48	- -	- -	- -	- -	- -	11
65 to 69 years	68	18	8	1	10	8	2	6	9	- -	- -	- -	- -	- -	6
70 to 74 years	19	11	2	- -	3	- -	- -	- -	- -	1	- -	- -	- -	- -	2
75 years and older	6	3	- -	1	1	- -	- -	- -	- -	1	- -	- -	- -	- -	- -
No. of admissions	10,790	1,474	1,060	331	1,349	210	112	1,808	3,936	96	38	28	24	12	312
Race															
American Indian or Alaska Native	145	30	18	6	11	- -	- -	5	72	1	- -	1	- -	1	- -
Asian[1]	47	14	6	- -	3	- -	- -	10	8	1	1	- -	- -	- -	4
Black or African American	1,840	210	172	12	91	174	86	678	281	17	5	14	21	- -	79
Native Hawaiian or Other Pacific Islander	15	3	- -	- -	1	- -	- -	5	3	- -	- -	- -	- -	- -	3
White	8,404	1,144	831	309	1,213	34	22	1,032	3,478	73	31	12	3	9	213
Other	333	73	33	4	28	2	4	78	92	4	1	1	- -	2	11
No. of admissions	10,784	1,474	1,060	331	1,347	210	112	1,808	3,934	96	38	28	24	12	310

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.4b. Arkansas admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	10,790	1,474	1,060	331	1,349	210	112	1,808	3,936	96	38	28	24	12	312
Gender															
Male	61.5	69.6	71.7	55.8	52.7	60.5	69.6	66.7	58.0	49.0	57.9	50.0	66.7	41.7	50.3
Female	38.5	30.4	28.3	44.2	47.3	39.5	30.4	33.3	42.0	51.0	42.1	50.0	33.3	58.3	49.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	10,786	1,473	1,059	330	1,348	210	112	1,808	3,936	96	38	28	24	12	312
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	- -	- -	- -	- -	- -	- -	0.6	- -	- -	- -	- -	- -	- -	- -
14 years	0.3	- -	0.1	- -	- -	- -	- -	1.5	*	- -	- -	- -	- -	- -	0.3
15 years	0.5	0.1	0.2	- -	- -	- -	- -	2.6	*	- -	- -	- -	- -	8.3	0.3
16 years	1.0	0.1	0.6	- -	0.1	- -	- -	4.8	*	1.0	- -	3.6	- -	- -	1.3
17 years	0.9	- -	0.1	- -	0.1	0.5	- -	4.9	0.1	1.0	- -	- -	- -	- -	0.6
18 years	0.7	0.8	0.6	- -	0.1	- -	0.9	1.5	0.5	2.1	- -	- -	- -	- -	1.3
19 years	1.1	1.3	0.8	- -	0.8	- -	1.8	2.5	0.7	1.0	- -	- -	- -	- -	0.3
20 years	1.3	2.1	1.1	0.9	0.4	0.5	- -	2.0	1.0	3.1	2.6	7.1	- -	- -	0.6
21 to 24 years	8.1	5.6	7.8	11.2	6.0	1.0	7.1	14.0	7.2	14.6	13.2	10.7	- -	8.3	7.1
25 to 29 years	17.2	12.0	14.8	34.1	20.8	3.8	16.1	19.0	17.0	18.8	28.9	17.9	- -	16.7	18.9
30 to 34 years	19.5	13.0	17.7	25.1	27.3	6.7	18.8	17.0	21.2	17.7	18.4	28.6	25.0	41.7	18.3
35 to 39 years	16.6	15.8	18.1	17.5	18.2	9.5	12.5	11.4	19.0	19.8	13.2	25.0	41.7	25.0	10.6
40 to 44 years	11.5	13.3	12.3	6.6	10.8	10.0	16.1	7.7	13.0	6.3	13.2	3.6	25.0	- -	12.5
45 to 49 years	8.1	12.8	7.3	1.2	6.5	14.8	9.8	4.3	9.0	3.1	7.9	3.6	- -	- -	11.5
50 to 54 years	6.1	8.7	8.4	1.8	3.9	20.0	7.1	3.0	6.3	6.3	2.6	- -	4.2	- -	7.4
55 to 59 years	4.2	7.7	6.5	- -	2.6	19.0	6.3	1.8	3.7	3.1	- -	- -	4.2	- -	2.9
60 to 64 years	2.0	4.3	2.6	0.9	1.2	10.5	1.8	1.0	1.2	- -	- -	- -	- -	- -	3.5
65 to 69 years	0.6	1.2	0.8	0.3	0.7	3.8	1.8	0.3	0.2	- -	- -	- -	- -	- -	1.9
70 to 74 years	0.2	0.7	0.2	- -	0.2	- -	- -	- -	- -	1.0	- -	- -	- -	- -	0.6
75 years and older	0.1	0.2	- -	0.3	0.1	- -	- -	- -	- -	1.0	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	10,790	1,474	1,060	331	1,349	210	112	1,808	3,936	96	38	28	24	12	312
Race															
American Indian or Alaska Native	1.3	2.0	1.7	1.8	0.8	- -	- -	0.3	1.8	1.0	- -	3.6	- -	8.3	- -
Asian[1]	0.4	0.9	0.6	- -	0.2	- -	- -	0.6	0.2	1.0	2.6	- -	- -	- -	1.3
Black or African American	17.1	14.2	16.2	3.6	6.8	82.9	76.8	37.5	7.1	17.7	13.2	50.0	87.5	- -	25.5
Native Hawaiian or Other Pacific Islander	0.1	0.2	- -	- -	0.1	- -	- -	0.3	0.1	- -	- -	- -	- -	- -	1.0
White	77.9	77.6	78.4	93.4	90.1	16.2	19.6	57.1	88.4	76.0	81.6	42.9	12.5	75.0	68.7
Other	3.1	5.0	3.1	1.2	2.1	1.0	3.6	4.3	2.3	4.2	2.6	3.6	- -	16.7	3.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	10,784	1,474	1,060	331	1,347	210	112	1,808	3,934	96	38	28	24	12	310

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.5a. California admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	116,891	15,009	12,353	29,021	7,346	1,744	1,414	10,026	37,156	417	311	85	257	74	1,678
Gender															
Male	71,574	9,153	7,806	19,044	4,180	1,080	981	6,485	21,140	260	177	58	148	32	1,030
Female	45,112	5,840	4,531	9,954	3,164	661	427	3,516	15,910	157	134	26	108	42	642
No. of admissions	116,686	14,993	12,337	28,998	7,344	1,741	1,408	10,001	37,050	417	311	84	256	74	1,672
Age at admission															
12 years	42	2	4	- -	- -	1	- -	32	1	- -	- -	- -	- -	- -	2
13 years	194	1	5	1	- -	1	1	174	1	- -	3	- -	1	- -	6
14 years	532	5	15	- -	2	- -	2	485	8	3	2	1	1	- -	8
15 years	927	17	45	4	16	- -	5	771	25	15	9	4	2	1	13
16 years	1,258	28	70	4	22	3	7	1,023	54	15	6	7	1	2	16
17 years	1,172	36	73	6	31	2	14	902	57	16	10	5	4	1	15
18 years	861	49	58	26	94	1	21	409	142	16	19	2	2	- -	22
19 years	836	35	69	77	146	2	20	246	189	20	13	3	- -	- -	16
20 years	1,057	49	76	138	187	- -	28	233	271	23	17	- -	- -	2	33
21 to 24 years	7,921	552	797	1,608	729	19	169	1,047	2,724	64	40	10	4	9	149
25 to 29 years	20,765	1,759	2,031	6,027	1,583	72	384	1,519	6,855	73	59	10	26	15	352
30 to 34 years	22,777	2,211	2,314	6,345	1,533	98	288	1,289	8,227	54	32	13	28	22	323
35 to 39 years	17,789	2,240	1,973	4,342	1,030	111	173	809	6,756	39	25	13	28	8	242
40 to 44 years	12,076	1,852	1,448	2,622	585	124	105	446	4,623	31	26	7	53	8	146
45 to 49 years	8,222	1,527	1,045	1,749	353	199	70	250	2,845	12	21	4	38	5	104
50 to 54 years	8,018	1,743	1,006	1,965	313	356	58	196	2,231	14	12	5	27	1	91
55 to 59 years	6,681	1,575	850	1,809	290	455	47	117	1,434	8	8	1	22	- -	65
60 to 64 years	3,750	900	355	1,299	253	224	15	55	571	10	8	- -	19	- -	41
65 to 69 years	1,459	305	92	703	125	73	6	16	115	3	1	- -	- -	- -	20
70 to 74 years	461	105	23	247	41	2	- -	6	23	1	- -	- -	- -	- -	13
75 years and older	93	18	4	49	13	1	1	1	4	- -	- -	- -	1	- -	1
No. of admissions	116,891	15,009	12,353	29,021	7,346	1,744	1,414	10,026	37,156	417	311	85	257	74	1,678
Race															
American Indian or Alaska Native	1,888	240	281	442	84	4	13	139	651	4	4	3	6	1	16
Asian[1]	1,725	239	142	277	123	20	39	177	657	9	10	2	2	1	27
Black or African American	12,701	1,487	1,423	2,138	572	1,299	354	1,564	3,532	19	12	15	129	- -	157
Native Hawaiian or Other Pacific Islander	1,046	98	83	131	64	6	20	106	512	6	3	- -	- -	1	16
White	61,960	8,336	6,533	18,527	4,538	239	462	3,535	18,332	265	189	39	67	43	855
Other	37,336	4,579	3,864	7,452	1,955	173	521	4,484	13,392	111	93	26	53	28	605
No. of admissions	116,656	14,979	12,326	28,967	7,336	1,741	1,409	10,005	37,076	414	311	85	257	74	1,676

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.5b. California admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	116,891	15,009	12,353	29,021	7,346	1,744	1,414	10,026	37,156	417	311	85	257	74	1,678
Gender															
Male	61.3	61.0	63.3	65.7	56.9	62.0	69.7	64.8	57.1	62.4	56.9	69.0	57.8	43.2	61.6
Female	38.7	39.0	36.7	34.3	43.1	38.0	30.3	35.2	42.9	37.6	43.1	31.0	42.2	56.8	38.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	116,686	14,993	12,337	28,998	7,344	1,741	1,408	10,001	37,050	417	311	84	256	74	1,672
Age at admission															
12 years	*	*	*	- -	- -	0.1	- -	0.3	*	- -	- -	- -	- -	- -	0.1
13 years	0.2	*	*	*	- -	0.1	0.1	1.7	*	- -	1.0	- -	0.4	- -	0.4
14 years	0.5	*	0.1	- -	*	- -	0.1	4.8	*	0.7	0.6	1.2	0.4	- -	0.5
15 years	0.8	0.1	0.4	*	0.2	- -	0.4	7.7	0.1	3.6	2.9	4.7	0.8	1.4	0.8
16 years	1.1	0.2	0.6	*	0.3	0.2	0.5	10.2	0.1	3.6	1.9	8.2	0.4	2.7	1.0
17 years	1.0	0.2	0.6	*	0.4	0.1	1.0	9.0	0.2	3.8	3.2	5.9	1.6	1.4	0.9
18 years	0.7	0.3	0.5	0.1	1.3	0.1	1.5	4.1	0.4	3.8	6.1	2.4	0.8	- -	1.3
19 years	0.7	0.2	0.6	0.3	2.0	0.1	1.4	2.5	0.5	4.8	4.2	3.5	- -	- -	1.0
20 years	0.9	0.3	0.6	0.5	2.5	- -	2.0	2.3	0.7	5.5	5.5	- -	- -	2.7	2.0
21 to 24 years	6.8	3.7	6.5	5.5	9.9	1.1	12.0	10.4	7.3	15.3	12.9	11.8	1.6	12.2	8.9
25 to 29 years	17.8	11.7	16.4	20.8	21.5	4.1	27.2	15.2	18.4	17.5	19.0	11.8	10.1	20.3	21.0
30 to 34 years	19.5	14.7	18.7	21.9	20.9	5.6	20.4	12.9	22.1	12.9	10.3	15.3	10.9	29.7	19.2
35 to 39 years	15.2	14.9	16.0	15.0	14.0	6.4	12.2	8.1	18.2	9.4	8.0	15.3	10.9	10.8	14.4
40 to 44 years	10.3	12.3	11.7	9.0	8.0	7.1	7.4	4.4	12.4	7.4	8.4	8.2	20.6	10.8	8.7
45 to 49 years	7.0	10.2	8.5	6.0	4.8	11.4	5.0	2.5	7.7	2.9	6.8	4.7	14.8	6.8	6.2
50 to 54 years	6.9	11.6	8.1	6.8	4.3	20.4	4.1	2.0	6.0	3.4	3.9	5.9	10.5	1.4	5.4
55 to 59 years	5.7	10.5	6.9	6.2	3.9	26.1	3.3	1.2	3.9	1.9	2.6	1.2	8.6	- -	3.9
60 to 64 years	3.2	6.0	2.9	4.5	3.4	12.8	1.1	0.5	1.5	2.4	2.6	- -	7.4	- -	2.4
65 to 69 years	1.2	2.0	0.7	2.4	1.7	4.2	0.4	0.2	0.3	0.7	0.3	- -	- -	- -	1.2
70 to 74 years	0.4	0.7	0.2	0.9	0.6	0.1	- -	0.1	0.1	0.2	- -	- -	- -	- -	0.8
75 years and older	0.1	0.1	*	0.2	0.2	0.1	0.1	*	*	- -	- -	- -	0.4	- -	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	116,891	15,009	12,353	29,021	7,346	1,744	1,414	10,026	37,156	417	311	85	257	74	1,678
Race															
American Indian or Alaska Native	1.6	1.6	2.3	1.5	1.1	0.2	0.9	1.4	1.8	1.0	1.3	3.5	2.3	1.4	1.0
Asian[1]	1.5	1.6	1.2	1.0	1.7	1.1	2.8	1.8	1.8	2.2	3.2	2.4	0.8	1.4	1.6
Black or African American	10.9	9.9	11.5	7.4	7.8	74.6	25.1	15.6	9.5	4.6	3.9	17.6	50.2	- -	9.4
Native Hawaiian or Other Pacific Islander	0.9	0.7	0.7	0.5	0.9	0.3	1.4	1.1	1.4	1.4	1.0	- -	- -	1.4	1.0
White	53.1	55.7	53.0	64.0	61.9	13.7	32.8	35.3	49.4	64.0	60.8	45.9	26.1	58.1	51.0
Other	32.0	30.6	31.3	25.7	26.6	9.9	37.0	44.8	36.1	26.8	29.9	30.6	20.6	37.8	36.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	116,656	14,979	12,326	28,967	7,336	1,741	1,409	10,005	37,076	414	311	85	257	74	1,676

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.6a. Colorado admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	69,727	24,651	14,076	8,912	2,827	657	823	4,164	12,787	368	65	88	5	23	281
Gender															
Male	48,381	18,178	10,671	5,274	1,651	427	596	3,102	7,923	263	40	70	4	11	171
Female	21,346	6,473	3,405	3,638	1,176	230	227	1,062	4,864	105	25	18	1	12	110
No. of admissions	69,727	24,651	14,076	8,912	2,827	657	823	4,164	12,787	368	65	88	5	23	281
Age at admission															
12 years	14	- -	- -	- -	- -	- -	- -	14	- -	- -	- -	- -	- -	- -	- -
13 years	48	1	3	- -	1	- -	- -	40	1	- -	- -	1	- -	- -	1
14 years	110	8	8	- -	1	- -	1	88	2	- -	- -	- -	- -	- -	2
15 years	239	8	21	- -	6	- -	4	187	6	- -	- -	2	- -	2	3
16 years	340	12	33	1	18	1	8	238	19	4	1	2	- -	1	2
17 years	397	27	43	12	11	2	11	229	44	6	- -	9	- -	- -	3
18 years	523	93	78	47	26	2	32	146	70	15	3	5	- -	1	5
19 years	690	110	103	61	54	3	30	149	139	32	3	2	- -	1	3
20 years	904	163	134	120	58	10	28	149	208	21	3	6	1	- -	3
21 to 24 years	5,484	1,256	991	982	301	27	112	585	1,052	122	6	14	- -	3	33
25 to 29 years	10,702	2,450	1,819	2,452	560	61	160	673	2,366	59	10	14	1	3	74
30 to 34 years	11,659	3,235	2,305	2,114	581	77	107	554	2,591	32	12	11	2	1	37
35 to 39 years	10,143	3,166	2,035	1,420	436	79	78	422	2,416	29	7	7	- -	6	42
40 to 44 years	7,412	2,762	1,509	733	287	63	88	260	1,653	15	7	6	1	2	26
45 to 49 years	5,960	2,622	1,416	422	175	69	50	166	1,000	8	3	8	- -	2	19
50 to 54 years	6,063	3,300	1,504	225	107	109	39	118	638	10	2	1	- -	- -	10
55 to 59 years	4,750	2,797	1,070	164	92	97	40	89	385	3	4	- -	- -	1	8
60 to 64 years	2,786	1,681	683	93	64	47	20	34	149	6	3	- -	- -	- -	6
65 to 69 years	1,028	663	217	47	31	7	13	11	35	1	- -	- -	- -	- -	3
70 to 74 years	278	186	53	10	12	2	2	6	3	3	- -	- -	- -	- -	1
75 years and older	197	111	51	9	6	1	- -	6	10	2	1	- -	- -	- -	- -
No. of admissions	69,727	24,651	14,076	8,912	2,827	657	823	4,164	12,787	368	65	88	5	23	281
Race															
American Indian or Alaska Native	3,406	1,647	931	184	51	8	20	121	430	3	1	3	- -	1	6
Asian[1]	359	123	69	47	21	2	10	40	42	3	- -	- -	- -	1	1
Black or African American	5,354	1,824	1,409	271	138	272	115	499	794	8	2	9	2	1	10
Native Hawaiian or Other Pacific Islander	240	79	59	15	4	2	8	19	49	- -	- -	- -	- -	1	4
White	50,346	17,610	9,459	7,285	2,192	284	541	2,721	9,584	307	57	61	3	18	224
Other	1,141	262	265	150	41	15	18	119	255	8	- -	4	- -	- -	4
No. of admissions	60,846	21,545	12,192	7,952	2,447	583	712	3,519	11,154	329	60	77	5	22	249

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.6b. Colorado admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	69,727	24,651	14,076	8,912	2,827	657	823	4,164	12,787	368	65	88	5	23	281
Gender															
Male	69.4	73.7	75.8	59.2	58.4	65.0	72.4	74.5	62.0	71.5	61.5	79.5	80.0	47.8	60.9
Female	30.6	26.3	24.2	40.8	41.6	35.0	27.6	25.5	38.0	28.5	38.5	20.5	20.0	52.2	39.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	69,727	24,651	14,076	8,912	2,827	657	823	4,164	12,787	368	65	88	5	23	281
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.3	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	*	*	- -	*	- -	- -	1.0	*	- -	- -	1.1	- -	- -	0.4
14 years	0.2	*	0.1	- -	*	- -	0.1	2.1	*	- -	- -	- -	- -	- -	0.7
15 years	0.3	*	0.1	- -	0.2	- -	0.5	4.5	*	- -	- -	2.3	- -	8.7	1.1
16 years	0.5	*	0.2	*	0.6	0.2	1.0	5.7	0.1	1.1	1.5	2.3	- -	4.3	0.7
17 years	0.6	0.1	0.3	0.1	0.4	0.3	1.3	5.5	0.3	1.6	- -	10.2	- -	- -	1.1
18 years	0.8	0.4	0.6	0.5	0.9	0.3	3.9	3.5	0.5	4.1	4.6	5.7	- -	4.3	1.8
19 years	1.0	0.4	0.7	0.7	1.9	0.5	3.6	3.6	1.1	8.7	4.6	2.3	- -	4.3	1.1
20 years	1.3	0.7	1.0	1.3	2.1	1.5	3.4	3.6	1.6	5.7	4.6	6.8	20.0	- -	1.1
21 to 24 years	7.9	5.1	7.0	11.0	10.6	4.1	13.6	14.0	8.2	33.2	9.2	15.9	- -	13.0	11.7
25 to 29 years	15.3	9.9	12.9	27.5	19.8	9.3	19.4	16.2	18.5	16.0	15.4	15.9	20.0	13.0	26.3
30 to 34 years	16.7	13.1	16.4	23.7	20.6	11.7	13.0	13.3	20.3	8.7	18.5	12.5	40.0	4.3	13.2
35 to 39 years	14.5	12.8	14.5	15.9	15.4	12.0	9.5	10.1	18.9	7.9	10.8	8.0	- -	26.1	14.9
40 to 44 years	10.6	11.2	10.7	8.2	10.2	9.6	10.7	6.2	12.9	4.1	10.8	6.8	20.0	8.7	9.3
45 to 49 years	8.5	10.6	10.1	4.7	6.2	10.5	6.1	4.0	7.8	2.2	4.6	9.1	- -	8.7	6.8
50 to 54 years	8.7	13.4	10.7	2.5	3.8	16.6	4.7	2.8	5.0	2.7	3.1	1.1	- -	- -	3.6
55 to 59 years	6.8	11.3	7.6	1.8	3.3	14.8	4.9	2.1	3.0	0.8	6.2	- -	- -	4.3	2.8
60 to 64 years	4.0	6.8	4.9	1.0	2.3	7.2	2.4	0.8	1.2	1.6	4.6	- -	- -	- -	2.1
65 to 69 years	1.5	2.7	1.5	0.5	1.1	1.1	1.6	0.3	0.3	0.3	- -	- -	- -	- -	1.1
70 to 74 years	0.4	0.8	0.4	0.1	0.4	0.3	0.2	0.1	*	0.8	- -	- -	- -	- -	0.4
75 years and older	0.3	0.5	0.4	0.1	0.2	0.2	- -	0.1	0.1	0.5	1.5	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	69,727	24,651	14,076	8,912	2,827	657	823	4,164	12,787	368	65	88	5	23	281
Race															
American Indian or Alaska Native	5.6	7.6	7.6	2.3	2.1	1.4	2.8	3.4	3.9	0.9	1.7	3.9	- -	4.5	2.4
Asian[1]	0.6	0.6	0.6	0.6	0.9	0.3	1.4	1.1	0.4	0.9	- -	- -	- -	4.5	0.4
Black or African American	8.8	8.5	11.6	3.4	5.6	46.7	16.2	14.2	7.1	2.4	3.3	11.7	40.0	4.5	4.0
Native Hawaiian or Other Pacific Islander	0.4	0.4	0.5	0.2	0.2	0.3	1.1	0.5	0.4	- -	- -	- -	- -	4.5	1.6
White	82.7	81.7	77.6	91.6	89.6	48.7	76.0	77.3	85.9	93.3	95.0	79.2	60.0	81.8	90.0
Other	1.9	1.2	2.2	1.9	1.7	2.6	2.5	3.4	2.3	2.4	- -	5.2	- -	- -	1.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	60,846	21,545	12,192	7,952	2,447	583	712	3,519	11,154	329	60	77	5	22	249

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.7a. Connecticut admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	48,395	9,351	7,518	14,452	2,975	1,684	1,442	4,032	138	602	64	143	529	32	5,433
Gender															
Male	33,165	6,458	5,362	10,330	2,000	998	1,059	2,879	97	394	50	98	338	24	3,078
Female	15,158	2,887	2,141	4,102	973	682	381	1,141	41	208	14	45	190	8	2,345
No. of admissions	48,323	9,345	7,503	14,432	2,973	1,680	1,440	4,020	138	602	64	143	528	32	5,423
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
16 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
17 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
18 years	244	15	25	7	3	3	- -	76	- -	5	- -	4	- -	- -	106
19 years	370	30	39	30	12	3	4	136	- -	6	- -	2	- -	- -	108
20 years	471	25	59	51	33	2	8	167	2	22	- -	3	- -	1	98
21 to 24 years	3,070	296	437	703	190	47	64	731	16	64	5	16	8	2	491
25 to 29 years	6,854	812	964	2,265	523	162	173	916	29	106	11	23	50	3	817
30 to 34 years	8,545	1,137	1,232	3,093	660	237	234	737	25	122	15	28	153	7	865
35 to 39 years	7,634	1,280	1,166	2,570	550	291	230	468	20	101	14	33	170	6	735
40 to 44 years	5,717	1,214	977	1,667	343	211	229	323	16	57	4	16	91	5	564
45 to 49 years	4,540	1,091	781	1,279	225	223	177	174	11	41	4	13	47	3	471
50 to 54 years	4,633	1,252	842	1,303	197	228	161	148	12	30	5	2	6	3	444
55 to 59 years	3,644	1,265	635	872	110	180	102	96	4	32	3	3	4	2	336
60 to 64 years	1,868	664	280	432	76	80	45	41	- -	8	3	- -	- -	- -	239
65 to 69 years	586	189	74	138	45	13	10	13	2	8	- -	- -	- -	- -	94
70 to 74 years	158	61	4	38	8	1	4	5	- -	- -	- -	- -	- -	- -	37
75 years and older	61	20	3	4	- -	3	1	1	1	- -	- -	- -	- -	- -	28
No. of admissions	48,395	9,351	7,518	14,452	2,975	1,684	1,442	4,032	138	602	64	143	529	32	5,433
Race															
American Indian or Alaska Native	216	33	48	52	7	7	6	25	- -	1	- -	1	- -	- -	36
Asian[1]	236	44	25	61	19	4	6	24	2	2	- -	- -	- -	- -	49
Black or African American	7,581	979	1,583	1,417	228	460	292	1,576	27	26	2	43	265	3	680
Native Hawaiian or Other Pacific Islander	164	18	27	75	7	2	1	13	1	1	- -	1	1	- -	17
White	29,841	6,409	4,394	9,615	2,079	869	768	1,410	87	490	44	65	102	19	3,490
Other	7,372	1,465	779	2,469	440	291	283	729	16	65	12	25	137	7	654
No. of admissions	45,410	8,948	6,856	13,689	2,780	1,633	1,356	3,777	133	585	58	135	505	29	4,926

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.7b. Connecticut admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	48,395	9,351	7,518	14,452	2,975	1,684	1,442	4,032	138	602	64	143	529	32	5,433
Gender															
Male	68.6	69.1	71.5	71.6	67.3	59.4	73.5	71.6	70.3	65.4	78.1	68.5	64.0	75.0	56.8
Female	31.4	30.9	28.5	28.4	32.7	40.6	26.5	28.4	29.7	34.6	21.9	31.5	36.0	25.0	43.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	48,323	9,345	7,503	14,432	2,973	1,680	1,440	4,020	138	602	64	143	528	32	5,423
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
16 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
17 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
18 years	0.5	0.2	0.3	*	0.1	0.2	- -	1.9	- -	0.8	- -	2.8	- -	- -	2.0
19 years	0.8	0.3	0.5	0.2	0.4	0.2	0.3	3.4	- -	1.0	- -	1.4	- -	- -	2.0
20 years	1.0	0.3	0.8	0.4	1.1	0.1	0.6	4.1	1.4	3.7	- -	2.1	- -	3.1	1.8
21 to 24 years	6.3	3.2	5.8	4.9	6.4	2.8	4.4	18.1	11.6	10.6	7.8	11.2	1.5	6.3	9.0
25 to 29 years	14.2	8.7	12.8	15.7	17.6	9.6	12.0	22.7	21.0	17.6	17.2	16.1	9.5	9.4	15.0
30 to 34 years	17.7	12.2	16.4	21.4	22.2	14.1	16.2	18.3	18.1	20.3	23.4	19.6	28.9	21.9	15.9
35 to 39 years	15.8	13.7	15.5	17.8	18.5	17.3	16.0	11.6	14.5	16.8	21.9	23.1	32.1	18.8	13.5
40 to 44 years	11.8	13.0	13.0	11.5	11.5	12.5	15.9	8.0	11.6	9.5	6.3	11.2	17.2	15.6	10.4
45 to 49 years	9.4	11.7	10.4	8.8	7.6	13.2	12.3	4.3	8.0	6.8	6.3	9.1	8.9	9.4	8.7
50 to 54 years	9.6	13.4	11.2	9.0	6.6	13.5	11.2	3.7	8.7	5.0	7.8	1.4	1.1	9.4	8.2
55 to 59 years	7.5	13.5	8.4	6.0	3.7	10.7	7.1	2.4	2.9	5.3	4.7	2.1	0.8	6.3	6.2
60 to 64 years	3.9	7.1	3.7	3.0	2.6	4.8	3.1	1.0	- -	1.3	4.7	- -	- -	- -	4.4
65 to 69 years	1.2	2.0	1.0	1.0	1.5	0.8	0.7	0.3	1.4	1.3	- -	- -	- -	- -	1.7
70 to 74 years	0.3	0.7	0.1	0.3	0.3	0.1	0.3	0.1	- -	- -	- -	- -	- -	- -	0.7
75 years and older	0.1	0.2	*	*	- -	0.2	0.1	*	0.7	- -	- -	- -	- -	- -	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	48,395	9,351	7,518	14,452	2,975	1,684	1,442	4,032	138	602	64	143	529	32	5,433
Race															
American Indian or Alaska Native	0.5	0.4	0.7	0.4	0.3	0.4	0.4	0.7	- -	0.2	- -	0.7	- -	- -	0.7
Asian[1]	0.5	0.5	0.4	0.4	0.7	0.2	0.4	0.6	1.5	0.3	- -	- -	- -	- -	1.0
Black or African American	16.7	10.9	23.1	10.4	8.2	28.2	21.5	41.7	20.3	4.4	3.4	31.9	52.5	10.3	13.8
Native Hawaiian or Other Pacific Islander	0.4	0.2	0.4	0.5	0.3	0.1	0.1	0.3	0.8	0.2	- -	0.7	0.2	- -	0.3
White	65.7	71.6	64.1	70.2	74.8	53.2	56.6	37.3	65.4	83.8	75.9	48.1	20.2	65.5	70.8
Other	16.2	16.4	11.4	18.0	15.8	17.8	20.9	19.3	12.0	11.1	20.7	18.5	27.1	24.1	13.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	45,410	8,948	6,856	13,689	2,780	1,633	1,356	3,777	133	585	58	135	505	29	4,926

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.8a. Delaware admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	12,293	1,318	967	6,342	857	378	219	788	127	52	7	41	31	3	1,163
Gender															
Male	7,583	962	685	3,816	538	197	126	515	69	34	2	21	18	1	599
Female	4,709	356	282	2,526	319	181	93	273	58	18	5	20	13	2	563
No. of admissions	12,292	1,318	967	6,342	857	378	219	788	127	52	7	41	31	3	1,162
Age at admission															
12 years	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	1	- -	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
15 years	4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	4
16 years	3	- -	- -	1	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	- -
17 years	11	- -	- -	- -	- -	- -	- -	6	- -	- -	- -	- -	- -	- -	5
18 years	48	3	4	7	2	1	- -	16	- -	1	- -	- -	- -	- -	14
19 years	80	- -	2	18	4	- -	3	30	1	- -	1	1	- -	- -	20
20 years	107	2	3	28	8	7	- -	33	- -	1	- -	- -	- -	- -	25
21 to 24 years	821	35	44	386	45	11	7	142	16	8	- -	6	1	- -	120
25 to 29 years	2,256	119	103	1,403	145	31	36	165	16	20	2	5	5	- -	206
30 to 34 years	2,362	108	132	1,485	190	45	37	128	31	8	2	11	7	1	177
35 to 39 years	1,934	167	131	1,102	179	47	31	87	19	6	1	10	11	1	142
40 to 44 years	1,343	145	109	710	90	48	31	77	20	2	1	5	6	- -	99
45 to 49 years	919	143	92	436	56	40	21	39	8	1	- -	2	- -	1	80
50 to 54 years	971	244	143	321	55	68	20	31	4	3	- -	- -	1	- -	81
55 to 59 years	796	177	134	265	38	50	21	21	7	2	- -	1	- -	- -	80
60 to 64 years	410	105	49	127	29	24	5	7	4	- -	- -	- -	- -	- -	60
65 to 69 years	152	40	20	39	13	4	7	3	1	- -	- -	- -	- -	- -	25
70 to 74 years	49	19	- -	13	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	16
75 years and older	25	11	1	1	2	2	- -	- -	- -	- -	- -	- -	- -	- -	8
No. of admissions	12,293	1,318	967	6,342	857	378	219	788	127	52	7	41	31	3	1,163
Race															
American Indian or Alaska Native	65	9	8	11	2	3	3	9	1	- -	- -	1	2	- -	16
Asian[1]	49	7	2	15	1	- -	1	4	- -	- -	- -	- -	- -	- -	19
Black or African American	3,275	338	351	1,176	197	197	96	395	12	20	2	14	22	- -	455
Native Hawaiian or Other Pacific Islander	207	31	23	87	10	1	4	23	1	2	- -	- -	1	- -	24
White	8,300	897	560	4,911	625	171	110	317	112	29	5	24	3	3	533
Other	246	25	15	108	17	4	3	33	1	- -	- -	2	3	- -	35
No. of admissions	12,142	1,307	959	6,308	852	376	217	781	127	51	7	41	31	3	1,082

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.8b. Delaware admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	12,293	1,318	967	6,342	857	378	219	788	127	52	7	41	31	3	1,163
Gender															
Male	61.7	73.0	70.8	60.2	62.8	52.1	57.5	65.4	54.3	65.4	28.6	51.2	58.1	33.3	51.5
Female	38.3	27.0	29.2	39.8	37.2	47.9	42.5	34.6	45.7	34.6	71.4	48.8	41.9	66.7	48.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	12,292	1,318	967	6,342	857	378	219	788	127	52	7	41	31	3	1,162
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.1
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	*	- -	- -	- -	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -	- -
15 years	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.3
16 years	*	- -	- -	*	- -	- -	- -	0.3	- -	- -	- -	- -	- -	- -	- -
17 years	0.1	- -	- -	- -	- -	- -	- -	0.8	- -	- -	- -	- -	- -	- -	0.4
18 years	0.4	0.2	0.4	0.1	0.2	0.3	- -	2.0	- -	1.9	- -	- -	- -	- -	1.2
19 years	0.7	- -	0.2	0.3	0.5	- -	1.4	3.8	0.8	- -	14.3	2.4	- -	- -	1.7
20 years	0.9	0.2	0.3	0.4	0.9	1.9	- -	4.2	- -	1.9	- -	- -	- -	- -	2.1
21 to 24 years	6.7	2.7	4.6	6.1	5.3	2.9	3.2	18.0	12.6	15.4	- -	14.6	3.2	- -	10.3
25 to 29 years	18.4	9.0	10.7	22.1	16.9	8.2	16.4	20.9	12.6	38.5	28.6	12.2	16.1	- -	17.7
30 to 34 years	19.2	8.2	13.7	23.4	22.2	11.9	16.9	16.2	24.4	15.4	28.6	26.8	22.6	33.3	15.2
35 to 39 years	15.7	12.7	13.5	17.4	20.9	12.4	14.2	11.0	15.0	11.5	14.3	24.4	35.5	33.3	12.2
40 to 44 years	10.9	11.0	11.3	11.2	10.5	12.7	14.2	9.8	15.7	3.8	14.3	12.2	19.4	- -	8.5
45 to 49 years	7.5	10.8	9.5	6.9	6.5	10.6	9.6	4.9	6.3	1.9	- -	4.9	- -	33.3	6.9
50 to 54 years	7.9	18.5	14.8	5.1	6.4	18.0	9.1	3.9	3.1	5.8	- -	- -	3.2	- -	7.0
55 to 59 years	6.5	13.4	13.9	4.2	4.4	13.2	9.6	2.7	5.5	3.8	- -	2.4	- -	- -	6.9
60 to 64 years	3.3	8.0	5.1	2.0	3.4	6.3	2.3	0.9	3.1	- -	- -	- -	- -	- -	5.2
65 to 69 years	1.2	3.0	2.1	0.6	1.5	1.1	3.2	0.4	0.8	- -	- -	- -	- -	- -	2.1
70 to 74 years	0.4	1.4	- -	0.2	0.1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1.4
75 years and older	0.2	0.8	0.1	*	0.2	0.5	- -	- -	- -	- -	- -	- -	- -	- -	0.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	12,293	1,318	967	6,342	857	378	219	788	127	52	7	41	31	3	1,163
Race															
American Indian or Alaska Native	0.5	0.7	0.8	0.2	0.2	0.8	1.4	1.2	0.8	- -	- -	2.4	6.5	- -	1.5
Asian[1]	0.4	0.5	0.2	0.2	0.1	- -	0.5	0.5	- -	- -	- -	- -	- -	- -	1.8
Black or African American	27.0	25.9	36.6	18.6	23.1	52.4	44.2	50.6	9.4	39.2	28.6	34.1	71.0	- -	42.1
Native Hawaiian or Other Pacific Islander	1.7	2.4	2.4	1.4	1.2	0.3	1.8	2.9	0.8	3.9	- -	- -	3.2	- -	2.2
White	68.4	68.6	58.4	77.9	73.4	45.5	50.7	40.6	88.2	56.9	71.4	58.5	9.7	100.0	49.3
Other	2.0	1.9	1.6	1.7	2.0	1.1	1.4	4.2	0.8	- -	- -	4.9	9.7	- -	3.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	12,142	1,307	959	6,308	852	376	217	781	127	51	7	41	31	3	1,082

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.9a. District of Columbia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	3,066	424	592	716	75	516	76	245	40	3	- -	60	296	- -	23
Gender															
Male	2,252	308	452	583	59	313	54	186	34	3	- -	54	187	- -	19
Female	812	116	139	132	16	203	22	59	6	- -	- -	6	109	- -	4
No. of admissions	3,064	424	591	715	75	516	76	245	40	3	- -	60	296	- -	23
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	2	- -	- -	- -	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	- -
15 years	3	- -	- -	- -	- -	- -	- -	3	- -	- -	- -	- -	- -	- -	- -
16 years	6	- -	- -	- -	- -	- -	- -	6	- -	- -	- -	- -	- -	- -	- -
17 years	4	- -	- -	- -	- -	- -	- -	4	- -	- -	- -	- -	- -	- -	- -
18 years	4	- -	- -	- -	- -	- -	- -	3	- -	- -	- -	- -	- -	- -	1
19 years	2	- -	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	1
20 years	5	2	- -	1	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	- -
21 to 24 years	36	3	6	7	1	1	- -	12	4	- -	- -	2	- -	- -	- -
25 to 29 years	209	27	55	26	9	9	4	30	4	- -	- -	11	30	- -	4
30 to 34 years	324	31	64	46	16	26	7	53	13	- -	- -	15	49	- -	4
35 to 39 years	402	63	84	50	21	22	7	39	11	1	- -	6	95	- -	3
40 to 44 years	297	37	60	58	6	29	6	24	3	- -	- -	4	66	- -	4
45 to 49 years	295	50	62	54	8	61	2	18	3	- -	- -	7	29	- -	1
50 to 54 years	497	64	104	99	7	146	21	31	1	- -	- -	5	16	- -	3
55 to 59 years	541	65	92	202	2	136	18	8	1	2	- -	5	9	- -	1
60 to 64 years	276	58	37	106	3	55	5	8	- -	- -	- -	2	2	- -	- -
65 to 69 years	133	19	22	54	2	27	5	- -	- -	- -	- -	3	- -	- -	1
70 to 74 years	26	5	6	12	- -	2	- -	1	- -	- -	- -	- -	- -	- -	- -
75 years and older	4	- -	- -	1	- -	2	1	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	3,066	424	592	716	75	516	76	245	40	3	- -	60	296	- -	23
Race															
American Indian or Alaska Native	7	2	3	1	- -	- -	1	- -	- -	- -	- -	- -	- -	- -	- -
Asian[1]	4	- -	1	- -	- -	1	1	1	- -	- -	- -	- -	- -	- -	- -
Black or African American	2,820	347	531	669	66	497	67	232	38	2	- -	56	293	- -	22
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	87	15	27	21	3	13	1	6	1	- -	- -	- -	- -	- -	- -
Other	122	53	29	18	3	3	6	3	1	1	- -	1	3	- -	1
No. of admissions	3,040	417	591	709	72	514	76	242	40	3	- -	57	296	- -	23

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.9b. District of Columbia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	3,066	424	592	716	75	516	76	245	40	3	- -	60	296	- -	23
Gender															
Male	73.5	72.6	76.5	81.5	78.7	60.7	71.1	75.9	85.0	100.0	- -	90.0	63.2	- -	82.6
Female	26.5	27.4	23.5	18.5	21.3	39.3	28.9	24.1	15.0	- -	- -	10.0	36.8	- -	17.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0	- -	100.0
No. of admissions	3,064	424	591	715	75	516	76	245	40	3	- -	60	296	- -	23
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	0.1	- -	- -	- -	- -	- -	- -	0.8	- -	- -	- -	- -	- -	- -	- -
15 years	0.1	- -	- -	- -	- -	- -	- -	1.2	- -	- -	- -	- -	- -	- -	- -
16 years	0.2	- -	- -	- -	- -	- -	- -	2.4	- -	- -	- -	- -	- -	- -	- -
17 years	0.1	- -	- -	- -	- -	- -	- -	1.6	- -	- -	- -	- -	- -	- -	- -
18 years	0.1	- -	- -	- -	- -	- -	- -	1.2	- -	- -	- -	- -	- -	- -	4.3
19 years	0.1	- -	- -	- -	- -	- -	- -	0.4	- -	- -	- -	- -	- -	- -	4.3
20 years	0.2	0.5	- -	0.1	- -	- -	- -	0.8	- -	- -	- -	- -	- -	- -	- -
21 to 24 years	1.2	0.7	1.0	1.0	1.3	0.2	- -	4.9	10.0	- -	- -	3.3	- -	- -	- -
25 to 29 years	6.8	6.4	9.3	3.6	12.0	1.7	5.3	12.2	10.0	- -	- -	18.3	10.1	- -	17.4
30 to 34 years	10.6	7.3	10.8	6.4	21.3	5.0	9.2	21.6	32.5	- -	- -	25.0	16.6	- -	17.4
35 to 39 years	13.1	14.9	14.2	7.0	28.0	4.3	9.2	15.9	27.5	33.3	- -	10.0	32.1	- -	13.0
40 to 44 years	9.7	8.7	10.1	8.1	8.0	5.6	7.9	9.8	7.5	- -	- -	6.7	22.3	- -	17.4
45 to 49 years	9.6	11.8	10.5	7.5	10.7	11.8	2.6	7.3	7.5	- -	- -	11.7	9.8	- -	4.3
50 to 54 years	16.2	15.1	17.6	13.8	9.3	28.3	27.6	12.7	2.5	- -	- -	8.3	5.4	- -	13.0
55 to 59 years	17.6	15.3	15.5	28.2	2.7	26.4	23.7	3.3	2.5	66.7	- -	8.3	3.0	- -	4.3
60 to 64 years	9.0	13.7	6.3	14.8	4.0	10.7	6.6	3.3	- -	- -	- -	3.3	0.7	- -	- -
65 to 69 years	4.3	4.5	3.7	7.5	2.7	5.2	6.6	- -	- -	- -	- -	5.0	- -	- -	4.3
70 to 74 years	0.8	1.2	1.0	1.7	- -	0.4	- -	0.4	- -	- -	- -	- -	- -	- -	- -
75 years and older	0.1	- -	- -	0.1	- -	0.4	1.3	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0	- -	100.0
No. of admissions	3,066	424	592	716	75	516	76	245	40	3	- -	60	296	- -	23
Race															
American Indian or Alaska Native	0.2	0.5	0.5	0.1	- -	- -	1.3	- -	- -	- -	- -	- -	- -	- -	- -
Asian[1]	0.1	- -	0.2	- -	- -	0.2	1.3	0.4	- -	- -	- -	- -	- -	- -	- -
Black or African American	92.8	83.2	89.8	94.4	91.7	96.7	88.2	95.9	95.0	66.7	- -	98.2	99.0	- -	95.7
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	2.9	3.6	4.6	3.0	4.2	2.5	1.3	2.5	2.5	- -	- -	- -	- -	- -	- -
Other	4.0	12.7	4.9	2.5	4.2	0.6	7.9	1.2	2.5	33.3	- -	1.8	1.0	- -	4.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0	- -	100.0
No. of admissions	3,040	417	591	709	72	514	76	242	40	3	- -	57	296	- -	23

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.10a. Florida admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	41,846	10,370	632	5,720	4,746	1,847	1,635	7,295	2,303	428	92	64	6	52	6,656
Gender															
Male	25,890	6,842	425	3,685	2,462	1,160	1,044	4,692	1,192	203	53	43	5	30	4,054
Female	15,956	3,528	207	2,035	2,284	687	591	2,603	1,111	225	39	21	1	22	2,602
No. of admissions	41,846	10,370	632	5,720	4,746	1,847	1,635	7,295	2,303	428	92	64	6	52	6,656
Age at admission															
12 years	300	6	- -	- -	- -	- -	- -	43	- -	- -	- -	1	- -	- -	250
13 years	620	9	- -	- -	- -	1	- -	198	- -	- -	- -	- -	- -	- -	412
14 years	1,193	25	3	- -	1	1	- -	428	2	2	- -	- -	- -	- -	731
15 years	1,646	66	2	- -	3	- -	3	717	2	3	1	- -	- -	2	847
16 years	1,875	78	- -	1	4	2	3	898	10	9	1	4	- -	1	864
17 years	1,775	47	2	2	4	3	1	946	9	6	- -	3	- -	- -	752
18 years	530	45	9	4	10	1	3	254	8	9	- -	1	- -	- -	186
19 years	373	47	- -	10	22	4	5	187	25	4	1	5	- -	2	61
20 years	462	52	6	19	29	4	17	222	31	13	1	4	- -	- -	64
21 to 24 years	2,504	455	39	289	232	64	76	766	225	41	11	10	- -	1	295
25 to 29 years	5,583	1,028	103	1,221	859	171	213	921	464	88	15	11	1	11	477
30 to 34 years	6,320	1,405	105	1,410	1,147	219	253	685	506	80	20	14	1	8	467
35 to 39 years	5,495	1,441	96	1,132	972	255	201	431	454	62	11	6	2	8	424
40 to 44 years	3,776	1,243	87	673	569	222	172	243	250	34	18	4	1	3	257
45 to 49 years	2,875	1,211	51	335	346	213	219	128	159	31	3	- -	1	6	172
50 to 54 years	2,486	1,099	59	280	222	254	201	88	93	18	6	- -	- -	3	163
55 to 59 years	2,090	1,084	42	167	168	222	148	74	47	13	2	- -	- -	4	119
60 to 64 years	1,288	662	23	111	106	151	90	47	15	11	2	1	- -	2	67
65 to 69 years	458	239	3	56	38	50	24	13	2	3	- -	- -	- -	- -	30
70 to 74 years	139	84	2	9	11	9	4	4	- -	1	- -	- -	- -	1	14
75 years and older	58	44	- -	1	3	1	2	2	1	- -	- -	- -	- -	- -	4
No. of admissions	41,846	10,370	632	5,720	4,746	1,847	1,635	7,295	2,303	428	92	64	6	52	6,656
Race															
American Indian or Alaska Native	116	35	8	13	7	3	7	16	12	1	- -	1	- -	- -	13
Asian[1]	129	36	5	16	5	3	4	23	1	2	- -	- -	- -	- -	34
Black or African American	9,363	1,706	140	288	307	824	536	2,767	228	37	14	18	3	13	2,482
Native Hawaiian or Other Pacific Islander	89	29	2	19	7	2	4	15	2	1	1	- -	- -	- -	7
White	27,765	7,603	386	4,542	4,047	805	894	3,714	1,861	348	65	37	2	32	3,429
Other	4,375	960	91	842	373	210	189	758	199	39	12	8	1	7	686
No. of admissions	41,837	10,369	632	5,720	4,746	1,847	1,634	7,293	2,303	428	92	64	6	52	6,651

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.10b. Florida admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	41,846	10,370	632	5,720	4,746	1,847	1,635	7,295	2,303	428	92	64	6	52	6,656
Gender															
Male	61.9	66.0	67.2	64.4	51.9	62.8	63.9	64.3	51.8	47.4	57.6	67.2	83.3	57.7	60.9
Female	38.1	34.0	32.8	35.6	48.1	37.2	36.1	35.7	48.2	52.6	42.4	32.8	16.7	42.3	39.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	41,846	10,370	632	5,720	4,746	1,847	1,635	7,295	2,303	428	92	64	6	52	6,656
Age at admission															
12 years	0.7	0.1	- -	- -	- -	- -	- -	0.6	- -	- -	- -	1.6	- -	- -	3.8
13 years	1.5	0.1	- -	- -	- -	0.1	- -	2.7	- -	- -	- -	- -	- -	- -	6.2
14 years	2.9	0.2	0.5	- -	*	0.1	- -	5.9	0.1	0.5	- -	- -	- -	- -	11.0
15 years	3.9	0.6	0.3	- -	0.1	- -	0.2	9.8	0.1	0.7	1.1	- -	- -	3.8	12.7
16 years	4.5	0.8	- -	*	0.1	0.1	0.2	12.3	0.4	2.1	1.1	6.3	- -	1.9	13.0
17 years	4.2	0.5	0.3	*	0.1	0.2	0.1	13.0	0.4	1.4	- -	4.7	- -	- -	11.3
18 years	1.3	0.4	1.4	0.1	0.2	0.1	0.2	3.5	0.3	2.1	- -	1.6	- -	- -	2.8
19 years	0.9	0.5	- -	0.2	0.5	0.2	0.3	2.6	1.1	0.9	1.1	7.8	- -	3.8	0.9
20 years	1.1	0.5	0.9	0.3	0.6	0.2	1.0	3.0	1.3	3.0	1.1	6.3	- -	- -	1.0
21 to 24 years	6.0	4.4	6.2	5.1	4.9	3.5	4.6	10.5	9.8	9.6	12.0	15.6	- -	1.9	4.4
25 to 29 years	13.3	9.9	16.3	21.3	18.1	9.3	13.0	12.6	20.1	20.6	16.3	17.2	16.7	21.2	7.2
30 to 34 years	15.1	13.5	16.6	24.7	24.2	11.9	15.5	9.4	22.0	18.7	21.7	21.9	16.7	15.4	7.0
35 to 39 years	13.1	13.9	15.2	19.8	20.5	13.8	12.3	5.9	19.7	14.5	12.0	9.4	33.3	15.4	6.4
40 to 44 years	9.0	12.0	13.8	11.8	12.0	12.0	10.5	3.3	10.9	7.9	19.6	6.3	16.7	5.8	3.9
45 to 49 years	6.9	11.7	8.1	5.9	7.3	11.5	13.4	1.8	6.9	7.2	3.3	- -	16.7	11.5	2.6
50 to 54 years	5.9	10.6	9.3	4.9	4.7	13.8	12.3	1.2	4.0	4.2	6.5	- -	- -	5.8	2.4
55 to 59 years	5.0	10.5	6.6	2.9	3.5	12.0	9.1	1.0	2.0	3.0	2.2	- -	- -	7.7	1.8
60 to 64 years	3.1	6.4	3.6	1.9	2.2	8.2	5.5	0.6	0.7	2.6	2.2	1.6	- -	3.8	1.0
65 to 69 years	1.1	2.3	0.5	1.0	0.8	2.7	1.5	0.2	0.1	0.7	- -	- -	- -	- -	0.5
70 to 74 years	0.3	0.8	0.3	0.2	0.2	0.5	0.2	0.1	- -	0.2	- -	- -	- -	1.9	0.2
75 years and older	0.1	0.4	- -	*	0.1	0.1	0.1	*	*	- -	- -	- -	- -	- -	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	41,846	10,370	632	5,720	4,746	1,847	1,635	7,295	2,303	428	92	64	6	52	6,656
Race															
American Indian or Alaska Native	0.3	0.3	1.3	0.2	0.1	0.2	0.4	0.2	0.5	0.2	- -	1.6	- -	- -	0.2
Asian[1]	0.3	0.3	0.8	0.3	0.1	0.2	0.2	0.3	*	0.5	- -	- -	- -	- -	0.5
Black or African American	22.4	16.5	22.2	5.0	6.5	44.6	32.8	37.9	9.9	8.6	15.2	28.1	50.0	25.0	37.3
Native Hawaiian or Other Pacific Islander	0.2	0.3	0.3	0.3	0.1	0.1	0.2	0.2	0.1	0.2	1.1	- -	- -	- -	0.1
White	66.4	73.3	61.1	79.4	85.3	43.6	54.7	50.9	80.8	81.3	70.7	57.8	33.3	61.5	51.6
Other	10.5	9.3	14.4	14.7	7.9	11.4	11.6	10.4	8.6	9.1	13.0	12.5	16.7	13.5	10.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	41,837	10,369	632	5,720	4,746	1,847	1,634	7,293	2,303	428	92	64	6	52	6,651

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.11a. Georgia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	33,649	5,926	6,504	1,773	2,448	1,679	1,271	6,248	6,770	463	24	43	4	28	468
Gender															
Male	20,457	4,009	4,383	970	1,312	961	787	3,888	3,592	222	11	31	3	16	272
Female	13,137	1,908	2,108	799	1,134	715	481	2,349	3,168	241	13	12	1	12	196
No. of admissions	33,594	5,917	6,491	1,769	2,446	1,676	1,268	6,237	6,760	463	24	43	4	28	468
Age at admission															
12 years	4	- -	- -	- -	- -	- -	- -	4	- -	- -	- -	- -	- -	- -	- -
13 years	11	1	- -	- -	- -	- -	- -	9	- -	- -	- -	- -	- -	- -	1
14 years	20	1	1	- -	- -	- -	1	15	- -	1	- -	- -	- -	- -	1
15 years	41	2	1	- -	1	- -	- -	34	1	1	- -	- -	- -	- -	1
16 years	62	1	1	- -	- -	- -	- -	56	1	1	- -	- -	- -	- -	2
17 years	60	5	5	- -	- -	2	- -	40	5	- -	- -	1	- -	1	1
18 years	163	6	22	2	4	- -	2	96	18	6	- -	3	- -	- -	4
19 years	329	17	35	8	9	4	7	189	46	8	- -	1	- -	- -	5
20 years	472	30	42	10	22	2	9	243	90	15	- -	1	- -	- -	8
21 to 24 years	2,610	201	376	147	141	28	48	995	568	53	1	12	2	2	36
25 to 29 years	5,466	559	781	443	504	103	144	1,410	1,332	84	5	9	1	7	84
30 to 34 years	5,703	718	973	474	562	144	176	1,088	1,363	100	6	8	- -	8	83
35 to 39 years	4,920	796	944	261	418	160	170	741	1,292	61	5	1	- -	6	65
40 to 44 years	3,890	804	751	148	282	202	191	494	903	41	2	4	1	1	66
45 to 49 years	2,985	745	648	88	162	227	146	336	571	21	3	- -	- -	- -	38
50 to 54 years	2,833	763	776	66	140	328	155	213	328	28	1	1	- -	1	33
55 to 59 years	2,461	742	726	69	112	291	139	167	168	28	1	- -	- -	1	17
60 to 64 years	1,238	400	335	31	63	148	67	92	76	11	- -	- -	- -	- -	15
65 to 69 years	286	88	72	23	20	31	11	23	7	1	- -	2	- -	1	7
70 to 74 years	75	32	13	2	7	9	4	3	1	3	- -	- -	- -	- -	1
75 years and older	20	15	2	1	1	- -	1	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	33,649	5,926	6,504	1,773	2,448	1,679	1,271	6,248	6,770	463	24	43	4	28	468
Race															
American Indian or Alaska Native	62	17	21	2	- -	2	1	7	11	- -	- -	- -	- -	- -	1
Asian[1]	182	40	32	8	9	15	15	35	15	6	- -	- -	- -	1	6
Black or African American	12,118	1,900	3,356	254	381	1,266	868	3,077	778	57	6	16	2	4	153
Native Hawaiian or Other Pacific Islander	57	23	4	- -	4	1	3	6	15	- -	- -	- -	- -	- -	1
White	19,444	3,585	2,792	1,442	1,964	331	335	2,616	5,658	374	17	22	1	20	287
Other	973	216	136	47	51	29	26	293	148	12	1	4	- -	1	9
No. of admissions	32,836	5,781	6,341	1,753	2,409	1,644	1,248	6,034	6,625	449	24	42	3	26	457

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.11b. Georgia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	33,649	5,926	6,504	1,773	2,448	1,679	1,271	6,248	6,770	463	24	43	4	28	468
Gender															
Male	60.9	67.8	67.5	54.8	53.6	57.3	62.1	62.3	53.1	47.9	45.8	72.1	75.0	57.1	58.1
Female	39.1	32.2	32.5	45.2	46.4	42.7	37.9	37.7	46.9	52.1	54.2	27.9	25.0	42.9	41.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	33,594	5,917	6,491	1,769	2,446	1,676	1,268	6,237	6,760	463	24	43	4	28	468
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -	- -
13 years	*	*	- -	- -	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -	0.2
14 years	0.1	*	*	- -	- -	- -	0.1	0.2	- -	0.2	- -	- -	- -	- -	0.2
15 years	0.1	*	*	- -	*	- -	- -	0.5	*	0.2	- -	- -	- -	- -	0.2
16 years	0.2	*	*	- -	- -	- -	- -	0.9	*	0.2	- -	- -	- -	- -	0.4
17 years	0.2	0.1	0.1	- -	- -	0.1	- -	0.6	0.1	- -	- -	2.3	- -	3.6	0.2
18 years	0.5	0.1	0.3	0.1	0.2	- -	0.2	1.5	0.3	1.3	- -	7.0	- -	- -	0.9
19 years	1.0	0.3	0.5	0.5	0.4	0.2	0.6	3.0	0.7	1.7	- -	2.3	- -	- -	1.1
20 years	1.4	0.5	0.6	0.6	0.9	0.1	0.7	3.9	1.3	3.2	- -	2.3	- -	- -	1.7
21 to 24 years	7.8	3.4	5.8	8.3	5.8	1.7	3.8	15.9	8.4	11.4	4.2	27.9	50.0	7.1	7.7
25 to 29 years	16.2	9.4	12.0	25.0	20.6	6.1	11.3	22.6	19.7	18.1	20.8	20.9	25.0	25.0	17.9
30 to 34 years	16.9	12.1	15.0	26.7	23.0	8.6	13.8	17.4	20.1	21.6	25.0	18.6	- -	28.6	17.7
35 to 39 years	14.6	13.4	14.5	14.7	17.1	9.5	13.4	11.9	19.1	13.2	20.8	2.3	- -	21.4	13.9
40 to 44 years	11.6	13.6	11.5	8.3	11.5	12.0	15.0	7.9	13.3	8.9	8.3	9.3	25.0	3.6	14.1
45 to 49 years	8.9	12.6	10.0	5.0	6.6	13.5	11.5	5.4	8.4	4.5	12.5	- -	- -	- -	8.1
50 to 54 years	8.4	12.9	11.9	3.7	5.7	19.5	12.2	3.4	4.8	6.0	4.2	2.3	- -	3.6	7.1
55 to 59 years	7.3	12.5	11.2	3.9	4.6	17.3	10.9	2.7	2.5	6.0	4.2	- -	- -	3.6	3.6
60 to 64 years	3.7	6.7	5.2	1.7	2.6	8.8	5.3	1.5	1.1	2.4	- -	- -	- -	- -	3.2
65 to 69 years	0.8	1.5	1.1	1.3	0.8	1.8	0.9	0.4	0.1	0.2	- -	4.7	- -	3.6	1.5
70 to 74 years	0.2	0.5	0.2	0.1	0.3	0.5	0.3	*	*	0.6	- -	- -	- -	- -	0.2
75 years and older	0.1	0.3	*	0.1	*	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	33,649	5,926	6,504	1,773	2,448	1,679	1,271	6,248	6,770	463	24	43	4	28	468
Race															
American Indian or Alaska Native	0.2	0.3	0.3	0.1	- -	0.1	0.1	0.1	0.2	- -	- -	- -	- -	- -	0.2
Asian[1]	0.6	0.7	0.5	0.5	0.4	0.9	1.2	0.6	0.2	1.3	- -	- -	- -	3.8	1.3
Black or African American	36.9	32.9	52.9	14.5	15.8	77.0	69.6	51.0	11.7	12.7	25.0	38.1	66.7	15.4	33.5
Native Hawaiian or Other Pacific Islander	0.2	0.4	0.1	- -	0.2	0.1	0.2	0.1	0.2	- -	- -	- -	- -	- -	0.2
White	59.2	62.0	44.0	82.3	81.5	20.1	26.8	43.4	85.4	83.3	70.8	52.4	33.3	76.9	62.8
Other	3.0	3.7	2.1	2.7	2.1	1.8	2.1	4.9	2.2	2.7	4.2	9.5	- -	3.8	2.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	32,836	5,781	6,341	1,753	2,409	1,644	1,248	6,034	6,625	449	24	42	3	26	457

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.12a. Hawaii admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	1,455	134	182	132	43	17	10	171	758	6	- -	- -	- -	- -	2
Gender															
Male	988	104	130	86	36	15	9	93	509	5	- -	- -	- -	- -	1
Female	467	30	52	46	7	2	1	78	249	1	- -	- -	- -	- -	1
No. of admissions	1,455	134	182	132	43	17	10	171	758	6	- -	- -	- -	- -	2
Age at admission															
12 years	4	- -	- -	- -	- -	- -	- -	3	- -	- -	- -	- -	- -	- -	1
13 years	14	1	1	- -	- -	- -	- -	10	2	- -	- -	- -	- -	- -	- -
14 years	23	1	2	- -	- -	- -	- -	18	2	- -	- -	- -	- -	- -	- -
15 years	31	1	4	- -	- -	- -	- -	23	3	- -	- -	- -	- -	- -	- -
16 years	45	- -	1	- -	- -	- -	1	37	5	- -	- -	- -	- -	- -	1
17 years	26	- -	3	- -	- -	1	1	16	5	- -	- -	- -	- -	- -	- -
18 years	9	- -	- -	- -	- -	- -	- -	7	2	- -	- -	- -	- -	- -	- -
19 years	3	- -	- -	- -	- -	- -	- -	2	1	- -	- -	- -	- -	- -	- -
20 years	15	- -	1	- -	- -	- -	- -	3	11	- -	- -	- -	- -	- -	- -
21 to 24 years	93	3	10	12	2	- -	2	6	57	1	- -	- -	- -	- -	- -
25 to 29 years	217	7	23	42	7	3	1	6	127	1	- -	- -	- -	- -	- -
30 to 34 years	215	8	22	30	8	5	3	15	122	2	- -	- -	- -	- -	- -
35 to 39 years	209	14	28	19	10	3	1	9	125	- -	- -	- -	- -	- -	- -
40 to 44 years	180	32	26	17	5	- -	- -	3	97	- -	- -	- -	- -	- -	- -
45 to 49 years	125	20	17	2	6	1	- -	6	73	- -	- -	- -	- -	- -	- -
50 to 54 years	123	18	26	3	1	- -	1	4	69	1	- -	- -	- -	- -	- -
55 to 59 years	70	15	12	3	1	1	- -	- -	38	- -	- -	- -	- -	- -	- -
60 to 64 years	34	6	5	2	1	1	- -	2	17	- -	- -	- -	- -	- -	- -
65 to 69 years	16	6	1	2	2	2	- -	- -	2	1	- -	- -	- -	- -	- -
70 to 74 years	2	1	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
75 years and older	1	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	1,455	134	182	132	43	17	10	171	758	6	- -	- -	- -	- -	2
Race															
American Indian or Alaska Native	21	1	5	3	2	- -	- -	1	9	- -	- -	- -	- -	- -	- -
Asian[1]	221	8	16	18	8	1	1	23	145	- -	- -	- -	- -	- -	1
Black or African American	30	1	5	3	- -	1	- -	8	12	- -	- -	- -	- -	- -	- -
Native Hawaiian or Other Pacific Islander	615	15	53	30	9	12	6	102	386	2	- -	- -	- -	- -	- -
White	494	101	90	68	21	2	2	27	179	3	- -	- -	- -	- -	1
Other	68	8	12	10	3	1	1	7	25	1	- -	- -	- -	- -	- -
No. of admissions	1,449	134	181	132	43	17	10	168	756	6	- -	- -	- -	- -	2

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.12b. Hawaii admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	1,455	134	182	132	43	17	10	171	758	6	- -	- -	- -	- -	2
Gender															
Male	67.9	77.6	71.4	65.2	83.7	88.2	90.0	54.4	67.2	83.3	- -	- -	- -	- -	50.0
Female	32.1	22.4	28.6	34.8	16.3	11.8	10.0	45.6	32.8	16.7	- -	- -	- -	- -	50.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	- -	- -	100.0
No. of admissions	1,455	134	182	132	43	17	10	171	758	6	- -	- -	- -	- -	2
Age at admission															
12 years	0.3	- -	- -	- -	- -	- -	- -	1.8	- -	- -	- -	- -	- -	- -	50.0
13 years	1.0	0.7	0.5	- -	- -	- -	- -	5.8	0.3	- -	- -	- -	- -	- -	- -
14 years	1.6	0.7	1.1	- -	- -	- -	- -	10.5	0.3	- -	- -	- -	- -	- -	- -
15 years	2.1	0.7	2.2	- -	- -	- -	- -	13.5	0.4	- -	- -	- -	- -	- -	- -
16 years	3.1	- -	0.5	- -	- -	- -	10.0	21.6	0.7	- -	- -	- -	- -	- -	50.0
17 years	1.8	- -	1.6	- -	- -	5.9	10.0	9.4	0.7	- -	- -	- -	- -	- -	- -
18 years	0.6	- -	- -	- -	- -	- -	- -	4.1	0.3	- -	- -	- -	- -	- -	- -
19 years	0.2	- -	- -	- -	- -	- -	- -	1.2	0.1	- -	- -	- -	- -	- -	- -
20 years	1.0	- -	0.5	- -	- -	- -	- -	1.8	1.5	- -	- -	- -	- -	- -	- -
21 to 24 years	6.4	2.2	5.5	9.1	4.7	- -	20.0	3.5	7.5	16.7	- -	- -	- -	- -	- -
25 to 29 years	14.9	5.2	12.6	31.8	16.3	17.6	10.0	3.5	16.8	16.7	- -	- -	- -	- -	- -
30 to 34 years	14.8	6.0	12.1	22.7	18.6	29.4	30.0	8.8	16.1	33.3	- -	- -	- -	- -	- -
35 to 39 years	14.4	10.4	15.4	14.4	23.3	17.6	10.0	5.3	16.5	- -	- -	- -	- -	- -	- -
40 to 44 years	12.4	23.9	14.3	12.9	11.6	- -	- -	1.8	12.8	- -	- -	- -	- -	- -	- -
45 to 49 years	8.6	14.9	9.3	1.5	14.0	5.9	- -	3.5	9.6	- -	- -	- -	- -	- -	- -
50 to 54 years	8.5	13.4	14.3	2.3	2.3	- -	10.0	2.3	9.1	16.7	- -	- -	- -	- -	- -
55 to 59 years	4.8	11.2	6.6	2.3	2.3	5.9	- -	- -	5.0	- -	- -	- -	- -	- -	- -
60 to 64 years	2.3	4.5	2.7	1.5	2.3	5.9	- -	1.2	2.2	- -	- -	- -	- -	- -	- -
65 to 69 years	1.1	4.5	0.5	1.5	4.7	11.8	- -	- -	0.3	16.7	- -	- -	- -	- -	- -
70 to 74 years	0.1	0.7	- -	- -	- -	- -	- -	0.6	- -	- -	- -	- -	- -	- -	- -
75 years and older	0.1	0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	- -	- -	100.0
No. of admissions	1,455	134	182	132	43	17	10	171	758	6	- -	- -	- -	- -	2
Race															
American Indian or Alaska Native	1.4	0.7	2.8	2.3	4.7	- -	- -	0.6	1.2	- -	- -	- -	- -	- -	- -
Asian[1]	15.3	6.0	8.8	13.6	18.6	5.9	10.0	13.7	19.2	- -	- -	- -	- -	- -	50.0
Black or African American	2.1	0.7	2.8	2.3	- -	5.9	- -	4.8	1.6	- -	- -	- -	- -	- -	- -
Native Hawaiian or Other Pacific Islander	42.4	11.2	29.3	22.7	20.9	70.6	60.0	60.7	51.1	33.3	- -	- -	- -	- -	- -
White	34.1	75.4	49.7	51.5	48.8	11.8	20.0	16.1	23.7	50.0	- -	- -	- -	- -	50.0
Other	4.7	6.0	6.6	7.6	7.0	5.9	10.0	4.2	3.3	16.7	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	- -	- -	100.0
No. of admissions	1,449	134	181	132	43	17	10	168	756	6	- -	- -	- -	- -	2

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.13a. Illinois admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	36,211	6,145	5,606	9,553	1,471	1,707	885	5,473	4,576	315	29	57	113	4	277
Gender															
Male	24,111	4,324	4,073	6,196	791	1,004	610	3,993	2,687	178	16	47	61	4	127
Female	12,100	1,821	1,533	3,357	680	703	275	1,480	1,889	137	13	10	52	- -	150
No. of admissions	36,211	6,145	5,606	9,553	1,471	1,707	885	5,473	4,576	315	29	57	113	4	277
Age at admission															
12 years	6	2	- -	- -	- -	- -	- -	4	- -	- -	- -	- -	- -	- -	- -
13 years	35	1	2	- -	1	- -	1	28	- -	- -	- -	- -	- -	- -	2
14 years	102	4	4	- -	1	- -	- -	85	5	2	- -	- -	- -	- -	1
15 years	226	6	14	- -	3	- -	2	185	5	4	- -	2	- -	- -	5
16 years	341	9	19	1	1	1	2	281	13	6	1	3	- -	- -	4
17 years	429	7	13	4	4	- -	2	344	35	9	3	2	- -	- -	6
18 years	384	8	41	7	16	3	3	264	23	13	1	3	- -	- -	2
19 years	381	15	56	18	9	1	11	204	53	10	1	- -	- -	- -	3
20 years	486	23	60	22	16	10	10	236	84	17	2	1	3	- -	2
21 to 24 years	2,692	272	459	279	97	45	105	845	468	76	4	11	9	- -	22
25 to 29 years	5,485	704	855	1,202	286	110	189	1,111	875	79	2	23	18	3	28
30 to 34 years	5,899	920	953	1,452	321	182	131	800	1,024	30	6	6	30	1	43
35 to 39 years	4,996	964	851	1,166	295	199	128	469	821	30	3	4	35	- -	31
40 to 44 years	3,667	778	654	911	158	207	92	269	537	13	2	2	15	- -	29
45 to 49 years	3,178	681	454	1,136	100	222	73	153	330	5	1	- -	2	- -	21
50 to 54 years	3,070	573	548	1,262	56	265	59	98	175	6	1	- -	- -	- -	27
55 to 59 years	2,536	593	376	1,041	53	262	58	53	78	6	1	- -	1	- -	14
60 to 64 years	1,485	380	190	642	33	139	13	32	40	3	- -	- -	- -	- -	13
65 to 69 years	583	139	37	311	16	50	6	6	10	2	- -	- -	- -	- -	6
70 to 74 years	161	50	10	79	4	6	- -	3	- -	4	1	- -	- -	- -	4
75 years and older	69	16	10	20	1	5	- -	3	- -	- -	- -	- -	- -	- -	14
No. of admissions	36,211	6,145	5,606	9,553	1,471	1,707	885	5,473	4,576	315	29	57	113	4	277
Race															
American Indian or Alaska Native	128	25	20	27	8	9	2	18	12	3	- -	- -	- -	- -	4
Asian[1]	130	33	17	21	7	4	5	17	22	1	- -	- -	- -	- -	3
Black or African American	10,783	1,236	1,644	3,996	157	957	230	2,145	243	29	2	15	82	- -	47
Native Hawaiian or Other Pacific Islander	49	5	10	8	2	- -	1	12	11	- -	- -	- -	- -	- -	- -
White	20,909	4,019	3,355	4,541	1,177	611	478	2,298	3,968	249	26	33	11	4	139
Other	4,206	824	560	959	120	126	169	982	319	33	1	9	20	- -	84
No. of admissions	36,205	6,142	5,606	9,552	1,471	1,707	885	5,472	4,575	315	29	57	113	4	277

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.13b. Illinois admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	36,211	6,145	5,606	9,553	1,471	1,707	885	5,473	4,576	315	29	57	113	4	277
Gender															
Male	66.6	70.4	72.7	64.9	53.8	58.8	68.9	73.0	58.7	56.5	55.2	82.5	54.0	100.0	45.8
Female	33.4	29.6	27.3	35.1	46.2	41.2	31.1	27.0	41.3	43.5	44.8	17.5	46.0	- -	54.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	36,211	6,145	5,606	9,553	1,471	1,707	885	5,473	4,576	315	29	57	113	4	277
Age at admission															
12 years	*	*	- -	- -	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	*	*	- -	0.1	- -	0.1	0.5	- -	- -	- -	- -	- -	- -	0.7
14 years	0.3	0.1	0.1	- -	0.1	- -	- -	1.6	0.1	0.6	- -	- -	- -	- -	0.4
15 years	0.6	0.1	0.2	- -	0.2	- -	0.2	3.4	0.1	1.3	- -	3.5	- -	- -	1.8
16 years	0.9	0.1	0.3	*	0.1	0.1	0.2	5.1	0.3	1.9	3.4	5.3	- -	- -	1.4
17 years	1.2	0.1	0.2	*	0.3	- -	0.2	6.3	0.8	2.9	10.3	3.5	- -	- -	2.2
18 years	1.1	0.1	0.7	0.1	1.1	0.2	0.3	4.8	0.5	4.1	3.4	5.3	- -	- -	0.7
19 years	1.1	0.2	1.0	0.2	0.6	0.1	1.2	3.7	1.2	3.2	3.4	- -	- -	- -	1.1
20 years	1.3	0.4	1.1	0.2	1.1	0.6	1.1	4.3	1.8	5.4	6.9	1.8	2.7	- -	0.7
21 to 24 years	7.4	4.4	8.2	2.9	6.6	2.6	11.9	15.4	10.2	24.1	13.8	19.3	8.0	- -	7.9
25 to 29 years	15.1	11.5	15.3	12.6	19.4	6.4	21.4	20.3	19.1	25.1	6.9	40.4	15.9	75.0	10.1
30 to 34 years	16.3	15.0	17.0	15.2	21.8	10.7	14.8	14.6	22.4	9.5	20.7	10.5	26.5	25.0	15.5
35 to 39 years	13.8	15.7	15.2	12.2	20.1	11.7	14.5	8.6	17.9	9.5	10.3	7.0	31.0	- -	11.2
40 to 44 years	10.1	12.7	11.7	9.5	10.7	12.1	10.4	4.9	11.7	4.1	6.9	3.5	13.3	- -	10.5
45 to 49 years	8.8	11.1	8.1	11.9	6.8	13.0	8.2	2.8	7.2	1.6	3.4	- -	1.8	- -	7.6
50 to 54 years	8.5	9.3	9.8	13.2	3.8	15.5	6.7	1.8	3.8	1.9	3.4	- -	- -	- -	9.7
55 to 59 years	7.0	9.7	6.7	10.9	3.6	15.3	6.6	1.0	1.7	1.9	3.4	- -	0.9	- -	5.1
60 to 64 years	4.1	6.2	3.4	6.7	2.2	8.1	1.5	0.6	0.9	1.0	- -	- -	- -	- -	4.7
65 to 69 years	1.6	2.3	0.7	3.3	1.1	2.9	0.7	0.1	0.2	0.6	- -	- -	- -	- -	2.2
70 to 74 years	0.4	0.8	0.2	0.8	0.3	0.4	- -	0.1	- -	1.3	3.4	- -	- -	- -	1.4
75 years and older	0.2	0.3	0.2	0.2	0.1	0.3	- -	0.1	- -	- -	- -	- -	- -	- -	5.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	36,211	6,145	5,606	9,553	1,471	1,707	885	5,473	4,576	315	29	57	113	4	277
Race															
American Indian or Alaska Native	0.4	0.4	0.4	0.3	0.5	0.5	0.2	0.3	0.3	1.0	- -	- -	- -	- -	1.4
Asian[1]	0.4	0.5	0.3	0.2	0.5	0.2	0.6	0.3	0.5	0.3	- -	- -	- -	- -	1.1
Black or African American	29.8	20.1	29.3	41.8	10.7	56.1	26.0	39.2	5.3	9.2	6.9	26.3	72.6	- -	17.0
Native Hawaiian or Other Pacific Islander	0.1	0.1	0.2	0.1	0.1	- -	0.1	0.2	0.2	- -	- -	- -	- -	- -	- -
White	57.8	65.4	59.8	47.5	80.0	35.8	54.0	42.0	86.7	79.0	89.7	57.9	9.7	100.0	50.2
Other	11.6	13.4	10.0	10.0	8.2	7.4	19.1	17.9	7.0	10.5	3.4	15.8	17.7	- -	30.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	36,205	6,142	5,606	9,552	1,471	1,707	885	5,472	4,575	315	29	57	113	4	277

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.14a. Indiana admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	23,721	2,777	3,618	4,076	1,654	451	356	4,361	5,796	234	30	34	18	30	286
Gender															
Male	13,538	1,745	2,347	2,201	788	227	214	2,588	3,088	116	14	19	13	12	166
Female	10,183	1,032	1,271	1,875	866	224	142	1,773	2,708	118	16	15	5	18	120
No. of admissions	23,721	2,777	3,618	4,076	1,654	451	356	4,361	5,796	234	30	34	18	30	286
Age at admission															
12 years	6	1	- -	- -	- -	- -	- -	4	1	- -	- -	- -	- -	- -	- -
13 years	30	- -	4	- -	- -	- -	- -	25	- -	- -	- -	- -	- -	1	- -
14 years	41	4	4	- -	1	- -	- -	32	- -	- -	- -	- -	- -	- -	- -
15 years	99	5	15	- -	2	- -	- -	76	- -	- -	1	- -	- -	- -	- -
16 years	141	9	14	- -	1	- -	1	109	4	2	- -	- -	- -	- -	1
17 years	142	5	16	2	2	- -	- -	104	7	1	- -	3	- -	- -	2
18 years	154	8	16	7	6	1	- -	90	18	5	- -	2	- -	- -	1
19 years	340	22	24	21	9	- -	5	168	75	11	- -	- -	- -	- -	5
20 years	397	23	46	34	11	5	5	174	78	12	1	1	- -	1	6
21 to 24 years	2,220	149	259	363	102	5	32	719	520	32	2	2	1	8	26
25 to 29 years	4,584	325	586	1,088	299	30	64	919	1,155	40	7	12	2	8	49
30 to 34 years	4,553	370	581	1,081	359	32	58	683	1,256	49	4	3	6	4	67
35 to 39 years	3,625	349	549	672	327	47	46	469	1,070	34	4	7	5	3	43
40 to 44 years	2,536	338	423	362	213	55	46	326	712	17	2	4	1	2	35
45 to 49 years	1,836	312	381	214	136	79	35	206	428	13	5	- -	1	2	24
50 to 54 years	1,317	328	300	112	77	78	28	121	254	3	2	- -	2	- -	12
55 to 59 years	1,023	294	249	60	65	74	28	84	149	7	2	- -	- -	1	10
60 to 64 years	472	153	107	35	35	29	6	38	60	4	- -	- -	- -	- -	5
65 to 69 years	151	59	34	14	5	11	1	14	9	4	- -	- -	- -	- -	- -
70 to 74 years	41	16	9	7	3	5	1	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	13	7	1	4	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	23,721	2,777	3,618	4,076	1,654	451	356	4,361	5,796	234	30	34	18	30	286
Race															
American Indian or Alaska Native	76	10	17	12	2	2	1	14	13	1	1	- -	- -	- -	3
Asian[1]	52	11	4	10	3	4	2	11	6	1	- -	- -	- -	- -	- -
Black or African American	2,816	419	594	217	97	230	123	909	158	15	- -	6	13	5	30
Native Hawaiian or Other Pacific Islander	31	3	4	2	5	- -	1	8	7	- -	- -	- -	- -	- -	1
White	19,058	2,087	2,720	3,570	1,418	187	191	3,033	5,341	196	28	25	3	16	243
Other	1,367	220	238	196	110	23	31	316	194	18	1	2	1	8	9
No. of admissions	23,400	2,750	3,577	4,007	1,635	446	349	4,291	5,719	231	30	33	17	29	286

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.14b. Indiana admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	23,721	2,777	3,618	4,076	1,654	451	356	4,361	5,796	234	30	34	18	30	286
Gender															
Male	57.1	62.8	64.9	54.0	47.6	50.3	60.1	59.3	53.3	49.6	46.7	55.9	72.2	40.0	58.0
Female	42.9	37.2	35.1	46.0	52.4	49.7	39.9	40.7	46.7	50.4	53.3	44.1	27.8	60.0	42.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	23,721	2,777	3,618	4,076	1,654	451	356	4,361	5,796	234	30	34	18	30	286
Age at admission															
12 years	*	*	- -	- -	- -	- -	- -	0.1	*	- -	- -	- -	- -	- -	- -
13 years	0.1	- -	0.1	- -	- -	- -	- -	0.6	- -	- -	- -	- -	- -	3.3	- -
14 years	0.2	0.1	0.1	- -	0.1	- -	- -	0.7	- -	- -	- -	- -	- -	- -	- -
15 years	0.4	0.2	0.4	- -	0.1	- -	- -	1.7	- -	- -	3.3	- -	- -	- -	- -
16 years	0.6	0.3	0.4	- -	0.1	- -	0.3	2.5	0.1	0.9	- -	- -	- -	- -	0.3
17 years	0.6	0.2	0.4	*	0.1	- -	- -	2.4	0.1	0.4	- -	8.8	- -	- -	0.7
18 years	0.6	0.3	0.4	0.2	0.4	0.2	- -	2.1	0.3	2.1	- -	5.9	- -	- -	0.3
19 years	1.4	0.8	0.7	0.5	0.5	- -	1.4	3.9	1.3	4.7	- -	- -	- -	- -	1.7
20 years	1.7	0.8	1.3	0.8	0.7	1.1	1.4	4.0	1.3	5.1	3.3	2.9	- -	3.3	2.1
21 to 24 years	9.4	5.4	7.2	8.9	6.2	1.1	9.0	16.5	9.0	13.7	6.7	5.9	5.6	26.7	9.1
25 to 29 years	19.3	11.7	16.2	26.7	18.1	6.7	18.0	21.1	19.9	17.1	23.3	35.3	11.1	26.7	17.1
30 to 34 years	19.2	13.3	16.1	26.5	21.7	7.1	16.3	15.7	21.7	20.9	13.3	8.8	33.3	13.3	23.4
35 to 39 years	15.3	12.6	15.2	16.5	19.8	10.4	12.9	10.8	18.5	14.5	13.3	20.6	27.8	10.0	15.0
40 to 44 years	10.7	12.2	11.7	8.9	12.9	12.2	12.9	7.5	12.3	7.3	6.7	11.8	5.6	6.7	12.2
45 to 49 years	7.7	11.2	10.5	5.3	8.2	17.5	9.8	4.7	7.4	5.6	16.7	- -	5.6	6.7	8.4
50 to 54 years	5.6	11.8	8.3	2.7	4.7	17.3	7.9	2.8	4.4	1.3	6.7	- -	11.1	- -	4.2
55 to 59 years	4.3	10.6	6.9	1.5	3.9	16.4	7.9	1.9	2.6	3.0	6.7	- -	- -	3.3	3.5
60 to 64 years	2.0	5.5	3.0	0.9	2.1	6.4	1.7	0.9	1.0	1.7	- -	- -	- -	- -	1.7
65 to 69 years	0.6	2.1	0.9	0.3	0.3	2.4	0.3	0.3	0.2	1.7	- -	- -	- -	- -	- -
70 to 74 years	0.2	0.6	0.2	0.2	0.2	1.1	0.3	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	0.1	0.3	*	0.1	0.1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	23,721	2,777	3,618	4,076	1,654	451	356	4,361	5,796	234	30	34	18	30	286
Race															
American Indian or Alaska Native	0.3	0.4	0.5	0.3	0.1	0.4	0.3	0.3	0.2	0.4	3.3	- -	- -	- -	1.0
Asian[1]	0.2	0.4	0.1	0.2	0.2	0.9	0.6	0.3	0.1	0.4	- -	- -	- -	- -	- -
Black or African American	12.0	15.2	16.6	5.4	5.9	51.6	35.2	21.2	2.8	6.5	- -	18.2	76.5	17.2	10.5
Native Hawaiian or Other Pacific Islander	0.1	0.1	0.1	*	0.3	- -	0.3	0.2	0.1	- -	- -	- -	- -	- -	0.3
White	81.4	75.9	76.0	89.1	86.7	41.9	54.7	70.7	93.4	84.8	93.3	75.8	17.6	55.2	85.0
Other	5.8	8.0	6.7	4.9	6.7	5.2	8.9	7.4	3.4	7.8	3.3	6.1	5.9	27.6	3.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	23,400	2,750	3,577	4,007	1,635	446	349	4,291	5,719	231	30	33	17	29	286

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.15a. Iowa admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	24,120	5,579	3,889	983	843	155	191	4,788	7,351	123	24	44	4	15	131
Gender															
Male	15,145	3,791	2,718	559	441	80	119	3,193	4,034	66	17	33	3	8	83
Female	8,950	1,783	1,168	424	401	75	72	1,590	3,306	57	7	11	1	7	48
No. of admissions	24,095	5,574	3,886	983	842	155	191	4,783	7,340	123	24	44	4	15	131
Age at admission															
12 years	8	- -	- -	- -	- -	- -	- -	7	- -	- -	- -	- -	- -	- -	1
13 years	42	- -	6	- -	- -	- -	- -	34	- -	- -	- -	- -	- -	- -	2
14 years	156	3	20	- -	1	- -	- -	123	3	2	- -	- -	- -	1	3
15 years	273	7	38	- -	6	- -	1	201	10	- -	- -	1	- -	1	8
16 years	461	23	55	1	3	- -	2	353	14	3	1	1	- -	- -	5
17 years	467	32	73	- -	5	- -	4	316	20	8	3	3	- -	- -	3
18 years	266	17	40	- -	5	- -	1	171	24	5	- -	2	- -	- -	1
19 years	410	31	49	4	6	1	2	226	76	9	2	2	- -	- -	2
20 years	521	61	82	9	18	2	5	235	89	10	2	3	- -	2	3
21 to 24 years	2,431	347	455	94	70	2	29	757	631	19	7	6	- -	3	11
25 to 29 years	3,973	637	645	255	147	11	40	766	1,412	28	3	5	- -	1	23
30 to 34 years	3,986	765	681	234	181	8	36	524	1,518	15	1	6	- -	2	15
35 to 39 years	3,616	773	563	160	143	19	17	417	1,499	5	- -	8	1	- -	11
40 to 44 years	2,501	652	396	76	86	25	16	289	934	4	2	3	2	2	14
45 to 49 years	1,605	581	251	55	45	25	15	129	483	5	- -	3	1	2	10
50 to 54 years	1,419	577	225	38	50	36	11	121	347	2	2	1	- -	- -	9
55 to 59 years	1,061	524	178	36	35	16	6	65	190	5	- -	- -	- -	1	5
60 to 64 years	622	340	104	12	20	8	5	44	82	3	- -	- -	- -	- -	4
65 to 69 years	220	147	25	9	10	1	- -	9	17	- -	1	- -	- -	- -	1
70 to 74 years	64	47	3	- -	10	1	1	1	1	- -	- -	- -	- -	- -	- -
75 years and older	18	15	- -	- -	2	- -	- -	- -	1	- -	- -	- -	- -	- -	- -
No. of admissions	24,120	5,579	3,889	983	843	155	191	4,788	7,351	123	24	44	4	15	131
Race															
American Indian or Alaska Native	441	79	80	6	6	1	3	73	185	- -	1	1	- -	2	4
Asian[1]	108	33	19	4	5	1	- -	27	16	2	- -	- -	- -	- -	1
Black or African American	1,967	313	356	86	45	73	46	794	224	1	2	11	3	3	10
Native Hawaiian or Other Pacific Islander	35	11	7	- -	- -	1	- -	5	11	- -	- -	- -	- -	- -	- -
White	20,437	4,934	3,228	856	761	76	131	3,549	6,640	104	21	28	1	10	98
Other	228	26	48	4	7	3	2	74	55	5	- -	2	- -	- -	2
No. of admissions	23,216	5,396	3,738	956	824	155	182	4,522	7,131	112	24	42	4	15	115

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.15b. Iowa admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	24,120	5,579	3,889	983	843	155	191	4,788	7,351	123	24	44	4	15	131
Gender															
Male	62.9	68.0	69.9	56.9	52.4	51.6	62.3	66.8	55.0	53.7	70.8	75.0	75.0	53.3	63.4
Female	37.1	32.0	30.1	43.1	47.6	48.4	37.7	33.2	45.0	46.3	29.2	25.0	25.0	46.7	36.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	24,095	5,574	3,886	983	842	155	191	4,783	7,340	123	24	44	4	15	131
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -	0.8
13 years	0.2	- -	0.2	- -	- -	- -	- -	0.7	- -	- -	- -	- -	- -	- -	1.5
14 years	0.6	0.1	0.5	- -	0.1	- -	- -	2.6	*	1.6	- -	- -	- -	6.7	2.3
15 years	1.1	0.1	1.0	- -	0.7	- -	0.5	4.2	0.1	- -	- -	2.3	- -	6.7	6.1
16 years	1.9	0.4	1.4	0.1	0.4	- -	1.0	7.4	0.2	2.4	4.2	2.3	- -	- -	3.8
17 years	1.9	0.6	1.9	- -	0.6	- -	2.1	6.6	0.3	6.5	12.5	6.8	- -	- -	2.3
18 years	1.1	0.3	1.0	- -	0.6	- -	0.5	3.6	0.3	4.1	- -	4.5	- -	- -	0.8
19 years	1.7	0.6	1.3	0.4	0.7	0.6	1.0	4.7	1.0	7.3	8.3	4.5	- -	- -	1.5
20 years	2.2	1.1	2.1	0.9	2.1	1.3	2.6	4.9	1.2	8.1	8.3	6.8	- -	13.3	2.3
21 to 24 years	10.1	6.2	11.7	9.6	8.3	1.3	15.2	15.8	8.6	15.4	29.2	13.6	- -	20.0	8.4
25 to 29 years	16.5	11.4	16.6	25.9	17.4	7.1	20.9	16.0	19.2	22.8	12.5	11.4	- -	6.7	17.6
30 to 34 years	16.5	13.7	17.5	23.8	21.5	5.2	18.8	10.9	20.7	12.2	4.2	13.6	- -	13.3	11.5
35 to 39 years	15.0	13.9	14.5	16.3	17.0	12.3	8.9	8.7	20.4	4.1	- -	18.2	25.0	- -	8.4
40 to 44 years	10.4	11.7	10.2	7.7	10.2	16.1	8.4	6.0	12.7	3.3	8.3	6.8	50.0	13.3	10.7
45 to 49 years	6.7	10.4	6.5	5.6	5.3	16.1	7.9	2.7	6.6	4.1	- -	6.8	25.0	13.3	7.6
50 to 54 years	5.9	10.3	5.8	3.9	5.9	23.2	5.8	2.5	4.7	1.6	8.3	2.3	- -	- -	6.9
55 to 59 years	4.4	9.4	4.6	3.7	4.2	10.3	3.1	1.4	2.6	4.1	- -	- -	- -	6.7	3.8
60 to 64 years	2.6	6.1	2.7	1.2	2.4	5.2	2.6	0.9	1.1	2.4	- -	- -	- -	- -	3.1
65 to 69 years	0.9	2.6	0.6	0.9	1.2	0.6	- -	0.2	0.2	- -	4.2	- -	- -	- -	0.8
70 to 74 years	0.3	0.8	0.1	- -	1.2	0.6	0.5	*	*	- -	- -	- -	- -	- -	- -
75 years and older	0.1	0.3	- -	- -	0.2	- -	- -	- -	*	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	24,120	5,579	3,889	983	843	155	191	4,788	7,351	123	24	44	4	15	131
Race															
American Indian or Alaska Native	1.9	1.5	2.1	0.6	0.7	0.6	1.6	1.6	2.6	- -	4.2	2.4	- -	13.3	3.5
Asian[1]	0.5	0.6	0.5	0.4	0.6	0.6	- -	0.6	0.2	1.8	- -	- -	- -	- -	0.9
Black or African American	8.5	5.8	9.5	9.0	5.5	47.1	25.3	17.6	3.1	0.9	8.3	26.2	75.0	20.0	8.7
Native Hawaiian or Other Pacific Islander	0.2	0.2	0.2	- -	- -	0.6	- -	0.1	0.2	- -	- -	- -	- -	- -	- -
White	88.0	91.4	86.4	89.5	92.4	49.0	72.0	78.5	93.1	92.9	87.5	66.7	25.0	66.7	85.2
Other	1.0	0.5	1.3	0.4	0.8	1.9	1.1	1.6	0.8	4.5	- -	4.8	- -	- -	1.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	23,216	5,396	3,738	956	824	155	182	4,522	7,131	112	24	42	4	15	115

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.16a. Kansas admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	11,089	1,905	1,193	255	400	212	112	1,566	4,352	47	22	14	23	3	985
Gender															
Male	5,965	1,246	660	109	193	80	65	959	1,947	19	11	10	11	2	653
Female	5,122	659	533	145	207	132	47	607	2,404	28	11	4	12	1	332
No. of admissions	11,087	1,905	1,193	254	400	212	112	1,566	4,351	47	22	14	23	3	985
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	15	- -	- -	- -	- -	- -	- -	14	1	- -	- -	- -	- -	- -	- -
14 years	65	1	2	- -	1	- -	- -	45	14	- -	- -	- -	- -	- -	2
15 years	107	1	4	- -	1	- -	- -	81	10	1	2	1	- -	- -	6
16 years	152	1	8	- -	2	2	1	126	7	1	4	- -	- -	- -	- -
17 years	190	3	13	- -	4	- -	- -	132	21	2	6	3	- -	- -	6
18 years	128	4	8	1	1	- -	1	82	21	3	3	- -	- -	- -	4
19 years	136	8	11	- -	8	- -	4	50	40	3	- -	3	- -	- -	9
20 years	176	16	24	2	7	1	- -	61	51	1	- -	- -	- -	- -	13
21 to 24 years	962	87	132	20	29	7	15	217	363	5	3	2	- -	- -	82
25 to 29 years	1,785	201	210	61	81	10	25	242	783	8	- -	1	3	- -	160
30 to 34 years	2,120	310	199	82	101	18	27	202	985	5	- -	1	5	3	182
35 to 39 years	1,825	267	191	44	75	21	20	132	874	6	1	- -	8	- -	186
40 to 44 years	1,205	258	131	21	25	32	8	80	521	4	3	1	5	- -	116
45 to 49 years	772	214	82	12	27	29	3	36	288	3	- -	2	1	- -	75
50 to 54 years	652	192	95	5	17	40	2	32	201	1	- -	- -	1	- -	66
55 to 59 years	470	178	47	4	14	27	3	22	127	- -	- -	- -	- -	- -	48
60 to 64 years	225	104	28	3	5	14	2	9	39	1	- -	- -	- -	- -	20
65 to 69 years	86	47	7	- -	2	9	1	3	5	3	- -	- -	- -	- -	9
70 to 74 years	12	8	- -	- -	- -	2	- -	- -	1	- -	- -	- -	- -	- -	1
75 years and older	6	5	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	11,089	1,905	1,193	255	400	212	112	1,566	4,352	47	22	14	23	3	985
Race															
American Indian or Alaska Native	272	60	39	7	7	2	1	23	119	1	- -	1	1	- -	11
Asian[1]	45	8	- -	1	2	1	3	3	23	- -	- -	- -	- -	- -	4
Black or African American	1,027	166	116	5	23	106	44	253	234	3	2	3	19	- -	53
Native Hawaiian or Other Pacific Islander	20	1	2	- -	- -	- -	- -	4	10	- -	1	- -	- -	- -	2
White	6,902	1,296	747	182	286	69	36	887	3,039	34	17	6	2	2	299
Other	628	118	94	19	20	11	15	135	203	1	2	1	- -	1	8
No. of admissions	8,894	1,649	998	214	338	189	99	1,305	3,628	39	22	11	22	3	377

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.16b. Kansas admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	11,089	1,905	1,193	255	400	212	112	1,566	4,352	47	22	14	23	3	985
Gender															
Male	53.8	65.4	55.3	42.9	48.3	37.7	58.0	61.2	44.7	40.4	50.0	71.4	47.8	66.7	66.3
Female	46.2	34.6	44.7	57.1	51.8	62.3	42.0	38.8	55.3	59.6	50.0	28.6	52.2	33.3	33.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	11,087	1,905	1,193	254	400	212	112	1,566	4,351	47	22	14	23	3	985
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	- -	- -	- -	- -	- -	- -	0.9	*	- -	- -	- -	- -	- -	- -
14 years	0.6	0.1	0.2	- -	0.3	- -	- -	2.9	0.3	- -	- -	- -	- -	- -	0.2
15 years	1.0	0.1	0.3	- -	0.3	- -	- -	5.2	0.2	2.1	9.1	7.1	- -	- -	0.6
16 years	1.4	0.1	0.7	- -	0.5	0.9	0.9	8.0	0.2	2.1	18.2	- -	- -	- -	- -
17 years	1.7	0.2	1.1	- -	1.0	- -	- -	8.4	0.5	4.3	27.3	21.4	- -	- -	0.6
18 years	1.2	0.2	0.7	0.4	0.3	- -	0.9	5.2	0.5	6.4	13.6	- -	- -	- -	0.4
19 years	1.2	0.4	0.9	- -	2.0	- -	3.6	3.2	0.9	6.4	- -	21.4	- -	- -	0.9
20 years	1.6	0.8	2.0	0.8	1.8	0.5	- -	3.9	1.2	2.1	- -	- -	- -	- -	1.3
21 to 24 years	8.7	4.6	11.1	7.8	7.3	3.3	13.4	13.9	8.3	10.6	13.6	14.3	- -	- -	8.3
25 to 29 years	16.1	10.6	17.6	23.9	20.3	4.7	22.3	15.5	18.0	17.0	- -	7.1	13.0	- -	16.2
30 to 34 years	19.1	16.3	16.7	32.2	25.3	8.5	24.1	12.9	22.6	10.6	- -	7.1	21.7	100.0	18.5
35 to 39 years	16.5	14.0	16.0	17.3	18.8	9.9	17.9	8.4	20.1	12.8	4.5	- -	34.8	- -	18.9
40 to 44 years	10.9	13.5	11.0	8.2	6.3	15.1	7.1	5.1	12.0	8.5	13.6	7.1	21.7	- -	11.8
45 to 49 years	7.0	11.2	6.9	4.7	6.8	13.7	2.7	2.3	6.6	6.4	- -	14.3	4.3	- -	7.6
50 to 54 years	5.9	10.1	8.0	2.0	4.3	18.9	1.8	2.0	4.6	2.1	- -	- -	4.3	- -	6.7
55 to 59 years	4.2	9.3	3.9	1.6	3.5	12.7	2.7	1.4	2.9	- -	- -	- -	- -	- -	4.9
60 to 64 years	2.0	5.5	2.3	1.2	1.3	6.6	1.8	0.6	0.9	2.1	- -	- -	- -	- -	2.0
65 to 69 years	0.8	2.5	0.6	- -	0.5	4.2	0.9	0.2	0.1	6.4	- -	- -	- -	- -	0.9
70 to 74 years	0.1	0.4	- -	- -	- -	0.9	- -	- -	*	- -	- -	- -	- -	- -	0.1
75 years and older	0.1	0.3	0.1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	11,089	1,905	1,193	255	400	212	112	1,566	4,352	47	22	14	23	3	985
Race															
American Indian or Alaska Native	3.1	3.6	3.9	3.3	2.1	1.1	1.0	1.8	3.3	2.6	- -	9.1	4.5	- -	2.9
Asian[1]	0.5	0.5	- -	0.5	0.6	0.5	3.0	0.2	0.6	- -	- -	- -	- -	- -	1.1
Black or African American	11.5	10.1	11.6	2.3	6.8	56.1	44.4	19.4	6.4	7.7	9.1	27.3	86.4	- -	14.1
Native Hawaiian or Other Pacific Islander	0.2	0.1	0.2	- -	- -	- -	- -	0.3	0.3	- -	4.5	- -	- -	- -	0.5
White	77.6	78.6	74.8	85.0	84.6	36.5	36.4	68.0	83.8	87.2	77.3	54.5	9.1	66.7	79.3
Other	7.1	7.2	9.4	8.9	5.9	5.8	15.2	10.3	5.6	2.6	9.1	9.1	- -	33.3	2.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	8,894	1,649	998	214	338	189	99	1,305	3,628	39	22	11	22	3	377

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.17a. Kentucky admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	18,467	2,090	1,775	3,177	2,352	585	288	2,233	4,963	209	40	20	7	8	720
Gender															
Male	11,336	1,553	1,248	1,887	1,218	356	179	1,372	2,939	111	24	11	4	4	430
Female	7,120	536	527	1,289	1,132	229	108	861	2,021	98	16	9	3	4	287
No. of admissions	18,456	2,089	1,775	3,176	2,350	585	287	2,233	4,960	209	40	20	7	8	717
Age at admission															
12 years	1	- -	- -	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -
13 years	6	- -	- -	- -	1	- -	- -	4	1	- -	- -	- -	- -	- -	- -
14 years	19	1	2	- -	- -	- -	- -	14	- -	- -	- -	- -	- -	- -	2
15 years	37	3	5	- -	2	- -	1	23	- -	1	- -	- -	- -	1	1
16 years	47	- -	2	- -	1	- -	- -	34	5	- -	1	2	- -	- -	2
17 years	61	4	5	1	1	- -	2	43	3	- -	1	1	- -	- -	- -
18 years	80	7	2	4	2	2	- -	41	17	2	- -	- -	- -	- -	3
19 years	136	11	6	7	7	- -	3	51	39	4	- -	2	- -	- -	6
20 years	245	19	18	16	11	1	2	83	80	6	1	- -	- -	- -	8
21 to 24 years	1,325	96	89	205	76	11	17	336	432	12	2	2	1	1	45
25 to 29 years	2,947	213	184	667	329	31	34	429	878	38	7	6	- -	- -	131
30 to 34 years	3,527	232	261	854	504	46	50	365	1,038	39	5	1	1	2	129
35 to 39 years	3,210	295	267	629	500	74	47	298	931	36	7	1	3	2	120
40 to 44 years	2,461	261	278	373	346	88	50	195	723	29	4	1	2	- -	111
45 to 49 years	1,568	211	206	194	219	98	32	121	399	11	3	1	- -	- -	73
50 to 54 years	1,240	274	159	105	166	99	20	105	235	19	4	2	- -	- -	52
55 to 59 years	932	260	171	79	109	73	21	53	132	4	4	1	- -	1	24
60 to 64 years	476	149	102	31	47	55	9	27	44	4	- -	- -	- -	1	7
65 to 69 years	111	35	16	8	25	5	- -	10	4	4	- -	- -	- -	- -	4
70 to 74 years	30	14	2	3	5	2	- -	1	1	- -	1	- -	- -	- -	1
75 years and older	8	5	- -	1	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1
No. of admissions	18,467	2,090	1,775	3,177	2,352	585	288	2,233	4,963	209	40	20	7	8	720
Race															
American Indian or Alaska Native	48	7	7	7	2	1	- -	11	11	- -	1	- -	- -	- -	1
Asian[1]	14	3	- -	1	3	- -	- -	3	3	- -	- -	- -	- -	- -	1
Black or African American	2,239	253	420	361	73	381	112	291	243	15	3	2	4	- -	81
Native Hawaiian or Other Pacific Islander	25	6	1	3	1	- -	- -	9	5	- -	- -	- -	- -	- -	- -
White	14,528	1,671	1,206	2,470	2,036	163	137	1,680	4,341	178	34	14	3	7	588
Other	1,609	150	141	335	237	40	39	238	358	16	2	4	- -	1	48
No. of admissions	18,463	2,090	1,775	3,177	2,352	585	288	2,232	4,961	209	40	20	7	8	719

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.17b. Kentucky admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	18,467	2,090	1,775	3,177	2,352	585	288	2,233	4,963	209	40	20	7	8	720
Gender															
Male	61.4	74.3	70.3	59.4	51.8	60.9	62.4	61.4	59.3	53.1	60.0	55.0	57.1	50.0	60.0
Female	38.6	25.7	29.7	40.6	48.2	39.1	37.6	38.6	40.7	46.9	40.0	45.0	42.9	50.0	40.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	18,456	2,089	1,775	3,176	2,350	585	287	2,233	4,960	209	40	20	7	8	717
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	- -	*	- -	- -	- -	- -	- -	- -
13 years	*	- -	- -	- -	*	- -	- -	0.2	*	- -	- -	- -	- -	- -	- -
14 years	0.1	*	0.1	- -	- -	- -	- -	0.6	- -	- -	- -	- -	- -	- -	0.3
15 years	0.2	0.1	0.3	- -	0.1	- -	0.3	1.0	- -	0.5	- -	- -	- -	12.5	0.1
16 years	0.3	- -	0.1	- -	*	- -	- -	1.5	0.1	- -	2.5	10.0	- -	- -	0.3
17 years	0.3	0.2	0.3	*	*	- -	0.7	1.9	0.1	- -	2.5	5.0	- -	- -	- -
18 years	0.4	0.3	0.1	0.1	0.1	0.3	- -	1.8	0.3	1.0	- -	- -	- -	- -	0.4
19 years	0.7	0.5	0.3	0.2	0.3	- -	1.0	2.3	0.8	1.9	- -	10.0	- -	- -	0.8
20 years	1.3	0.9	1.0	0.5	0.5	0.2	0.7	3.7	1.6	2.9	2.5	- -	- -	- -	1.1
21 to 24 years	7.2	4.6	5.0	6.5	3.2	1.9	5.9	15.0	8.7	5.7	5.0	10.0	14.3	12.5	6.3
25 to 29 years	16.0	10.2	10.4	21.0	14.0	5.3	11.8	19.2	17.7	18.2	17.5	30.0	- -	- -	18.2
30 to 34 years	19.1	11.1	14.7	26.9	21.4	7.9	17.4	16.3	20.9	18.7	12.5	5.0	14.3	25.0	17.9
35 to 39 years	17.4	14.1	15.0	19.8	21.3	12.6	16.3	13.3	18.8	17.2	17.5	5.0	42.9	25.0	16.7
40 to 44 years	13.3	12.5	15.7	11.7	14.7	15.0	17.4	8.7	14.6	13.9	10.0	5.0	28.6	- -	15.4
45 to 49 years	8.5	10.1	11.6	6.1	9.3	16.8	11.1	5.4	8.0	5.3	7.5	5.0	- -	- -	10.1
50 to 54 years	6.7	13.1	9.0	3.3	7.1	16.9	6.9	4.7	4.7	9.1	10.0	10.0	- -	- -	7.2
55 to 59 years	5.0	12.4	9.6	2.5	4.6	12.5	7.3	2.4	2.7	1.9	10.0	5.0	- -	12.5	3.3
60 to 64 years	2.6	7.1	5.7	1.0	2.0	9.4	3.1	1.2	0.9	1.9	- -	- -	- -	12.5	1.0
65 to 69 years	0.6	1.7	0.9	0.3	1.1	0.9	- -	0.4	0.1	1.9	- -	- -	- -	- -	0.6
70 to 74 years	0.2	0.7	0.1	0.1	0.2	0.3	- -	*	*	- -	2.5	- -	- -	- -	0.1
75 years and older	*	0.2	- -	*	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	18,467	2,090	1,775	3,177	2,352	585	288	2,233	4,963	209	40	20	7	8	720
Race															
American Indian or Alaska Native	0.3	0.3	0.4	0.2	0.1	0.2	- -	0.5	0.2	- -	2.5	- -	- -	- -	0.1
Asian[1]	0.1	0.1	- -	*	0.1	- -	- -	0.1	0.1	- -	- -	- -	- -	- -	0.1
Black or African American	12.1	12.1	23.7	11.4	3.1	65.1	38.9	13.0	4.9	7.2	7.5	10.0	57.1	- -	11.3
Native Hawaiian or Other Pacific Islander	0.1	0.3	0.1	0.1	*	- -	- -	0.4	0.1	- -	- -	- -	- -	- -	- -
White	78.7	80.0	67.9	77.7	86.6	27.9	47.6	75.3	87.5	85.2	85.0	70.0	42.9	87.5	81.8
Other	8.7	7.2	7.9	10.5	10.1	6.8	13.5	10.7	7.2	7.7	5.0	20.0	- -	12.5	6.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	18,463	2,090	1,775	3,177	2,352	585	288	2,232	4,961	209	40	20	7	8	719

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.18a. Louisiana admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	12,812	821	1,015	1,039	519	542	198	1,254	2,175	81	31	26	34	4	5,073
Gender															
Male	7,633	572	681	670	302	345	150	726	1,312	43	17	23	28	2	2,762
Female	5,174	249	334	369	217	197	48	528	861	38	14	3	6	2	2,308
No. of admissions	12,807	821	1,015	1,039	519	542	198	1,254	2,173	81	31	26	34	4	5,070
Age at admission															
12 years	7	- -	- -	- -	- -	- -	- -	1	1	- -	- -	- -	- -	- -	5
13 years	12	- -	- -	- -	- -	- -	- -	7	- -	1	- -	- -	- -	- -	4
14 years	59	- -	1	- -	1	- -	- -	31	3	- -	- -	1	- -	- -	22
15 years	100	- -	3	1	2	- -	1	59	5	- -	1	1	- -	- -	27
16 years	117	- -	2	1	2	- -	- -	67	6	- -	- -	- -	- -	1	38
17 years	126	- -	3	4	2	- -	- -	62	11	2	2	1	- -	- -	39
18 years	103	3	5	2	4	1	1	40	11	1	1	2	- -	- -	32
19 years	142	3	3	11	4	2	- -	37	21	5	1	- -	- -	- -	55
20 years	187	5	8	17	4	1	1	54	32	5	1	1	- -	- -	58
21 to 24 years	974	22	64	86	29	12	8	182	190	3	2	1	- -	- -	375
25 to 29 years	1,840	71	111	199	91	25	17	228	383	15	8	7	- -	1	684
30 to 34 years	2,238	100	139	273	139	28	31	186	487	11	5	6	8	1	824
35 to 39 years	2,036	117	162	211	90	51	45	115	412	12	4	3	15	- -	799
40 to 44 years	1,447	94	136	131	53	59	30	79	301	11	2	1	8	- -	542
45 to 49 years	985	92	107	47	35	55	20	31	160	3	2	2	2	1	428
50 to 54 years	968	111	122	30	28	115	14	28	77	3	1	- -	- -	- -	439
55 to 59 years	829	121	98	18	19	101	17	25	55	6	- -	- -	- -	- -	369
60 to 64 years	437	49	39	7	12	69	11	15	16	2	1	- -	1	- -	215
65 to 69 years	149	24	12	1	3	21	2	6	4	1	- -	- -	- -	- -	75
70 to 74 years	42	8	- -	- -	- -	1	- -	1	- -	- -	- -	- -	- -	- -	32
75 years and older	14	1	- -	- -	1	1	- -	- -	- -	- -	- -	- -	- -	- -	11
No. of admissions	12,812	821	1,015	1,039	519	542	198	1,254	2,175	81	31	26	34	4	5,073
Race															
American Indian or Alaska Native	144	6	11	11	5	4	- -	14	34	2	2	- -	- -	- -	55
Asian[1]	34	3	2	4	3	- -	1	1	2	- -	- -	- -	- -	- -	18
Black or African American	4,268	250	408	203	119	425	146	587	346	16	6	14	31	2	1,715
Native Hawaiian or Other Pacific Islander	18	2	1	2	- -	- -	1	2	1	1	- -	- -	- -	- -	8
White	7,812	527	570	791	375	105	48	581	1,743	61	23	12	2	2	2,972
Other	220	16	10	19	9	7	- -	38	28	1	- -	- -	- -	- -	92
No. of admissions	12,496	804	1,002	1,030	511	541	196	1,223	2,154	81	31	26	33	4	4,860

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.18b. Louisiana admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	12,812	821	1,015	1,039	519	542	198	1,254	2,175	81	31	26	34	4	5,073
Gender															
Male	59.6	69.7	67.1	64.5	58.2	63.7	75.8	57.9	60.4	53.1	54.8	88.5	82.4	50.0	54.5
Female	40.4	30.3	32.9	35.5	41.8	36.3	24.2	42.1	39.6	46.9	45.2	11.5	17.6	50.0	45.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	12,807	821	1,015	1,039	519	542	198	1,254	2,173	81	31	26	34	4	5,070
Age at admission															
12 years	0.1	- -	- -	- -	- -	- -	- -	0.1	*	- -	- -	- -	- -	- -	0.1
13 years	0.1	- -	- -	- -	- -	- -	- -	0.6	- -	1.2	- -	- -	- -	- -	0.1
14 years	0.5	- -	0.1	- -	0.2	- -	- -	2.5	0.1	- -	- -	3.8	- -	- -	0.4
15 years	0.8	- -	0.3	0.1	0.4	- -	0.5	4.7	0.2	- -	3.2	3.8	- -	- -	0.5
16 years	0.9	- -	0.2	0.1	0.4	- -	- -	5.3	0.3	- -	- -	- -	- -	25.0	0.7
17 years	1.0	- -	0.3	0.4	0.4	- -	- -	4.9	0.5	2.5	6.5	3.8	- -	- -	0.8
18 years	0.8	0.4	0.5	0.2	0.8	0.2	0.5	3.2	0.5	1.2	3.2	7.7	- -	- -	0.6
19 years	1.1	0.4	0.3	1.1	0.8	0.4	- -	3.0	1.0	6.2	3.2	- -	- -	- -	1.1
20 years	1.5	0.6	0.8	1.6	0.8	0.2	0.5	4.3	1.5	6.2	3.2	3.8	- -	- -	1.1
21 to 24 years	7.6	2.7	6.3	8.3	5.6	2.2	4.0	14.5	8.7	3.7	6.5	3.8	- -	- -	7.4
25 to 29 years	14.4	8.6	10.9	19.2	17.5	4.6	8.6	18.2	17.6	18.5	25.8	26.9	- -	25.0	13.5
30 to 34 years	17.5	12.2	13.7	26.3	26.8	5.2	15.7	14.8	22.4	13.6	16.1	23.1	23.5	25.0	16.2
35 to 39 years	15.9	14.3	16.0	20.3	17.3	9.4	22.7	9.2	18.9	14.8	12.9	11.5	44.1	- -	15.8
40 to 44 years	11.3	11.4	13.4	12.6	10.2	10.9	15.2	6.3	13.8	13.6	6.5	3.8	23.5	- -	10.7
45 to 49 years	7.7	11.2	10.5	4.5	6.7	10.1	10.1	2.5	7.4	3.7	6.5	7.7	5.9	25.0	8.4
50 to 54 years	7.6	13.5	12.0	2.9	5.4	21.2	7.1	2.2	3.5	3.7	3.2	- -	- -	- -	8.7
55 to 59 years	6.5	14.7	9.7	1.7	3.7	18.6	8.6	2.0	2.5	7.4	- -	- -	- -	- -	7.3
60 to 64 years	3.4	6.0	3.8	0.7	2.3	12.7	5.6	1.2	0.7	2.5	3.2	- -	2.9	- -	4.2
65 to 69 years	1.2	2.9	1.2	0.1	0.6	3.9	1.0	0.5	0.2	1.2	- -	- -	- -	- -	1.5
70 to 74 years	0.3	1.0	- -	- -	- -	0.2	- -	0.1	- -	- -	- -	- -	- -	- -	0.6
75 years and older	0.1	0.1	- -	- -	0.2	0.2	- -	- -	- -	- -	- -	- -	- -	- -	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	12,812	821	1,015	1,039	519	542	198	1,254	2,175	81	31	26	34	4	5,073
Race															
American Indian or Alaska Native	1.2	0.7	1.1	1.1	1.0	0.7	- -	1.1	1.6	2.5	6.5	- -	- -	- -	1.1
Asian[1]	0.3	0.4	0.2	0.4	0.6	- -	0.5	0.1	0.1	- -	- -	- -	- -	- -	0.4
Black or African American	34.2	31.1	40.7	19.7	23.3	78.6	74.5	48.0	16.1	19.8	19.4	53.8	93.9	50.0	35.3
Native Hawaiian or Other Pacific Islander	0.1	0.2	0.1	0.2	- -	- -	0.5	0.2	*	1.2	- -	- -	- -	- -	0.2
White	62.5	65.5	56.9	76.8	73.4	19.4	24.5	47.5	80.9	75.3	74.2	46.2	6.1	50.0	61.2
Other	1.8	2.0	1.0	1.8	1.8	1.3	- -	3.1	1.3	1.2	- -	- -	- -	- -	1.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	12,496	804	1,002	1,030	511	541	196	1,223	2,154	81	31	26	33	4	4,860

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.19a. Maine admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	6,135	1,342	717	2,553	797	173	92	136	238	32	4	3	- -	2	46
Gender															
Male	3,650	863	441	1,512	448	71	55	83	136	14	1	1	- -	2	23
Female	2,484	479	276	1,040	349	102	37	53	102	18	3	2	- -	- -	23
No. of admissions	6,134	1,342	717	2,552	797	173	92	136	238	32	4	3	- -	2	46
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	2	- -	- -	- -	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	- -
14 years	3	- -	- -	- -	- -	- -	- -	3	- -	- -	- -	- -	- -	- -	- -
15 years	12	2	3	- -	- -	- -	- -	6	- -	- -	- -	- -	- -	- -	1
16 years	12	- -	3	- -	- -	- -	- -	8	- -	- -	- -	- -	- -	- -	1
17 years	25	5	3	1	- -	- -	- -	14	1	- -	- -	- -	- -	- -	1
18 years	22	1	4	5	2	- -	- -	6	3	- -	- -	1	- -	- -	- -
19 years	25	2	- -	15	1	- -	- -	4	2	- -	- -	1	- -	- -	- -
20 years	39	6	5	14	4	2	2	1	5	- -	- -	- -	- -	- -	- -
21 to 24 years	372	67	55	151	25	9	7	25	26	4	1	- -	- -	- -	2
25 to 29 years	982	136	94	541	93	29	6	22	43	9	1	- -	- -	- -	8
30 to 34 years	1,308	159	133	672	195	33	26	10	59	7	2	- -	- -	- -	12
35 to 39 years	1,172	167	125	550	175	46	28	17	53	4	- -	- -	- -	- -	7
40 to 44 years	723	163	80	310	110	15	4	6	28	2	- -	1	- -	- -	4
45 to 49 years	463	147	67	143	62	13	7	4	12	3	- -	- -	- -	1	4
50 to 54 years	425	189	61	86	60	13	7	3	3	2	- -	- -	- -	- -	1
55 to 59 years	303	149	43	44	44	10	5	3	2	1	- -	- -	- -	1	1
60 to 64 years	147	88	23	16	13	3	- -	- -	1	- -	- -	- -	- -	- -	3
65 to 69 years	72	45	12	4	10	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
70 to 74 years	22	12	4	1	3	- -	- -	1	- -	- -	- -	- -	- -	- -	1
75 years and older	6	4	2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	6,135	1,342	717	2,553	797	173	92	136	238	32	4	3	- -	2	46
Race															
American Indian or Alaska Native	94	21	8	44	15	- -	2	3	1	- -	- -	- -	- -	- -	- -
Asian[1]	12	2	- -	7	1	- -	- -	- -	2	- -	- -	- -	- -	- -	- -
Black or African American	91	17	12	28	9	8	11	4	- -	1	- -	- -	- -	- -	1
Native Hawaiian or Other Pacific Islander	6	- -	2	1	1	1	- -	- -	1	- -	- -	- -	- -	- -	- -
White	5,754	1,263	657	2,431	754	154	71	120	223	29	4	3	- -	2	43
Other	159	36	34	37	14	10	7	7	10	2	- -	- -	- -	- -	2
No. of admissions	6,116	1,339	713	2,548	794	173	91	134	237	32	4	3	- -	2	46

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.19b. Maine admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	6,135	1,342	717	2,553	797	173	92	136	238	32	4	3	- -	2	46
Gender															
Male	59.5	64.3	61.5	59.2	56.2	41.0	59.8	61.0	57.1	43.8	25.0	33.3	- -	100.0	50.0
Female	40.5	35.7	38.5	40.8	43.8	59.0	40.2	39.0	42.9	56.3	75.0	66.7	- -	- -	50.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	6,134	1,342	717	2,552	797	173	92	136	238	32	4	3	- -	2	46
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	*	- -	- -	- -	- -	- -	- -	1.5	- -	- -	- -	- -	- -	- -	- -
14 years	*	- -	- -	- -	- -	- -	- -	2.2	- -	- -	- -	- -	- -	- -	- -
15 years	0.2	0.1	0.4	- -	- -	- -	- -	4.4	- -	- -	- -	- -	- -	- -	2.2
16 years	0.2	- -	0.4	- -	- -	- -	- -	5.9	- -	- -	- -	- -	- -	- -	2.2
17 years	0.4	0.4	0.4	*	- -	- -	- -	10.3	0.4	- -	- -	- -	- -	- -	2.2
18 years	0.4	0.1	0.6	0.2	0.3	- -	- -	4.4	1.3	- -	- -	33.3	- -	- -	- -
19 years	0.4	0.1	- -	0.6	0.1	- -	- -	2.9	0.8	- -	- -	33.3	- -	- -	- -
20 years	0.6	0.4	0.7	0.5	0.5	1.2	2.2	0.7	2.1	- -	- -	- -	- -	- -	- -
21 to 24 years	6.1	5.0	7.7	5.9	3.1	5.2	7.6	18.4	10.9	12.5	25.0	- -	- -	- -	4.3
25 to 29 years	16.0	10.1	13.1	21.2	11.7	16.8	6.5	16.2	18.1	28.1	25.0	- -	- -	- -	17.4
30 to 34 years	21.3	11.8	18.5	26.3	24.5	19.1	28.3	7.4	24.8	21.9	50.0	- -	- -	- -	26.1
35 to 39 years	19.1	12.4	17.4	21.5	22.0	26.6	30.4	12.5	22.3	12.5	- -	- -	- -	- -	15.2
40 to 44 years	11.8	12.1	11.2	12.1	13.8	8.7	4.3	4.4	11.8	6.3	- -	33.3	- -	- -	8.7
45 to 49 years	7.5	11.0	9.3	5.6	7.8	7.5	7.6	2.9	5.0	9.4	- -	- -	- -	50.0	8.7
50 to 54 years	6.9	14.1	8.5	3.4	7.5	7.5	7.6	2.2	1.3	6.3	- -	- -	- -	- -	2.2
55 to 59 years	4.9	11.1	6.0	1.7	5.5	5.8	5.4	2.2	0.8	3.1	- -	- -	- -	50.0	2.2
60 to 64 years	2.4	6.6	3.2	0.6	1.6	1.7	- -	- -	0.4	- -	- -	- -	- -	- -	6.5
65 to 69 years	1.2	3.4	1.7	0.2	1.3	- -	- -	0.7	- -	- -	- -	- -	- -	- -	- -
70 to 74 years	0.4	0.9	0.6	*	0.4	- -	- -	0.7	- -	- -	- -	- -	- -	- -	2.2
75 years and older	0.1	0.3	0.3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	6,135	1,342	717	2,553	797	173	92	136	238	32	4	3	- -	2	46
Race															
American Indian or Alaska Native	1.5	1.6	1.1	1.7	1.9	- -	2.2	2.2	0.4	- -	- -	- -	- -	- -	- -
Asian[1]	0.2	0.1	- -	0.3	0.1	- -	- -	- -	0.8	- -	- -	- -	- -	- -	- -
Black or African American	1.5	1.3	1.7	1.1	1.1	4.6	12.1	3.0	- -	3.1	- -	- -	- -	- -	2.2
Native Hawaiian or Other Pacific Islander	0.1	- -	0.3	*	0.1	0.6	- -	- -	0.4	- -	- -	- -	- -	- -	- -
White	94.1	94.3	92.1	95.4	95.0	89.0	78.0	89.6	94.1	90.6	100.0	100.0	- -	100.0	93.5
Other	2.6	2.7	4.8	1.5	1.8	5.8	7.7	5.2	4.2	6.3	- -	- -	- -	- -	4.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	6,116	1,339	713	2,548	794	173	91	134	237	32	4	3	- -	2	46

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.20a. Massachusetts admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	63,927	12,685	8,609	32,497	2,932	1,906	1,702	1,397	591	1,179	4	22	47	6	350
Gender															
Male	46,019	9,032	6,242	24,028	1,956	1,031	1,121	1,035	447	854	1	15	28	4	225
Female	17,767	3,630	2,338	8,415	972	870	569	351	143	324	3	7	19	2	124
No. of admissions	63,786	12,662	8,580	32,443	2,928	1,901	1,690	1,386	590	1,178	4	22	47	6	349
Age at admission															
12 years	3	2	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	8	- -	- -	- -	- -	- -	- -	7	- -	1	- -	- -	- -	- -	- -
14 years	41	- -	6	- -	- -	- -	- -	31	- -	1	- -	2	- -	- -	1
15 years	91	3	8	- -	- -	1	3	68	1	6	- -	1	- -	- -	- -
16 years	154	14	18	4	2	1	6	99	- -	7	- -	- -	- -	- -	3
17 years	141	8	14	5	10	2	5	82	1	10	- -	1	- -	- -	3
18 years	134	11	17	43	9	1	3	39	4	6	- -	- -	- -	- -	1
19 years	174	18	26	65	6	2	4	38	3	9	- -	- -	- -	- -	3
20 years	280	27	34	131	13	8	4	47	5	10	- -	- -	- -	- -	1
21 to 24 years	2,719	307	333	1,505	153	73	87	141	37	43	- -	5	6	- -	29
25 to 29 years	9,304	999	1,066	5,606	511	233	289	248	110	172	2	4	2	2	60
30 to 34 years	13,010	1,507	1,532	7,829	613	385	391	200	151	297	- -	6	17	3	79
35 to 39 years	11,449	1,665	1,469	6,461	551	363	320	136	140	272	1	3	11	- -	57
40 to 44 years	8,146	1,590	1,222	4,168	348	236	229	98	63	138	1	- -	7	- -	46
45 to 49 years	6,010	1,590	865	2,750	240	217	152	54	32	85	- -	- -	1	1	23
50 to 54 years	5,677	1,923	962	2,080	202	209	128	55	28	68	- -	- -	1	- -	21
55 to 59 years	3,956	1,727	691	1,125	153	114	55	33	10	34	- -	- -	2	- -	12
60 to 64 years	2,023	991	285	540	90	53	19	20	5	13	- -	- -	- -	- -	7
65 to 69 years	474	227	51	149	26	5	6	1	1	5	- -	- -	- -	- -	3
70 to 74 years	109	62	7	30	5	3	1	- -	- -	- -	- -	- -	- -	- -	1
75 years and older	24	14	2	6	- -	- -	- -	- -	- -	2	- -	- -	- -	- -	- -
No. of admissions	63,927	12,685	8,609	32,497	2,932	1,906	1,702	1,397	591	1,179	4	22	47	6	350
Race															
American Indian or Alaska Native	301	71	47	128	14	6	10	16	1	4	- -	- -	- -	3	1
Asian[1]	390	90	28	211	14	12	12	10	7	4	- -	- -	- -	- -	2
Black or African American	5,524	1,336	1,152	2,084	192	333	150	190	33	30	- -	3	6	- -	15
Native Hawaiian or Other Pacific Islander	102	21	13	49	6	6	- -	5	- -	2	- -	- -	- -	- -	- -
White	46,357	9,516	6,129	23,380	2,268	1,213	1,162	863	483	1,025	2	15	18	3	280
Other	9,720	1,291	1,058	5,966	338	296	305	244	54	102	2	4	16	- -	44
No. of admissions	62,394	12,325	8,427	31,818	2,832	1,866	1,639	1,328	578	1,167	4	22	40	6	342

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.20b. Massachusettsa. admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	63,927	12,685	8,609	32,497	2,932	1,906	1,702	1,397	591	1,179	4	22	47	6	350
Gender															
Male	72.1	71.3	72.8	74.1	66.8	54.2	66.3	74.7	75.8	72.5	25.0	68.2	59.6	66.7	64.5
Female	27.9	28.7	27.2	25.9	33.2	45.8	33.7	25.3	24.2	27.5	75.0	31.8	40.4	33.3	35.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	63,786	12,662	8,580	32,443	2,928	1,901	1,690	1,386	590	1,178	4	22	47	6	349
Age at admission															
12 years	*	*	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	*	- -	- -	- -	- -	- -	- -	0.5	- -	0.1	- -	- -	- -	- -	- -
14 years	0.1	- -	0.1	- -	- -	- -	- -	2.2	- -	0.1	- -	9.1	- -	- -	0.3
15 years	0.1	*	0.1	- -	- -	0.1	0.2	4.9	0.2	0.5	- -	4.5	- -	- -	- -
16 years	0.2	0.1	0.2	*	0.1	0.1	0.4	7.1	- -	0.6	- -	- -	- -	- -	0.9
17 years	0.2	0.1	0.2	*	0.3	0.1	0.3	5.9	0.2	0.8	- -	4.5	- -	- -	0.9
18 years	0.2	0.1	0.2	0.1	0.3	0.1	0.2	2.8	0.7	0.5	- -	- -	- -	- -	0.3
19 years	0.3	0.1	0.3	0.2	0.2	0.1	0.2	2.7	0.5	0.8	- -	- -	- -	- -	0.9
20 years	0.4	0.2	0.4	0.4	0.4	0.4	0.2	3.4	0.8	0.8	- -	- -	- -	- -	0.3
21 to 24 years	4.3	2.4	3.9	4.6	5.2	3.8	5.1	10.1	6.3	3.6	- -	22.7	12.8	- -	8.3
25 to 29 years	14.6	7.9	12.4	17.3	17.4	12.2	17.0	17.8	18.6	14.6	50.0	18.2	4.3	33.3	17.1
30 to 34 years	20.4	11.9	17.8	24.1	20.9	20.2	23.0	14.3	25.5	25.2	- -	27.3	36.2	50.0	22.6
35 to 39 years	17.9	13.1	17.1	19.9	18.8	19.0	18.8	9.7	23.7	23.1	25.0	13.6	23.4	- -	16.3
40 to 44 years	12.7	12.5	14.2	12.8	11.9	12.4	13.5	7.0	10.7	11.7	25.0	- -	14.9	- -	13.1
45 to 49 years	9.4	12.5	10.0	8.5	8.2	11.4	8.9	3.9	5.4	7.2	- -	- -	2.1	16.7	6.6
50 to 54 years	8.9	15.2	11.2	6.4	6.9	11.0	7.5	3.9	4.7	5.8	- -	- -	2.1	- -	6.0
55 to 59 years	6.2	13.6	8.0	3.5	5.2	6.0	3.2	2.4	1.7	2.9	- -	- -	4.3	- -	3.4
60 to 64 years	3.2	7.8	3.3	1.7	3.1	2.8	1.1	1.4	0.8	1.1	- -	- -	- -	- -	2.0
65 to 69 years	0.7	1.8	0.6	0.5	0.9	0.3	0.4	0.1	0.2	0.4	- -	- -	- -	- -	0.9
70 to 74 years	0.2	0.5	0.1	0.1	0.2	0.2	0.1	- -	- -	- -	- -	- -	- -	- -	0.3
75 years and older	*	0.1	*	*	- -	- -	- -	- -	- -	0.2	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	63,927	12,685	8,609	32,497	2,932	1,906	1,702	1,397	591	1,179	4	22	47	6	350
Race															
American Indian or Alaska Native	0.5	0.6	0.6	0.4	0.5	0.3	0.6	1.2	0.2	0.3	- -	- -	- -	50.0	0.3
Asian[1]	0.6	0.7	0.3	0.7	0.5	0.6	0.7	0.8	1.2	0.3	- -	- -	- -	- -	0.6
Black or African American	8.9	10.8	13.7	6.5	6.8	17.8	9.2	14.3	5.7	2.6	- -	13.6	15.0	- -	4.4
Native Hawaiian or Other Pacific Islander	0.2	0.2	0.2	0.2	0.2	0.3	- -	0.4	- -	0.2	- -	- -	- -	- -	- -
White	74.3	77.2	72.7	73.5	80.1	65.0	70.9	65.0	83.6	87.8	50.0	68.2	45.0	50.0	81.9
Other	15.6	10.5	12.6	18.8	11.9	15.9	18.6	18.4	9.3	8.7	50.0	18.2	40.0	- -	12.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	62,394	12,325	8,427	31,818	2,832	1,866	1,639	1,328	578	1,167	4	22	40	6	342

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.21a. Michigan admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	64,535	15,076	11,346	17,401	5,133	4,260	1,380	3,624	5,463	493	67	45	6	47	194
Gender															
Male	41,375	10,425	7,959	10,860	2,749	2,573	868	2,544	2,928	257	36	31	3	31	111
Female	23,160	4,651	3,387	6,541	2,384	1,687	512	1,080	2,535	236	31	14	3	16	83
No. of admissions	64,535	15,076	11,346	17,401	5,133	4,260	1,380	3,624	5,463	493	67	45	6	47	194
Age at admission															
12 years	7	- -	- -	- -	- -	- -	- -	7	- -	- -	- -	- -	- -	- -	- -
13 years	25	5	2	- -	- -	- -	- -	16	- -	- -	- -	1	- -	- -	1
14 years	77	6	7	1	- -	- -	- -	61	2	- -	- -	- -	- -	- -	- -
15 years	137	8	6	- -	2	- -	- -	111	5	2	- -	1	- -	1	1
16 years	197	14	10	- -	2	- -	- -	156	9	2	1	1	- -	- -	2
17 years	177	13	18	1	7	1	2	111	20	2	1	- -	- -	- -	1
18 years	208	17	18	22	12	3	1	86	26	13	1	2	- -	1	6
19 years	330	36	42	47	11	5	12	100	57	8	3	4	- -	- -	5
20 years	397	36	58	52	26	13	14	106	72	8	2	5	- -	1	4
21 to 24 years	3,402	427	494	937	244	97	103	435	581	62	7	3	- -	2	10
25 to 29 years	9,656	1,383	1,513	3,205	887	325	233	762	1,183	106	14	7	- -	7	31
30 to 34 years	12,399	1,976	1,859	4,416	1,207	494	276	610	1,364	105	10	10	- -	22	50
35 to 39 years	10,442	2,318	1,783	3,107	1,050	499	221	398	950	58	11	5	1	7	34
40 to 44 years	7,634	2,063	1,495	1,860	642	463	160	263	605	46	5	3	3	5	21
45 to 49 years	5,643	1,918	1,155	995	355	540	120	165	339	40	5	- -	1	1	9
50 to 54 years	5,431	1,921	1,170	893	264	772	112	121	146	15	5	3	1	- -	8
55 to 59 years	4,639	1,718	1,086	737	218	618	85	75	83	11	- -	- -	- -	- -	8
60 to 64 years	2,797	960	557	700	140	345	36	29	19	8	1	- -	- -	- -	2
65 to 69 years	766	206	63	353	53	69	3	10	2	5	1	- -	- -	- -	1
70 to 74 years	153	40	9	73	12	14	1	2	- -	2	- -	- -	- -	- -	- -
75 years and older	18	11	1	2	1	2	1	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	64,535	15,076	11,346	17,401	5,133	4,260	1,380	3,624	5,463	493	67	45	6	47	194
Race															
American Indian or Alaska Native	668	191	122	102	95	14	11	46	79	2	- -	2	- -	- -	4
Asian[1]	122	34	11	37	6	5	7	6	16	- -	- -	- -	- -	- -	- -
Black or African American	13,394	2,652	3,434	2,635	494	2,191	478	1,282	163	26	9	11	4	2	13
Native Hawaiian or Other Pacific Islander	80	10	12	38	9	1	2	1	6	1	- -	- -	- -	- -	- -
White	45,721	11,191	6,918	13,545	4,217	1,671	741	1,931	4,801	431	52	25	- -	45	153
Other	4,289	929	821	1,000	281	367	127	337	362	31	6	7	1	- -	20
No. of admissions	64,274	15,007	11,318	17,357	5,102	4,249	1,366	3,603	5,427	491	67	45	5	47	190

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.21b. Michigan admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	64,535	15,076	11,346	17,401	5,133	4,260	1,380	3,624	5,463	493	67	45	6	47	194
Gender															
Male	64.1	69.1	70.1	62.4	53.6	60.4	62.9	70.2	53.6	52.1	53.7	68.9	50.0	66.0	57.2
Female	35.9	30.9	29.9	37.6	46.4	39.6	37.1	29.8	46.4	47.9	46.3	31.1	50.0	34.0	42.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	64,535	15,076	11,346	17,401	5,133	4,260	1,380	3,624	5,463	493	67	45	6	47	194
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.2	- -	- -	- -	- -	- -	- -	- -
13 years	*	*	*	- -	- -	- -	- -	0.4	- -	- -	- -	2.2	- -	- -	0.5
14 years	0.1	*	0.1	*	- -	- -	- -	1.7	*	- -	- -	- -	- -	- -	- -
15 years	0.2	0.1	0.1	- -	*	- -	- -	3.1	0.1	0.4	- -	2.2	- -	2.1	0.5
16 years	0.3	0.1	0.1	- -	*	- -	- -	4.3	0.2	0.4	1.5	2.2	- -	- -	1.0
17 years	0.3	0.1	0.2	*	0.1	*	0.1	3.1	0.4	0.4	1.5	- -	- -	- -	0.5
18 years	0.3	0.1	0.2	0.1	0.2	0.1	0.1	2.4	0.5	2.6	1.5	4.4	- -	2.1	3.1
19 years	0.5	0.2	0.4	0.3	0.2	0.1	0.9	2.8	1.0	1.6	4.5	8.9	- -	- -	2.6
20 years	0.6	0.2	0.5	0.3	0.5	0.3	1.0	2.9	1.3	1.6	3.0	11.1	- -	2.1	2.1
21 to 24 years	5.3	2.8	4.4	5.4	4.8	2.3	7.5	12.0	10.6	12.6	10.4	6.7	- -	4.3	5.2
25 to 29 years	15.0	9.2	13.3	18.4	17.3	7.6	16.9	21.0	21.7	21.5	20.9	15.6	- -	14.9	16.0
30 to 34 years	19.2	13.1	16.4	25.4	23.5	11.6	20.0	16.8	25.0	21.3	14.9	22.2	- -	46.8	25.8
35 to 39 years	16.2	15.4	15.7	17.9	20.5	11.7	16.0	11.0	17.4	11.8	16.4	11.1	16.7	14.9	17.5
40 to 44 years	11.8	13.7	13.2	10.7	12.5	10.9	11.6	7.3	11.1	9.3	7.5	6.7	50.0	10.6	10.8
45 to 49 years	8.7	12.7	10.2	5.7	6.9	12.7	8.7	4.6	6.2	8.1	7.5	- -	16.7	2.1	4.6
50 to 54 years	8.4	12.7	10.3	5.1	5.1	18.1	8.1	3.3	2.7	3.0	7.5	6.7	16.7	- -	4.1
55 to 59 years	7.2	11.4	9.6	4.2	4.2	14.5	6.2	2.1	1.5	2.2	- -	- -	- -	- -	4.1
60 to 64 years	4.3	6.4	4.9	4.0	2.7	8.1	2.6	0.8	0.3	1.6	1.5	- -	- -	- -	1.0
65 to 69 years	1.2	1.4	0.6	2.0	1.0	1.6	0.2	0.3	*	1.0	1.5	- -	- -	- -	0.5
70 to 74 years	0.2	0.3	0.1	0.4	0.2	0.3	0.1	0.1	- -	0.4	- -	- -	- -	- -	- -
75 years and older	*	0.1	*	*	*	*	0.1	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	64,535	15,076	11,346	17,401	5,133	4,260	1,380	3,624	5,463	493	67	45	6	47	194
Race															
American Indian or Alaska Native	1.0	1.3	1.1	0.6	1.9	0.3	0.8	1.3	1.5	0.4	- -	4.4	- -	- -	2.1
Asian[1]	0.2	0.2	0.1	0.2	0.1	0.1	0.5	0.2	0.3	- -	- -	- -	- -	- -	- -
Black or African American	20.8	17.7	30.3	15.2	9.7	51.6	35.0	35.6	3.0	5.3	13.4	24.4	80.0	4.3	6.8
Native Hawaiian or Other Pacific Islander	0.1	0.1	0.1	0.2	0.2	*	0.1	*	0.1	0.2	- -	- -	- -	- -	- -
White	71.1	74.6	61.1	78.0	82.7	39.3	54.2	53.6	88.5	87.8	77.6	55.6	- -	95.7	80.5
Other	6.7	6.2	7.3	5.8	5.5	8.6	9.3	9.4	6.7	6.3	9.0	15.6	20.0	- -	10.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	64,274	15,007	11,318	17,357	5,102	4,249	1,366	3,603	5,427	491	67	45	5	47	190

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.22a. Minnesota admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	50,673	12,109	8,415	6,447	2,379	686	767	5,283	13,363	393	63	152	51	34	531
Gender															
Male	33,127	7,855	5,903	3,849	1,436	421	537	3,781	8,543	275	40	111	44	26	306
Female	17,546	4,254	2,512	2,598	943	265	230	1,502	4,820	118	23	41	7	8	225
No. of admissions	50,673	12,109	8,415	6,447	2,379	686	767	5,283	13,363	393	63	152	51	34	531
Age at admission															
12 years	8	- -	- -	- -	- -	- -	- -	8	- -	- -	- -	- -	- -	- -	- -
13 years	62	- -	10	- -	1	- -	- -	49	- -	- -	1	1	- -	- -	- -
14 years	155	2	16	- -	1	- -	3	123	5	1	- -	2	- -	- -	2
15 years	303	4	15	- -	2	- -	1	253	8	5	1	2	- -	- -	12
16 years	472	11	38	2	19	- -	5	356	19	10	- -	7	- -	- -	5
17 years	639	30	64	10	35	1	8	420	35	12	3	14	- -	- -	7
18 years	490	35	70	15	60	- -	17	206	56	17	1	2	- -	2	9
19 years	687	39	101	61	103	- -	9	195	123	35	1	8	- -	- -	12
20 years	897	54	131	88	116	1	25	221	205	31	4	6	- -	- -	15
21 to 24 years	5,222	531	868	920	449	15	88	801	1,319	123	9	20	4	5	70
25 to 29 years	8,460	1,129	1,341	1,874	438	27	121	779	2,518	60	13	38	3	8	111
30 to 34 years	9,177	1,651	1,502	1,496	396	60	119	647	3,121	32	7	16	15	6	109
35 to 39 years	7,515	1,765	1,299	882	281	50	93	474	2,550	27	4	18	15	5	52
40 to 44 years	5,226	1,528	956	414	166	56	77	342	1,603	16	5	13	7	2	41
45 to 49 years	3,708	1,391	705	229	92	126	57	193	852	12	8	4	5	3	31
50 to 54 years	3,161	1,416	552	208	87	145	65	109	540	3	3	1	1	2	29
55 to 59 years	2,571	1,329	439	152	69	127	56	67	307	7	2	- -	1	- -	15
60 to 64 years	1,352	787	253	58	42	63	18	34	84	2	- -	- -	- -	1	10
65 to 69 years	422	292	47	30	11	14	5	6	16	- -	1	- -	- -	- -	- -
70 to 74 years	114	87	7	8	9	1	- -	- -	2	- -	- -	- -	- -	- -	- -
75 years and older	32	28	1	- -	2	- -	- -	- -	- -	- -	- -	- -	- -	- -	1
No. of admissions	50,673	12,109	8,415	6,447	2,379	686	767	5,283	13,363	393	63	152	51	34	531
Race															
American Indian or Alaska Native	4,918	531	852	1,324	257	9	25	438	1,417	9	2	5	- -	3	46
Asian[1]	517	123	51	30	28	6	6	47	210	5	- -	3	- -	- -	8
Black or African American	5,926	871	1,193	608	427	475	331	1,073	740	28	14	46	43	1	76
Native Hawaiian or Other Pacific Islander	176	27	26	43	7	1	1	15	54	- -	- -	- -	- -	- -	2
White	35,401	10,042	5,737	3,969	1,373	166	333	3,099	9,850	314	42	88	3	29	356
Other	3,730	514	555	472	287	29	71	611	1,091	37	5	10	5	1	42
No. of admissions	50,668	12,108	8,414	6,446	2,379	686	767	5,283	13,362	393	63	152	51	34	530

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.22b. Minnesota admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	50,673	12,109	8,415	6,447	2,379	686	767	5,283	13,363	393	63	152	51	34	531
Gender															
Male	65.4	64.9	70.1	59.7	60.4	61.4	70.0	71.6	63.9	70.0	63.5	73.0	86.3	76.5	57.6
Female	34.6	35.1	29.9	40.3	39.6	38.6	30.0	28.4	36.1	30.0	36.5	27.0	13.7	23.5	42.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	50,673	12,109	8,415	6,447	2,379	686	767	5,283	13,363	393	63	152	51	34	531
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.2	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	- -	0.1	- -	*	- -	- -	0.9	- -	- -	1.6	0.7	- -	- -	- -
14 years	0.3	*	0.2	- -	*	- -	0.4	2.3	*	0.3	- -	1.3	- -	- -	0.4
15 years	0.6	*	0.2	- -	0.1	- -	0.1	4.8	0.1	1.3	1.6	1.3	- -	- -	2.3
16 years	0.9	0.1	0.5	*	0.8	- -	0.7	6.7	0.1	2.5	- -	4.6	- -	- -	0.9
17 years	1.3	0.2	0.8	0.2	1.5	0.1	1.0	8.0	0.3	3.1	4.8	9.2	- -	- -	1.3
18 years	1.0	0.3	0.8	0.2	2.5	- -	2.2	3.9	0.4	4.3	1.6	1.3	- -	5.9	1.7
19 years	1.4	0.3	1.2	0.9	4.3	- -	1.2	3.7	0.9	8.9	1.6	5.3	- -	- -	2.3
20 years	1.8	0.4	1.6	1.4	4.9	0.1	3.3	4.2	1.5	7.9	6.3	3.9	- -	- -	2.8
21 to 24 years	10.3	4.4	10.3	14.3	18.9	2.2	11.5	15.2	9.9	31.3	14.3	13.2	7.8	14.7	13.2
25 to 29 years	16.7	9.3	15.9	29.1	18.4	3.9	15.8	14.7	18.8	15.3	20.6	25.0	5.9	23.5	20.9
30 to 34 years	18.1	13.6	17.8	23.2	16.6	8.7	15.5	12.2	23.4	8.1	11.1	10.5	29.4	17.6	20.5
35 to 39 years	14.8	14.6	15.4	13.7	11.8	7.3	12.1	9.0	19.1	6.9	6.3	11.8	29.4	14.7	9.8
40 to 44 years	10.3	12.6	11.4	6.4	7.0	8.2	10.0	6.5	12.0	4.1	7.9	8.6	13.7	5.9	7.7
45 to 49 years	7.3	11.5	8.4	3.6	3.9	18.4	7.4	3.7	6.4	3.1	12.7	2.6	9.8	8.8	5.8
50 to 54 years	6.2	11.7	6.6	3.2	3.7	21.1	8.5	2.1	4.0	0.8	4.8	0.7	2.0	5.9	5.5
55 to 59 years	5.1	11.0	5.2	2.4	2.9	18.5	7.3	1.3	2.3	1.8	3.2	- -	2.0	- -	2.8
60 to 64 years	2.7	6.5	3.0	0.9	1.8	9.2	2.3	0.6	0.6	0.5	- -	- -	- -	2.9	1.9
65 to 69 years	0.8	2.4	0.6	0.5	0.5	2.0	0.7	0.1	0.1	- -	1.6	- -	- -	- -	- -
70 to 74 years	0.2	0.7	0.1	0.1	0.4	0.1	- -	- -	*	- -	- -	- -	- -	- -	- -
75 years and older	0.1	0.2	*	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	50,673	12,109	8,415	6,447	2,379	686	767	5,283	13,363	393	63	152	51	34	531
Race															
American Indian or Alaska Native	9.7	4.4	10.1	20.5	10.8	1.3	3.3	8.3	10.6	2.3	3.2	3.3	- -	8.8	8.7
Asian[1]	1.0	1.0	0.6	0.5	1.2	0.9	0.8	0.9	1.6	1.3	- -	2.0	- -	- -	1.5
Black or African American	11.7	7.2	14.2	9.4	17.9	69.2	43.2	20.3	5.5	7.1	22.2	30.3	84.3	2.9	14.3
Native Hawaiian or Other Pacific Islander	0.3	0.2	0.3	0.7	0.3	0.1	0.1	0.3	0.4	- -	- -	- -	- -	- -	0.4
White	69.9	82.9	68.2	61.6	57.7	24.2	43.4	58.7	73.7	79.9	66.7	57.9	5.9	85.3	67.2
Other	7.4	4.2	6.6	7.3	12.1	4.2	9.3	11.6	8.2	9.4	7.9	6.6	9.8	2.9	7.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	50,668	12,108	8,414	6,446	2,379	686	767	5,283	13,362	393	63	152	51	34	530

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.23a. Mississippi admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	6,664	1,048	720	565	763	385	229	1,280	1,491	100	8	11	19	6	39
Gender															
Male	4,041	725	486	320	396	242	150	818	797	60	5	5	12	5	20
Female	2,618	322	233	245	367	143	79	460	693	40	3	6	7	1	19
No. of admissions	6,659	1,047	719	565	763	385	229	1,278	1,490	100	8	11	19	6	39
Age at admission															
12 years	1	- -	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
13 years	7	- -	- -	- -	- -	- -	- -	7	- -	- -	- -	- -	- -	- -	- -
14 years	14	- -	- -	- -	- -	- -	- -	14	- -	- -	- -	- -	- -	- -	- -
15 years	23	1	1	- -	- -	- -	- -	19	2	- -	- -	- -	- -	- -	- -
16 years	36	1	4	- -	- -	- -	- -	26	3	2	- -	- -	- -	- -	- -
17 years	47	- -	- -	1	2	- -	4	36	4	- -	- -	- -	- -	- -	- -
18 years	64	1	2	1	6	- -	2	32	17	3	- -	- -	- -	- -	- -
19 years	89	4	6	2	9	1	3	42	17	5	- -	- -	- -	- -	- -
20 years	110	4	6	3	11	- -	3	42	33	5	- -	- -	1	- -	2
21 to 24 years	536	38	23	45	36	10	15	202	146	16	2	- -	- -	- -	3
25 to 29 years	1,073	79	89	145	150	20	32	254	272	13	- -	2	5	4	8
30 to 34 years	1,149	121	96	144	165	30	27	197	331	16	1	6	5	- -	10
35 to 39 years	1,028	130	122	103	134	44	45	157	274	9	1	1	3	- -	5
40 to 44 years	766	159	103	54	79	43	23	100	189	4	3	- -	4	2	3
45 to 49 years	570	135	87	30	63	50	23	66	101	11	- -	1	1	- -	2
50 to 54 years	495	138	86	18	42	75	19	41	62	9	1	1	- -	- -	3
55 to 59 years	360	126	46	13	28	64	18	33	26	4	- -	- -	- -	- -	2
60 to 64 years	225	75	41	6	30	37	13	10	11	2	- -	- -	- -	- -	- -
65 to 69 years	53	23	7	- -	7	10	2	1	1	1	- -	- -	- -	- -	1
70 to 74 years	15	11	1	- -	1	- -	- -	- -	2	- -	- -	- -	- -	- -	- -
75 years and older	3	2	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	6,664	1,048	720	565	763	385	229	1,280	1,491	100	8	11	19	6	39
Race															
American Indian or Alaska Native	17	- -	7	- -	2	- -	- -	5	3	- -	- -	- -	- -	- -	- -
Asian[1]	10	1	- -	1	1	1	1	3	- -	1	- -	- -	- -	- -	1
Black or African American	2,116	351	305	27	112	307	154	672	135	14	- -	6	17	- -	16
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	4,416	671	397	531	641	74	67	579	1,331	84	8	5	1	6	21
Other	78	20	6	6	6	3	3	14	17	1	- -	- -	1	- -	1
No. of admissions	6,637	1,043	715	565	762	385	225	1,273	1,486	100	8	11	19	6	39

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.23b. Mississippi admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	6,664	1,048	720	565	763	385	229	1,280	1,491	100	8	11	19	6	39
Gender															
Male	60.7	69.2	67.6	56.6	51.9	62.9	65.5	64.0	53.5	60.0	62.5	45.5	63.2	83.3	51.3
Female	39.3	30.8	32.4	43.4	48.1	37.1	34.5	36.0	46.5	40.0	37.5	54.5	36.8	16.7	48.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	6,659	1,047	719	565	763	385	229	1,278	1,490	100	8	11	19	6	39
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	- -	- -	- -	- -	- -	- -	0.5	- -	- -	- -	- -	- -	- -	- -
14 years	0.2	- -	- -	- -	- -	- -	- -	1.1	- -	- -	- -	- -	- -	- -	- -
15 years	0.3	0.1	0.1	- -	- -	- -	- -	1.5	0.1	- -	- -	- -	- -	- -	- -
16 years	0.5	0.1	0.6	- -	- -	- -	- -	2.0	0.2	2.0	- -	- -	- -	- -	- -
17 years	0.7	- -	- -	0.2	0.3	- -	1.7	2.8	0.3	- -	- -	- -	- -	- -	- -
18 years	1.0	0.1	0.3	0.2	0.8	- -	0.9	2.5	1.1	3.0	- -	- -	- -	- -	- -
19 years	1.3	0.4	0.8	0.4	1.2	0.3	1.3	3.3	1.1	5.0	- -	- -	- -	- -	- -
20 years	1.7	0.4	0.8	0.5	1.4	- -	1.3	3.3	2.2	5.0	- -	- -	5.3	- -	5.1
21 to 24 years	8.0	3.6	3.2	8.0	4.7	2.6	6.6	15.8	9.8	16.0	25.0	- -	- -	- -	7.7
25 to 29 years	16.1	7.5	12.4	25.7	19.7	5.2	14.0	19.8	18.2	13.0	- -	18.2	26.3	66.7	20.5
30 to 34 years	17.2	11.5	13.3	25.5	21.6	7.8	11.8	15.4	22.2	16.0	12.5	54.5	26.3	- -	25.6
35 to 39 years	15.4	12.4	16.9	18.2	17.6	11.4	19.7	12.3	18.4	9.0	12.5	9.1	15.8	- -	12.8
40 to 44 years	11.5	15.2	14.3	9.6	10.4	11.2	10.0	7.8	12.7	4.0	37.5	- -	21.1	33.3	7.7
45 to 49 years	8.6	12.9	12.1	5.3	8.3	13.0	10.0	5.2	6.8	11.0	- -	9.1	5.3	- -	5.1
50 to 54 years	7.4	13.2	11.9	3.2	5.5	19.5	8.3	3.2	4.2	9.0	12.5	9.1	- -	- -	7.7
55 to 59 years	5.4	12.0	6.4	2.3	3.7	16.6	7.9	2.6	1.7	4.0	- -	- -	- -	- -	5.1
60 to 64 years	3.4	7.2	5.7	1.1	3.9	9.6	5.7	0.8	0.7	2.0	- -	- -	- -	- -	- -
65 to 69 years	0.8	2.2	1.0	- -	0.9	2.6	0.9	0.1	0.1	1.0	- -	- -	- -	- -	2.6
70 to 74 years	0.2	1.0	0.1	- -	0.1	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -
75 years and older	*	0.2	- -	- -	- -	0.3	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	6,664	1,048	720	565	763	385	229	1,280	1,491	100	8	11	19	6	39
Race															
American Indian or Alaska Native	0.3	- -	1.0	- -	0.3	- -	- -	0.4	0.2	- -	- -	- -	- -	- -	- -
Asian[1]	0.2	0.1	- -	0.2	0.1	0.3	0.4	0.2	- -	1.0	- -	- -	- -	- -	2.6
Black or African American	31.9	33.7	42.7	4.8	14.7	79.7	68.4	52.8	9.1	14.0	- -	54.5	89.5	- -	41.0
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	66.5	64.3	55.5	94.0	84.1	19.2	29.8	45.5	89.6	84.0	100.0	45.5	5.3	100.0	53.8
Other	1.2	1.9	0.8	1.1	0.8	0.8	1.3	1.1	1.1	1.0	- -	- -	5.3	- -	2.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	6,637	1,043	715	565	762	385	225	1,273	1,486	100	8	11	19	6	39

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.24a. Missouri admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	26,816	3,931	3,406	4,012	3,562	503	197	3,603	6,955	147	8	20	122	14	336
Gender															
Male	15,990	2,738	2,261	2,358	1,907	303	116	2,323	3,658	71	4	12	76	8	155
Female	10,822	1,193	1,145	1,653	1,654	200	81	1,280	3,295	76	4	8	46	6	181
No. of admissions	26,812	3,931	3,406	4,011	3,561	503	197	3,603	6,953	147	8	20	122	14	336
Age at admission															
12 years	19	1	- -	- -	- -	- -	- -	16	1	1	- -	- -	- -	- -	- -
13 years	81	- -	2	- -	- -	- -	- -	69	6	1	- -	- -	- -	- -	3
14 years	169	7	6	1	3	- -	- -	140	8	3	- -	- -	- -	1	- -
15 years	291	5	15	1	3	- -	2	239	13	4	1	2	- -	1	5
16 years	383	8	12	3	6	- -	1	323	25	3	- -	- -	- -	- -	2
17 years	198	4	13	- -	6	- -	1	137	27	7	- -	- -	- -	1	2
18 years	126	2	11	15	15	- -	1	46	28	6	- -	1	- -	- -	1
19 years	171	5	8	15	17	- -	1	51	64	7	1	- -	- -	- -	2
20 years	268	17	24	28	34	1	4	69	85	3	- -	- -	- -	- -	3
21 to 24 years	1,780	137	197	247	264	7	27	373	479	29	- -	2	1	1	16
25 to 29 years	4,425	441	440	842	737	25	28	560	1,260	23	3	2	3	- -	61
30 to 34 years	4,973	515	560	899	827	36	26	509	1,469	19	- -	3	27	2	81
35 to 39 years	4,401	562	530	738	670	42	25	408	1,295	14	1	1	34	3	78
40 to 44 years	3,245	490	487	497	416	45	22	267	954	12	- -	5	29	1	20
45 to 49 years	2,160	450	343	295	230	63	11	156	564	3	1	- -	17	3	24
50 to 54 years	1,701	463	330	161	144	87	20	115	351	6	- -	- -	3	- -	21
55 to 59 years	1,426	460	255	136	111	111	17	86	227	3	1	1	7	1	10
60 to 64 years	726	251	136	90	60	61	7	30	82	2	- -	2	1	- -	4
65 to 69 years	216	80	35	40	16	20	4	6	11	1	- -	1	- -	- -	2
70 to 74 years	47	25	2	3	2	5	- -	3	6	- -	- -	- -	- -	- -	1
75 years and older	10	8	- -	1	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	26,816	3,931	3,406	4,012	3,562	503	197	3,603	6,955	147	8	20	122	14	336
Race															
American Indian or Alaska Native	69	13	16	5	8	1	1	7	18	- -	- -	- -	- -	- -	- -
Asian[1]	41	11	3	6	6	1	- -	4	7	1	- -	- -	- -	- -	2
Black or African American	4,819	496	596	1,151	748	411	116	819	304	14	2	4	105	1	52
Native Hawaiian or Other Pacific Islander	16	6	2	- -	2	- -	- -	2	3	- -	- -	- -	1	- -	- -
White	20,437	3,203	2,598	2,670	2,621	60	67	2,504	6,292	124	5	15	7	11	260
Other	1,432	202	191	180	176	30	13	267	331	8	1	1	9	2	21
No. of admissions	26,814	3,931	3,406	4,012	3,561	503	197	3,603	6,955	147	8	20	122	14	335

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.24b. Missouri admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	26,816	3,931	3,406	4,012	3,562	503	197	3,603	6,955	147	8	20	122	14	336
Gender															
Male	59.6	69.7	66.4	58.8	53.6	60.2	58.9	64.5	52.6	48.3	50.0	60.0	62.3	57.1	46.1
Female	40.4	30.3	33.6	41.2	46.4	39.8	41.1	35.5	47.4	51.7	50.0	40.0	37.7	42.9	53.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	26,812	3,931	3,406	4,011	3,561	503	197	3,603	6,953	147	8	20	122	14	336
Age at admission															
12 years	0.1	*	- -	- -	- -	- -	- -	0.4	*	0.7	- -	- -	- -	- -	- -
13 years	0.3	- -	0.1	- -	- -	- -	- -	1.9	0.1	0.7	- -	- -	- -	- -	0.9
14 years	0.6	0.2	0.2	*	0.1	- -	- -	3.9	0.1	2.0	- -	- -	- -	7.1	- -
15 years	1.1	0.1	0.4	*	0.1	- -	1.0	6.6	0.2	2.7	12.5	10.0	- -	7.1	1.5
16 years	1.4	0.2	0.4	0.1	0.2	- -	0.5	9.0	0.4	2.0	- -	- -	- -	- -	0.6
17 years	0.7	0.1	0.4	- -	0.2	- -	0.5	3.8	0.4	4.8	- -	- -	- -	7.1	0.6
18 years	0.5	0.1	0.3	0.4	0.4	- -	0.5	1.3	0.4	4.1	- -	5.0	- -	- -	0.3
19 years	0.6	0.1	0.2	0.4	0.5	- -	0.5	1.4	0.9	4.8	12.5	- -	- -	- -	0.6
20 years	1.0	0.4	0.7	0.7	1.0	0.2	2.0	1.9	1.2	2.0	- -	- -	- -	- -	0.9
21 to 24 years	6.6	3.5	5.8	6.2	7.4	1.4	13.7	10.4	6.9	19.7	- -	10.0	0.8	7.1	4.8
25 to 29 years	16.5	11.2	12.9	21.0	20.7	5.0	14.2	15.5	18.1	15.6	37.5	10.0	2.5	- -	18.2
30 to 34 years	18.5	13.1	16.4	22.4	23.2	7.2	13.2	14.1	21.1	12.9	- -	15.0	22.1	14.3	24.1
35 to 39 years	16.4	14.3	15.6	18.4	18.8	8.3	12.7	11.3	18.6	9.5	12.5	5.0	27.9	21.4	23.2
40 to 44 years	12.1	12.5	14.3	12.4	11.7	8.9	11.2	7.4	13.7	8.2	- -	25.0	23.8	7.1	6.0
45 to 49 years	8.1	11.4	10.1	7.4	6.5	12.5	5.6	4.3	8.1	2.0	12.5	- -	13.9	21.4	7.1
50 to 54 years	6.3	11.8	9.7	4.0	4.0	17.3	10.2	3.2	5.0	4.1	- -	- -	2.5	- -	6.3
55 to 59 years	5.3	11.7	7.5	3.4	3.1	22.1	8.6	2.4	3.3	2.0	12.5	5.0	5.7	7.1	3.0
60 to 64 years	2.7	6.4	4.0	2.2	1.7	12.1	3.6	0.8	1.2	1.4	- -	10.0	0.8	- -	1.2
65 to 69 years	0.8	2.0	1.0	1.0	0.4	4.0	2.0	0.2	0.2	0.7	- -	5.0	- -	- -	0.6
70 to 74 years	0.2	0.6	0.1	0.1	0.1	1.0	- -	0.1	0.1	- -	- -	- -	- -	- -	0.3
75 years and older	*	0.2	- -	*	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	26,816	3,931	3,406	4,012	3,562	503	197	3,603	6,955	147	8	20	122	14	336
Race															
American Indian or Alaska Native	0.3	0.3	0.5	0.1	0.2	0.2	0.5	0.2	0.3	- -	- -	- -	- -	- -	- -
Asian[1]	0.2	0.3	0.1	0.1	0.2	0.2	- -	0.1	0.1	0.7	- -	- -	- -	- -	0.6
Black or African American	18.0	12.6	17.5	28.7	21.0	81.7	58.9	22.7	4.4	9.5	25.0	20.0	86.1	7.1	15.5
Native Hawaiian or Other Pacific Islander	0.1	0.2	0.1	- -	0.1	- -	- -	0.1	*	- -	- -	- -	0.8	- -	- -
White	76.2	81.5	76.3	66.6	73.6	11.9	34.0	69.5	90.5	84.4	62.5	75.0	5.7	78.6	77.6
Other	5.3	5.1	5.6	4.5	4.9	6.0	6.6	7.4	4.8	5.4	12.5	5.0	7.4	14.3	6.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	26,814	3,931	3,406	4,012	3,561	503	197	3,603	6,955	147	8	20	122	14	335

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.25a. Montana admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	1,178	347	315	65	34	- -	- -	50	358	2	- -	- -	- -	2	5
Gender															
Male	710	248	204	34	22	- -	- -	40	156	- -	- -	- -	- -	1	5
Female	468	99	111	31	12	- -	- -	10	202	2	- -	- -	- -	1	- -
No. of admissions	1,178	347	315	65	34	- -	- -	50	358	2	- -	- -	- -	2	5
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	2	- -	1	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
14 years	2	- -	- -	- -	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	- -
15 years	2	- -	1	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
16 years	3	- -	2	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
17 years	4	- -	3	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
18 years	4	- -	- -	- -	- -	- -	- -	1	2	- -	- -	- -	- -	- -	1
19 years	14	2	6	2	1	- -	- -	1	2	- -	- -	- -	- -	- -	- -
20 years	14	3	1	2	- -	- -	- -	3	5	- -	- -	- -	- -	- -	- -
21 to 24 years	104	21	29	8	4	- -	- -	7	32	1	- -	- -	- -	1	1
25 to 29 years	229	61	53	18	4	- -	- -	9	84	- -	- -	- -	- -	- -	- -
30 to 34 years	207	56	52	17	10	- -	- -	4	66	1	- -	- -	- -	- -	1
35 to 39 years	224	47	69	11	7	- -	- -	6	83	- -	- -	- -	- -	- -	1
40 to 44 years	115	32	37	4	2	- -	- -	4	34	- -	- -	- -	- -	1	1
45 to 49 years	91	41	23	- -	5	- -	- -	1	21	- -	- -	- -	- -	- -	- -
50 to 54 years	68	26	20	1	1	- -	- -	4	16	- -	- -	- -	- -	- -	- -
55 to 59 years	52	28	13	1	- -	- -	- -	1	9	- -	- -	- -	- -	- -	- -
60 to 64 years	29	18	3	1	- -	- -	- -	3	4	- -	- -	- -	- -	- -	- -
65 to 69 years	11	9	2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
70 to 74 years	1	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	2	2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	1,178	347	315	65	34	- -	- -	50	358	2	- -	- -	- -	2	5
Race															
American Indian or Alaska Native	294	68	98	2	8	- -	- -	12	106	- -	- -	- -	- -	- -	- -
Asian[1]	2	- -	1	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -
Black or African American	18	3	5	1	- -	- -	- -	- -	9	- -	- -	- -	- -	- -	- -
Native Hawaiian or Other Pacific Islander	4	- -	- -	- -	- -	- -	- -	- -	3	- -	- -	- -	- -	- -	1
White	784	262	192	57	25	- -	- -	34	206	2	- -	- -	- -	2	4
Other	76	14	19	5	1	- -	- -	4	33	- -	- -	- -	- -	- -	- -
No. of admissions	1,178	347	315	65	34	- -	- -	50	358	2	- -	- -	- -	2	5

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.25b. Montana admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	1,178	347	315	65	34	- -	- -	50	358	2	- -	- -	- -	2	5
Gender															
Male	60.3	71.5	64.8	52.3	64.7	- -	- -	80.0	43.6	- -	- -	- -	- -	50.0	100.0
Female	39.7	28.5	35.2	47.7	35.3	- -	- -	20.0	56.4	100.0	- -	- -	- -	50.0	- -
Total	100.0	100.0	100.0	100.0	100.0	- -	- -	100.0	100.0	100.0	- -	- -	- -	100.0	100.0
No. of admissions	1,178	347	315	65	34	- -	- -	50	358	2	- -	- -	- -	2	5
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	0.2	- -	0.3	- -	- -	- -	- -	2.0	- -	- -	- -	- -	- -	- -	- -
14 years	0.2	- -	- -	- -	- -	- -	- -	4.0	- -	- -	- -	- -	- -	- -	- -
15 years	0.2	- -	0.3	- -	- -	- -	- -	2.0	- -	- -	- -	- -	- -	- -	- -
16 years	0.3	- -	0.6	- -	- -	- -	- -	2.0	- -	- -	- -	- -	- -	- -	- -
17 years	0.3	- -	1.0	- -	- -	- -	- -	2.0	- -	- -	- -	- -	- -	- -	- -
18 years	0.3	- -	- -	- -	- -	- -	- -	2.0	0.6	- -	- -	- -	- -	- -	20.0
19 years	1.2	0.6	1.9	3.1	2.9	- -	- -	2.0	0.6	- -	- -	- -	- -	- -	- -
20 years	1.2	0.9	0.3	3.1	- -	- -	- -	6.0	1.4	- -	- -	- -	- -	- -	- -
21 to 24 years	8.8	6.1	9.2	12.3	11.8	- -	- -	14.0	8.9	50.0	- -	- -	- -	50.0	20.0
25 to 29 years	19.4	17.6	16.8	27.7	11.8	- -	- -	18.0	23.5	- -	- -	- -	- -	- -	- -
30 to 34 years	17.6	16.1	16.5	26.2	29.4	- -	- -	8.0	18.4	50.0	- -	- -	- -	- -	20.0
35 to 39 years	19.0	13.5	21.9	16.9	20.6	- -	- -	12.0	23.2	- -	- -	- -	- -	- -	20.0
40 to 44 years	9.8	9.2	11.7	6.2	5.9	- -	- -	8.0	9.5	- -	- -	- -	- -	50.0	20.0
45 to 49 years	7.7	11.8	7.3	- -	14.7	- -	- -	2.0	5.9	- -	- -	- -	- -	- -	- -
50 to 54 years	5.8	7.5	6.3	1.5	2.9	- -	- -	8.0	4.5	- -	- -	- -	- -	- -	- -
55 to 59 years	4.4	8.1	4.1	1.5	- -	- -	- -	2.0	2.5	- -	- -	- -	- -	- -	- -
60 to 64 years	2.5	5.2	1.0	1.5	- -	- -	- -	6.0	1.1	- -	- -	- -	- -	- -	- -
65 to 69 years	0.9	2.6	0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
70 to 74 years	0.1	0.3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	0.2	0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	- -	- -	100.0	100.0	100.0	- -	- -	- -	100.0	100.0
No. of admissions	1,178	347	315	65	34	- -	- -	50	358	2	- -	- -	- -	2	5
Race															
American Indian or Alaska Native	25.0	19.6	31.1	3.1	23.5	- -	- -	24.0	29.6	- -	- -	- -	- -	- -	- -
Asian[1]	0.2	- -	0.3	- -	- -	- -	- -	- -	0.3	- -	- -	- -	- -	- -	- -
Black or African American	1.5	0.9	1.6	1.5	- -	- -	- -	- -	2.5	- -	- -	- -	- -	- -	- -
Native Hawaiian or Other Pacific Islander	0.3	- -	- -	- -	- -	- -	- -	- -	0.8	- -	- -	- -	- -	- -	20.0
White	66.6	75.5	61.0	87.7	73.5	- -	- -	68.0	57.5	100.0	- -	- -	- -	100.0	80.0
Other	6.5	4.0	6.0	7.7	2.9	- -	- -	8.0	9.2	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	- -	- -	100.0	100.0	100.0	- -	- -	- -	100.0	100.0
No. of admissions	1,178	347	315	65	34	- -	- -	50	358	2	- -	- -	- -	2	5

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.26a. Nebraska admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	10,229	2,918	2,062	152	227	51	81	990	2,929	30	13	8	4	7	757
Gender															
Male	6,914	2,113	1,492	103	136	36	60	695	1,811	20	9	7	4	5	423
Female	3,314	805	570	49	91	15	21	294	1,118	10	4	1	- -	2	334
No. of admissions	10,228	2,918	2,062	152	227	51	81	989	2,929	30	13	8	4	7	757
Age at admission															
12 years	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1
13 years	7	3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	4
14 years	7	- -	- -	- -	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	5
15 years	14	- -	1	- -	- -	- -	- -	5	1	- -	- -	- -	- -	- -	7
16 years	21	1	4	- -	- -	- -	- -	9	- -	- -	- -	- -	- -	- -	7
17 years	22	7	5	- -	- -	- -	- -	4	- -	- -	- -	- -	- -	1	5
18 years	26	3	7	- -	- -	- -	- -	9	1	- -	- -	- -	- -	- -	6
19 years	156	25	27	2	1	- -	4	59	27	2	- -	2	- -	- -	7
20 years	179	32	29	2	1	- -	- -	51	43	- -	2	2	- -	- -	17
21 to 24 years	1,004	185	217	14	22	2	19	145	302	7	1	- -	- -	1	89
25 to 29 years	1,822	400	399	31	50	1	21	223	563	4	1	1	- -	- -	128
30 to 34 years	1,978	470	378	66	52	4	7	194	654	8	1	3	1	2	138
35 to 39 years	1,601	388	329	20	39	4	14	103	572	2	2	- -	3	- -	125
40 to 44 years	1,127	328	245	5	31	8	8	73	338	2	2	- -	- -	1	86
45 to 49 years	796	315	158	2	15	7	3	44	196	5	4	- -	- -	1	46
50 to 54 years	632	284	122	3	7	10	1	39	121	- -	- -	- -	- -	1	44
55 to 59 years	486	265	94	2	3	12	1	17	73	- -	- -	- -	- -	- -	19
60 to 64 years	249	145	37	4	4	2	2	10	32	- -	- -	- -	- -	- -	13
65 to 69 years	71	46	8	1	1	1	1	3	2	- -	- -	- -	- -	- -	8
70 to 74 years	22	15	1	- -	1	- -	- -	- -	3	- -	- -	- -	- -	- -	2
75 years and older	8	6	1	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -
No. of admissions	10,229	2,918	2,062	152	227	51	81	990	2,929	30	13	8	4	7	757
Race															
American Indian or Alaska Native	537	189	126	1	9	- -	2	38	151	- -	1	- -	- -	1	19
Asian[1]	59	30	5	- -	1	1	- -	4	15	- -	- -	- -	- -	- -	3
Black or African American	967	314	207	12	19	32	22	160	174	1	1	2	4	- -	19
Native Hawaiian or Other Pacific Islander	46	13	9	- -	- -	- -	- -	6	16	- -	- -	- -	- -	- -	2
White	7,767	2,248	1,592	135	182	16	53	703	2,406	26	11	6	- -	6	383
Other	747	123	121	4	15	2	4	79	164	3	- -	- -	- -	- -	232
No. of admissions	10,123	2,917	2,060	152	226	51	81	990	2,926	30	13	8	4	7	658

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.26b. Nebraska admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	10,229	2,918	2,062	152	227	51	81	990	2,929	30	13	8	4	7	757
Gender															
Male	67.6	72.4	72.4	67.8	59.9	70.6	74.1	70.3	61.8	66.7	69.2	87.5	100.0	71.4	55.9
Female	32.4	27.6	27.6	32.2	40.1	29.4	25.9	29.7	38.2	33.3	30.8	12.5	- -	28.6	44.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	10,228	2,918	2,062	152	227	51	81	989	2,929	30	13	8	4	7	757
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.1
13 years	0.1	0.1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.5
14 years	0.1	- -	- -	- -	- -	- -	- -	0.2	- -	- -	- -	- -	- -	- -	0.7
15 years	0.1	- -	*	- -	- -	- -	- -	0.5	*	- -	- -	- -	- -	- -	0.9
16 years	0.2	*	0.2	- -	- -	- -	- -	0.9	- -	- -	- -	- -	- -	- -	0.9
17 years	0.2	0.2	0.2	- -	- -	- -	- -	0.4	- -	- -	- -	- -	- -	14.3	0.7
18 years	0.3	0.1	0.3	- -	- -	- -	- -	0.9	*	- -	- -	- -	- -	- -	0.8
19 years	1.5	0.9	1.3	1.3	0.4	- -	4.9	6.0	0.9	6.7	- -	25.0	- -	- -	0.9
20 years	1.7	1.1	1.4	1.3	0.4	- -	- -	5.2	1.5	- -	15.4	25.0	- -	- -	2.2
21 to 24 years	9.8	6.3	10.5	9.2	9.7	3.9	23.5	14.6	10.3	23.3	7.7	- -	- -	14.3	11.8
25 to 29 years	17.8	13.7	19.4	20.4	22.0	2.0	25.9	22.5	19.2	13.3	7.7	12.5	- -	- -	16.9
30 to 34 years	19.3	16.1	18.3	43.4	22.9	7.8	8.6	19.6	22.3	26.7	7.7	37.5	25.0	28.6	18.2
35 to 39 years	15.7	13.3	16.0	13.2	17.2	7.8	17.3	10.4	19.5	6.7	15.4	- -	75.0	- -	16.5
40 to 44 years	11.0	11.2	11.9	3.3	13.7	15.7	9.9	7.4	11.5	6.7	15.4	- -	- -	14.3	11.4
45 to 49 years	7.8	10.8	7.7	1.3	6.6	13.7	3.7	4.4	6.7	16.7	30.8	- -	- -	14.3	6.1
50 to 54 years	6.2	9.7	5.9	2.0	3.1	19.6	1.2	3.9	4.1	- -	- -	- -	- -	14.3	5.8
55 to 59 years	4.8	9.1	4.6	1.3	1.3	23.5	1.2	1.7	2.5	- -	- -	- -	- -	- -	2.5
60 to 64 years	2.4	5.0	1.8	2.6	1.8	3.9	2.5	1.0	1.1	- -	- -	- -	- -	- -	1.7
65 to 69 years	0.7	1.6	0.4	0.7	0.4	2.0	1.2	0.3	0.1	- -	- -	- -	- -	- -	1.1
70 to 74 years	0.2	0.5	*	- -	0.4	- -	- -	- -	0.1	- -	- -	- -	- -	- -	0.3
75 years and older	0.1	0.2	*	- -	- -	- -	- -	- -	*	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	10,229	2,918	2,062	152	227	51	81	990	2,929	30	13	8	4	7	757
Race															
American Indian or Alaska Native	5.3	6.5	6.1	0.7	4.0	- -	2.5	3.8	5.2	- -	7.7	- -	- -	14.3	2.9
Asian[1]	0.6	1.0	0.2	- -	0.4	2.0	- -	0.4	0.5	- -	- -	- -	- -	- -	0.5
Black or African American	9.6	10.8	10.0	7.9	8.4	62.7	27.2	16.2	5.9	3.3	7.7	25.0	100.0	- -	2.9
Native Hawaiian or Other Pacific Islander	0.5	0.4	0.4	- -	- -	- -	- -	0.6	0.5	- -	- -	- -	- -	- -	0.3
White	76.7	77.1	77.3	88.8	80.5	31.4	65.4	71.0	82.2	86.7	84.6	75.0	- -	85.7	58.2
Other	7.4	4.2	5.9	2.6	6.6	3.9	4.9	8.0	5.6	10.0	- -	- -	- -	- -	35.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	10,123	2,917	2,060	152	226	51	81	990	2,926	30	13	8	4	7	658

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.27a. Nevada admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	8,833	581	653	375	94	25	57	620	1,112	9	2	9	2	2	5,292
Gender															
Male	5,507	335	398	192	51	15	43	428	564	7	- -	6	2	2	3,464
Female	3,157	219	236	166	39	10	11	169	490	2	1	3	- -	- -	1,811
No. of admissions	8,664	554	634	358	90	25	54	597	1,054	9	1	9	2	2	5,275
Age at admission															
12 years	21	- -	- -	- -	- -	- -	- -	3	- -	- -	- -	- -	- -	- -	18
13 years	30	- -	1	- -	- -	- -	- -	14	- -	- -	- -	- -	- -	- -	15
14 years	49	1	4	- -	- -	- -	- -	24	2	- -	- -	- -	- -	- -	18
15 years	80	4	12	- -	- -	- -	- -	43	- -	1	- -	- -	- -	- -	20
16 years	92	1	9	- -	1	- -	2	55	1	1	- -	1	- -	- -	21
17 years	98	4	12	- -	1	- -	1	64	1	- -	- -	1	- -	- -	14
18 years	64	4	9	- -	- -	- -	1	19	6	- -	- -	- -	- -	1	24
19 years	63	4	6	2	- -	- -	- -	15	5	- -	1	1	- -	- -	29
20 years	87	4	7	4	1	- -	5	18	18	- -	- -	- -	- -	- -	30
21 to 24 years	624	23	39	44	10	2	10	69	84	3	- -	- -	- -	- -	340
25 to 29 years	1,548	83	110	122	26	3	11	91	205	- -	- -	1	- -	- -	896
30 to 34 years	1,598	73	141	106	17	3	11	68	231	2	- -	1	1	1	943
35 to 39 years	1,304	91	92	48	13	- -	1	54	201	2	- -	3	- -	- -	799
40 to 44 years	1,012	70	78	20	7	2	6	32	143	- -	- -	1	- -	- -	653
45 to 49 years	678	61	48	11	6	4	3	25	99	- -	- -	- -	- -	- -	421
50 to 54 years	595	48	34	12	5	1	4	14	53	- -	1	- -	- -	- -	423
55 to 59 years	494	65	36	2	2	5	1	5	44	- -	- -	- -	1	- -	333
60 to 64 years	285	32	12	2	3	5	1	5	12	- -	- -	- -	- -	- -	213
65 to 69 years	76	8	2	2	1	- -	- -	2	6	- -	- -	- -	- -	- -	55
70 to 74 years	25	3	1	- -	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	20
75 years and older	10	2	- -	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	7
No. of admissions	8,833	581	653	375	94	25	57	620	1,112	9	2	9	2	2	5,292
Race															
American Indian or Alaska Native	187	26	35	15	2	- -	1	12	35	- -	- -	- -	- -	- -	61
Asian[1]	122	3	3	4	- -	- -	- -	7	16	- -	- -	- -	- -	- -	89
Black or African American	1,415	48	85	8	5	9	9	151	72	- -	- -	- -	1	- -	1,027
Native Hawaiian or Other Pacific Islander	85	4	2	2	- -	- -	- -	5	13	- -	- -	- -	- -	- -	59
White	4,548	266	283	204	51	10	28	211	602	4	1	7	- -	1	2,880
Other	2,328	229	233	139	35	5	19	221	363	5	1	1	1	1	1,075
No. of admissions	8,685	576	641	372	93	24	57	607	1,101	9	2	8	2	2	5,191

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.27b. Nevada admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	8,833	581	653	375	94	25	57	620	1,112	9	2	9	2	2	5,292
Gender															
Male	63.6	60.5	62.8	53.6	56.7	60.0	79.6	71.7	53.5	77.8	- -	66.7	100.0	100.0	65.7
Female	36.4	39.5	37.2	46.4	43.3	40.0	20.4	28.3	46.5	22.2	100.0	33.3	- -	- -	34.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	8,664	554	634	358	90	25	54	597	1,054	9	1	9	2	2	5,275
Age at admission															
12 years	0.2	- -	- -	- -	- -	- -	- -	0.5	- -	- -	- -	- -	- -	- -	0.3
13 years	0.3	- -	0.2	- -	- -	- -	- -	2.3	- -	- -	- -	- -	- -	- -	0.3
14 years	0.6	0.2	0.6	- -	- -	- -	- -	3.9	0.2	- -	- -	- -	- -	- -	0.3
15 years	0.9	0.7	1.8	- -	- -	- -	- -	6.9	- -	11.1	- -	- -	- -	- -	0.4
16 years	1.0	0.2	1.4	- -	1.1	- -	3.5	8.9	0.1	11.1	- -	11.1	- -	- -	0.4
17 years	1.1	0.7	1.8	- -	1.1	- -	1.8	10.3	0.1	- -	- -	11.1	- -	- -	0.3
18 years	0.7	0.7	1.4	- -	- -	- -	1.8	3.1	0.5	- -	- -	- -	- -	50.0	0.5
19 years	0.7	0.7	0.9	0.5	- -	- -	- -	2.4	0.4	- -	50.0	11.1	- -	- -	0.5
20 years	1.0	0.7	1.1	1.1	1.1	- -	8.8	2.9	1.6	- -	- -	- -	- -	- -	0.6
21 to 24 years	7.1	4.0	6.0	11.7	10.6	8.0	17.5	11.1	7.6	33.3	- -	- -	- -	- -	6.4
25 to 29 years	17.5	14.3	16.8	32.5	27.7	12.0	19.3	14.7	18.4	- -	- -	11.1	- -	- -	16.9
30 to 34 years	18.1	12.6	21.6	28.3	18.1	12.0	19.3	11.0	20.8	22.2	- -	11.1	50.0	50.0	17.8
35 to 39 years	14.8	15.7	14.1	12.8	13.8	- -	1.8	8.7	18.1	22.2	- -	33.3	- -	- -	15.1
40 to 44 years	11.5	12.0	11.9	5.3	7.4	8.0	10.5	5.2	12.9	- -	- -	11.1	- -	- -	12.3
45 to 49 years	7.7	10.5	7.4	2.9	6.4	16.0	5.3	4.0	8.9	- -	- -	- -	- -	- -	8.0
50 to 54 years	6.7	8.3	5.2	3.2	5.3	4.0	7.0	2.3	4.8	- -	50.0	- -	- -	- -	8.0
55 to 59 years	5.6	11.2	5.5	0.5	2.1	20.0	1.8	0.8	4.0	- -	- -	- -	50.0	- -	6.3
60 to 64 years	3.2	5.5	1.8	0.5	3.2	20.0	1.8	0.8	1.1	- -	- -	- -	- -	- -	4.0
65 to 69 years	0.9	1.4	0.3	0.5	1.1	- -	- -	0.3	0.5	- -	- -	- -	- -	- -	1.0
70 to 74 years	0.3	0.5	0.2	- -	1.1	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.4
75 years and older	0.1	0.3	- -	- -	- -	- -	- -	- -	0.1	- -	- -	- -	- -	- -	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	8,833	581	653	375	94	25	57	620	1,112	9	2	9	2	2	5,292
Race															
American Indian or Alaska Native	2.2	4.5	5.5	4.0	2.2	- -	1.8	2.0	3.2	- -	- -	- -	- -	- -	1.2
Asian[1]	1.4	0.5	0.5	1.1	- -	- -	- -	1.2	1.5	- -	- -	- -	- -	- -	1.7
Black or African American	16.3	8.3	13.3	2.2	5.4	37.5	15.8	24.9	6.5	- -	- -	- -	50.0	- -	19.8
Native Hawaiian or Other Pacific Islander	1.0	0.7	0.3	0.5	- -	- -	- -	0.8	1.2	- -	- -	- -	- -	- -	1.1
White	52.4	46.2	44.1	54.8	54.8	41.7	49.1	34.8	54.7	44.4	50.0	87.5	- -	50.0	55.5
Other	26.8	39.8	36.3	37.4	37.6	20.8	33.3	36.4	33.0	55.6	50.0	12.5	50.0	50.0	20.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	8,685	576	641	372	93	24	57	607	1,101	9	2	8	2	2	5,191

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.28a. New Hampshire admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	1,604	313	145	654	120	69	35	50	190	11	- -	4	- -	- -	13
Gender															
Male	929	218	90	342	83	26	21	33	100	6	- -	3	- -	- -	7
Female	671	95	55	312	36	43	13	16	89	5	- -	1	- -	- -	6
No. of admissions	1,600	313	145	654	119	69	34	49	189	11	- -	4	- -	- -	13
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
16 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
17 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
18 years	3	- -	- -	- -	- -	- -	- -	1	1	1	- -	- -	- -	- -	- -
19 years	12	1	1	4	- -	- -	1	3	2	- -	- -	- -	- -	- -	- -
20 years	13	- -	1	8	1	- -	2	- -	1	- -	- -	- -	- -	- -	- -
21 to 24 years	120	11	14	48	5	4	2	11	21	2	- -	1	- -	- -	1
25 to 29 years	281	31	21	149	24	6	2	9	37	2	- -	- -	- -	- -	- -
30 to 34 years	354	37	21	179	28	16	9	10	49	1	- -	- -	- -	- -	4
35 to 39 years	303	41	24	137	29	9	7	9	44	1	- -	- -	- -	- -	2
40 to 44 years	157	31	18	62	14	11	4	3	10	1	- -	- -	- -	- -	3
45 to 49 years	127	35	14	34	8	11	4	3	14	1	- -	2	- -	- -	1
50 to 54 years	103	40	15	20	7	8	3	- -	8	- -	- -	1	- -	- -	1
55 to 59 years	59	32	11	8	3	3	- -	- -	2	- -	- -	- -	- -	- -	- -
60 to 64 years	45	32	4	5	1	- -	1	1	1	- -	- -	- -	- -	- -	- -
65 to 69 years	18	13	1	- -	- -	1	- -	- -	- -	2	- -	- -	- -	- -	1
70 to 74 years	7	7	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	2	2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	1,604	313	145	654	120	69	35	50	190	11	- -	4	- -	- -	13
Race															
American Indian or Alaska Native	9	- -	- -	5	2	1	- -	1	- -	- -	- -	- -	- -	- -	- -
Asian[1]	4	- -	1	3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Black or African American	36	9	3	11	3	3	1	3	3	- -	- -	- -	- -	- -	- -
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	1,398	281	124	579	89	54	29	40	180	8	- -	4	- -	- -	10
Other	68	5	8	33	2	8	2	6	2	2	- -	- -	- -	- -	- -
No. of admissions	1,515	295	136	631	96	66	32	50	185	10	- -	4	- -	- -	10

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.28b. New Hampshire admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	1,604	313	145	654	120	69	35	50	190	11	- -	4	- -	- -	13
Gender															
Male	58.1	69.6	62.1	52.3	69.7	37.7	61.8	67.3	52.9	54.5	- -	75.0	- -	- -	53.8
Female	41.9	30.4	37.9	47.7	30.3	62.3	38.2	32.7	47.1	45.5	- -	25.0	- -	- -	46.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	- -	- -	100.0
No. of admissions	1,600	313	145	654	119	69	34	49	189	11	- -	4	- -	- -	13
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
16 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
17 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
18 years	0.2	- -	- -	- -	- -	- -	- -	2.0	0.5	9.1	- -	- -	- -	- -	- -
19 years	0.7	0.3	0.7	0.6	- -	- -	2.9	6.0	1.1	- -	- -	- -	- -	- -	- -
20 years	0.8	- -	0.7	1.2	0.8	- -	5.7	- -	0.5	- -	- -	- -	- -	- -	- -
21 to 24 years	7.5	3.5	9.7	7.3	4.2	5.8	5.7	22.0	11.1	18.2	- -	25.0	- -	- -	7.7
25 to 29 years	17.5	9.9	14.5	22.8	20.0	8.7	5.7	18.0	19.5	18.2	- -	- -	- -	- -	- -
30 to 34 years	22.1	11.8	14.5	27.4	23.3	23.2	25.7	20.0	25.8	9.1	- -	- -	- -	- -	30.8
35 to 39 years	18.9	13.1	16.6	20.9	24.2	13.0	20.0	18.0	23.2	9.1	- -	- -	- -	- -	15.4
40 to 44 years	9.8	9.9	12.4	9.5	11.7	15.9	11.4	6.0	5.3	9.1	- -	- -	- -	- -	23.1
45 to 49 years	7.9	11.2	9.7	5.2	6.7	15.9	11.4	6.0	7.4	9.1	- -	50.0	- -	- -	7.7
50 to 54 years	6.4	12.8	10.3	3.1	5.8	11.6	8.6	- -	4.2	- -	- -	25.0	- -	- -	7.7
55 to 59 years	3.7	10.2	7.6	1.2	2.5	4.3	- -	- -	1.1	- -	- -	- -	- -	- -	- -
60 to 64 years	2.8	10.2	2.8	0.8	0.8	- -	2.9	2.0	0.5	- -	- -	- -	- -	- -	- -
65 to 69 years	1.1	4.2	0.7	- -	- -	1.4	- -	- -	- -	18.2	- -	- -	- -	- -	7.7
70 to 74 years	0.4	2.2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	0.1	0.6	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	- -	- -	100.0
No. of admissions	1,604	313	145	654	120	69	35	50	190	11	- -	4	- -	- -	13
Race															
American Indian or Alaska Native	0.6	- -	- -	0.8	2.1	1.5	- -	2.0	- -	- -	- -	- -	- -	- -	- -
Asian[1]	0.3	- -	0.7	0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Black or African American	2.4	3.1	2.2	1.7	3.1	4.5	3.1	6.0	1.6	- -	- -	- -	- -	- -	- -
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	92.3	95.3	91.2	91.8	92.7	81.8	90.6	80.0	97.3	80.0	- -	100.0	- -	- -	100.0
Other	4.5	1.7	5.9	5.2	2.1	12.1	6.3	12.0	1.1	20.0	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	- -	- -	100.0
No. of admissions	1,515	295	136	631	96	66	32	50	185	10	- -	4	- -	- -	10

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.29a. New Jersey admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	81,368	16,712	9,756	33,568	5,390	2,243	2,005	7,223	1,623	1,606	14	172	577	24	455
Gender															
Male	55,347	11,070	6,958	22,703	3,535	1,351	1,487	5,340	1,064	999	7	132	358	11	332
Female	25,965	5,638	2,785	10,846	1,851	892	516	1,873	555	607	7	40	219	13	123
No. of admissions	81,312	16,708	9,743	33,549	5,386	2,243	2,003	7,213	1,619	1,606	14	172	577	24	455
Age at admission															
12 years	1	- -	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
13 years	27	1	- -	1	- -	- -	- -	25	- -	- -	- -	- -	- -	- -	- -
14 years	55	3	3	- -	- -	- -	- -	49	- -	- -	- -	- -	- -	- -	- -
15 years	106	1	1	- -	- -	- -	- -	101	- -	1	- -	- -	- -	- -	2
16 years	200	- -	7	2	- -	1	1	183	- -	2	- -	- -	- -	- -	4
17 years	222	1	4	1	2	- -	2	202	1	7	- -	- -	- -	- -	2
18 years	437	20	46	47	27	1	7	270	2	12	- -	1	- -	- -	4
19 years	574	49	76	111	44	5	6	200	6	62	- -	4	1	1	9
20 years	798	53	115	183	63	11	18	266	21	65	- -	1	- -	- -	2
21 to 24 years	6,036	619	747	2,064	539	110	132	1,333	164	248	4	17	8	2	49
25 to 29 years	13,303	1,502	1,529	6,033	1,166	211	277	1,744	316	323	3	35	69	5	90
30 to 34 years	14,481	1,994	1,619	7,005	1,196	263	309	1,125	357	305	1	49	169	3	86
35 to 39 years	11,880	2,189	1,485	5,187	858	298	307	756	306	220	- -	26	180	2	66
40 to 44 years	8,765	2,129	1,193	3,444	532	288	278	447	180	108	2	13	102	2	47
45 to 49 years	7,279	2,189	918	2,789	374	283	202	232	142	76	- -	11	27	4	32
50 to 54 years	7,332	2,275	891	3,001	248	338	239	159	80	58	- -	7	10	4	22
55 to 59 years	5,792	2,010	701	2,236	162	318	151	86	29	56	3	7	9	1	23
60 to 64 years	2,956	1,195	310	1,068	126	88	62	32	17	44	1	1	2	- -	10
65 to 69 years	859	339	90	332	37	25	11	8	2	10	- -	- -	- -	- -	5
70 to 74 years	211	107	21	54	14	2	3	3	- -	5	- -	- -	- -	- -	2
75 years and older	54	36	- -	10	2	1	- -	1	- -	4	- -	- -	- -	- -	- -
No. of admissions	81,368	16,712	9,756	33,568	5,390	2,243	2,005	7,223	1,623	1,606	14	172	577	24	455
Race															
American Indian or Alaska Native	353	89	39	124	14	8	11	44	7	10	- -	1	2	- -	4
Asian[1]	729	227	69	188	63	13	30	71	36	22	- -	1	1	- -	8
Black or African American	19,424	2,646	2,783	6,649	1,347	925	503	3,638	222	188	3	47	364	1	108
Native Hawaiian or Other Pacific Islander	546	114	47	239	31	13	15	51	15	15	- -	1	2	- -	3
White	59,714	13,549	6,709	26,191	3,886	1,268	1,428	3,311	1,329	1,363	11	121	204	23	321
Other	542	75	103	162	45	14	17	97	12	6	- -	1	4	- -	6
No. of admissions	81,308	16,700	9,750	33,553	5,386	2,241	2,004	7,212	1,621	1,604	14	172	577	24	450

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.29b. New Jersey admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	81,368	16,712	9,756	33,568	5,390	2,243	2,005	7,223	1,623	1,606	14	172	577	24	455
Gender															
Male	68.1	66.3	71.4	67.7	65.6	60.2	74.2	74.0	65.7	62.2	50.0	76.7	62.0	45.8	73.0
Female	31.9	33.7	28.6	32.3	34.4	39.8	25.8	26.0	34.3	37.8	50.0	23.3	38.0	54.2	27.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	81,312	16,708	9,743	33,549	5,386	2,243	2,003	7,213	1,619	1,606	14	172	577	24	455
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	*	- -	- -	- -	- -	- -	- -	- -
13 years	*	*	- -	*	- -	- -	- -	0.3	- -	- -	- -	- -	- -	- -	- -
14 years	0.1	*	*	- -	- -	- -	- -	0.7	- -	- -	- -	- -	- -	- -	- -
15 years	0.1	*	*	- -	- -	- -	- -	1.4	- -	0.1	- -	- -	- -	- -	0.4
16 years	0.2	- -	0.1	*	- -	*	*	2.5	- -	0.1	- -	- -	- -	- -	0.9
17 years	0.3	*	*	*	*	- -	0.1	2.8	0.1	0.4	- -	- -	- -	- -	0.4
18 years	0.5	0.1	0.5	0.1	0.5	*	0.3	3.7	0.1	0.7	- -	0.6	- -	- -	0.9
19 years	0.7	0.3	0.8	0.3	0.8	0.2	0.3	2.8	0.4	3.9	- -	2.3	0.2	4.2	2.0
20 years	1.0	0.3	1.2	0.5	1.2	0.5	0.9	3.7	1.3	4.0	- -	0.6	- -	- -	0.4
21 to 24 years	7.4	3.7	7.7	6.1	10.0	4.9	6.6	18.5	10.1	15.4	28.6	9.9	1.4	8.3	10.8
25 to 29 years	16.3	9.0	15.7	18.0	21.6	9.4	13.8	24.1	19.5	20.1	21.4	20.3	12.0	20.8	19.8
30 to 34 years	17.8	11.9	16.6	20.9	22.2	11.7	15.4	15.6	22.0	19.0	7.1	28.5	29.3	12.5	18.9
35 to 39 years	14.6	13.1	15.2	15.5	15.9	13.3	15.3	10.5	18.9	13.7	- -	15.1	31.2	8.3	14.5
40 to 44 years	10.8	12.7	12.2	10.3	9.9	12.8	13.9	6.2	11.1	6.7	14.3	7.6	17.7	8.3	10.3
45 to 49 years	8.9	13.1	9.4	8.3	6.9	12.6	10.1	3.2	8.7	4.7	- -	6.4	4.7	16.7	7.0
50 to 54 years	9.0	13.6	9.1	8.9	4.6	15.1	11.9	2.2	4.9	3.6	- -	4.1	1.7	16.7	4.8
55 to 59 years	7.1	12.0	7.2	6.7	3.0	14.2	7.5	1.2	1.8	3.5	21.4	4.1	1.6	4.2	5.1
60 to 64 years	3.6	7.2	3.2	3.2	2.3	3.9	3.1	0.4	1.0	2.7	7.1	0.6	0.3	- -	2.2
65 to 69 years	1.1	2.0	0.9	1.0	0.7	1.1	0.5	0.1	0.1	0.6	- -	- -	- -	- -	1.1
70 to 74 years	0.3	0.6	0.2	0.2	0.3	0.1	0.1	*	- -	0.3	- -	- -	- -	- -	0.4
75 years and older	0.1	0.2	- -	*	*	*	- -	*	- -	0.2	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	81,368	16,712	9,756	33,568	5,390	2,243	2,005	7,223	1,623	1,606	14	172	577	24	455
Race															
American Indian or Alaska Native	0.4	0.5	0.4	0.4	0.3	0.4	0.5	0.6	0.4	0.6	- -	0.6	0.3	- -	0.9
Asian[1]	0.9	1.4	0.7	0.6	1.2	0.6	1.5	1.0	2.2	1.4	- -	0.6	0.2	- -	1.8
Black or African American	23.9	15.8	28.5	19.8	25.0	41.3	25.1	50.4	13.7	11.7	21.4	27.3	63.1	4.2	24.0
Native Hawaiian or Other Pacific Islander	0.7	0.7	0.5	0.7	0.6	0.6	0.7	0.7	0.9	0.9	- -	0.6	0.3	- -	0.7
White	73.4	81.1	68.8	78.1	72.2	56.6	71.3	45.9	82.0	85.0	78.6	70.3	35.4	95.8	71.3
Other	0.7	0.4	1.1	0.5	0.8	0.6	0.8	1.3	0.7	0.4	- -	0.6	0.7	- -	1.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	81,308	16,700	9,750	33,553	5,386	2,241	2,004	7,212	1,621	1,604	14	172	577	24	450

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.30a. New York admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	201,573	38,194	48,108	56,472	10,040	9,937	7,159	19,969	4,593	3,660	800	286	849	81	1,425
Gender															
Male	145,785	27,024	37,138	41,358	6,282	6,283	5,145	14,676	3,164	2,545	300	205	612	51	1,002
Female	55,788	11,170	10,970	15,114	3,758	3,654	2,014	5,293	1,429	1,115	500	81	237	30	423
No. of admissions	201,573	38,194	48,108	56,472	10,040	9,937	7,159	19,969	4,593	3,660	800	286	849	81	1,425
Age at admission															
12 years	36	5	2	1	- -	- -	1	27	- -	- -	- -	- -	- -	- -	- -
13 years	114	3	7	- -	- -	- -	1	99	1	- -	- -	- -	- -	- -	3
14 years	338	9	27	3	6	1	2	282	2	3	- -	2	- -	- -	1
15 years	664	16	49	2	13	- -	3	562	6	8	- -	1	- -	- -	4
16 years	929	21	65	4	21	1	7	776	8	13	3	3	- -	- -	7
17 years	997	29	84	11	19	4	12	759	20	41	7	7	- -	- -	4
18 years	1,015	39	134	86	54	8	30	546	28	69	6	4	- -	- -	11
19 years	1,285	62	177	153	79	16	32	608	36	97	9	2	1	- -	13
20 years	1,678	120	246	282	123	31	55	612	59	107	5	8	7	1	22
21 to 24 years	11,468	1,008	1,974	2,997	834	253	404	2,936	404	449	21	24	16	9	139
25 to 29 years	27,025	2,880	4,521	10,009	1,889	744	953	3,873	1,029	669	54	57	101	12	234
30 to 34 years	31,784	4,237	5,785	11,267	2,339	1,173	1,215	3,200	1,176	699	51	63	211	14	354
35 to 39 years	27,056	4,752	6,035	8,350	1,727	1,134	1,101	2,202	767	479	34	42	196	12	225
40 to 44 years	21,572	4,586	5,460	5,974	1,006	1,145	915	1,334	475	295	25	30	148	15	164
45 to 49 years	18,718	4,479	5,476	4,752	592	1,247	661	828	277	178	24	16	72	11	105
50 to 54 years	22,421	5,199	7,706	5,231	491	1,810	759	678	182	216	32	12	40	1	64
55 to 59 years	19,561	5,371	6,709	4,092	425	1,543	649	403	78	168	26	7	48	2	40
60 to 64 years	9,802	3,334	2,740	2,164	253	637	279	166	36	118	40	5	9	4	17
65 to 69 years	3,292	1,214	733	821	122	148	63	58	4	37	77	1	- -	- -	14
70 to 74 years	1,123	504	152	221	37	31	15	13	1	9	134	2	- -	- -	4
75 years and older	695	326	26	52	10	11	2	7	4	5	252	- -	- -	- -	- -
No. of admissions	201,573	38,194	48,108	56,472	10,040	9,937	7,159	19,969	4,593	3,660	800	286	849	81	1,425
Race															
American Indian or Alaska Native	1,591	290	390	416	100	79	71	166	34	16	2	2	9	- -	16
Asian[1]	1,456	512	230	310	58	20	37	167	47	24	1	4	2	- -	44
Black or African American	53,038	7,197	19,087	8,626	978	4,623	2,005	8,916	522	239	34	81	443	4	283
Native Hawaiian or Other Pacific Islander	453	97	79	128	26	22	14	51	16	9	4	- -	2	- -	5
White	109,038	23,641	20,448	34,712	7,699	4,089	3,666	6,440	3,566	2,815	716	155	152	72	867
Other	35,937	6,450	7,867	12,268	1,174	1,097	1,361	4,221	406	556	42	44	241	5	205
No. of admissions	201,513	38,187	48,101	56,460	10,035	9,930	7,154	19,961	4,591	3,659	799	286	849	81	1,420

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.30b. New York admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	201,573	38,194	48,108	56,472	10,040	9,937	7,159	19,969	4,593	3,660	800	286	849	81	1,425
Gender															
Male	72.3	70.8	77.2	73.2	62.6	63.2	71.9	73.5	68.9	69.5	37.5	71.7	72.1	63.0	70.3
Female	27.7	29.2	22.8	26.8	37.4	36.8	28.1	26.5	31.1	30.5	62.5	28.3	27.9	37.0	29.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	201,573	38,194	48,108	56,472	10,040	9,937	7,159	19,969	4,593	3,660	800	286	849	81	1,425
Age at admission															
12 years	*	*	*	*	- -	- -	*	0.1	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	*	*	- -	- -	- -	*	0.5	*	- -	- -	- -	- -	- -	0.2
14 years	0.2	*	0.1	*	0.1	*	*	1.4	*	0.1	- -	0.7	- -	- -	0.1
15 years	0.3	*	0.1	*	0.1	- -	*	2.8	0.1	0.2	- -	0.3	- -	- -	0.3
16 years	0.5	0.1	0.1	*	0.2	*	0.1	3.9	0.2	0.4	0.4	1.0	- -	- -	0.5
17 years	0.5	0.1	0.2	*	0.2	*	0.2	3.8	0.4	1.1	0.9	2.4	- -	- -	0.3
18 years	0.5	0.1	0.3	0.2	0.5	0.1	0.4	2.7	0.6	1.9	0.8	1.4	- -	- -	0.8
19 years	0.6	0.2	0.4	0.3	0.8	0.2	0.4	3.0	0.8	2.7	1.1	0.7	0.1	- -	0.9
20 years	0.8	0.3	0.5	0.5	1.2	0.3	0.8	3.1	1.3	2.9	0.6	2.8	0.8	1.2	1.5
21 to 24 years	5.7	2.6	4.1	5.3	8.3	2.5	5.6	14.7	8.8	12.3	2.6	8.4	1.9	11.1	9.8
25 to 29 years	13.4	7.5	9.4	17.7	18.8	7.5	13.3	19.4	22.4	18.3	6.8	19.9	11.9	14.8	16.4
30 to 34 years	15.8	11.1	12.0	20.0	23.3	11.8	17.0	16.0	25.6	19.1	6.4	22.0	24.9	17.3	24.8
35 to 39 years	13.4	12.4	12.5	14.8	17.2	11.4	15.4	11.0	16.7	13.1	4.3	14.7	23.1	14.8	15.8
40 to 44 years	10.7	12.0	11.3	10.6	10.0	11.5	12.8	6.7	10.3	8.1	3.1	10.5	17.4	18.5	11.5
45 to 49 years	9.3	11.7	11.4	8.4	5.9	12.5	9.2	4.1	6.0	4.9	3.0	5.6	8.5	13.6	7.4
50 to 54 years	11.1	13.6	16.0	9.3	4.9	18.2	10.6	3.4	4.0	5.9	4.0	4.2	4.7	1.2	4.5
55 to 59 years	9.7	14.1	13.9	7.2	4.2	15.5	9.1	2.0	1.7	4.6	3.3	2.4	5.7	2.5	2.8
60 to 64 years	4.9	8.7	5.7	3.8	2.5	6.4	3.9	0.8	0.8	3.2	5.0	1.7	1.1	4.9	1.2
65 to 69 years	1.6	3.2	1.5	1.5	1.2	1.5	0.9	0.3	0.1	1.0	9.6	0.3	- -	- -	1.0
70 to 74 years	0.6	1.3	0.3	0.4	0.4	0.3	0.2	0.1	*	0.2	16.8	0.7	- -	- -	0.3
75 years and older	0.3	0.9	0.1	0.1	0.1	0.1	*	*	0.1	0.1	31.5	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	201,573	38,194	48,108	56,472	10,040	9,937	7,159	19,969	4,593	3,660	800	286	849	81	1,425
Race															
American Indian or Alaska Native	0.8	0.8	0.8	0.7	1.0	0.8	1.0	0.8	0.7	0.4	0.3	0.7	1.1	- -	1.1
Asian[1]	0.7	1.3	0.5	0.5	0.6	0.2	0.5	0.8	1.0	0.7	0.1	1.4	0.2	- -	3.1
Black or African American	26.3	18.8	39.7	15.3	9.7	46.6	28.0	44.7	11.4	6.5	4.3	28.3	52.2	4.9	19.9
Native Hawaiian or Other Pacific Islander	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.3	0.2	0.5	- -	0.2	- -	0.4
White	54.1	61.9	42.5	61.5	76.7	41.2	51.2	32.3	77.7	76.9	89.6	54.2	17.9	88.9	61.1
Other	17.8	16.9	16.4	21.7	11.7	11.0	19.0	21.1	8.8	15.2	5.3	15.4	28.4	6.2	14.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	201,513	38,187	48,101	56,460	10,035	9,930	7,154	19,961	4,591	3,659	799	286	849	81	1,420

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.31a. North Carolinab. admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	42,046	5,261	3,164	6,835	5,245	1,889	1,402	6,638	4,274	358	170	44	39	13	6,714
Gender															
Male	28,624	3,930	2,324	4,345	3,274	1,228	1,007	5,180	2,650	230	107	35	33	11	4,270
Female	13,422	1,331	840	2,490	1,971	661	395	1,458	1,624	128	63	9	6	2	2,444
No. of admissions	42,046	5,261	3,164	6,835	5,245	1,889	1,402	6,638	4,274	358	170	44	39	13	6,714
Age at admission															
12 years	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1
13 years	4	- -	- -	- -	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	2
14 years	20	- -	- -	- -	- -	- -	- -	16	- -	- -	- -	- -	- -	- -	4
15 years	32	2	- -	1	1	- -	- -	14	- -	2	- -	- -	- -	- -	12
16 years	61	3	2	2	1	- -	- -	30	3	1	1	- -	- -	- -	18
17 years	102	3	2	4	2	- -	1	65	5	2	1	- -	- -	- -	17
18 years	198	5	2	8	8	1	5	133	6	3	1	1	- -	- -	25
19 years	342	11	3	24	20	2	2	213	25	7	4	1	- -	- -	30
20 years	515	29	16	42	28	6	5	273	47	9	8	2	- -	- -	50
21 to 24 years	3,898	243	135	698	412	44	96	1,305	358	37	23	8	5	1	533
25 to 29 years	8,047	641	336	1,712	1,181	123	215	1,646	860	81	32	8	8	1	1,203
30 to 34 years	8,089	769	510	1,657	1,153	180	247	1,187	947	64	29	7	12	4	1,323
35 to 39 years	6,234	674	475	1,105	924	201	242	724	804	62	28	10	7	1	977
40 to 44 years	4,687	610	447	685	644	251	178	484	553	34	15	3	3	5	775
45 to 49 years	3,610	700	376	423	382	320	158	226	346	23	13	2	3	1	637
50 to 54 years	2,790	600	378	261	249	311	122	163	202	15	7	2	- -	- -	480
55 to 59 years	2,060	561	316	125	137	278	80	91	85	9	5	- -	1	- -	372
60 to 64 years	973	280	117	72	76	132	42	50	28	7	2	- -	- -	- -	167
65 to 69 years	285	94	35	12	17	29	7	13	4	2	1	- -	- -	- -	71
70 to 74 years	82	26	13	3	7	11	2	3	1	- -	- -	- -	- -	- -	16
75 years and older	16	10	1	1	3	- -	- -	- -	- -	- -	- -	- -	- -	- -	1
No. of admissions	42,046	5,261	3,164	6,835	5,245	1,889	1,402	6,638	4,274	358	170	44	39	13	6,714
Race															
American Indian or Alaska Native	834	93	47	89	115	51	28	162	52	3	1	1	- -	- -	192
Asian[1]	102	15	7	15	7	3	4	20	17	1	1	- -	- -	- -	12
Black or African American	10,560	1,370	1,048	677	500	1,071	655	3,464	182	32	27	16	30	- -	1,488
Native Hawaiian or Other Pacific Islander	24	3	2	3	5	- -	1	- -	1	- -	- -	- -	- -	- -	9
White	29,414	3,595	1,990	5,896	4,499	727	674	2,690	3,945	313	138	24	9	13	4,901
Other	1,032	178	57	143	110	35	39	300	70	9	3	3	- -	- -	85
No. of admissions	41,966	5,254	3,151	6,823	5,236	1,887	1,401	6,636	4,267	358	170	44	39	13	6,687

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.31b. North Carolina admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	42,046	5,261	3,164	6,835	5,245	1,889	1,402	6,638	4,274	358	170	44	39	13	6,714
Gender															
Male	68.1	74.7	73.5	63.6	62.4	65.0	71.8	78.0	62.0	64.2	62.9	79.5	84.6	84.6	63.6
Female	31.9	25.3	26.5	36.4	37.6	35.0	28.2	22.0	38.0	35.8	37.1	20.5	15.4	15.4	36.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	42,046	5,261	3,164	6,835	5,245	1,889	1,402	6,638	4,274	358	170	44	39	13	6,714
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	*
13 years	*	- -	- -	- -	- -	- -	- -	*	- -	- -	- -	- -	- -	- -	*
14 years	*	- -	- -	- -	- -	- -	- -	0.2	- -	- -	- -	- -	- -	- -	0.1
15 years	0.1	*	- -	*	*	- -	- -	0.2	- -	0.6	- -	- -	- -	- -	0.2
16 years	0.1	0.1	0.1	*	*	- -	- -	0.5	0.1	0.3	0.6	- -	- -	- -	0.3
17 years	0.2	0.1	0.1	0.1	*	- -	0.1	1.0	0.1	0.6	0.6	- -	- -	- -	0.3
18 years	0.5	0.1	0.1	0.1	0.2	0.1	0.4	2.0	0.1	0.8	0.6	2.3	- -	- -	0.4
19 years	0.8	0.2	0.1	0.4	0.4	0.1	0.1	3.2	0.6	2.0	2.4	2.3	- -	- -	0.4
20 years	1.2	0.6	0.5	0.6	0.5	0.3	0.4	4.1	1.1	2.5	4.7	4.5	- -	- -	0.7
21 to 24 years	9.3	4.6	4.3	10.2	7.9	2.3	6.8	19.7	8.4	10.3	13.5	18.2	12.8	7.7	7.9
25 to 29 years	19.1	12.2	10.6	25.0	22.5	6.5	15.3	24.8	20.1	22.6	18.8	18.2	20.5	7.7	17.9
30 to 34 years	19.2	14.6	16.1	24.2	22.0	9.5	17.6	17.9	22.2	17.9	17.1	15.9	30.8	30.8	19.7
35 to 39 years	14.8	12.8	15.0	16.2	17.6	10.6	17.3	10.9	18.8	17.3	16.5	22.7	17.9	7.7	14.6
40 to 44 years	11.1	11.6	14.1	10.0	12.3	13.3	12.7	7.3	12.9	9.5	8.8	6.8	7.7	38.5	11.5
45 to 49 years	8.6	13.3	11.9	6.2	7.3	16.9	11.3	3.4	8.1	6.4	7.6	4.5	7.7	7.7	9.5
50 to 54 years	6.6	11.4	11.9	3.8	4.7	16.5	8.7	2.5	4.7	4.2	4.1	4.5	- -	- -	7.1
55 to 59 years	4.9	10.7	10.0	1.8	2.6	14.7	5.7	1.4	2.0	2.5	2.9	- -	2.6	- -	5.5
60 to 64 years	2.3	5.3	3.7	1.1	1.4	7.0	3.0	0.8	0.7	2.0	1.2	- -	- -	- -	2.5
65 to 69 years	0.7	1.8	1.1	0.2	0.3	1.5	0.5	0.2	0.1	0.6	0.6	- -	- -	- -	1.1
70 to 74 years	0.2	0.5	0.4	*	0.1	0.6	0.1	*	*	- -	- -	- -	- -	- -	0.2
75 years and older	*	0.2	*	*	0.1	- -	- -	- -	- -	- -	- -	- -	- -	- -	*
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	42,046	5,261	3,164	6,835	5,245	1,889	1,402	6,638	4,274	358	170	44	39	13	6,714
Race															
American Indian or Alaska Native	2.0	1.8	1.5	1.3	2.2	2.7	2.0	2.4	1.2	0.8	0.6	2.3	- -	- -	2.9
Asian[1]	0.2	0.3	0.2	0.2	0.1	0.2	0.3	0.3	0.4	0.3	0.6	- -	- -	- -	0.2
Black or African American	25.2	26.1	33.3	9.9	9.5	56.8	46.8	52.2	4.3	8.9	15.9	36.4	76.9	- -	22.3
Native Hawaiian or Other Pacific Islander	0.1	0.1	0.1	*	0.1	- -	0.1	- -	*	- -	- -	- -	- -	- -	0.1
White	70.1	68.4	63.2	86.4	85.9	38.5	48.1	40.5	92.5	87.4	81.2	54.5	23.1	100.0	73.3
Other	2.5	3.4	1.8	2.1	2.1	1.9	2.8	4.5	1.6	2.5	1.8	6.8	- -	- -	1.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	41,966	5,254	3,151	6,823	5,236	1,887	1,401	6,636	4,267	358	170	44	39	13	6,687

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.32a. North Dakota admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	1,600	125	414	74	83	4	5	202	483	2	- -	3	- -	- -	205
Gender															
Male	960	84	263	37	37	3	3	144	278	1	- -	2	- -	- -	108
Female	638	41	149	37	46	1	2	58	205	1	- -	1	- -	- -	97
No. of admissions	1,598	125	412	74	83	4	5	202	483	2	- -	3	- -	- -	205
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	12	- -	- -	- -	- -	- -	- -	9	- -	- -	- -	- -	- -	- -	3
15 years	17	- -	5	- -	1	- -	- -	8	2	- -	- -	- -	- -	- -	1
16 years	22	1	5	- -	- -	- -	- -	12	2	1	- -	- -	- -	- -	1
17 years	19	- -	- -	- -	2	- -	1	8	6	1	- -	- -	- -	- -	1
18 years	12	- -	- -	- -	- -	- -	- -	3	4	- -	- -	- -	- -	- -	5
19 years	17	- -	2	- -	- -	- -	- -	4	9	- -	- -	- -	- -	- -	2
20 years	35	2	3	5	1	- -	- -	5	9	- -	- -	1	- -	- -	9
21 to 24 years	132	3	16	15	9	1	- -	24	44	- -	- -	1	- -	- -	19
25 to 29 years	306	8	55	22	26	- -	2	41	113	- -	- -	- -	- -	- -	39
30 to 34 years	279	17	77	19	18	- -	- -	37	80	- -	- -	- -	- -	- -	31
35 to 39 years	271	23	68	6	14	- -	1	25	98	- -	- -	- -	- -	- -	36
40 to 44 years	149	13	38	5	7	1	- -	12	43	- -	- -	1	- -	- -	29
45 to 49 years	102	7	44	- -	2	1	1	8	29	- -	- -	- -	- -	- -	10
50 to 54 years	86	18	34	- -	2	1	- -	3	18	- -	- -	- -	- -	- -	10
55 to 59 years	92	17	40	2	1	- -	- -	2	22	- -	- -	- -	- -	- -	8
60 to 64 years	32	7	19	- -	- -	- -	- -	1	4	- -	- -	- -	- -	- -	1
65 to 69 years	13	7	6	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
70 to 74 years	3	2	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	1	- -	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	1,600	125	414	74	83	4	5	202	483	2	- -	3	- -	- -	205
Race															
American Indian or Alaska Native	476	31	149	6	41	1	- -	54	141	- -	- -	1	- -	- -	52
Asian[1]	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Black or African American	45	2	9	5	3	1	2	14	5	- -	- -	1	- -	- -	3
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	940	80	232	58	28	2	2	112	299	2	- -	1	- -	- -	124
Other	91	1	14	5	6	- -	- -	17	32	- -	- -	- -	- -	- -	16
No. of admissions	1,552	114	404	74	78	4	4	197	477	2	- -	3	- -	- -	195

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.32b. North Dakota admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	1,600	125	414	74	83	4	5	202	483	2	- -	3	- -	- -	205
Gender															
Male	60.1	67.2	63.8	50.0	44.6	75.0	60.0	71.3	57.6	50.0	- -	66.7	- -	- -	52.7
Female	39.9	32.8	36.2	50.0	55.4	25.0	40.0	28.7	42.4	50.0	- -	33.3	- -	- -	47.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	- -	- -	100.0
No. of admissions	1,598	125	412	74	83	4	5	202	483	2	- -	3	- -	- -	205
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	0.8	- -	- -	- -	- -	- -	- -	4.5	- -	- -	- -	- -	- -	- -	1.5
15 years	1.1	- -	1.2	- -	1.2	- -	- -	4.0	0.4	- -	- -	- -	- -	- -	0.5
16 years	1.4	0.8	1.2	- -	- -	- -	- -	5.9	0.4	50.0	- -	- -	- -	- -	0.5
17 years	1.2	- -	- -	- -	2.4	- -	20.0	4.0	1.2	50.0	- -	- -	- -	- -	0.5
18 years	0.8	- -	- -	- -	- -	- -	- -	1.5	0.8	- -	- -	- -	- -	- -	2.4
19 years	1.1	- -	0.5	- -	- -	- -	- -	2.0	1.9	- -	- -	- -	- -	- -	1.0
20 years	2.2	1.6	0.7	6.8	1.2	- -	- -	2.5	1.9	- -	- -	33.3	- -	- -	4.4
21 to 24 years	8.3	2.4	3.9	20.3	10.8	25.0	- -	11.9	9.1	- -	- -	33.3	- -	- -	9.3
25 to 29 years	19.1	6.4	13.3	29.7	31.3	- -	40.0	20.3	23.4	- -	- -	- -	- -	- -	19.0
30 to 34 years	17.4	13.6	18.6	25.7	21.7	- -	- -	18.3	16.6	- -	- -	- -	- -	- -	15.1
35 to 39 years	16.9	18.4	16.4	8.1	16.9	- -	20.0	12.4	20.3	- -	- -	- -	- -	- -	17.6
40 to 44 years	9.3	10.4	9.2	6.8	8.4	25.0	- -	5.9	8.9	- -	- -	33.3	- -	- -	14.1
45 to 49 years	6.4	5.6	10.6	- -	2.4	25.0	20.0	4.0	6.0	- -	- -	- -	- -	- -	4.9
50 to 54 years	5.4	14.4	8.2	- -	2.4	25.0	- -	1.5	3.7	- -	- -	- -	- -	- -	4.9
55 to 59 years	5.8	13.6	9.7	2.7	1.2	- -	- -	1.0	4.6	- -	- -	- -	- -	- -	3.9
60 to 64 years	2.0	5.6	4.6	- -	- -	- -	- -	0.5	0.8	- -	- -	- -	- -	- -	0.5
65 to 69 years	0.8	5.6	1.4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
70 to 74 years	0.2	1.6	0.2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	0.1	- -	0.2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	- -	- -	100.0
No. of admissions	1,600	125	414	74	83	4	5	202	483	2	- -	3	- -	- -	205
Race															
American Indian or Alaska Native	30.7	27.2	36.9	8.1	52.6	25.0	- -	27.4	29.6	- -	- -	33.3	- -	- -	26.7
Asian[1]	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Black or African American	2.9	1.8	2.2	6.8	3.8	25.0	50.0	7.1	1.0	- -	- -	33.3	- -	- -	1.5
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	60.6	70.2	57.4	78.4	35.9	50.0	50.0	56.9	62.7	100.0	- -	33.3	- -	- -	63.6
Other	5.9	0.9	3.5	6.8	7.7	- -	- -	8.6	6.7	- -	- -	- -	- -	- -	8.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	- -	- -	100.0
No. of admissions	1,552	114	404	74	78	4	4	197	477	2	- -	3	- -	- -	195

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.33a. Ohio admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	21,386	2,551	2,534	5,426	2,135	896	547	3,640	2,691	141	26	32	63	16	688
Gender															
Male	12,590	1,686	1,693	3,095	1,065	434	312	2,390	1,392	64	13	22	52	12	360
Female	8,791	864	840	2,329	1,070	461	235	1,250	1,299	77	13	10	11	4	328
No. of admissions	21,381	2,550	2,533	5,424	2,135	895	547	3,640	2,691	141	26	32	63	16	688
Age at admission															
12 years	13	- -	- -	- -	- -	- -	- -	5	- -	- -	- -	- -	- -	- -	8
13 years	32	- -	3	- -	- -	- -	- -	20	2	- -	- -	- -	- -	- -	7
14 years	66	4	5	- -	- -	- -	- -	46	2	- -	- -	- -	- -	- -	9
15 years	126	6	6	- -	- -	- -	- -	95	5	1	- -	- -	- -	- -	13
16 years	151	7	10	- -	3	- -	- -	108	8	- -	- -	- -	- -	1	14
17 years	181	5	14	6	1	- -	- -	135	11	- -	- -	1	- -	- -	8
18 years	142	9	7	6	2	4	2	85	15	1	3	- -	- -	- -	8
19 years	247	13	27	15	10	- -	3	129	35	- -	1	1	- -	- -	13
20 years	271	18	32	20	16	- -	2	128	45	2	- -	- -	- -	- -	8
21 to 24 years	1,755	122	192	329	145	27	33	582	256	12	3	7	1	- -	46
25 to 29 years	3,937	260	406	1,219	478	74	75	752	540	24	3	3	2	3	98
30 to 34 years	4,107	326	412	1,366	484	108	85	568	588	33	1	11	- -	3	122
35 to 39 years	3,560	389	397	1,054	434	117	94	400	524	27	5	1	18	2	98
40 to 44 years	2,386	349	296	601	228	115	85	264	326	11	5	3	29	3	71
45 to 49 years	1,655	299	240	367	166	128	60	139	172	13	2	2	11	3	53
50 to 54 years	1,145	285	221	184	64	121	38	90	90	5	- -	2	- -	- -	45
55 to 59 years	984	269	171	126	63	134	47	66	54	7	2	- -	- -	1	44
60 to 64 years	448	135	77	77	30	53	19	24	16	1	1	1	2	- -	12
65 to 69 years	136	40	15	43	5	13	3	3	1	4	- -	- -	- -	- -	9
70 to 74 years	34	12	3	11	4	2	1	- -	- -	- -	- -	- -	- -	- -	1
75 years and older	10	3	- -	2	2	- -	- -	1	1	- -	- -	- -	- -	- -	1
No. of admissions	21,386	2,551	2,534	5,426	2,135	896	547	3,640	2,691	141	26	32	63	16	688
Race															
American Indian or Alaska Native	57	8	10	8	7	1	1	12	4	- -	- -	- -	- -	- -	6
Asian[1]	35	6	5	3	2	4	4	5	2	- -	- -	- -	- -	- -	4
Black or African American	4,225	556	751	366	184	387	201	1,505	98	13	4	10	62	- -	88
Native Hawaiian or Other Pacific Islander	37	8	5	6	3	2	- -	8	2	1	- -	2	- -	- -	- -
White	16,071	1,874	1,669	4,766	1,843	471	312	1,900	2,499	121	21	18	1	16	560
Other	484	44	46	117	47	23	21	128	42	4	1	2	- -	- -	9
No. of admissions	20,909	2,496	2,486	5,266	2,086	888	539	3,558	2,647	139	26	32	63	16	667

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.33b. Ohio admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	21,386	2,551	2,534	5,426	2,135	896	547	3,640	2,691	141	26	32	63	16	688
Gender															
Male	58.9	66.1	66.8	57.1	49.9	48.5	57.0	65.7	51.7	45.4	50.0	68.8	82.5	75.0	52.3
Female	41.1	33.9	33.2	42.9	50.1	51.5	43.0	34.3	48.3	54.6	50.0	31.3	17.5	25.0	47.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	21,381	2,550	2,533	5,424	2,135	895	547	3,640	2,691	141	26	32	63	16	688
Age at admission															
12 years	0.1	- -	- -	- -	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -	1.2
13 years	0.1	- -	0.1	- -	- -	- -	- -	0.5	0.1	- -	- -	- -	- -	- -	1.0
14 years	0.3	0.2	0.2	- -	- -	- -	- -	1.3	0.1	- -	- -	- -	- -	- -	1.3
15 years	0.6	0.2	0.2	- -	- -	- -	- -	2.6	0.2	0.7	- -	- -	- -	- -	1.9
16 years	0.7	0.3	0.4	- -	0.1	- -	- -	3.0	0.3	- -	- -	- -	- -	6.3	2.0
17 years	0.8	0.2	0.6	0.1	*	- -	- -	3.7	0.4	- -	- -	3.1	- -	- -	1.2
18 years	0.7	0.4	0.3	0.1	0.1	0.4	0.4	2.3	0.6	0.7	11.5	- -	- -	- -	1.2
19 years	1.2	0.5	1.1	0.3	0.5	- -	0.5	3.5	1.3	- -	3.8	3.1	- -	- -	1.9
20 years	1.3	0.7	1.3	0.4	0.7	- -	0.4	3.5	1.7	1.4	- -	- -	- -	- -	1.2
21 to 24 years	8.2	4.8	7.6	6.1	6.8	3.0	6.0	16.0	9.5	8.5	11.5	21.9	1.6	- -	6.7
25 to 29 years	18.4	10.2	16.0	22.5	22.4	8.3	13.7	20.7	20.1	17.0	11.5	9.4	3.2	18.8	14.2
30 to 34 years	19.2	12.8	16.3	25.2	22.7	12.1	15.5	15.6	21.9	23.4	3.8	34.4	- -	18.8	17.7
35 to 39 years	16.6	15.2	15.7	19.4	20.3	13.1	17.2	11.0	19.5	19.1	19.2	3.1	28.6	12.5	14.2
40 to 44 years	11.2	13.7	11.7	11.1	10.7	12.8	15.5	7.3	12.1	7.8	19.2	9.4	46.0	18.8	10.3
45 to 49 years	7.7	11.7	9.5	6.8	7.8	14.3	11.0	3.8	6.4	9.2	7.7	6.3	17.5	18.8	7.7
50 to 54 years	5.4	11.2	8.7	3.4	3.0	13.5	6.9	2.5	3.3	3.5	- -	6.3	- -	- -	6.5
55 to 59 years	4.6	10.5	6.7	2.3	3.0	15.0	8.6	1.8	2.0	5.0	7.7	- -	- -	6.3	6.4
60 to 64 years	2.1	5.3	3.0	1.4	1.4	5.9	3.5	0.7	0.6	0.7	3.8	3.1	3.2	- -	1.7
65 to 69 years	0.6	1.6	0.6	0.8	0.2	1.5	0.5	0.1	*	2.8	- -	- -	- -	- -	1.3
70 to 74 years	0.2	0.5	0.1	0.2	0.2	0.2	0.2	- -	- -	- -	- -	- -	- -	- -	0.1
75 years and older	*	0.1	- -	*	0.1	- -	- -	*	*	- -	- -	- -	- -	- -	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	21,386	2,551	2,534	5,426	2,135	896	547	3,640	2,691	141	26	32	63	16	688
Race															
American Indian or Alaska Native	0.3	0.3	0.4	0.2	0.3	0.1	0.2	0.3	0.2	- -	- -	- -	- -	- -	0.9
Asian[1]	0.2	0.2	0.2	0.1	0.1	0.5	0.7	0.1	0.1	- -	- -	- -	- -	- -	0.6
Black or African American	20.2	22.3	30.2	7.0	8.8	43.6	37.3	42.3	3.7	9.4	15.4	31.3	98.4	- -	13.2
Native Hawaiian or Other Pacific Islander	0.2	0.3	0.2	0.1	0.1	0.2	- -	0.2	0.1	0.7	- -	6.3	- -	- -	- -
White	76.9	75.1	67.1	90.5	88.4	53.0	57.9	53.4	94.4	87.1	80.8	56.3	1.6	100.0	84.0
Other	2.3	1.8	1.9	2.2	2.3	2.6	3.9	3.6	1.6	2.9	3.8	6.3	- -	- -	1.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	20,909	2,496	2,486	5,266	2,086	888	539	3,558	2,647	139	26	32	63	16	667

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.34a. Oklahoma admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	13,554	2,012	1,877	1,149	1,016	142	102	1,379	4,941	135	42	17	75	7	660
Gender															
Male	7,367	1,339	1,185	660	472	60	47	789	2,388	52	16	7	27	3	322
Female	6,187	673	692	489	544	82	55	590	2,553	83	26	10	48	4	338
No. of admissions	13,554	2,012	1,877	1,149	1,016	142	102	1,379	4,941	135	42	17	75	7	660
Age at admission															
12 years	4	- -	- -	- -	- -	- -	- -	4	- -	- -	- -	- -	- -	- -	- -
13 years	10	- -	- -	- -	- -	- -	- -	10	- -	- -	- -	- -	- -	- -	- -
14 years	24	1	2	- -	- -	- -	- -	18	2	- -	- -	- -	- -	- -	1
15 years	66	- -	3	- -	- -	- -	- -	57	3	1	1	- -	- -	- -	1
16 years	74	1	3	- -	- -	- -	- -	58	9	1	- -	- -	- -	- -	2
17 years	98	4	3	- -	- -	- -	- -	69	15	3	- -	- -	- -	- -	4
18 years	87	4	3	4	3	- -	3	28	12	3	- -	1	- -	- -	26
19 years	118	6	6	8	9	- -	- -	30	37	6	2	- -	3	- -	11
20 years	178	5	17	10	9	1	1	49	72	4	- -	- -	- -	- -	10
21 to 24 years	1,202	79	127	143	64	4	6	214	467	15	7	2	4	- -	70
25 to 29 years	2,603	237	302	373	227	12	31	252	990	28	9	9	14	- -	119
30 to 34 years	2,678	308	324	301	235	10	20	210	1,130	16	10	2	6	1	105
35 to 39 years	2,281	344	350	168	184	5	10	157	913	27	8	1	12	3	99
40 to 44 years	1,506	243	260	75	99	20	10	105	582	13	2	1	22	1	73
45 to 49 years	985	234	174	27	71	23	4	43	336	6	2	1	8	1	55
50 to 54 years	775	222	135	20	52	23	8	43	216	5	- -	- -	1	- -	50
55 to 59 years	540	187	113	10	33	30	5	19	110	3	1	- -	4	1	24
60 to 64 years	234	96	40	9	23	9	3	10	36	4	- -	- -	1	- -	3
65 to 69 years	75	36	13	1	5	4	1	3	9	- -	- -	- -	- -	- -	3
70 to 74 years	15	5	2	- -	2	1	- -	- -	2	- -	- -	- -	- -	- -	3
75 years and older	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1
No. of admissions	13,554	2,012	1,877	1,149	1,016	142	102	1,379	4,941	135	42	17	75	7	660
Race															
American Indian or Alaska Native	1,653	242	269	115	127	8	7	158	657	12	3	- -	3	3	49
Asian[1]	37	11	6	5	2	- -	- -	3	8	- -	- -	- -	- -	- -	2
Black or African American	1,527	188	283	35	79	99	47	271	343	17	6	13	63	- -	83
Native Hawaiian or Other Pacific Islander	49	5	3	6	5	- -	- -	8	17	1	1	- -	- -	- -	3
White	9,619	1,469	1,244	931	770	30	41	851	3,653	98	30	4	4	4	490
Other	667	96	72	57	33	5	7	88	263	7	2	- -	5	- -	32
No. of admissions	13,552	2,011	1,877	1,149	1,016	142	102	1,379	4,941	135	42	17	75	7	659

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.34b. Oklahoma admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	13,554	2,012	1,877	1,149	1,016	142	102	1,379	4,941	135	42	17	75	7	660
Gender															
Male	54.4	66.6	63.1	57.4	46.5	42.3	46.1	57.2	48.3	38.5	38.1	41.2	36.0	42.9	48.8
Female	45.6	33.4	36.9	42.6	53.5	57.7	53.9	42.8	51.7	61.5	61.9	58.8	64.0	57.1	51.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	13,554	2,012	1,877	1,149	1,016	142	102	1,379	4,941	135	42	17	75	7	660
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.3	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	- -	- -	- -	- -	- -	- -	0.7	- -	- -	- -	- -	- -	- -	- -
14 years	0.2	*	0.1	- -	- -	- -	- -	1.3	*	- -	- -	- -	- -	- -	0.2
15 years	0.5	- -	0.2	- -	- -	- -	- -	4.1	0.1	0.7	2.4	- -	- -	- -	0.2
16 years	0.5	*	0.2	- -	- -	- -	- -	4.2	0.2	0.7	- -	- -	- -	- -	0.3
17 years	0.7	0.2	0.2	- -	- -	- -	- -	5.0	0.3	2.2	- -	- -	- -	- -	0.6
18 years	0.6	0.2	0.2	0.3	0.3	- -	2.9	2.0	0.2	2.2	- -	5.9	- -	- -	3.9
19 years	0.9	0.3	0.3	0.7	0.9	- -	- -	2.2	0.7	4.4	4.8	- -	4.0	- -	1.7
20 years	1.3	0.2	0.9	0.9	0.9	0.7	1.0	3.6	1.5	3.0	- -	- -	- -	- -	1.5
21 to 24 years	8.9	3.9	6.8	12.4	6.3	2.8	5.9	15.5	9.5	11.1	16.7	11.8	5.3	- -	10.6
25 to 29 years	19.2	11.8	16.1	32.5	22.3	8.5	30.4	18.3	20.0	20.7	21.4	52.9	18.7	- -	18.0
30 to 34 years	19.8	15.3	17.3	26.2	23.1	7.0	19.6	15.2	22.9	11.9	23.8	11.8	8.0	14.3	15.9
35 to 39 years	16.8	17.1	18.6	14.6	18.1	3.5	9.8	11.4	18.5	20.0	19.0	5.9	16.0	42.9	15.0
40 to 44 years	11.1	12.1	13.9	6.5	9.7	14.1	9.8	7.6	11.8	9.6	4.8	5.9	29.3	14.3	11.1
45 to 49 years	7.3	11.6	9.3	2.3	7.0	16.2	3.9	3.1	6.8	4.4	4.8	5.9	10.7	14.3	8.3
50 to 54 years	5.7	11.0	7.2	1.7	5.1	16.2	7.8	3.1	4.4	3.7	- -	- -	1.3	- -	7.6
55 to 59 years	4.0	9.3	6.0	0.9	3.2	21.1	4.9	1.4	2.2	2.2	2.4	- -	5.3	14.3	3.6
60 to 64 years	1.7	4.8	2.1	0.8	2.3	6.3	2.9	0.7	0.7	3.0	- -	- -	1.3	- -	0.5
65 to 69 years	0.6	1.8	0.7	0.1	0.5	2.8	1.0	0.2	0.2	- -	- -	- -	- -	- -	0.5
70 to 74 years	0.1	0.2	0.1	- -	0.2	0.7	- -	- -	*	- -	- -	- -	- -	- -	0.5
75 years and older	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	13,554	2,012	1,877	1,149	1,016	142	102	1,379	4,941	135	42	17	75	7	660
Race															
American Indian or Alaska Native	12.2	12.0	14.3	10.0	12.5	5.6	6.9	11.5	13.3	8.9	7.1	- -	4.0	42.9	7.4
Asian[1]	0.3	0.5	0.3	0.4	0.2	- -	- -	0.2	0.2	- -	- -	- -	- -	- -	0.3
Black or African American	11.3	9.3	15.1	3.0	7.8	69.7	46.1	19.7	6.9	12.6	14.3	76.5	84.0	- -	12.6
Native Hawaiian or Other Pacific Islander	0.4	0.2	0.2	0.5	0.5	- -	- -	0.6	0.3	0.7	2.4	- -	- -	- -	0.5
White	71.0	73.0	66.3	81.0	75.8	21.1	40.2	61.7	73.9	72.6	71.4	23.5	5.3	57.1	74.4
Other	4.9	4.8	3.8	5.0	3.2	3.5	6.9	6.4	5.3	5.2	4.8	- -	6.7	- -	4.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	13,552	2,011	1,877	1,149	1,016	142	102	1,379	4,941	135	42	17	75	7	659

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.35a. Pennsylvania admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	23,266	4,515	2,847	6,944	1,840	740	530	2,852	2,489	214	37	40	90	18	110
Gender															
Male	17,125	3,483	2,196	4,946	1,241	484	398	2,303	1,711	136	21	35	70	16	85
Female	6,139	1,032	651	1,998	599	256	132	547	778	78	16	5	20	2	25
No. of admissions	23,264	4,515	2,847	6,944	1,840	740	530	2,850	2,489	214	37	40	90	18	110
Age at admission															
12 years	5	- -	- -	- -	- -	- -	- -	5	- -	- -	- -	- -	- -	- -	- -
13 years	17	- -	1	- -	- -	- -	- -	16	- -	- -	- -	- -	- -	- -	- -
14 years	47	3	1	- -	1	- -	- -	39	2	- -	- -	- -	- -	- -	1
15 years	95	2	1	2	- -	- -	- -	82	5	- -	1	1	- -	- -	1
16 years	153	8	10	1	1	- -	- -	122	8	- -	- -	1	- -	2	- -
17 years	161	5	15	3	4	- -	- -	124	6	- -	- -	3	- -	- -	1
18 years	137	10	5	8	2	1	1	94	8	3	1	1	- -	- -	3
19 years	190	8	19	22	9	- -	2	94	23	9	2	1	1	- -	- -
20 years	291	18	17	42	18	2	8	127	54	3	- -	- -	- -	- -	2
21 to 24 years	1,788	196	194	458	125	24	35	458	244	30	3	3	1	2	15
25 to 29 years	4,195	505	446	1,551	365	51	81	572	534	36	6	11	12	- -	25
30 to 34 years	4,378	560	470	1,652	437	103	82	426	556	41	6	7	20	1	17
35 to 39 years	3,448	552	392	1,293	282	106	77	257	410	30	4	3	23	- -	19
40 to 44 years	2,477	473	319	754	234	89	81	178	289	22	5	5	22	- -	6
45 to 49 years	1,691	520	237	423	97	81	58	83	158	11	3	1	7	3	9
50 to 54 years	1,591	523	273	328	112	106	39	86	102	9	2	1	4	1	5
55 to 59 years	1,313	509	254	210	69	98	31	56	66	7	- -	2	- -	8	3
60 to 64 years	756	332	128	111	49	53	27	22	22	7	3	- -	- -	1	1
65 to 69 years	395	192	56	72	28	21	6	11	2	5	1	- -	- -	- -	1
70 to 74 years	111	75	9	12	7	5	1	- -	- -	1	- -	- -	- -	- -	1
75 years and older	27	24	- -	2	- -	- -	1	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	23,266	4,515	2,847	6,944	1,840	740	530	2,852	2,489	214	37	40	90	18	110
Race															
American Indian or Alaska Native	40	10	8	7	4	- -	2	5	3	- -	- -	- -	1	- -	- -
Asian[1]	61	19	6	14	5	- -	- -	10	6	1	- -	- -	- -	- -	- -
Black or African American	2,919	382	535	578	193	304	115	663	55	25	6	8	45	- -	10
Native Hawaiian or Other Pacific Islander	17	5	1	7	- -	- -	- -	4	- -	- -	- -	- -	- -	- -	- -
White	17,078	3,512	1,933	5,326	1,411	339	306	1,668	2,267	165	28	21	11	15	76
Other	641	119	83	169	41	19	15	138	29	9	- -	3	10	- -	6
No. of admissions	20,756	4,047	2,566	6,101	1,654	662	438	2,488	2,360	200	34	32	67	15	92

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.35b. Pennsylvania admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	23,266	4,515	2,847	6,944	1,840	740	530	2,852	2,489	214	37	40	90	18	110
Gender															
Male	73.6	77.1	77.1	71.2	67.4	65.4	75.1	80.8	68.7	63.6	56.8	87.5	77.8	88.9	77.3
Female	26.4	22.9	22.9	28.8	32.6	34.6	24.9	19.2	31.3	36.4	43.2	12.5	22.2	11.1	22.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	23,264	4,515	2,847	6,944	1,840	740	530	2,850	2,489	214	37	40	90	18	110
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.2	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	- -	*	- -	- -	- -	- -	0.6	- -	- -	- -	- -	- -	- -	- -
14 years	0.2	0.1	*	- -	0.1	- -	- -	1.4	0.1	- -	- -	- -	- -	- -	0.9
15 years	0.4	*	*	*	- -	- -	- -	2.9	0.2	- -	2.7	2.5	- -	- -	0.9
16 years	0.7	0.2	0.4	*	0.1	- -	- -	4.3	0.3	- -	- -	2.5	- -	11.1	- -
17 years	0.7	0.1	0.5	*	0.2	- -	- -	4.3	0.2	- -	- -	7.5	- -	- -	0.9
18 years	0.6	0.2	0.2	0.1	0.1	0.1	0.2	3.3	0.3	1.4	2.7	2.5	- -	- -	2.7
19 years	0.8	0.2	0.7	0.3	0.5	- -	0.4	3.3	0.9	4.2	5.4	2.5	1.1	- -	- -
20 years	1.3	0.4	0.6	0.6	1.0	0.3	1.5	4.5	2.2	1.4	- -	- -	- -	- -	1.8
21 to 24 years	7.7	4.3	6.8	6.6	6.8	3.2	6.6	16.1	9.8	14.0	8.1	7.5	1.1	11.1	13.6
25 to 29 years	18.0	11.2	15.7	22.3	19.8	6.9	15.3	20.1	21.5	16.8	16.2	27.5	13.3	- -	22.7
30 to 34 years	18.8	12.4	16.5	23.8	23.8	13.9	15.5	14.9	22.3	19.2	16.2	17.5	22.2	5.6	15.5
35 to 39 years	14.8	12.2	13.8	18.6	15.3	14.3	14.5	9.0	16.5	14.0	10.8	7.5	25.6	- -	17.3
40 to 44 years	10.6	10.5	11.2	10.9	12.7	12.0	15.3	6.2	11.6	10.3	13.5	12.5	24.4	- -	5.5
45 to 49 years	7.3	11.5	8.3	6.1	5.3	10.9	10.9	2.9	6.3	5.1	8.1	2.5	7.8	16.7	8.2
50 to 54 years	6.8	11.6	9.6	4.7	6.1	14.3	7.4	3.0	4.1	4.2	5.4	2.5	4.4	5.6	4.5
55 to 59 years	5.6	11.3	8.9	3.0	3.8	13.2	5.8	2.0	2.7	3.3	- -	5.0	- -	44.4	2.7
60 to 64 years	3.2	7.4	4.5	1.6	2.7	7.2	5.1	0.8	0.9	3.3	8.1	- -	- -	5.6	0.9
65 to 69 years	1.7	4.3	2.0	1.0	1.5	2.8	1.1	0.4	0.1	2.3	2.7	- -	- -	- -	0.9
70 to 74 years	0.5	1.7	0.3	0.2	0.4	0.7	0.2	- -	- -	0.5	- -	- -	- -	- -	0.9
75 years and older	0.1	0.5	- -	*	- -	- -	0.2	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	23,266	4,515	2,847	6,944	1,840	740	530	2,852	2,489	214	37	40	90	18	110
Race															
American Indian or Alaska Native	0.2	0.2	0.3	0.1	0.2	- -	0.5	0.2	0.1	- -	- -	- -	1.5	- -	- -
Asian[1]	0.3	0.5	0.2	0.2	0.3	- -	- -	0.4	0.3	0.5	- -	- -	- -	- -	- -
Black or African American	14.1	9.4	20.8	9.5	11.7	45.9	26.3	26.6	2.3	12.5	17.6	25.0	67.2	- -	10.9
Native Hawaiian or Other Pacific Islander	0.1	0.1	*	0.1	- -	- -	- -	0.2	- -	- -	- -	- -	- -	- -	- -
White	82.3	86.8	75.3	87.3	85.3	51.2	69.9	67.0	96.1	82.5	82.4	65.6	16.4	100.0	82.6
Other	3.1	2.9	3.2	2.8	2.5	2.9	3.4	5.5	1.2	4.5	- -	9.4	14.9	- -	6.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	20,756	4,047	2,566	6,101	1,654	662	438	2,488	2,360	200	34	32	67	15	92

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.36a. Puerto Rico admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	1,251	284	16	715	23	12	21	116	- -	- -	- -	- -	- -	9	55
Gender															
Male	1,125	254	15	663	22	9	17	104	- -	- -	- -	- -	- -	8	33
Female	126	30	1	52	1	3	4	12	- -	- -	- -	- -	- -	1	22
No. of admissions	1,251	284	16	715	23	12	21	116	- -	- -	- -	- -	- -	9	55
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
16 years	3	- -	- -	- -	- -	- -	- -	3	- -	- -	- -	- -	- -	- -	- -
17 years	1	- -	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
18 years	5	- -	- -	- -	- -	- -	- -	5	- -	- -	- -	- -	- -	- -	- -
19 years	9	- -	- -	- -	- -	- -	- -	9	- -	- -	- -	- -	- -	- -	- -
20 years	12	1	- -	1	- -	- -	- -	10	- -	- -	- -	- -	- -	- -	- -
21 to 24 years	69	6	2	22	3	- -	- -	31	- -	- -	- -	- -	- -	1	4
25 to 29 years	105	17	- -	45	2	3	3	26	- -	- -	- -	- -	- -	- -	9
30 to 34 years	152	16	2	96	- -	5	6	13	- -	- -	- -	- -	- -	2	12
35 to 39 years	218	28	6	161	7	1	4	4	- -	- -	- -	- -	- -	1	6
40 to 44 years	205	31	1	152	4	2	2	4	- -	- -	- -	- -	- -	- -	9
45 to 49 years	149	38	2	94	2	- -	2	5	- -	- -	- -	- -	- -	1	5
50 to 54 years	123	40	3	61	2	1	2	4	- -	- -	- -	- -	- -	3	7
55 to 59 years	93	39	- -	48	2	- -	2	- -	- -	- -	- -	- -	- -	- -	2
60 to 64 years	61	31	- -	27	1	- -	- -	- -	- -	- -	- -	- -	- -	1	1
65 to 69 years	26	19	- -	7	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
70 to 74 years	10	9	- -	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	10	9	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
No. of admissions	1,251	284	16	715	23	12	21	116	- -	- -	- -	- -	- -	9	55
Race															
American Indian or Alaska Native	1	- -	- -	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Asian[1]	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Black or African American	12	2	- -	10	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Native Hawaiian or Other Pacific Islander	5	- -	- -	5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	57	2	- -	46	- -	- -	2	1	- -	- -	- -	- -	- -	1	5
Other	1,033	227	14	576	23	12	19	108	- -	- -	- -	- -	- -	7	47
No. of admissions	1,108	231	14	638	23	12	21	109	- -	- -	- -	- -	- -	8	52

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.36b. Puerto Rico admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	1,251	284	16	715	23	12	21	116	- -	- -	- -	- -	- -	9	55
Gender															
Male	89.9	89.4	93.8	92.7	95.7	75.0	81.0	89.7	- -	- -	- -	- -	- -	88.9	60.0
Female	10.1	10.6	6.3	7.3	4.3	25.0	19.0	10.3	- -	- -	- -	- -	- -	11.1	40.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	- -	- -	- -	100.0	100.0
No. of admissions	1,251	284	16	715	23	12	21	116	- -	- -	- -	- -	- -	9	55
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
16 years	0.2	- -	- -	- -	- -	- -	- -	2.6	- -	- -	- -	- -	- -	- -	- -
17 years	0.1	- -	- -	- -	- -	- -	- -	0.9	- -	- -	- -	- -	- -	- -	- -
18 years	0.4	- -	- -	- -	- -	- -	- -	4.3	- -	- -	- -	- -	- -	- -	- -
19 years	0.7	- -	- -	- -	- -	- -	- -	7.8	- -	- -	- -	- -	- -	- -	- -
20 years	1.0	0.4	- -	0.1	- -	- -	- -	8.6	- -	- -	- -	- -	- -	- -	- -
21 to 24 years	5.5	2.1	12.5	3.1	13.0	- -	- -	26.7	- -	- -	- -	- -	- -	11.1	7.3
25 to 29 years	8.4	6.0	- -	6.3	8.7	25.0	14.3	22.4	- -	- -	- -	- -	- -	- -	16.4
30 to 34 years	12.2	5.6	12.5	13.4	- -	41.7	28.6	11.2	- -	- -	- -	- -	- -	22.2	21.8
35 to 39 years	17.4	9.9	37.5	22.5	30.4	8.3	19.0	3.4	- -	- -	- -	- -	- -	11.1	10.9
40 to 44 years	16.4	10.9	6.3	21.3	17.4	16.7	9.5	3.4	- -	- -	- -	- -	- -	- -	16.4
45 to 49 years	11.9	13.4	12.5	13.1	8.7	- -	9.5	4.3	- -	- -	- -	- -	- -	11.1	9.1
50 to 54 years	9.8	14.1	18.8	8.5	8.7	8.3	9.5	3.4	- -	- -	- -	- -	- -	33.3	12.7
55 to 59 years	7.4	13.7	- -	6.7	8.7	- -	9.5	- -	- -	- -	- -	- -	- -	- -	3.6
60 to 64 years	4.9	10.9	- -	3.8	4.3	- -	- -	- -	- -	- -	- -	- -	- -	11.1	1.8
65 to 69 years	2.1	6.7	- -	1.0	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
70 to 74 years	0.8	3.2	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	0.8	3.2	- -	- -	- -	- -	- -	0.9	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	- -	- -	- -	100.0	100.0
No. of admissions	1,251	284	16	715	23	12	21	116	- -	- -	- -	- -	- -	9	55
Race															
American Indian or Alaska Native	0.1	- -	- -	0.2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Asian[1]	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Black or African American	1.1	0.9	- -	1.6	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Native Hawaiian or Other Pacific Islander	0.5	- -	- -	0.8	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	5.1	0.9	- -	7.2	- -	- -	9.5	0.9	- -	- -	- -	- -	- -	12.5	9.6
Other	93.2	98.3	100.0	90.3	100.0	100.0	90.5	99.1	- -	- -	- -	- -	- -	87.5	90.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	- -	- -	- -	100.0	100.0
No. of admissions	1,108	231	14	638	23	12	21	109	- -	- -	- -	- -	- -	8	52

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.37a. Rhode Island admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	13,781	3,761	2,055	2,631	3,090	570	308	686	168	244	21	21	- -	12	214
Gender															
Male	9,400	2,651	1,504	1,744	2,004	336	227	497	122	163	18	21	- -	8	105
Female	4,335	1,110	551	887	1,086	234	81	189	46	81	3	- -	- -	4	63
No. of admissions	13,735	3,761	2,055	2,631	3,090	570	308	686	168	244	21	21	- -	12	168
Age at admission															
12 years	2	- -	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	1
13 years	8	- -	- -	- -	- -	- -	- -	8	- -	- -	- -	- -	- -	- -	- -
14 years	8	- -	- -	- -	- -	- -	- -	7	- -	- -	- -	- -	- -	- -	1
15 years	17	- -	- -	- -	- -	- -	- -	16	- -	- -	- -	- -	- -	- -	1
16 years	39	1	1	- -	- -	- -	- -	36	- -	- -	- -	- -	- -	- -	1
17 years	36	1	4	- -	- -	- -	- -	31	- -	- -	- -	- -	- -	- -	- -
18 years	36	1	3	5	8	- -	1	12	1	- -	- -	- -	- -	- -	5
19 years	74	10	10	4	13	- -	- -	20	3	3	1	2	- -	1	7
20 years	129	6	19	13	18	8	- -	40	3	13	3	2	- -	- -	4
21 to 24 years	914	154	164	142	264	16	22	82	12	47	3	1	- -	- -	7
25 to 29 years	1,977	302	262	489	600	48	51	130	36	27	1	3	- -	- -	28
30 to 34 years	2,471	441	332	585	704	82	65	117	47	57	4	1	- -	7	29
35 to 39 years	2,163	464	283	536	527	96	54	85	31	39	4	2	- -	- -	42
40 to 44 years	1,663	466	296	325	317	102	41	48	20	24	- -	3	- -	- -	21
45 to 49 years	1,303	429	251	226	205	90	32	23	7	12	3	- -	- -	4	21
50 to 54 years	1,124	463	198	145	183	76	20	14	8	- -	- -	3	- -	- -	14
55 to 59 years	985	494	165	103	134	37	12	11	- -	10	- -	4	- -	- -	15
60 to 64 years	609	372	61	45	84	11	10	2	- -	12	1	- -	- -	- -	11
65 to 69 years	155	109	1	9	27	3	- -	3	- -	- -	- -	- -	- -	- -	3
70 to 74 years	36	24	3	3	3	- -	- -	- -	- -	- -	- -	- -	- -	- -	3
75 years and older	32	24	2	1	3	1	- -	- -	- -	- -	1	- -	- -	- -	- -
No. of admissions	13,781	3,761	2,055	2,631	3,090	570	308	686	168	244	21	21	- -	12	214
Race															
American Indian or Alaska Native	101	30	23	5	24	2	3	12	- -	1	- -	- -	- -	- -	1
Asian[1]	70	25	7	15	12	3	1	3	2	- -	- -	1	- -	- -	1
Black or African American	998	224	213	90	155	95	35	137	12	6	1	1	- -	- -	29
Native Hawaiian or Other Pacific Islander	35	14	6	6	5	1	- -	1	- -	- -	- -	- -	- -	- -	2
White	10,775	3,129	1,530	2,121	2,490	386	224	403	134	218	14	18	- -	11	97
Other	293	42	72	35	57	37	4	25	6	9	- -	1	- -	- -	5
No. of admissions	12,272	3,464	1,851	2,272	2,743	524	267	581	154	234	15	21	- -	11	135

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.37b. Rhode Island admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	13,781	3,761	2,055	2,631	3,090	570	308	686	168	244	21	21	- -	12	214
Gender															
Male	68.4	70.5	73.2	66.3	64.9	58.9	73.7	72.4	72.6	66.8	85.7	100.0	- -	66.7	62.5
Female	31.6	29.5	26.8	33.7	35.1	41.1	26.3	27.6	27.4	33.2	14.3	- -	- -	33.3	37.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	13,735	3,761	2,055	2,631	3,090	570	308	686	168	244	21	21	- -	12	168
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -	0.5
13 years	0.1	- -	- -	- -	- -	- -	- -	1.2	- -	- -	- -	- -	- -	- -	- -
14 years	0.1	- -	- -	- -	- -	- -	- -	1.0	- -	- -	- -	- -	- -	- -	0.5
15 years	0.1	- -	- -	- -	- -	- -	- -	2.3	- -	- -	- -	- -	- -	- -	0.5
16 years	0.3	*	*	- -	- -	- -	- -	5.2	- -	- -	- -	- -	- -	- -	0.5
17 years	0.3	*	0.2	- -	- -	- -	- -	4.5	- -	- -	- -	- -	- -	- -	- -
18 years	0.3	*	0.1	0.2	0.3	- -	0.3	1.7	0.6	- -	- -	- -	- -	- -	2.3
19 years	0.5	0.3	0.5	0.2	0.4	- -	- -	2.9	1.8	1.2	4.8	9.5	- -	8.3	3.3
20 years	0.9	0.2	0.9	0.5	0.6	1.4	- -	5.8	1.8	5.3	14.3	9.5	- -	- -	1.9
21 to 24 years	6.6	4.1	8.0	5.4	8.5	2.8	7.1	12.0	7.1	19.3	14.3	4.8	- -	- -	3.3
25 to 29 years	14.3	8.0	12.7	18.6	19.4	8.4	16.6	19.0	21.4	11.1	4.8	14.3	- -	- -	13.1
30 to 34 years	17.9	11.7	16.2	22.2	22.8	14.4	21.1	17.1	28.0	23.4	19.0	4.8	- -	58.3	13.6
35 to 39 years	15.7	12.3	13.8	20.4	17.1	16.8	17.5	12.4	18.5	16.0	19.0	9.5	- -	- -	19.6
40 to 44 years	12.1	12.4	14.4	12.4	10.3	17.9	13.3	7.0	11.9	9.8	- -	14.3	- -	- -	9.8
45 to 49 years	9.5	11.4	12.2	8.6	6.6	15.8	10.4	3.4	4.2	4.9	14.3	- -	- -	33.3	9.8
50 to 54 years	8.2	12.3	9.6	5.5	5.9	13.3	6.5	2.0	4.8	- -	- -	14.3	- -	- -	6.5
55 to 59 years	7.1	13.1	8.0	3.9	4.3	6.5	3.9	1.6	- -	4.1	- -	19.0	- -	- -	7.0
60 to 64 years	4.4	9.9	3.0	1.7	2.7	1.9	3.2	0.3	- -	4.9	4.8	- -	- -	- -	5.1
65 to 69 years	1.1	2.9	*	0.3	0.9	0.5	- -	0.4	- -	- -	- -	- -	- -	- -	1.4
70 to 74 years	0.3	0.6	0.1	0.1	0.1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1.4
75 years and older	0.2	0.6	0.1	*	0.1	0.2	- -	- -	- -	- -	4.8	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	13,781	3,761	2,055	2,631	3,090	570	308	686	168	244	21	21	- -	12	214
Race															
American Indian or Alaska Native	0.8	0.9	1.2	0.2	0.9	0.4	1.1	2.1	- -	0.4	- -	- -	- -	- -	0.7
Asian[1]	0.6	0.7	0.4	0.7	0.4	0.6	0.4	0.5	1.3	- -	- -	4.8	- -	- -	0.7
Black or African American	8.1	6.5	11.5	4.0	5.7	18.1	13.1	23.6	7.8	2.6	6.7	4.8	- -	- -	21.5
Native Hawaiian or Other Pacific Islander	0.3	0.4	0.3	0.3	0.2	0.2	- -	0.2	- -	- -	- -	- -	- -	- -	1.5
White	87.8	90.3	82.7	93.4	90.8	73.7	83.9	69.4	87.0	93.2	93.3	85.7	- -	100.0	71.9
Other	2.4	1.2	3.9	1.5	2.1	7.1	1.5	4.3	3.9	3.8	- -	4.8	- -	- -	3.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	12,272	3,464	1,851	2,272	2,743	524	267	581	154	234	15	21	- -	11	135

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.38a. South Carolina admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	22,149	4,054	5,481	2,004	1,747	470	478	4,654	1,765	276	14	30	- -	13	1,163
Gender															
Male	13,112	2,869	3,803	1,018	833	226	237	2,654	780	129	8	21	- -	10	524
Female	9,037	1,185	1,678	986	914	244	241	2,000	985	147	6	9	- -	3	639
No. of admissions	22,149	4,054	5,481	2,004	1,747	470	478	4,654	1,765	276	14	30	- -	13	1,163
Age at admission															
12 years	60	3	2	- -	- -	- -	- -	12	2	- -	- -	- -	- -	- -	41
13 years	110	1	8	- -	- -	- -	1	43	- -	2	- -	- -	- -	- -	55
14 years	188	5	5	- -	- -	- -	- -	121	1	6	- -	- -	- -	1	49
15 years	392	9	19	2	1	- -	1	279	4	2	1	4	- -	- -	70
16 years	532	11	24	2	8	- -	- -	387	13	9	1	1	- -	2	74
17 years	519	15	32	3	10	1	1	371	19	12	- -	- -	- -	1	54
18 years	287	11	17	8	12	- -	2	182	10	10	- -	2	- -	- -	33
19 years	256	12	25	12	16	1	4	143	20	7	1	1	- -	- -	14
20 years	349	26	38	30	27	2	4	172	29	5	- -	2	- -	- -	14
21 to 24 years	1,982	204	410	184	148	6	36	694	183	28	2	3	- -	2	82
25 to 29 years	3,620	451	786	481	339	29	68	897	353	57	4	5	- -	- -	150
30 to 34 years	3,690	557	853	494	362	72	95	652	410	44	- -	7	- -	5	139
35 to 39 years	2,893	544	837	340	291	70	73	317	283	28	- -	1	- -	1	108
40 to 44 years	2,117	477	654	203	189	61	63	155	212	17	- -	3	- -	- -	83
45 to 49 years	1,620	466	541	91	130	44	54	96	117	16	- -	1	- -	- -	64
50 to 54 years	1,289	419	456	73	88	65	36	51	50	12	2	- -	- -	- -	37
55 to 59 years	1,177	404	418	52	66	77	24	43	33	10	2	- -	- -	1	47
60 to 64 years	675	247	245	23	37	32	12	27	20	7	- -	- -	- -	- -	25
65 to 69 years	259	111	85	6	16	7	4	7	3	4	1	- -	- -	- -	15
70 to 74 years	95	61	19	- -	2	2	- -	3	1	- -	- -	- -	- -	- -	7
75 years and older	39	20	7	- -	5	1	- -	2	2	- -	- -	- -	- -	- -	2
No. of admissions	22,149	4,054	5,481	2,004	1,747	470	478	4,654	1,765	276	14	30	- -	13	1,163
Race															
American Indian or Alaska Native	96	13	16	13	18	- -	2	18	7	- -	1	- -	- -	- -	8
Asian[1]	50	20	10	1	2	- -	1	7	5	- -	- -	- -	- -	- -	4
Black or African American	7,098	1,396	1,970	119	149	287	268	2,338	78	23	3	15	- -	5	447
Native Hawaiian or Other Pacific Islander	25	5	8	- -	2	- -	- -	4	1	2	- -	- -	- -	- -	3
White	13,937	2,374	3,288	1,823	1,547	171	192	2,014	1,635	241	7	13	- -	8	624
Other	883	236	178	46	27	10	12	257	32	10	3	2	- -	- -	70
No. of admissions	22,089	4,044	5,470	2,002	1,745	468	475	4,638	1,758	276	14	30	- -	13	1,156

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.38b. South Carolina admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	22,149	4,054	5,481	2,004	1,747	470	478	4,654	1,765	276	14	30	- -	13	1,163
Gender															
Male	59.2	70.8	69.4	50.8	47.7	48.1	49.6	57.0	44.2	46.7	57.1	70.0	- -	76.9	45.1
Female	40.8	29.2	30.6	49.2	52.3	51.9	50.4	43.0	55.8	53.3	42.9	30.0	- -	23.1	54.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	22,149	4,054	5,481	2,004	1,747	470	478	4,654	1,765	276	14	30	- -	13	1,163
Age at admission															
12 years	0.3	0.1	*	- -	- -	- -	- -	0.3	0.1	- -	- -	- -	- -	- -	3.5
13 years	0.5	*	0.1	- -	- -	- -	0.2	0.9	- -	0.7	- -	- -	- -	- -	4.7
14 years	0.8	0.1	0.1	- -	- -	- -	- -	2.6	0.1	2.2	- -	- -	- -	7.7	4.2
15 years	1.8	0.2	0.3	0.1	0.1	- -	0.2	6.0	0.2	0.7	7.1	13.3	- -	- -	6.0
16 years	2.4	0.3	0.4	0.1	0.5	- -	- -	8.3	0.7	3.3	7.1	3.3	- -	15.4	6.4
17 years	2.3	0.4	0.6	0.1	0.6	0.2	0.2	8.0	1.1	4.3	- -	- -	- -	7.7	4.6
18 years	1.3	0.3	0.3	0.4	0.7	- -	0.4	3.9	0.6	3.6	- -	6.7	- -	- -	2.8
19 years	1.2	0.3	0.5	0.6	0.9	0.2	0.8	3.1	1.1	2.5	7.1	3.3	- -	- -	1.2
20 years	1.6	0.6	0.7	1.5	1.5	0.4	0.8	3.7	1.6	1.8	- -	6.7	- -	- -	1.2
21 to 24 years	8.9	5.0	7.5	9.2	8.5	1.3	7.5	14.9	10.4	10.1	14.3	10.0	- -	15.4	7.1
25 to 29 years	16.3	11.1	14.3	24.0	19.4	6.2	14.2	19.3	20.0	20.7	28.6	16.7	- -	- -	12.9
30 to 34 years	16.7	13.7	15.6	24.7	20.7	15.3	19.9	14.0	23.2	15.9	- -	23.3	- -	38.5	12.0
35 to 39 years	13.1	13.4	15.3	17.0	16.7	14.9	15.3	6.8	16.0	10.1	- -	3.3	- -	7.7	9.3
40 to 44 years	9.6	11.8	11.9	10.1	10.8	13.0	13.2	3.3	12.0	6.2	- -	10.0	- -	- -	7.1
45 to 49 years	7.3	11.5	9.9	4.5	7.4	9.4	11.3	2.1	6.6	5.8	- -	3.3	- -	- -	5.5
50 to 54 years	5.8	10.3	8.3	3.6	5.0	13.8	7.5	1.1	2.8	4.3	14.3	- -	- -	- -	3.2
55 to 59 years	5.3	10.0	7.6	2.6	3.8	16.4	5.0	0.9	1.9	3.6	14.3	- -	- -	7.7	4.0
60 to 64 years	3.0	6.1	4.5	1.1	2.1	6.8	2.5	0.6	1.1	2.5	- -	- -	- -	- -	2.1
65 to 69 years	1.2	2.7	1.6	0.3	0.9	1.5	0.8	0.2	0.2	1.4	7.1	- -	- -	- -	1.3
70 to 74 years	0.4	1.5	0.3	- -	0.1	0.4	- -	0.1	0.1	- -	- -	- -	- -	- -	0.6
75 years and older	0.2	0.5	0.1	- -	0.3	0.2	- -	*	0.1	- -	- -	- -	- -	- -	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	22,149	4,054	5,481	2,004	1,747	470	478	4,654	1,765	276	14	30	- -	13	1,163
Race															
American Indian or Alaska Native	0.4	0.3	0.3	0.6	1.0	- -	0.4	0.4	0.4	- -	7.1	- -	- -	- -	0.7
Asian[1]	0.2	0.5	0.2	*	0.1	- -	0.2	0.2	0.3	- -	- -	- -	- -	- -	0.3
Black or African American	32.1	34.5	36.0	5.9	8.5	61.3	56.4	50.4	4.4	8.3	21.4	50.0	- -	38.5	38.7
Native Hawaiian or Other Pacific Islander	0.1	0.1	0.1	- -	0.1	- -	- -	0.1	0.1	0.7	- -	- -	- -	- -	0.3
White	63.1	58.7	60.1	91.1	88.7	36.5	40.4	43.4	93.0	87.3	50.0	43.3	- -	61.5	54.0
Other	4.0	5.8	3.3	2.3	1.5	2.1	2.5	5.5	1.8	3.6	21.4	6.7	- -	- -	6.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	22,089	4,044	5,470	2,002	1,745	468	475	4,638	1,758	276	14	30	- -	13	1,156

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.39a. South Dakota admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	15,318	7,676	2,378	151	208	17	53	1,148	3,018	9	7	14	- -	23	616
Gender															
Male	10,668	6,009	1,606	92	122	9	34	793	1,587	3	1	13	- -	10	389
Female	4,650	1,667	772	59	86	8	19	355	1,431	6	6	1	- -	13	227
No. of admissions	15,318	7,676	2,378	151	208	17	53	1,148	3,018	9	7	14	- -	23	616
Age at admission															
12 years	6	- -	- -	- -	- -	- -	- -	6	- -	- -	- -	- -	- -	- -	- -
13 years	25	1	5	- -	- -	- -	- -	16	3	- -	- -	- -	- -	- -	- -
14 years	63	6	13	- -	- -	- -	- -	30	3	- -	- -	- -	- -	- -	11
15 years	127	11	20	- -	2	- -	- -	66	17	2	- -	- -	- -	- -	9
16 years	190	29	29	- -	1	- -	- -	104	9	- -	- -	1	- -	- -	17
17 years	165	26	24	- -	3	- -	- -	75	19	1	- -	- -	- -	3	14
18 years	143	58	10	- -	1	- -	- -	32	27	- -	- -	2	- -	1	12
19 years	200	63	24	2	1	1	2	40	44	- -	- -	1	- -	- -	22
20 years	243	46	39	7	6	- -	2	51	62	- -	1	- -	- -	- -	29
21 to 24 years	1,408	419	242	28	35	2	11	188	389	2	- -	- -	- -	3	89
25 to 29 years	2,062	627	383	46	52	1	7	182	659	2	- -	4	- -	6	93
30 to 34 years	2,277	966	412	31	34	1	7	125	589	1	2	2	- -	2	105
35 to 39 years	2,353	1,187	410	20	26	1	14	116	489	- -	2	2	- -	4	82
40 to 44 years	1,556	821	242	8	18	- -	4	48	353	1	- -	2	- -	- -	59
45 to 49 years	1,544	1,123	163	3	17	4	2	31	168	- -	1	- -	- -	4	28
50 to 54 years	1,420	1,075	193	- -	5	3	3	22	100	- -	- -	- -	- -	- -	19
55 to 59 years	821	655	75	2	4	2	1	13	55	- -	- -	- -	- -	- -	14
60 to 64 years	491	352	87	4	2	2	- -	2	28	- -	1	- -	- -	- -	13
65 to 69 years	92	83	4	- -	1	- -	- -	1	3	- -	- -	- -	- -	- -	- -
70 to 74 years	100	96	3	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -
75 years and older	32	32	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	15,318	7,676	2,378	151	208	17	53	1,148	3,018	9	7	14	- -	23	616
Race															
American Indian or Alaska Native	7,793	5,177	1,016	39	59	3	16	347	949	3	2	7	- -	9	166
Asian[1]	13	7	1	- -	- -	- -	- -	2	2	- -	- -	- -	- -	- -	1
Black or African American	148	61	19	4	4	1	4	25	22	- -	- -	- -	- -	- -	8
Native Hawaiian or Other Pacific Islander	10	3	1	- -	- -	- -	- -	1	4	- -	- -	- -	- -	- -	1
White	7,154	2,311	1,321	107	141	13	32	753	2,012	6	4	7	- -	14	433
Other	189	110	19	1	4	- -	1	20	26	- -	1	- -	- -	- -	7
No. of admissions	15,307	7,669	2,377	151	208	17	53	1,148	3,015	9	7	14	- -	23	616

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.39b. South Dakota admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	15,318	7,676	2,378	151	208	17	53	1,148	3,018	9	7	14	- -	23	616
Gender															
Male	69.6	78.3	67.5	60.9	58.7	52.9	64.2	69.1	52.6	33.3	14.3	92.9	- -	43.5	63.1
Female	30.4	21.7	32.5	39.1	41.3	47.1	35.8	30.9	47.4	66.7	85.7	7.1	- -	56.5	36.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	15,318	7,676	2,378	151	208	17	53	1,148	3,018	9	7	14	- -	23	616
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.5	- -	- -	- -	- -	- -	- -	- -
13 years	0.2	*	0.2	- -	- -	- -	- -	1.4	0.1	- -	- -	- -	- -	- -	- -
14 years	0.4	0.1	0.5	- -	- -	- -	- -	2.6	0.1	- -	- -	- -	- -	- -	1.8
15 years	0.8	0.1	0.8	- -	1.0	- -	- -	5.7	0.6	22.2	- -	- -	- -	- -	1.5
16 years	1.2	0.4	1.2	- -	0.5	- -	- -	9.1	0.3	- -	- -	7.1	- -	- -	2.8
17 years	1.1	0.3	1.0	- -	1.4	- -	- -	6.5	0.6	11.1	- -	- -	- -	13.0	2.3
18 years	0.9	0.8	0.4	- -	0.5	- -	- -	2.8	0.9	- -	- -	14.3	- -	4.3	1.9
19 years	1.3	0.8	1.0	1.3	0.5	5.9	3.8	3.5	1.5	- -	- -	7.1	- -	- -	3.6
20 years	1.6	0.6	1.6	4.6	2.9	- -	3.8	4.4	2.1	- -	14.3	- -	- -	- -	4.7
21 to 24 years	9.2	5.5	10.2	18.5	16.8	11.8	20.8	16.4	12.9	22.2	- -	- -	- -	13.0	14.4
25 to 29 years	13.5	8.2	16.1	30.5	25.0	5.9	13.2	15.9	21.8	22.2	- -	28.6	- -	26.1	15.1
30 to 34 years	14.9	12.6	17.3	20.5	16.3	5.9	13.2	10.9	19.5	11.1	28.6	14.3	- -	8.7	17.0
35 to 39 years	15.4	15.5	17.2	13.2	12.5	5.9	26.4	10.1	16.2	- -	28.6	14.3	- -	17.4	13.3
40 to 44 years	10.2	10.7	10.2	5.3	8.7	- -	7.5	4.2	11.7	11.1	- -	14.3	- -	- -	9.6
45 to 49 years	10.1	14.6	6.9	2.0	8.2	23.5	3.8	2.7	5.6	- -	14.3	- -	- -	17.4	4.5
50 to 54 years	9.3	14.0	8.1	- -	2.4	17.6	5.7	1.9	3.3	- -	- -	- -	- -	- -	3.1
55 to 59 years	5.4	8.5	3.2	1.3	1.9	11.8	1.9	1.1	1.8	- -	- -	- -	- -	- -	2.3
60 to 64 years	3.2	4.6	3.7	2.6	1.0	11.8	- -	0.2	0.9	- -	14.3	- -	- -	- -	2.1
65 to 69 years	0.6	1.1	0.2	- -	0.5	- -	- -	0.1	0.1	- -	- -	- -	- -	- -	- -
70 to 74 years	0.7	1.3	0.1	- -	- -	- -	- -	- -	*	- -	- -	- -	- -	- -	- -
75 years and older	0.2	0.4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	15,318	7,676	2,378	151	208	17	53	1,148	3,018	9	7	14	- -	23	616
Race															
American Indian or Alaska Native	50.9	67.5	42.7	25.8	28.4	17.6	30.2	30.2	31.5	33.3	28.6	50.0	- -	39.1	26.9
Asian[1]	0.1	0.1	*	- -	- -	- -	- -	0.2	0.1	- -	- -	- -	- -	- -	0.2
Black or African American	1.0	0.8	0.8	2.6	1.9	5.9	7.5	2.2	0.7	- -	- -	- -	- -	- -	1.3
Native Hawaiian or Other Pacific Islander	0.1	*	*	- -	- -	- -	- -	0.1	0.1	- -	- -	- -	- -	- -	0.2
White	46.7	30.1	55.6	70.9	67.8	76.5	60.4	65.6	66.7	66.7	57.1	50.0	- -	60.9	70.3
Other	1.2	1.4	0.8	0.7	1.9	- -	1.9	1.7	0.9	- -	14.3	- -	- -	- -	1.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	15,307	7,669	2,377	151	208	17	53	1,148	3,015	9	7	14	- -	23	616

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.40a. Tennessee admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	16,954	2,026	2,219	3,150	2,828	721	398	1,896	3,432	172	25	11	- -	8	68
Gender															
Male	11,155	1,513	1,569	2,108	1,669	451	294	1,376	2,032	84	13	8	- -	7	31
Female	5,793	513	649	1,042	1,159	270	103	520	1,396	88	12	3	- -	1	37
No. of admissions	16,948	2,026	2,218	3,150	2,828	721	397	1,896	3,428	172	25	11	- -	8	68
Age at admission															
12 years	2	- -	- -	- -	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	- -
13 years	16	2	2	- -	- -	- -	- -	10	- -	- -	- -	- -	- -	2	- -
14 years	48	2	4	- -	- -	- -	- -	38	2	- -	- -	- -	- -	1	1
15 years	106	4	2	1	1	- -	1	88	5	2	- -	- -	- -	1	1
16 years	163	3	6	1	- -	- -	2	139	8	1	- -	- -	- -	- -	3
17 years	154	3	11	1	2	- -	2	117	15	3	- -	- -	- -	- -	- -
18 years	71	5	5	3	8	- -	1	29	15	4	- -	1	- -	- -	- -
19 years	98	3	12	13	7	1	- -	39	17	4	1	1	- -	- -	- -
20 years	181	6	15	29	20	- -	4	60	38	5	- -	2	- -	- -	2
21 to 24 years	1,362	64	122	250	219	23	22	270	357	21	2	1	- -	- -	11
25 to 29 years	3,034	179	287	796	621	33	68	324	671	35	5	1	- -	2	12
30 to 34 years	3,310	244	339	840	719	60	56	250	754	36	2	3	- -	- -	7
35 to 39 years	2,795	296	392	557	516	81	81	205	623	31	5	1	- -	2	5
40 to 44 years	2,035	287	315	356	309	98	60	134	443	13	6	- -	- -	- -	14
45 to 49 years	1,394	277	248	170	217	98	40	72	259	6	2	1	- -	- -	4
50 to 54 years	1,093	271	253	72	111	152	39	55	131	4	2	- -	- -	- -	3
55 to 59 years	722	240	145	39	58	98	14	48	74	4	- -	- -	- -	- -	2
60 to 64 years	292	104	55	16	17	61	4	13	18	3	- -	- -	- -	- -	1
65 to 69 years	68	31	6	6	2	13	4	3	1	- -	- -	- -	- -	- -	2
70 to 74 years	8	4	- -	- -	- -	3	- -	- -	1	- -	- -	- -	- -	- -	- -
75 years and older	2	1	- -	- -	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	16,954	2,026	2,219	3,150	2,828	721	398	1,896	3,432	172	25	11	- -	8	68
Race															
American Indian or Alaska Native	34	4	8	3	3	- -	2	3	10	1	- -	- -	- -	- -	- -
Asian[1]	27	4	2	4	1	- -	- -	10	4	1	1	- -	- -	- -	- -
Black or African American	3,366	344	555	378	321	506	271	811	144	14	3	6	- -	- -	13
Native Hawaiian or Other Pacific Islander	12	3	1	2	3	- -	- -	3	- -	- -	- -	- -	- -	- -	- -
White	13,124	1,624	1,607	2,691	2,453	213	115	965	3,230	144	21	3	- -	7	51
Other	270	26	35	42	32	1	6	83	33	9	- -	1	- -	1	1
No. of admissions	16,833	2,005	2,208	3,120	2,813	720	394	1,875	3,421	169	25	10	- -	8	65

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.40b. Tennessee admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	16,954	2,026	2,219	3,150	2,828	721	398	1,896	3,432	172	25	11	- -	8	68
Gender															
Male	65.8	74.7	70.7	66.9	59.0	62.6	74.1	72.6	59.3	48.8	52.0	72.7	- -	87.5	45.6
Female	34.2	25.3	29.3	33.1	41.0	37.4	25.9	27.4	40.7	51.2	48.0	27.3	- -	12.5	54.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	16,948	2,026	2,218	3,150	2,828	721	397	1,896	3,428	172	25	11	- -	8	68
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	0.1	0.1	- -	- -	- -	- -	0.5	- -	- -	- -	- -	- -	25.0	- -
14 years	0.3	0.1	0.2	- -	- -	- -	- -	2.0	0.1	- -	- -	- -	- -	12.5	1.5
15 years	0.6	0.2	0.1	*	*	- -	0.3	4.6	0.1	1.2	- -	- -	- -	12.5	1.5
16 years	1.0	0.1	0.3	*	- -	- -	0.5	7.3	0.2	0.6	- -	- -	- -	- -	4.4
17 years	0.9	0.1	0.5	*	0.1	- -	0.5	6.2	0.4	1.7	- -	- -	- -	- -	- -
18 years	0.4	0.2	0.2	0.1	0.3	- -	0.3	1.5	0.4	2.3	- -	9.1	- -	- -	- -
19 years	0.6	0.1	0.5	0.4	0.2	0.1	- -	2.1	0.5	2.3	4.0	9.1	- -	- -	- -
20 years	1.1	0.3	0.7	0.9	0.7	- -	1.0	3.2	1.1	2.9	- -	18.2	- -	- -	2.9
21 to 24 years	8.0	3.2	5.5	7.9	7.7	3.2	5.5	14.2	10.4	12.2	8.0	9.1	- -	- -	16.2
25 to 29 years	17.9	8.8	12.9	25.3	22.0	4.6	17.1	17.1	19.6	20.3	20.0	9.1	- -	25.0	17.6
30 to 34 years	19.5	12.0	15.3	26.7	25.4	8.3	14.1	13.2	22.0	20.9	8.0	27.3	- -	- -	10.3
35 to 39 years	16.5	14.6	17.7	17.7	18.2	11.2	20.4	10.8	18.2	18.0	20.0	9.1	- -	25.0	7.4
40 to 44 years	12.0	14.2	14.2	11.3	10.9	13.6	15.1	7.1	12.9	7.6	24.0	- -	- -	- -	20.6
45 to 49 years	8.2	13.7	11.2	5.4	7.7	13.6	10.1	3.8	7.5	3.5	8.0	9.1	- -	- -	5.9
50 to 54 years	6.4	13.4	11.4	2.3	3.9	21.1	9.8	2.9	3.8	2.3	8.0	- -	- -	- -	4.4
55 to 59 years	4.3	11.8	6.5	1.2	2.1	13.6	3.5	2.5	2.2	2.3	- -	- -	- -	- -	2.9
60 to 64 years	1.7	5.1	2.5	0.5	0.6	8.5	1.0	0.7	0.5	1.7	- -	- -	- -	- -	1.5
65 to 69 years	0.4	1.5	0.3	0.2	0.1	1.8	1.0	0.2	*	- -	- -	- -	- -	- -	2.9
70 to 74 years	*	0.2	- -	- -	- -	0.4	- -	- -	*	- -	- -	- -	- -	- -	- -
75 years and older	*	*	- -	- -	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	16,954	2,026	2,219	3,150	2,828	721	398	1,896	3,432	172	25	11	- -	8	68
Race															
American Indian or Alaska Native	0.2	0.2	0.4	0.1	0.1	- -	0.5	0.2	0.3	0.6	- -	- -	- -	- -	- -
Asian[1]	0.2	0.2	0.1	0.1	*	- -	- -	0.5	0.1	0.6	4.0	- -	- -	- -	- -
Black or African American	20.0	17.2	25.1	12.1	11.4	70.3	68.8	43.3	4.2	8.3	12.0	60.0	- -	- -	20.0
Native Hawaiian or Other Pacific Islander	0.1	0.1	*	0.1	0.1	- -	- -	0.2	- -	- -	- -	- -	- -	- -	- -
White	78.0	81.0	72.8	86.3	87.2	29.6	29.2	51.5	94.4	85.2	84.0	30.0	- -	87.5	78.5
Other	1.6	1.3	1.6	1.3	1.1	0.1	1.5	4.4	1.0	5.3	- -	10.0	- -	12.5	1.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	16,833	2,005	2,208	3,120	2,813	720	394	1,875	3,421	169	25	10	- -	8	65

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.41a. Texas admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	33,272	5,130	3,280	6,228	1,597	996	1,245	6,135	7,138	621	44	79	292	7	480
Gender															
Male	19,504	3,379	2,062	4,071	747	531	715	3,966	3,199	290	25	44	150	3	322
Female	13,768	1,751	1,218	2,157	850	465	530	2,169	3,939	331	19	35	142	4	158
No. of admissions	33,272	5,130	3,280	6,228	1,597	996	1,245	6,135	7,138	621	44	79	292	7	480
Age at admission															
12 years	16	- -	1	- -	- -	- -	- -	15	- -	- -	- -	- -	- -	- -	- -
13 years	97	- -	2	- -	- -	- -	1	89	- -	4	- -	- -	- -	- -	1
14 years	246	6	9	- -	1	- -	3	215	3	8	1	- -	- -	- -	- -
15 years	517	7	14	- -	1	1	7	438	16	23	1	4	- -	1	4
16 years	745	4	13	3	4	3	12	636	21	38	5	5	- -	- -	1
17 years	512	4	16	4	3	1	14	399	24	34	3	6	- -	- -	4
18 years	141	4	8	4	3	1	7	80	23	7	- -	1	- -	- -	3
19 years	293	12	23	18	7	1	14	156	38	9	1	2	1	- -	11
20 years	447	15	31	46	8	2	16	210	84	21	- -	3	- -	- -	11
21 to 24 years	2,824	222	230	432	65	17	119	981	595	82	8	10	5	- -	58
25 to 29 years	5,968	641	506	1,393	254	62	246	1,152	1,436	142	5	10	29	- -	92
30 to 34 years	6,310	820	639	1,460	357	98	262	803	1,610	98	7	19	46	4	87
35 to 39 years	5,508	837	611	1,155	356	139	215	450	1,459	89	6	3	108	1	79
40 to 44 years	3,509	706	370	711	200	134	131	268	833	25	4	8	74	1	44
45 to 49 years	2,344	644	309	399	121	122	96	105	464	15	3	4	28	- -	34
50 to 54 years	1,690	484	239	272	85	157	55	52	306	12	- -	3	1	- -	24
55 to 59 years	1,258	434	160	186	51	161	29	52	163	8	- -	1	- -	- -	13
60 to 64 years	651	227	76	108	54	77	12	29	52	5	- -	- -	- -	- -	11
65 to 69 years	157	46	21	30	22	16	6	4	10	- -	- -	- -	- -	- -	2
70 to 74 years	30	10	2	6	5	4	- -	1	- -	1	- -	- -	- -	- -	1
75 years and older	9	7	- -	1	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -
No. of admissions	33,272	5,130	3,280	6,228	1,597	996	1,245	6,135	7,138	621	44	79	292	7	480
Race															
American Indian or Alaska Native	192	34	21	33	11	8	11	34	37	1	- -	- -	1	- -	1
Asian[1]	148	23	17	34	5	3	7	30	20	1	1	- -	- -	- -	7
Black or African American	5,422	598	509	300	186	554	344	1,881	583	41	3	27	253	1	142
Native Hawaiian or Other Pacific Islander	85	13	9	19	5	2	7	10	17	1	- -	- -	- -	- -	2
White	26,999	4,396	2,672	5,770	1,376	414	865	4,100	6,386	563	40	52	34	6	325
Other	417	65	52	70	12	15	11	79	94	13	- -	- -	4	- -	2
No. of admissions	33,263	5,129	3,280	6,226	1,595	996	1,245	6,134	7,137	620	44	79	292	7	479

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.41b. Texas admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	33,272	5,130	3,280	6,228	1,597	996	1,245	6,135	7,138	621	44	79	292	7	480
Gender															
Male	58.6	65.9	62.9	65.4	46.8	53.3	57.4	64.6	44.8	46.7	56.8	55.7	51.4	42.9	67.1
Female	41.4	34.1	37.1	34.6	53.2	46.7	42.6	35.4	55.2	53.3	43.2	44.3	48.6	57.1	32.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	33,272	5,130	3,280	6,228	1,597	996	1,245	6,135	7,138	621	44	79	292	7	480
Age at admission															
12 years	*	- -	*	- -	- -	- -	- -	0.2	- -	- -	- -	- -	- -	- -	- -
13 years	0.3	- -	0.1	- -	- -	- -	0.1	1.5	- -	0.6	- -	- -	- -	- -	0.2
14 years	0.7	0.1	0.3	- -	0.1	- -	0.2	3.5	*	1.3	2.3	- -	- -	- -	- -
15 years	1.6	0.1	0.4	- -	0.1	0.1	0.6	7.1	0.2	3.7	2.3	5.1	- -	14.3	0.8
16 years	2.2	0.1	0.4	*	0.3	0.3	1.0	10.4	0.3	6.1	11.4	6.3	- -	- -	0.2
17 years	1.5	0.1	0.5	0.1	0.2	0.1	1.1	6.5	0.3	5.5	6.8	7.6	- -	- -	0.8
18 years	0.4	0.1	0.2	0.1	0.2	0.1	0.6	1.3	0.3	1.1	- -	1.3	- -	- -	0.6
19 years	0.9	0.2	0.7	0.3	0.4	0.1	1.1	2.5	0.5	1.4	2.3	2.5	0.3	- -	2.3
20 years	1.3	0.3	0.9	0.7	0.5	0.2	1.3	3.4	1.2	3.4	- -	3.8	- -	- -	2.3
21 to 24 years	8.5	4.3	7.0	6.9	4.1	1.7	9.6	16.0	8.3	13.2	18.2	12.7	1.7	- -	12.1
25 to 29 years	17.9	12.5	15.4	22.4	15.9	6.2	19.8	18.8	20.1	22.9	11.4	12.7	9.9	- -	19.2
30 to 34 years	19.0	16.0	19.5	23.4	22.4	9.8	21.0	13.1	22.6	15.8	15.9	24.1	15.8	57.1	18.1
35 to 39 years	16.6	16.3	18.6	18.5	22.3	14.0	17.3	7.3	20.4	14.3	13.6	3.8	37.0	14.3	16.5
40 to 44 years	10.5	13.8	11.3	11.4	12.5	13.5	10.5	4.4	11.7	4.0	9.1	10.1	25.3	14.3	9.2
45 to 49 years	7.0	12.6	9.4	6.4	7.6	12.2	7.7	1.7	6.5	2.4	6.8	5.1	9.6	- -	7.1
50 to 54 years	5.1	9.4	7.3	4.4	5.3	15.8	4.4	0.8	4.3	1.9	- -	3.8	0.3	- -	5.0
55 to 59 years	3.8	8.5	4.9	3.0	3.2	16.2	2.3	0.8	2.3	1.3	- -	1.3	- -	- -	2.7
60 to 64 years	2.0	4.4	2.3	1.7	3.4	7.7	1.0	0.5	0.7	0.8	- -	- -	- -	- -	2.3
65 to 69 years	0.5	0.9	0.6	0.5	1.4	1.6	0.5	0.1	0.1	- -	- -	- -	- -	- -	0.4
70 to 74 years	0.1	0.2	0.1	0.1	0.3	0.4	- -	*	- -	0.2	- -	- -	- -	- -	0.2
75 years and older	*	0.1	- -	*	- -	- -	- -	- -	*	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	33,272	5,130	3,280	6,228	1,597	996	1,245	6,135	7,138	621	44	79	292	7	480
Race															
American Indian or Alaska Native	0.6	0.7	0.6	0.5	0.7	0.8	0.9	0.6	0.5	0.2	- -	- -	0.3	- -	0.2
Asian[1]	0.4	0.4	0.5	0.5	0.3	0.3	0.6	0.5	0.3	0.2	2.3	- -	- -	- -	1.5
Black or African American	16.3	11.7	15.5	4.8	11.7	55.6	27.6	30.7	8.2	6.6	6.8	34.2	86.6	14.3	29.6
Native Hawaiian or Other Pacific Islander	0.3	0.3	0.3	0.3	0.3	0.2	0.6	0.2	0.2	0.2	- -	- -	- -	- -	0.4
White	81.2	85.7	81.5	92.7	86.3	41.6	69.5	66.8	89.5	90.8	90.9	65.8	11.6	85.7	67.8
Other	1.3	1.3	1.6	1.1	0.8	1.5	0.9	1.3	1.3	2.1	- -	- -	1.4	- -	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	33,263	5,129	3,280	6,226	1,595	996	1,245	6,134	7,137	620	44	79	292	7	479

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.42a. Utah admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	11,421	1,742	1,304	2,645	352	82	64	1,589	3,431	70	11	20	- -	19	92
Gender															
Male	7,145	1,265	835	1,523	173	51	44	1,108	2,009	42	6	14	- -	14	61
Female	4,275	477	469	1,122	179	31	20	480	1,422	28	5	6	- -	5	31
No. of admissions	11,420	1,742	1,304	2,645	352	82	64	1,588	3,431	70	11	20	- -	19	92
Age at admission															
12 years	2	- -	1	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
13 years	13	1	1	- -	- -	- -	- -	11	- -	- -	- -	- -	- -	- -	- -
14 years	54	1	2	- -	- -	- -	- -	49	2	- -	- -	- -	- -	- -	- -
15 years	113	3	8	- -	1	1	- -	96	4	- -	- -	- -	- -	- -	- -
16 years	152	3	16	- -	- -	- -	- -	125	6	1	- -	1	- -	- -	- -
17 years	189	14	19	1	2	- -	- -	139	11	2	1	- -	- -	- -	- -
18 years	150	11	29	6	- -	- -	2	78	16	1	- -	4	- -	1	2
19 years	158	10	20	12	2	- -	4	75	30	- -	1	3	- -	- -	1
20 years	194	12	16	15	- -	- -	3	90	51	4	- -	2	- -	1	- -
21 to 24 years	933	75	102	221	15	4	13	197	293	8	- -	2	- -	- -	3
25 to 29 years	1,834	166	180	588	47	8	14	200	603	10	1	3	- -	5	9
30 to 34 years	2,042	241	234	683	66	11	6	152	605	17	4	1	- -	1	21
35 to 39 years	1,966	308	237	469	86	14	4	159	643	15	4	1	- -	4	22
40 to 44 years	1,395	246	185	298	60	7	7	81	495	2	- -	- -	- -	3	11
45 to 49 years	768	170	84	144	22	4	3	46	277	6	- -	2	- -	1	9
50 to 54 years	651	200	75	94	23	9	3	40	201	3	- -	- -	- -	- -	3
55 to 59 years	492	161	54	71	14	17	5	30	130	1	- -	1	- -	2	6
60 to 64 years	240	97	34	33	6	6	- -	15	44	- -	- -	- -	- -	1	4
65 to 69 years	57	16	6	8	5	1	- -	5	15	- -	- -	- -	- -	- -	1
70 to 74 years	14	3	1	2	3	- -	- -	- -	5	- -	- -	- -	- -	- -	- -
75 years and older	4	4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	11,421	1,742	1,304	2,645	352	82	64	1,589	3,431	70	11	20	- -	19	92
Race															
American Indian or Alaska Native	447	152	82	62	5	2	3	47	90	- -	- -	- -	- -	- -	4
Asian[1]	75	11	6	10	1	2	- -	19	26	- -	- -	- -	- -	- -	- -
Black or African American	452	61	45	70	7	18	8	90	139	4	- -	- -	- -	1	9
Native Hawaiian or Other Pacific Islander	136	21	26	16	2	2	2	24	39	2	- -	- -	- -	- -	2
White	8,546	1,240	934	2,114	312	51	41	1,096	2,597	59	10	15	- -	18	59
Other	1,752	254	209	371	24	7	10	311	537	5	1	5	- -	- -	18
No. of admissions	11,408	1,739	1,302	2,643	351	82	64	1,587	3,428	70	11	20	- -	19	92

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.42b. Utah admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	11,421	1,742	1,304	2,645	352	82	64	1,589	3,431	70	11	20	- -	19	92
Gender															
Male	62.6	72.6	64.0	57.6	49.1	62.2	68.8	69.8	58.6	60.0	54.5	70.0	- -	73.7	66.3
Female	37.4	27.4	36.0	42.4	50.9	37.8	31.3	30.2	41.4	40.0	45.5	30.0	- -	26.3	33.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	11,420	1,742	1,304	2,645	352	82	64	1,588	3,431	70	11	20	- -	19	92
Age at admission															
12 years	*	- -	0.1	- -	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	0.1	0.1	- -	- -	- -	- -	0.7	- -	- -	- -	- -	- -	- -	- -
14 years	0.5	0.1	0.2	- -	- -	- -	- -	3.1	0.1	- -	- -	- -	- -	- -	- -
15 years	1.0	0.2	0.6	- -	0.3	1.2	- -	6.0	0.1	- -	- -	- -	- -	- -	- -
16 years	1.3	0.2	1.2	- -	- -	- -	- -	7.9	0.2	1.4	- -	5.0	- -	- -	- -
17 years	1.7	0.8	1.5	*	0.6	- -	- -	8.7	0.3	2.9	9.1	- -	- -	- -	- -
18 years	1.3	0.6	2.2	0.2	- -	- -	3.1	4.9	0.5	1.4	- -	20.0	- -	5.3	2.2
19 years	1.4	0.6	1.5	0.5	0.6	- -	6.3	4.7	0.9	- -	9.1	15.0	- -	- -	1.1
20 years	1.7	0.7	1.2	0.6	- -	- -	4.7	5.7	1.5	5.7	- -	10.0	- -	5.3	- -
21 to 24 years	8.2	4.3	7.8	8.4	4.3	4.9	20.3	12.4	8.5	11.4	- -	10.0	- -	- -	3.3
25 to 29 years	16.1	9.5	13.8	22.2	13.4	9.8	21.9	12.6	17.6	14.3	9.1	15.0	- -	26.3	9.8
30 to 34 years	17.9	13.8	17.9	25.8	18.8	13.4	9.4	9.6	17.6	24.3	36.4	5.0	- -	5.3	22.8
35 to 39 years	17.2	17.7	18.2	17.7	24.4	17.1	6.3	10.0	18.7	21.4	36.4	5.0	- -	21.1	23.9
40 to 44 years	12.2	14.1	14.2	11.3	17.0	8.5	10.9	5.1	14.4	2.9	- -	- -	- -	15.8	12.0
45 to 49 years	6.7	9.8	6.4	5.4	6.3	4.9	4.7	2.9	8.1	8.6	- -	10.0	- -	5.3	9.8
50 to 54 years	5.7	11.5	5.8	3.6	6.5	11.0	4.7	2.5	5.9	4.3	- -	- -	- -	- -	3.3
55 to 59 years	4.3	9.2	4.1	2.7	4.0	20.7	7.8	1.9	3.8	1.4	- -	5.0	- -	10.5	6.5
60 to 64 years	2.1	5.6	2.6	1.2	1.7	7.3	- -	0.9	1.3	- -	- -	- -	- -	5.3	4.3
65 to 69 years	0.5	0.9	0.5	0.3	1.4	1.2	- -	0.3	0.4	- -	- -	- -	- -	- -	1.1
70 to 74 years	0.1	0.2	0.1	0.1	0.9	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -
75 years and older	*	0.2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	11,421	1,742	1,304	2,645	352	82	64	1,589	3,431	70	11	20	- -	19	92
Race															
American Indian or Alaska Native	3.9	8.7	6.3	2.3	1.4	2.4	4.7	3.0	2.6	- -	- -	- -	- -	- -	4.3
Asian[1]	0.7	0.6	0.5	0.4	0.3	2.4	- -	1.2	0.8	- -	- -	- -	- -	- -	- -
Black or African American	4.0	3.5	3.5	2.6	2.0	22.0	12.5	5.7	4.1	5.7	- -	- -	- -	5.3	9.8
Native Hawaiian or Other Pacific Islander	1.2	1.2	2.0	0.6	0.6	2.4	3.1	1.5	1.1	2.9	- -	- -	- -	- -	2.2
White	74.9	71.3	71.7	80.0	88.9	62.2	64.1	69.1	75.8	84.3	90.9	75.0	- -	94.7	64.1
Other	15.4	14.6	16.1	14.0	6.8	8.5	15.6	19.6	15.7	7.1	9.1	25.0	- -	- -	19.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	11,408	1,739	1,302	2,643	351	82	64	1,587	3,428	70	11	20	- -	19	92

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.43a. Vermont admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	4,986	1,231	700	1,476	580	356	170	334	75	27	5	5	- -	3	24
Gender															
Male	3,081	825	485	865	343	183	101	199	46	17	3	3	- -	1	10
Female	1,902	406	215	611	236	173	69	134	29	10	2	1	- -	2	14
No. of admissions	4,983	1,231	700	1,476	579	356	170	333	75	27	5	4	- -	3	24
Age at admission															
12 years	1	- -	- -	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
13 years	2	- -	1	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
14 years	9	- -	- -	- -	- -	- -	- -	8	- -	1	- -	- -	- -	- -	- -
15 years	11	- -	2	- -	- -	- -	- -	8	1	- -	- -	- -	- -	- -	- -
16 years	17	1	3	- -	- -	- -	- -	13	- -	- -	- -	- -	- -	- -	- -
17 years	24	2	5	1	- -	- -	- -	16	- -	- -	- -	- -	- -	- -	- -
18 years	35	5	7	3	- -	- -	- -	18	- -	2	- -	- -	- -	- -	- -
19 years	44	9	10	9	5	3	- -	7	- -	1	- -	- -	- -	- -	- -
20 years	52	10	11	4	- -	3	- -	18	5	- -	- -	- -	- -	- -	1
21 to 24 years	393	70	57	136	26	20	15	58	- -	4	2	2	- -	- -	3
25 to 29 years	814	109	110	319	92	72	36	54	13	3	2	- -	- -	- -	4
30 to 34 years	1,000	146	106	395	141	89	39	42	31	5	- -	1	- -	- -	5
35 to 39 years	840	182	103	273	121	71	36	33	14	3	- -	- -	- -	1	3
40 to 44 years	551	144	94	153	69	40	19	16	6	3	1	1	- -	1	4
45 to 49 years	369	130	56	83	45	20	14	14	3	1	- -	- -	- -	1	2
50 to 54 years	337	147	47	56	42	20	5	14	1	4	- -	1	- -	- -	- -
55 to 59 years	266	126	52	34	26	14	6	6	1	- -	- -	- -	- -	- -	1
60 to 64 years	128	84	22	5	10	3	- -	4	- -	- -	- -	- -	- -	- -	- -
65 to 69 years	61	38	12	4	3	1	- -	2	- -	- -	- -	- -	- -	- -	1
70 to 74 years	23	19	2	1	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
75 years and older	9	9	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	4,986	1,231	700	1,476	580	356	170	334	75	27	5	5	- -	3	24
Race															
American Indian or Alaska Native	55	14	6	15	12	3	1	2	2	- -	- -	- -	- -	- -	- -
Asian[1]	14	6	1	2	- -	2	- -	1	- -	1	- -	1	- -	- -	- -
Black or African American	120	27	17	27	12	18	8	11	- -	- -	- -	- -	- -	- -	- -
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	4,662	1,152	658	1,379	546	329	157	309	71	26	5	4	- -	3	23
Other	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	4,851	1,199	682	1,423	570	352	166	323	73	27	5	5	- -	3	23

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.43b. Vermont admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	4,986	1,231	700	1,476	580	356	170	334	75	27	5	5	- -	3	24
Gender															
Male	61.8	67.0	69.3	58.6	59.2	51.4	59.4	59.8	61.3	63.0	60.0	75.0	- -	33.3	41.7
Female	38.2	33.0	30.7	41.4	40.8	48.6	40.6	40.2	38.7	37.0	40.0	25.0	- -	66.7	58.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	4,983	1,231	700	1,476	579	356	170	333	75	27	5	4	- -	3	24
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.3	- -	- -	- -	- -	- -	- -	- -
13 years	*	- -	0.1	- -	- -	- -	- -	0.3	- -	- -	- -	- -	- -	- -	- -
14 years	0.2	- -	- -	- -	- -	- -	- -	2.4	- -	3.7	- -	- -	- -	- -	- -
15 years	0.2	- -	0.3	- -	- -	- -	- -	2.4	1.3	- -	- -	- -	- -	- -	- -
16 years	0.3	0.1	0.4	- -	- -	- -	- -	3.9	- -	- -	- -	- -	- -	- -	- -
17 years	0.5	0.2	0.7	0.1	- -	- -	- -	4.8	- -	- -	- -	- -	- -	- -	- -
18 years	0.7	0.4	1.0	0.2	- -	- -	- -	5.4	- -	7.4	- -	- -	- -	- -	- -
19 years	0.9	0.7	1.4	0.6	0.9	0.8	- -	2.1	- -	3.7	- -	- -	- -	- -	- -
20 years	1.0	0.8	1.6	0.3	- -	0.8	- -	5.4	6.7	- -	- -	- -	- -	- -	4.2
21 to 24 years	7.9	5.7	8.1	9.2	4.5	5.6	8.8	17.4	- -	14.8	40.0	40.0	- -	- -	12.5
25 to 29 years	16.3	8.9	15.7	21.6	15.9	20.2	21.2	16.2	17.3	11.1	40.0	- -	- -	- -	16.7
30 to 34 years	20.1	11.9	15.1	26.8	24.3	25.0	22.9	12.6	41.3	18.5	- -	20.0	- -	- -	20.8
35 to 39 years	16.8	14.8	14.7	18.5	20.9	19.9	21.2	9.9	18.7	11.1	- -	- -	- -	33.3	12.5
40 to 44 years	11.1	11.7	13.4	10.4	11.9	11.2	11.2	4.8	8.0	11.1	20.0	20.0	- -	33.3	16.7
45 to 49 years	7.4	10.6	8.0	5.6	7.8	5.6	8.2	4.2	4.0	3.7	- -	- -	- -	33.3	8.3
50 to 54 years	6.8	11.9	6.7	3.8	7.2	5.6	2.9	4.2	1.3	14.8	- -	20.0	- -	- -	- -
55 to 59 years	5.3	10.2	7.4	2.3	4.5	3.9	3.5	1.8	1.3	- -	- -	- -	- -	- -	4.2
60 to 64 years	2.6	6.8	3.1	0.3	1.7	0.8	- -	1.2	- -	- -	- -	- -	- -	- -	- -
65 to 69 years	1.2	3.1	1.7	0.3	0.5	0.3	- -	0.6	- -	- -	- -	- -	- -	- -	4.2
70 to 74 years	0.5	1.5	0.3	0.1	- -	- -	- -	0.3	- -	- -	- -	- -	- -	- -	- -
75 years and older	0.2	0.7	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	4,986	1,231	700	1,476	580	356	170	334	75	27	5	5	- -	3	24
Race															
American Indian or Alaska Native	1.1	1.2	0.9	1.1	2.1	0.9	0.6	0.6	2.7	- -	- -	- -	- -	- -	- -
Asian[1]	0.3	0.5	0.1	0.1	- -	0.6	- -	0.3	- -	3.7	- -	20.0	- -	- -	- -
Black or African American	2.5	2.3	2.5	1.9	2.1	5.1	4.8	3.4	- -	- -	- -	- -	- -	- -	- -
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	96.1	96.1	96.5	96.9	95.8	93.5	94.6	95.7	97.3	96.3	100.0	80.0	- -	100.0	100.0
Other	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	4,851	1,199	682	1,423	570	352	166	323	73	27	5	5	- -	3	23

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.44a. Virginia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	19,528	2,748	3,079	3,022	1,982	908	852	3,142	2,603	113	30	46	98	17	888
Gender															
Male	11,858	1,856	2,112	1,770	1,047	490	547	1,995	1,372	63	13	40	60	10	483
Female	7,666	892	967	1,250	935	418	305	1,146	1,231	50	17	6	38	7	404
No. of admissions	19,524	2,748	3,079	3,020	1,982	908	852	3,141	2,603	113	30	46	98	17	887
Age at admission															
12 years	3	- -	- -	- -	- -	- -	- -	3	- -	- -	- -	- -	- -	- -	- -
13 years	12	1	1	- -	- -	- -	- -	7	- -	- -	- -	- -	- -	- -	3
14 years	32	2	2	- -	- -	- -	- -	20	- -	- -	- -	- -	- -	- -	8
15 years	90	3	7	- -	1	- -	- -	66	2	- -	- -	2	- -	- -	9
16 years	121	6	7	1	2	- -	2	94	- -	1	- -	2	- -	- -	6
17 years	136	8	19	- -	1	- -	1	86	4	1	- -	2	- -	- -	14
18 years	144	5	15	2	5	- -	3	84	16	4	- -	2	- -	- -	8
19 years	164	4	12	14	6	3	3	93	15	1	1	1	- -	- -	11
20 years	262	19	27	21	14	1	14	114	34	5	1	- -	1	- -	11
21 to 24 years	1,578	140	193	220	105	23	37	515	250	14	3	4	4	1	69
25 to 29 years	3,253	271	454	665	352	66	162	624	474	19	5	7	9	2	143
30 to 34 years	3,694	379	524	704	468	76	143	566	602	21	7	15	32	3	154
35 to 39 years	3,002	398	505	471	366	103	122	358	470	18	7	3	21	3	157
40 to 44 years	2,259	358	382	351	273	119	110	209	332	13	2	1	12	2	95
45 to 49 years	1,588	315	278	196	170	124	79	126	208	6	- -	4	6	4	72
50 to 54 years	1,308	290	244	171	110	163	80	71	115	5	1	1	5	- -	52
55 to 59 years	1,066	277	245	113	70	148	50	64	50	- -	3	- -	7	2	37
60 to 64 years	519	155	118	57	21	55	29	31	27	3	- -	2	- -	- -	21
65 to 69 years	214	73	33	28	16	19	15	11	4	2	- -	- -	1	- -	12
70 to 74 years	70	34	12	8	1	8	2	- -	- -	- -	- -	- -	- -	- -	5
75 years and older	13	10	1	- -	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	1
No. of admissions	19,528	2,748	3,079	3,022	1,982	908	852	3,142	2,603	113	30	46	98	17	888
Race															
American Indian or Alaska Native	57	18	10	6	1	6	6	3	6	- -	- -	- -	- -	- -	1
Asian[1]	125	40	23	10	9	6	6	21	2	- -	- -	- -	2	- -	6
Black or African American	4,863	559	852	735	201	542	438	1,090	112	8	3	12	74	3	234
Native Hawaiian or Other Pacific Islander	19	1	4	4	- -	1	- -	3	4	- -	- -	- -	- -	- -	2
White	12,365	1,721	1,854	2,039	1,637	291	316	1,553	2,306	91	24	18	9	14	492
Other	1,500	318	273	183	79	52	60	361	91	12	3	9	11	- -	48
No. of admissions	18,929	2,657	3,016	2,977	1,927	898	826	3,031	2,521	111	30	39	96	17	783

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.44b. Virginia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	19,528	2,748	3,079	3,022	1,982	908	852	3,142	2,603	113	30	46	98	17	888
Gender															
Male	60.7	67.5	68.6	58.6	52.8	54.0	64.2	63.5	52.7	55.8	43.3	87.0	61.2	58.8	54.5
Female	39.3	32.5	31.4	41.4	47.2	46.0	35.8	36.5	47.3	44.2	56.7	13.0	38.8	41.2	45.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	19,524	2,748	3,079	3,020	1,982	908	852	3,141	2,603	113	30	46	98	17	887
Age at admission															
12 years	*	- -	- -	- -	- -	- -	- -	0.1	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	*	*	- -	- -	- -	- -	0.2	- -	- -	- -	- -	- -	- -	0.3
14 years	0.2	0.1	0.1	- -	- -	- -	- -	0.6	- -	- -	- -	- -	- -	- -	0.9
15 years	0.5	0.1	0.2	- -	0.1	- -	- -	2.1	0.1	- -	- -	4.3	- -	- -	1.0
16 years	0.6	0.2	0.2	*	0.1	- -	0.2	3.0	- -	0.9	- -	4.3	- -	- -	0.7
17 years	0.7	0.3	0.6	- -	0.1	- -	0.1	2.7	0.2	0.9	- -	4.3	- -	- -	1.6
18 years	0.7	0.2	0.5	0.1	0.3	- -	0.4	2.7	0.6	3.5	- -	4.3	- -	- -	0.9
19 years	0.8	0.1	0.4	0.5	0.3	0.3	0.4	3.0	0.6	0.9	3.3	2.2	- -	- -	1.2
20 years	1.3	0.7	0.9	0.7	0.7	0.1	1.6	3.6	1.3	4.4	3.3	- -	1.0	- -	1.2
21 to 24 years	8.1	5.1	6.3	7.3	5.3	2.5	4.3	16.4	9.6	12.4	10.0	8.7	4.1	5.9	7.8
25 to 29 years	16.7	9.9	14.7	22.0	17.8	7.3	19.0	19.9	18.2	16.8	16.7	15.2	9.2	11.8	16.1
30 to 34 years	18.9	13.8	17.0	23.3	23.6	8.4	16.8	18.0	23.1	18.6	23.3	32.6	32.7	17.6	17.3
35 to 39 years	15.4	14.5	16.4	15.6	18.5	11.3	14.3	11.4	18.1	15.9	23.3	6.5	21.4	17.6	17.7
40 to 44 years	11.6	13.0	12.4	11.6	13.8	13.1	12.9	6.7	12.8	11.5	6.7	2.2	12.2	11.8	10.7
45 to 49 years	8.1	11.5	9.0	6.5	8.6	13.7	9.3	4.0	8.0	5.3	- -	8.7	6.1	23.5	8.1
50 to 54 years	6.7	10.6	7.9	5.7	5.5	18.0	9.4	2.3	4.4	4.4	3.3	2.2	5.1	- -	5.9
55 to 59 years	5.5	10.1	8.0	3.7	3.5	16.3	5.9	2.0	1.9	- -	10.0	- -	7.1	11.8	4.2
60 to 64 years	2.7	5.6	3.8	1.9	1.1	6.1	3.4	1.0	1.0	2.7	- -	4.3	- -	- -	2.4
65 to 69 years	1.1	2.7	1.1	0.9	0.8	2.1	1.8	0.4	0.2	1.8	- -	- -	1.0	- -	1.4
70 to 74 years	0.4	1.2	0.4	0.3	0.1	0.9	0.2	- -	- -	- -	- -	- -	- -	- -	0.6
75 years and older	0.1	0.4	*	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	19,528	2,748	3,079	3,022	1,982	908	852	3,142	2,603	113	30	46	98	17	888
Race															
American Indian or Alaska Native	0.3	0.7	0.3	0.2	0.1	0.7	0.7	0.1	0.2	- -	- -	- -	- -	- -	0.1
Asian[1]	0.7	1.5	0.8	0.3	0.5	0.7	0.7	0.7	0.1	- -	- -	- -	2.1	- -	0.8
Black or African American	25.7	21.0	28.2	24.7	10.4	60.4	53.0	36.0	4.4	7.2	10.0	30.8	77.1	17.6	29.9
Native Hawaiian or Other Pacific Islander	0.1	*	0.1	0.1	- -	0.1	- -	0.1	0.2	- -	- -	- -	- -	- -	0.3
White	65.3	64.8	61.5	68.5	85.0	32.4	38.3	51.2	91.5	82.0	80.0	46.2	9.4	82.4	62.8
Other	7.9	12.0	9.1	6.1	4.1	5.8	7.3	11.9	3.6	10.8	10.0	23.1	11.5	- -	6.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	18,929	2,657	3,016	2,977	1,927	898	826	3,031	2,521	111	30	39	96	17	783

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.45a. West Virginia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	1,478	348	82	388	260	7	10	59	165	7	- -	- -	- -	- -	152
Gender															
Male	1,078	273	65	270	176	7	8	48	120	5	- -	- -	- -	- -	106
Female	354	66	13	106	74	- -	2	10	36	2	- -	- -	- -	- -	45
No. of admissions	1,432	339	78	376	250	7	10	58	156	7	- -	- -	- -	- -	151
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
16 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
17 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
18 years	11	4	3	- -	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	2
19 years	18	5	- -	3	1	- -	- -	3	- -	1	- -	- -	- -	- -	5
20 years	20	4	1	5	1	- -	- -	2	1	- -	- -	- -	- -	- -	6
21 to 24 years	158	33	9	37	13	3	- -	12	33	- -	- -	- -	- -	- -	18
25 to 29 years	262	38	8	105	48	- -	2	12	27	3	- -	- -	- -	- -	19
30 to 34 years	278	41	9	96	59	2	2	9	37	- -	- -	- -	- -	- -	23
35 to 39 years	217	22	12	79	51	1	2	2	28	1	- -	- -	- -	- -	19
40 to 44 years	187	48	12	37	43	- -	1	5	21	1	- -	- -	- -	- -	19
45 to 49 years	103	40	9	10	19	- -	1	5	10	- -	- -	- -	- -	- -	9
50 to 54 years	91	45	8	9	10	- -	2	- -	4	- -	- -	- -	- -	- -	13
55 to 59 years	68	35	7	4	9	1	- -	1	4	- -	- -	- -	- -	- -	7
60 to 64 years	36	16	2	3	2	- -	- -	2	- -	1	- -	- -	- -	- -	10
65 to 69 years	24	13	2	- -	3	- -	- -	4	- -	- -	- -	- -	- -	- -	2
70 to 74 years	4	3	- -	- -	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	1	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	1,478	348	82	388	260	7	10	59	165	7	- -	- -	- -	- -	152
Race															
American Indian or Alaska Native	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Asian[1]	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Black or African American	49	6	6	17	3	- -	- -	6	2	1	- -	- -	- -	- -	8
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	1,116	248	59	314	205	4	6	41	137	5	- -	- -	- -	- -	97
Other	300	92	17	53	51	3	4	12	24	1	- -	- -	- -	- -	43
No. of admissions	1,465	346	82	384	259	7	10	59	163	7	- -	- -	- -	- -	148

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.45b. West Virginia admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	1,478	348	82	388	260	7	10	59	165	7	- -	- -	- -	- -	152
Gender															
Male	75.3	80.5	83.3	71.8	70.4	100.0	80.0	82.8	76.9	71.4	- -	- -	- -	- -	70.2
Female	24.7	19.5	16.7	28.2	29.6	- -	20.0	17.2	23.1	28.6	- -	- -	- -	- -	29.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	- -	- -	100.0
No. of admissions	1,432	339	78	376	250	7	10	58	156	7	- -	- -	- -	- -	151
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
14 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
15 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
16 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
17 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
18 years	0.7	1.1	3.7	- -	- -	- -	- -	3.4	- -	- -	- -	- -	- -	- -	1.3
19 years	1.2	1.4	- -	0.8	0.4	- -	- -	5.1	- -	14.3	- -	- -	- -	- -	3.3
20 years	1.4	1.1	1.2	1.3	0.4	- -	- -	3.4	0.6	- -	- -	- -	- -	- -	3.9
21 to 24 years	10.7	9.5	11.0	9.5	5.0	42.9	- -	20.3	20.0	- -	- -	- -	- -	- -	11.8
25 to 29 years	17.7	10.9	9.8	27.1	18.5	- -	20.0	20.3	16.4	42.9	- -	- -	- -	- -	12.5
30 to 34 years	18.8	11.8	11.0	24.7	22.7	28.6	20.0	15.3	22.4	- -	- -	- -	- -	- -	15.1
35 to 39 years	14.7	6.3	14.6	20.4	19.6	14.3	20.0	3.4	17.0	14.3	- -	- -	- -	- -	12.5
40 to 44 years	12.7	13.8	14.6	9.5	16.5	- -	10.0	8.5	12.7	14.3	- -	- -	- -	- -	12.5
45 to 49 years	7.0	11.5	11.0	2.6	7.3	- -	10.0	8.5	6.1	- -	- -	- -	- -	- -	5.9
50 to 54 years	6.2	12.9	9.8	2.3	3.8	- -	20.0	- -	2.4	- -	- -	- -	- -	- -	8.6
55 to 59 years	4.6	10.1	8.5	1.0	3.5	14.3	- -	1.7	2.4	- -	- -	- -	- -	- -	4.6
60 to 64 years	2.4	4.6	2.4	0.8	0.8	- -	- -	3.4	- -	14.3	- -	- -	- -	- -	6.6
65 to 69 years	1.6	3.7	2.4	- -	1.2	- -	- -	6.8	- -	- -	- -	- -	- -	- -	1.3
70 to 74 years	0.3	0.9	- -	- -	0.4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
75 years and older	0.1	0.3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	- -	- -	100.0
No. of admissions	1,478	348	82	388	260	7	10	59	165	7	- -	- -	- -	- -	152
Race															
American Indian or Alaska Native	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Asian[1]	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Black or African American	3.3	1.7	7.3	4.4	1.2	- -	- -	10.2	1.2	14.3	- -	- -	- -	- -	5.4
Native Hawaiian or Other Pacific Islander	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
White	76.2	71.7	72.0	81.8	79.2	57.1	60.0	69.5	84.0	71.4	- -	- -	- -	- -	65.5
Other	20.5	26.6	20.7	13.8	19.7	42.9	40.0	20.3	14.7	14.3	- -	- -	- -	- -	29.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	- -	- -	- -	100.0
No. of admissions	1,465	346	82	384	259	7	10	59	163	7	- -	- -	- -	- -	148

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.46a. Wisconsin admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	17,908	6,134	2,596	3,126	1,097	990	409	1,579	1,612	79	13	27	7	11	228
Gender															
Male	11,615	4,241	1,914	1,861	555	590	261	1,133	863	45	5	12	1	1	133
Female	6,291	1,893	682	1,263	542	400	148	446	749	34	8	15	6	10	95
No. of admissions	17,906	6,134	2,596	3,124	1,097	990	409	1,579	1,612	79	13	27	7	11	228
Age at admission															
12 years	1	- -	1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	9	- -	2	- -	- -	- -	- -	7	- -	- -	- -	- -	- -	- -	- -
14 years	30	- -	2	- -	- -	- -	- -	28	- -	- -	- -	- -	- -	- -	- -
15 years	49	4	7	- -	1	- -	- -	35	1	- -	- -	- -	- -	- -	1
16 years	73	4	5	- -	- -	- -	- -	62	1	- -	- -	1	- -	- -	- -
17 years	67	4	4	- -	- -	- -	- -	50	5	- -	- -	2	- -	- -	2
18 years	99	29	10	3	6	4	1	33	10	1	- -	1	- -	- -	1
19 years	104	24	7	11	1	3	1	43	10	1	- -	2	- -	- -	1
20 years	192	25	23	41	14	4	5	53	18	4	- -	1	- -	- -	4
21 to 24 years	1,287	311	198	232	42	26	41	234	168	16	- -	2	- -	- -	17
25 to 29 years	2,724	663	378	690	153	77	69	300	334	12	1	5	- -	2	40
30 to 34 years	3,225	829	391	806	234	140	78	306	368	14	4	5	6	- -	44
35 to 39 years	2,760	763	416	600	216	112	60	207	325	15	1	6	- -	- -	39
40 to 44 years	1,952	719	330	268	168	131	38	96	165	3	4	2	- -	3	25
45 to 49 years	1,565	651	227	195	110	144	41	48	114	6	- -	- -	- -	1	28
50 to 54 years	1,436	709	241	132	56	161	26	39	58	4	- -	- -	1	- -	9
55 to 59 years	1,337	771	225	98	53	112	37	18	15	2	- -	- -	- -	- -	6
60 to 64 years	645	378	85	38	33	57	12	10	20	1	2	- -	- -	4	5
65 to 69 years	257	168	38	11	10	17	- -	8	- -	- -	1	- -	- -	- -	4
70 to 74 years	67	54	6	1	- -	2	- -	2	- -	- -	- -	- -	- -	1	1
75 years and older	29	28	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1
No. of admissions	17,908	6,134	2,596	3,126	1,097	990	409	1,579	1,612	79	13	27	7	11	228
Race															
American Indian or Alaska Native	360	115	85	21	17	2	2	55	57	- -	- -	- -	- -	- -	6
Asian[1]	109	59	16	6	1	4	2	13	7	- -	- -	- -	- -	- -	1
Black or African American	2,344	691	451	265	37	571	94	183	25	2	- -	5	- -	- -	20
Native Hawaiian or Other Pacific Islander	14	4	4	1	2	1	- -	2	- -	- -	- -	- -	- -	- -	- -
White	14,146	4,977	1,880	2,647	1,016	347	288	1,232	1,453	77	13	22	7	10	177
Other	623	148	114	159	17	53	13	65	41	- -	- -	- -	- -	1	12
No. of admissions	17,596	5,994	2,550	3,099	1,090	978	399	1,550	1,583	79	13	27	7	11	216

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.46b. Wisconsin admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	17,908	6,134	2,596	3,126	1,097	990	409	1,579	1,612	79	13	27	7	11	228
Gender															
Male	64.9	69.1	73.7	59.6	50.6	59.6	63.8	71.8	53.5	57.0	38.5	44.4	14.3	9.1	58.3
Female	35.1	30.9	26.3	40.4	49.4	40.4	36.2	28.2	46.5	43.0	61.5	55.6	85.7	90.9	41.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	17,906	6,134	2,596	3,124	1,097	990	409	1,579	1,612	79	13	27	7	11	228
Age at admission															
12 years	*	- -	*	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	- -	0.1	- -	- -	- -	- -	0.4	- -	- -	- -	- -	- -	- -	- -
14 years	0.2	- -	0.1	- -	- -	- -	- -	1.8	- -	- -	- -	- -	- -	- -	- -
15 years	0.3	0.1	0.3	- -	0.1	- -	- -	2.2	0.1	- -	- -	- -	- -	- -	0.4
16 years	0.4	0.1	0.2	- -	- -	- -	- -	3.9	0.1	- -	- -	3.7	- -	- -	- -
17 years	0.4	0.1	0.2	- -	- -	- -	- -	3.2	0.3	- -	- -	7.4	- -	- -	0.9
18 years	0.6	0.5	0.4	0.1	0.5	0.4	0.2	2.1	0.6	1.3	- -	3.7	- -	- -	0.4
19 years	0.6	0.4	0.3	0.4	0.1	0.3	0.2	2.7	0.6	1.3	- -	7.4	- -	- -	0.4
20 years	1.1	0.4	0.9	1.3	1.3	0.4	1.2	3.4	1.1	5.1	- -	3.7	- -	- -	1.8
21 to 24 years	7.2	5.1	7.6	7.4	3.8	2.6	10.0	14.8	10.4	20.3	- -	7.4	- -	- -	7.5
25 to 29 years	15.2	10.8	14.6	22.1	13.9	7.8	16.9	19.0	20.7	15.2	7.7	18.5	- -	18.2	17.5
30 to 34 years	18.0	13.5	15.1	25.8	21.3	14.1	19.1	19.4	22.8	17.7	30.8	18.5	85.7	- -	19.3
35 to 39 years	15.4	12.4	16.0	19.2	19.7	11.3	14.7	13.1	20.2	19.0	7.7	22.2	- -	- -	17.1
40 to 44 years	10.9	11.7	12.7	8.6	15.3	13.2	9.3	6.1	10.2	3.8	30.8	7.4	- -	27.3	11.0
45 to 49 years	8.7	10.6	8.7	6.2	10.0	14.5	10.0	3.0	7.1	7.6	- -	- -	- -	9.1	12.3
50 to 54 years	8.0	11.6	9.3	4.2	5.1	16.3	6.4	2.5	3.6	5.1	- -	- -	14.3	- -	3.9
55 to 59 years	7.5	12.6	8.7	3.1	4.8	11.3	9.0	1.1	0.9	2.5	- -	- -	- -	- -	2.6
60 to 64 years	3.6	6.2	3.3	1.2	3.0	5.8	2.9	0.6	1.2	1.3	15.4	- -	- -	36.4	2.2
65 to 69 years	1.4	2.7	1.5	0.4	0.9	1.7	- -	0.5	- -	- -	7.7	- -	- -	- -	1.8
70 to 74 years	0.4	0.9	0.2	*	- -	0.2	- -	0.1	- -	- -	- -	- -	- -	9.1	0.4
75 years and older	0.2	0.5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	0.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	17,908	6,134	2,596	3,126	1,097	990	409	1,579	1,612	79	13	27	7	11	228
Race															
American Indian or Alaska Native	2.0	1.9	3.3	0.7	1.6	0.2	0.5	3.5	3.6	- -	- -	- -	- -	- -	2.8
Asian[1]	0.6	1.0	0.6	0.2	0.1	0.4	0.5	0.8	0.4	- -	- -	- -	- -	- -	0.5
Black or African American	13.3	11.5	17.7	8.6	3.4	58.4	23.6	11.8	1.6	2.5	- -	18.5	- -	- -	9.3
Native Hawaiian or Other Pacific Islander	0.1	0.1	0.2	*	0.2	0.1	- -	0.1	- -	- -	- -	- -	- -	- -	- -
White	80.4	83.0	73.7	85.4	93.2	35.5	72.2	79.5	91.8	97.5	100.0	81.5	100.0	90.9	81.9
Other	3.5	2.5	4.5	5.1	1.6	5.4	3.3	4.2	2.6	- -	- -	- -	- -	9.1	5.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of admissions	17,596	5,994	2,550	3,099	1,090	978	399	1,550	1,583	79	13	27	7	11	216

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.47a. Wyoming admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Number, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	3,724	1,081	700	219	210	3	26	436	1,008	5	4	7	- -	3	22
Gender															
Male	2,393	769	493	124	102	2	16	313	544	3	3	7	- -	3	14
Female	1,331	312	207	95	108	1	10	123	464	2	1	- -	- -	- -	8
No. of admissions	3,724	1,081	700	219	210	3	26	436	1,008	5	4	7	- -	3	22
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	3	- -	1	- -	- -	- -	- -	2	- -	- -	- -	- -	- -	- -	- -
14 years	22	2	4	- -	- -	- -	1	12	1	- -	- -	2	- -	- -	- -
15 years	37	3	5	- -	- -	- -	- -	26	1	- -	- -	- -	- -	- -	2
16 years	36	4	11	- -	- -	- -	- -	19	1	- -	- -	- -	- -	- -	1
17 years	38	4	11	- -	- -	- -	- -	18	4	- -	- -	- -	- -	- -	1
18 years	50	11	15	- -	- -	- -	- -	20	3	- -	- -	1	- -	- -	- -
19 years	54	10	13	2	1	- -	- -	18	8	1	1	- -	- -	- -	- -
20 years	70	12	7	7	2	- -	1	21	14	- -	- -	3	- -	- -	3
21 to 24 years	351	60	65	27	13	- -	5	84	95	- -	1	- -	- -	1	- -
25 to 29 years	635	134	116	74	43	- -	4	60	194	1	1	1	- -	1	6
30 to 34 years	721	172	151	50	53	3	2	68	218	1	- -	- -	- -	1	2
35 to 39 years	552	139	108	36	43	- -	4	28	190	2	- -	- -	- -	- -	2
40 to 44 years	403	136	72	19	20	- -	1	23	130	- -	1	- -	- -	- -	1
45 to 49 years	272	109	50	1	15	- -	3	16	75	- -	- -	- -	- -	- -	3
50 to 54 years	182	97	29	2	7	- -	3	9	35	- -	- -	- -	- -	- -	- -
55 to 59 years	143	78	22	1	8	- -	- -	4	29	- -	- -	- -	- -	- -	1
60 to 64 years	96	62	14	- -	2	- -	2	6	10	- -	- -	- -	- -	- -	- -
65 to 69 years	44	35	5	- -	3	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
70 to 74 years	11	9	1	- -	- -	- -	- -	1	- -	- -	- -	- -	- -	- -	- -
75 years and older	4	4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
No. of admissions	3,724	1,081	700	219	210	3	26	436	1,008	5	4	7	- -	3	22
Race															
American Indian or Alaska Native	200	60	61	7	8	- -	- -	16	46	- -	1	1	- -	- -	- -
Asian[1]	11	3	2	1	- -	- -	- -	2	3	- -	- -	- -	- -	- -	- -
Black or African American	77	13	15	1	- -	1	2	18	24	- -	- -	1	- -	- -	2
Native Hawaiian or Other Pacific Islander	10	1	2	- -	- -	1	- -	2	3	- -	- -	- -	- -	- -	1
White	3,107	920	558	187	180	1	18	359	853	5	3	3	- -	3	17
Other	318	84	62	23	22	- -	6	39	78	- -	- -	2	- -	- -	2
No. of admissions	3,723	1,081	700	219	210	3	26	436	1,007	5	4	7	- -	3	22

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Admissions for which values were not collected, unknown, or missing are excluded from the sum total.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 7.47b. Wyoming admissions aged 12 years and older, by primary substance use and gender, age at admission, and race: Column percent distribution, 2020

Gender, age at admission, and race	All admissions aged 12 years and older	Primary substance use at admission													
		Alcohol		Opiates		Cocaine									
		Alcohol only	Secondary drug	Heroin	Other opiates	Smoked cocaine	Other route	Marijuana/ hashish	Methamphetamine/ amphetamines	Tranquilizers	Sedatives	Hallucinogens	Phencyclidine (PCP)	Inhalants	Other/ none specified
Total admissions aged 12 years and older	3,724	1,081	700	219	210	3	26	436	1,008	5	4	7	- -	3	22
Gender															
Male	64.3	71.1	70.4	56.6	48.6	66.7	61.5	71.8	54.0	60.0	75.0	100.0	- -	100.0	63.6
Female	35.7	28.9	29.6	43.4	51.4	33.3	38.5	28.2	46.0	40.0	25.0	- -	- -	- -	36.4
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	3,724	1,081	700	219	210	3	26	436	1,008	5	4	7	- -	3	22
Age at admission															
12 years	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
13 years	0.1	- -	0.1	- -	- -	- -	- -	0.5	- -	- -	- -	- -	- -	- -	- -
14 years	0.6	0.2	0.6	- -	- -	- -	3.8	2.8	0.1	- -	- -	28.6	- -	- -	- -
15 years	1.0	0.3	0.7	- -	- -	- -	- -	6.0	0.1	- -	- -	- -	- -	- -	9.1
16 years	1.0	0.4	1.6	- -	- -	- -	- -	4.4	0.1	- -	- -	- -	- -	- -	4.5
17 years	1.0	0.4	1.6	- -	- -	- -	- -	4.1	0.4	- -	- -	- -	- -	- -	4.5
18 years	1.3	1.0	2.1	- -	- -	- -	- -	4.6	0.3	- -	- -	14.3	- -	- -	- -
19 years	1.5	0.9	1.9	0.9	0.5	- -	- -	4.1	0.8	20.0	25.0	- -	- -	- -	- -
20 years	1.9	1.1	1.0	3.2	1.0	- -	3.8	4.8	1.4	- -	- -	42.9	- -	- -	13.6
21 to 24 years	9.4	5.6	9.3	12.3	6.2	- -	19.2	19.3	9.4	- -	25.0	- -	- -	33.3	- -
25 to 29 years	17.1	12.4	16.6	33.8	20.5	- -	15.4	13.8	19.2	20.0	25.0	14.3	- -	33.3	27.3
30 to 34 years	19.4	15.9	21.6	22.8	25.2	100.0	7.7	15.6	21.6	20.0	- -	- -	- -	33.3	9.1
35 to 39 years	14.8	12.9	15.4	16.4	20.5	- -	15.4	6.4	18.8	40.0	- -	- -	- -	- -	9.1
40 to 44 years	10.8	12.6	10.3	8.7	9.5	- -	3.8	5.3	12.9	- -	25.0	- -	- -	- -	4.5
45 to 49 years	7.3	10.1	7.1	0.5	7.1	- -	11.5	3.7	7.4	- -	- -	- -	- -	- -	13.6
50 to 54 years	4.9	9.0	4.1	0.9	3.3	- -	11.5	2.1	3.5	- -	- -	- -	- -	- -	- -
55 to 59 years	3.8	7.2	3.1	0.5	3.8	- -	- -	0.9	2.9	- -	- -	- -	- -	- -	4.5
60 to 64 years	2.6	5.7	2.0	- -	1.0	- -	7.7	1.4	1.0	- -	- -	- -	- -	- -	- -
65 to 69 years	1.2	3.2	0.7	- -	1.4	- -	- -	0.2	- -	- -	- -	- -	- -	- -	- -
70 to 74 years	0.3	0.8	0.1	- -	- -	- -	- -	0.2	- -	- -	- -	- -	- -	- -	- -
75 years and older	0.1	0.4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	3,724	1,081	700	219	210	3	26	436	1,008	5	4	7	- -	3	22
Race															
American Indian or Alaska Native	5.4	5.6	8.7	3.2	3.8	- -	- -	3.7	4.6	- -	25.0	14.3	- -	- -	- -
Asian[1]	0.3	0.3	0.3	0.5	- -	- -	- -	0.5	0.3	- -	- -	- -	- -	- -	- -
Black or African American	2.1	1.2	2.1	0.5	- -	33.3	7.7	4.1	2.4	- -	- -	14.3	- -	- -	9.1
Native Hawaiian or Other Pacific Islander	0.3	0.1	0.3	- -	- -	33.3	- -	0.5	0.3	- -	- -	- -	- -	- -	4.5
White	83.5	85.1	79.7	85.4	85.7	33.3	69.2	82.3	84.7	100.0	75.0	42.9	- -	100.0	77.3
Other	8.5	7.8	8.9	10.5	10.5	- -	23.1	8.9	7.7	- -	- -	28.6	- -	- -	9.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	- -	100.0	100.0
No. of admissions	3,723	1,081	700	219	210	3	26	436	1,007	5	4	7	- -	3	22

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTES: Percentages may not sum to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 8.1. Admissions aged 12 years and older, by concurrent use of alcohol and drugs, Census region, Census division, and state or jurisdiction: Number and row percent distribution, 2020

Census region, Census division, and state or jurisdiction	*No. of admissions*	*Concurrent use of alcohol and drugs (number)*					*Concurrent use of alcohol and drugs (row percent)*					*Total*
		Alcohol primary		*Drug primary*			*Alcohol primary*		*Drug primary*			
		Alcohol only	*Alcohol and drug*	*Drug only*	*Drug and alcohol*	*None*	*Alcohol only*	*Alcohol and drug*	*Drug only*	*Drug and alcohol*	*None*	
Total	1,416,357	248,433	193,581	647,750	153,203	173,390	17.5	13.7	45.7	10.8	12.2	100.0
Census region[1]												
Northeast	445,035	88,104	80,455	213,949	56,758	5,769	19.8	18.1	48.1	12.8	1.3	100.0
Midwest	303,606	66,926	47,457	143,301	42,285	3,637	22.0	15.6	47.2	13.9	1.2	100.0
South	303,347	46,981	33,492	171,322	29,946	21,606	15.5	11.0	56.5	9.9	7.1	100.0
West	363,118	46,138	32,161	118,319	24,160	142,340	12.7	8.9	32.6	6.7	39.2	100.0
Census division[1]												
New England	138,828	28,683	19,744	67,979	16,873	5,549	20.7	14.2	49.0	12.2	4.0	100.0
Middle Atlantic	306,207	59,421	60,711	145,970	39,885	220	19.4	19.8	47.7	13.0	0.1	100.0
East North Central	163,761	32,683	25,700	83,714	20,834	830	20.0	15.7	51.1	12.7	0.5	100.0
West North Central	139,845	34,243	21,757	59,587	21,451	2,807	24.5	15.6	42.6	15.3	2.0	100.0
South Atlantic	176,055	30,449	20,501	94,120	15,712	15,273	17.3	11.6	53.5	8.9	8.7	100.0
East South Central	56,864	7,095	5,759	37,491	6,466	53	12.5	10.1	65.9	11.4	0.1	100.0
West South Central	70,428	9,437	7,232	39,711	7,768	6,280	13.4	10.3	56.4	11.0	8.9	100.0
Mountain	239,260	29,578	17,959	38,738	10,654	142,331	12.4	7.5	16.2	4.5	59.5	100.0
Pacific	123,858	16,560	14,202	79,581	13,506	9	13.4	11.5	64.3	10.9	*	100.0
State or jurisdiction												
Alabama	14,779	1,931	1,045	10,197	1,588	18	13.1	7.1	69.0	10.7	0.1	100.0
Alaska	5,512	1,417	1,667	1,742	680	6	25.7	30.2	31.6	12.3	0.1	100.0
Arizona	144,377	1,176	911	4,428	818	137,044	0.8	0.6	3.1	0.6	94.9	100.0
Arkansas	10,790	1,474	1,060	6,756	1,287	213	13.7	9.8	62.6	11.9	2.0	100.0
California	116,891	15,009	12,353	77,030	12,498	1	12.8	10.6	65.9	10.7	*	100.0
Colorado	69,727	24,651	14,076	24,704	6,296	‡	35.4	20.2	35.4	9.0	- -	100.0
Connecticut	48,395	9,351	7,518	21,488	4,731	5,307	19.3	15.5	44.4	9.8	11.0	100.0
Delaware	12,293	1,318	967	7,785	1,099	1,124	10.7	7.9	63.3	8.9	9.1	100.0
District of Columbia	3,066	424	592	1,318	725	7	13.8	19.3	43.0	23.6	0.2	100.0
Florida	41,846	10,370	632	24,217	586	6,041	24.8	1.5	57.9	1.4	14.4	100.0
Georgia	33,649	5,926	6,504	17,275	3,726	218	17.6	19.3	51.3	11.1	0.6	100.0
Hawaii	1,455	134	182	809	328	2	9.2	12.5	55.6	22.5	0.1	100.0
Idaho	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Illinois	36,211	6,145	5,606	19,439	4,797	224	17.0	15.5	53.7	13.2	0.6	100.0
Indiana	23,721	2,777	3,618	13,768	3,557	1	11.7	15.3	58.0	15.0	*	100.0
Iowa	24,120	5,579	3,889	9,941	4,649	62	23.1	16.1	41.2	19.3	0.3	100.0
Kansas	11,089	1,905	1,193	5,481	1,561	949	17.2	10.8	49.4	14.1	8.6	100.0
Kentucky	18,467	2,090	1,775	12,748	1,854	‡	11.3	9.6	69.0	10.0	- -	100.0
Louisiana	12,812	821	1,015	4,925	1,028	5,023	6.4	7.9	38.4	8.0	39.2	100.0
Maine	6,135	1,342	717	3,407	644	25	21.9	11.7	55.5	10.5	0.4	100.0

Continued. See notes at end of table.

Table 8.1. Admissions aged 12 years and older, by concurrent use of alcohol and drugs, Census region, Census division, and state or jurisdiction: Number and row percent distribution, 2020 (continued)

Census region, Census division, and state or jurisdiction	No. of admissions	Concurrent use of alcohol and drugs (number)					Concurrent use of alcohol and drugs (row percent)					Total
		Alcohol primary		Drug primary		None	Alcohol primary		Drug primary		None	
		Alcohol only	Alcohol and drug	Drug only	Drug and alcohol		Alcohol only	Alcohol and drug	Drug only	Drug and alcohol		
Maryland	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Massachusetts	63,927	12,685	8,609	33,109	9,498	26	19.8	13.5	51.8	14.9	0.0	100.0
Michigan	64,535	15,076	11,346	30,373	7,739	1	23.4	17.6	47.1	12.0	*	100.0
Minnesota	50,673	12,109	8,415	22,050	7,828	271	23.9	16.6	43.5	15.4	0.5	100.0
Mississippi	6,664	1,048	720	4,056	835	5	15.7	10.8	60.9	12.5	0	100.0
Missouri	26,816	3,931	3,406	15,579	3,627	273	14.7	12.7	58.1	13.5	1.0	100.0
Montana	1,178	347	315	267	244	5	29.5	26.7	22.7	20.7	0.4	100.0
Nebraska	10,229	2,918	2,062	2,866	1,659	724	28.5	20.2	28.0	16.2	7.1	100.0
Nevada	8,833	581	653	1,640	682	5,277	6.6	7.4	18.6	7.7	59.7	100.0
New Hampshire	1,604	313	145	999	142	5	19.5	9.0	62.3	8.9	0	100.0
New Jersey	81,368	16,712	9,756	46,154	8,536	210	20.5	12.0	56.7	10.5	0.3	100.0
New Mexico	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
New York	201,573	38,194	48,108	86,361	28,907	3	18.9	23.9	42.8	14.3	*	100.0
North Carolina	42,046	5,261	3,164	24,850	2,583	6,188	12.5	7.5	59.1	6.1	14.7	100.0
North Dakota	1,600	125	414	693	367	1	7.8	25.9	43.3	22.9	0.1	100.0
Ohio	21,386	2,551	2,534	12,840	2,934	527	11.9	11.8	60.0	13.7	2.5	100.0
Oklahoma	13,554	2,012	1,877	7,364	1,704	597	14.8	13.8	54.3	12.6	4.4	100.0
Oregon	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Pennsylvania	23,266	4,515	2,847	13,455	2,442	7	19.4	12.2	57.8	10.5	0.0	100.0
Puerto Rico	1,251	284	16	859	54	38	22.7	1.3	68.7	4.3	3.0	100.0
Rhode Island	13,781	3,761	2,055	6,378	1,402	185	27.3	14.9	46.3	10.2	1.3	100.0
South Carolina	22,149	4,054	5,481	8,073	3,706	835	18.3	24.7	36.4	16.7	3.8	100.0
South Dakota	15,318	7,676	2,378	2,977	1,760	527	50.1	15.5	19.4	11.5	3.4	100.0
Tennessee	16,954	2,026	2,219	10,490	2,189	30	11.9	13.1	61.9	12.9	0.2	100.0
Texas	33,272	5,130	3,280	20,666	3,749	447	15.4	9.9	62.1	11.3	1.3	100.0
Utah	11,421	1,742	1,304	6,303	2,069	3	15.3	11.4	55.2	18.1	*	100.0
Vermont	4,986	1,231	700	2,598	456	1	24.7	14.0	52.1	9.1	*	100.0
Virginia	19,528	2,748	3,079	9,790	3,201	710	14.1	15.8	50.1	16.4	3.6	100.0
Washington	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
West Virginia	1,478	348	82	812	86	150	23.5	5.5	54.9	5.8	10.1	100.0
Wisconsin	17,908	6,134	2,596	7,294	1,807	77	34.3	14.5	40.7	10.1	0.4	100.0
Wyoming	3,724	1,081	700	1,396	545	2	29.0	18.8	37.5	14.6	0	100.0

- - Quantity is zero; ‡ No data, or less than a full calendar year of data, submitted; * Less than 0.05 percent.

[1] Admissions reported for Census regions and divisions will not sum to the total number of admissions, because Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 8.2. Admissions aged 18 years and older, by employment status, Census region, Census division, and state or jurisdiction: Number and row percent distribution, 2020

Census region, Census division, and state or jurisdiction	No. of admissions	Employment status (number)					Employment status (row percent)					Total
		Employed	Full time	Part time	Unemployed	Not in labor force	Employed	Full time	Part-time	Unemploy-ed	Not in labor force	
Total	1,209,733	305,093	225,133	79,960	513,591	391,049	25.2	18.6	6.6	42.5	32.3	100.0
Census region[1]												
Northeast	425,093	100,039	77,049	22,990	132,327	192,727	23.5	18.1	5.4	31.1	45.3	100.0
Midwest	287,439	76,258	55,661	20,597	149,026	62,155	26.5	19.4	7.2	51.8	21.6	100.0
South	267,083	73,727	53,974	19,753	140,383	52,973	27.6	20.2	7.4	52.6	19.8	100.0
West	228,914	54,757	38,252	16,505	91,269	82,888	23.9	16.7	7.2	39.9	36.2	100.0
Census division[1]												
New England	125,522	25,497	18,894	6,603	43,249	56,776	20.3	15.1	5.3	34.5	45.2	100.0
Middle Atlantic	299,571	74,542	58,155	16,387	89,078	135,951	24.9	19.4	5.5	29.7	45.4	100.0
East North Central	157,293	37,515	26,167	11,348	85,336	34,442	23.9	16.6	7.2	54.3	21.9	100.0
West North Central	130,146	38,743	29,494	9,249	63,690	27,713	29.8	22.7	7.1	48.9	21.3	100.0
South Atlantic	150,669	45,156	32,714	12,442	83,099	22,414	30.0	21.7	8.3	55.2	14.9	100.0
East South Central	54,596	12,596	9,579	3,017	26,111	15,889	23.1	17.5	5.5	47.8	29.1	100.0
West South Central	61,818	15,975	11,681	4,294	31,173	14,670	25.8	18.9	6.9	50.4	23.7	100.0
Mountain	109,739	33,061	24,952	8,109	52,279	24,399	30.1	22.7	7.4	47.6	22.2	100.0
Pacific	119,175	21,696	13,300	8,396	38,990	58,489	18.2	11.2	7.0	32.7	49.1	100.0
State or jurisdiction												
Alabama	13,844	4,072	3,028	1,044	4,753	5,019	29.4	21.9	7.5	34.3	36.3	100.0
Alaska	5,170	1,368	899	469	1,761	2,041	26.5	17.4	9.1	34.1	39.5	100.0
Arizona	18,124	5,390	3,968	1,422	‡	12,734	29.7	21.9	7.8	- -	70.3	100.0
Arkansas	10,485	2,651	2,012	639	6,225	1,609	25.3	19.2	6.1	59.4	15.3	100.0
California	112,730	20,166	12,298	7,868	36,721	55,843	17.9	10.9	7.0	32.6	49.5	100.0
Colorado	68,573	21,273	16,285	4,988	40,175	7,125	31.0	23.7	7.3	58.6	10.4	100.0
Connecticut	39,698	10,135	7,173	2,962	17,630	11,933	25.5	18.1	7.5	44.4	30.1	100.0
Delaware	11,873	3,956	2,984	972	4,054	3,863	33.3	25.1	8.2	34.1	32.5	100.0
District of Columbia	2,935	277	183	94	1,656	1,002	9.4	6.2	3.2	56.4	34.1	100.0
Florida	34,179	8,130	5,973	2,157	19,776	6,273	23.8	17.5	6.3	57.9	18.4	100.0
Georgia	20,153	4,240	2,783	1,457	15,913	‡	21.0	13.8	7.2	79.0	0.0	100.0
Hawaii	1,275	162	103	59	508	605	12.7	8.1	4.6	39.8	47.5	100.0
Idaho	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Illinois	35,062	8,344	5,852	2,492	18,248	8,470	23.8	16.7	7.1	52.0	24.2	100.0
Indiana	23,255	8,413	6,084	2,329	10,050	4,792	36.2	26.2	10.0	43.2	20.6	100.0
Iowa	22,708	9,338	7,403	1,935	8,348	5,022	41.1	32.6	8.5	36.8	22.1	100.0
Kansas	9,194	2,666	1,999	667	4,589	1,939	29.0	21.7	7.3	49.9	21.1	100.0
Kentucky	18,186	4,218	3,336	882	10,710	3,258	23.2	18.3	4.8	58.9	17.9	100.0
Louisiana	7,983	1,259	947	312	840	5,884	15.8	11.9	3.9	10.5	73.7	100.0
Maine	4,776	1,617	1,159	458	2,090	1,069	33.9	24.3	9.6	43.8	22.4	100.0

Continued. See notes at end of table.

Table 8.2. Admissions aged 18 years and older, by employment status, Census region, Census division, and state or jurisdiction: Number and row percent distribution, 2020 (continued)

Census region, Census division, and state or jurisdiction	No. of admissions	Employment status (number)					Employment status (row percent)					Total
		Employed	Full time	Part time	Unemployed	Not in labor force	Employed	Full time	Part time	Unemploy-ed	Not in labor force	
Maryland	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Massachusetts	61,543	7,315	5,352	1,963	14,203	40,025	11.9	8.7	3.2	23.1	65.0	100.0
Michigan	63,887	9,099	5,568	3,531	45,114	9,674	14.2	8.7	5.5	70.6	15.1	100.0
Minnesota	46,971	12,011	8,969	3,042	28,593	6,367	25.6	19.1	6.5	60.9	13.6	100.0
Mississippi	6,386	1,579	1,247	332	2,940	1,867	24.7	19.5	5.2	46.0	29.2	100.0
Missouri	25,408	7,227	5,353	1,874	9,517	8,664	28.4	21.1	7.4	37.5	34.1	100.0
Montana	1,165	422	281	141	685	58	36.2	24.1	12.1	58.8	5.0	100.0
Nebraska	9,618	2,938	2,223	715	3,173	3,507	30.5	23.1	7.4	33.0	36.5	100.0
Nevada	7,410	1,824	1,404	420	3,528	2,058	24.6	18.9	5.7	47.6	27.8	100.0
New Hampshire	1,567	293	198	95	936	338	18.7	12.6	6.1	59.7	21.6	100.0
New Jersey	80,587	23,014	17,755	5,259	20,856	36,717	28.6	22.0	6.5	25.9	45.6	100.0
New Mexico	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
New York	198,094	45,807	35,628	10,179	57,388	94,899	23.1	18.0	5.1	29.0	47.9	100.0
North Carolina	41,428	12,553	8,616	3,937	26,025	2,850	30.3	20.8	9.5	62.8	6.9	100.0
North Dakota	1,506	291	197	94	791	424	19.3	13.1	6.2	52.5	28.2	100.0
Ohio	19,653	4,866	3,386	1,480	8,422	6,365	24.8	17.2	7.5	42.9	32.4	100.0
Oklahoma	13,273	3,283	2,485	798	6,440	3,550	24.7	18.7	6.0	48.5	26.7	100.0
Oregon	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Pennsylvania	20,890	5,721	4,772	949	10,834	4,335	27.4	22.8	4.5	51.9	20.8	100.0
Puerto Rico	1,204	312	197	115	586	306	25.9	16.4	9.6	48.7	25.4	100.0
Rhode Island	13,174	4,682	3,912	770	6,165	2,327	35.5	29.7	5.8	46.8	17.7	100.0
South Carolina	20,183	9,486	7,676	1,810	7,989	2,708	47.0	38.0	9.0	39.6	13.4	100.0
South Dakota	14,741	4,272	3,350	922	8,679	1,790	29.0	22.7	6.3	58.9	12.1	100.0
Tennessee	16,180	2,727	1,968	759	7,708	5,745	16.9	12.2	4.7	47.6	35.5	100.0
Texas	30,077	8,782	6,237	2,545	17,668	3,627	29.2	20.7	8.5	58.7	12.1	100.0
Utah	10,879	2,806	1,999	807	6,195	1,878	25.8	18.4	7.4	56.9	17.3	100.0
Vermont	4,764	1,455	1,100	355	2,225	1,084	30.5	23.1	7.5	46.7	22.8	100.0
Virginia	18,475	6,096	4,157	1,939	7,293	5,086	33.0	22.5	10.5	39.5	27.5	100.0
Washington	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
West Virginia	1,443	418	342	76	393	632	29.0	23.7	5.3	27.2	43.8	100.0
Wisconsin	15,436	6,793	5,277	1,516	3,502	5,141	44.0	34.2	9.8	22.7	33.3	100.0
Wyoming	3,588	1,346	1,015	331	1,696	546	37.5	28.3	9.2	47.3	15.2	100.0

‡ No data, or less than a full calendar year of data, submitted.

[1] Admissions reported for Census regions and divisions will not sum to the total number of admissions, because Puerto Rico is not included in any Census region or division.

NOTE: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

National Discharges

Table 9.1. Discharges aged 12 years and older, by reason for discharge and type of treatment service: Number, percent distribution, and median length of stay (LOS), 2020

Type of treatment service	*Total* [1]	*Completed*	*Transferred*	*Dropped out*	*Terminated*	*Other*
	Reason for discharge (number)					
Outpatient	617,975	270,590	128,114	145,454	33,283	40,534
Intensive outpatient	165,642	39,416	60,681	43,557	10,711	11,277
Short-term residential	119,312	64,387	18,681	25,508	5,456	5,280
Long-term residential	88,423	35,983	19,089	25,246	5,235	2,870
Hospital residential	3,374	2,383	379	419	97	96
Detoxification[2]	212,044	130,951	32,025	40,816	3,108	5,144
Outpatient med.-asst. opi. ther.[3]	142,540	25,741	46,953	48,333	8,435	13,078
Med.-asst. opi. detoxification[4]	15,014	6,638	3,465	4,099	400	412
No. of discharges	1,364,324	576,089	309,387	333,432	66,725	78,691
	Column percent distribution ***by reason for discharge*** *and type of treatment service*					
Outpatient	45.3	47.0	41.4	43.6	49.9	51.5
Intensive outpatient	12.1	6.8	19.6	13.1	16.1	14.3
Short-term residential	8.7	11.2	6.0	7.7	8.2	6.7
Long-term residential	6.5	6.2	6.2	7.6	7.8	3.6
Hospital residential	0.2	0.4	0.1	0.1	0.1	0.1
Detoxification[2]	15.5	22.7	10.4	12.2	4.7	6.5
Outpatient med.-asst. opi. ther.[3]	10.4	4.5	15.2	14.5	12.6	16.6
Med.-asst. opi. detoxification[4]	1.1	1.2	1.1	1.2	0.6	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0
	Row percent distribution ***by type of treatment service*** *and reason for discharge*					
Outpatient	100.0	43.8	20.7	23.5	5.4	6.6
Intensive outpatient	100.0	23.8	36.6	26.3	6.5	6.8
Short-term residential	100.0	54.0	15.7	21.4	4.6	4.4
Long-term residential	100.0	40.7	21.6	28.6	5.9	3.2
Hospital residential	100.0	70.6	11.2	12.4	2.9	2.8
Detoxification[2]	100.0	61.8	15.1	19.2	1.5	2.4
Outpatient med.-asst. opi. ther.[3]	100.0	18.1	32.9	33.9	5.9	9.2
Med.-asst. opi. detoxification[4]	100.0	44.2	23.1	27.3	2.7	2.7
Total	100.0	42.2	22.7	24.4	4.9	5.8
	Median length of stay (days)					
Outpatient	57	59	1	91	102	74
Intensive outpatient	43	91	1	57	64	55
Short-term residential	20	26	18	7	13	10
Long-term residential	38	78	8	26	43	28
Hospital residential	11	14	10	4	11	10
Detoxification[2]	4	5	3	2	3	3
Outpatient med.-asst. opi. ther.[3]	83	151	11	105	124	153
Med.-asst. opi. detoxification[4]	5	7	4	3	4	3

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Includes only free-standing residential detoxification, hospital detoxification, and outpatient detoxification.

[3] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[4] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Percentages may not add to 100 percent due to rounding. Percentages are based on all admissions with known and valid values. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.2a. Discharges aged 12 years and older, by type of treatment service and characteristics at admission: Number, 2020

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,364,324	617,975	165,642	119,312	88,423	3,374	212,044	142,540	15,014
Gender									
Male	878,262	384,770	102,238	80,438	56,096	2,303	157,192	84,564	10,661
Female	485,440	232,986	63,323	38,849	32,163	1,070	54,766	57,941	4,342
No. of discharges	1,363,702	617,756	165,561	119,287	88,259	3,373	211,958	142,505	15,003
Age at admission									
12 years	570	494	53	3	14	- -	5	- -	1
13 years	1,693	1,330	184	78	75	2	21	3	
14 years	3,923	2,922	514	236	207	- -	42	2	- -
15 years	7,091	5,123	876	519	480	- -	78	15	- -
16 years	9,066	6,430	1,154	707	626	4	123	21	1
17 years	8,927	6,270	1,127	628	695	4	149	49	5
18 years	8,172	5,567	896	496	474	17	486	215	21
19 years	10,829	6,577	1,410	830	632	23	781	526	50
20 years	14,347	8,462	1,853	1,064	870	50	1,097	881	70
21 to 24 years	96,837	51,518	13,166	7,396	6,405	234	9,545	7,719	854
25 to 29 years	218,388	102,051	27,997	17,290	14,735	466	28,686	24,481	2,682
30 to 34 years	245,171	108,532	31,264	20,006	16,392	539	35,198	29,904	3,336
35 to 39 years	206,547	90,497	25,849	17,827	13,331	508	31,418	24,427	2,690
40 to 44 years	150,360	65,778	18,761	13,343	9,548	365	24,773	16,078	1,714
45 to 49 years	117,199	49,696	14,030	10,957	7,557	307	21,808	11,677	1,167
50 to 54 years	109,494	43,137	11,879	11,416	7,305	306	23,997	10,431	1,023
55 to 59 years	88,357	35,171	8,704	9,812	5,856	289	19,751	8,029	745
60 to 64 years	46,409	18,803	4,424	4,960	2,472	162	10,036	5,087	465
65 to 69 years	14,583	6,292	1,121	1,344	567	72	2,797	2,234	156
70 to 74 years	4,467	2,159	294	301	147	18	888	630	30
75 years and older	1,894	1,166	86	99	35	8	365	131	4
No. of discharges	1,364,324	617,975	165,642	119,312	88,423	3,374	212,044	142,540	15,014

Continued. See notes at end of table.

Table 9.2a. Discharges aged 12 years and older, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,364,324	617,975	165,642	119,312	88,423	3,374	212,044	142,540	15,014
Race									
American Indian or Alaska Native	42,433	23,402	3,263	2,123	2,962	283	8,473	1,860	67
Asian[4]	7,971	3,689	1,121	515	823	9	1,119	629	66
Black or African American	232,339	103,858	30,709	25,745	16,161	390	37,810	15,641	2,025
White	901,608	397,774	117,133	80,543	55,247	2,274	133,899	103,237	11,501
Other	113,380	43,628	10,139	8,249	11,362	175	22,427	16,273	1,127
Native Hawaiian or Other Pacific Islander	6,901	2,520	1,684	256	1,200	9	848	355	29
No. of discharges	1,304,632	574,871	164,049	117,431	87,755	3,140	204,576	137,995	14,815
Ethnicity									
Not of Hispanic or Latino origin	166,212	67,208	14,890	12,395	15,985	217	34,882	19,268	1,367
Hispanic or Latino origin	1,141,387	506,963	148,805	105,099	71,703	2,848	173,363	119,222	13,384
No. of discharges	1,307,599	574,171	163,695	117,494	87,688	3,065	208,245	138,490	14,751
Marital status									
Never married	698,921	301,450	97,669	73,241	43,221	1,744	96,767	74,197	10,632
Now married	133,432	63,439	18,912	13,812	5,871	437	13,644	16,048	1,269
Separated	59,827	26,229	9,482	6,513	3,636	106	6,149	7,113	599
Divorced	140,550	56,552	21,631	17,347	9,171	477	20,684	13,283	1,405
Widowed	19,239	7,582	2,585	2,289	1,057	44	2,869	2,517	296
No. of discharges	1,051,969	455,252	150,279	113,202	62,956	2,808	140,113	113,158	14,201
Pregnant (female only)									
Yes	13,104	4,982	1,643	1,314	1,663	9	606	2,773	114
No	447,181	221,643	59,640	36,842	29,526	824	40,094	54,436	4,176
No. of discharges	460,285	226,625	61,283	38,156	31,189	833	40,700	57,209	4,290

Continued. See notes at end of table.

Table 9.2a. Discharges aged 12 years and older, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,364,324	617,975	165,642	119,312	88,423	3,374	212,044	142,540	15,014
No. of prior treatment episodes									
None	500,799	274,099	60,642	31,692	39,547	1,132	42,856	48,828	2,003
1 or more	748,623	312,837	97,340	83,668	47,030	1,630	104,809	88,976	12,333
No. of discharges	1,249,422	586,936	157,982	115,360	86,577	2,762	147,665	137,804	14,336
Treatment referral source									
Self or individual	581,733	184,096	67,407	56,152	33,081	1,488	139,760	88,471	11,278
Criminal justice/DUI	286,858	176,426	44,952	18,436	19,070	372	11,456	15,959	187
Other community referral	132,739	66,657	20,711	10,893	11,440	88	13,275	9,044	631
Substance use care provider	107,528	20,349	13,812	21,546	17,173	108	21,151	11,368	2,021
Other health care provider	97,174	38,798	14,190	10,022	6,582	382	17,886	8,621	693
School (educational)	4,435	3,816	326	97	64	2	90	35	5
Employer/EAP	4,527	2,855	693	444	94	4	289	143	5
No. of discharges	1,214,994	492,997	162,091	117,590	87,504	2,444	203,907	133,641	14,820
Usual route of administration									
Oral	498,630	197,324	63,630	55,055	33,349	1,542	117,620	26,252	3,858
Smoking	285,264	157,959	43,844	26,019	26,606	465	17,731	12,013	627
Inhalation	150,871	47,198	19,259	13,597	8,730	208	24,933	33,260	3,686
Injection	241,990	63,319	31,408	21,136	17,583	403	42,599	59,038	6,504
Other	11,643	5,980	1,337	1,080	471	5	1,331	1,256	183
No. of discharges	1,188,398	471,780	159,478	116,887	86,739	2,623	204,214	131,819	14,858
Expected or actual source of payment[5]									
Self-pay	42,264	23,096	4,794	1,759	914	17	8,288	3,222	174
Private insurance	49,756	20,535	9,679	6,481	2,708	238	5,715	3,579	821
Medicare	18,273	14,720	829	386	96	134	682	1,405	21
Medicaid	339,025	199,198	33,180	23,125	8,408	1,356	35,842	35,709	2,207
Other government payments	110,748	50,476	15,392	14,629	7,387	163	14,555	7,321	825
Workers' compensation	47	18	7	7	1	- -	10	4	- -
No charge	15,683	4,771	5,319	2,180	487	2	2,007	617	300
Other	34,789	16,526	7,135	4,008	2,051	36	2,845	2,117	71
No. of discharges	610,585	329,340	76,335	52,575	22,052	1,946	69,944	53,974	4,419
Type of health insurance									
Private insurance	64,070	27,106	11,057	8,275	3,339	206	8,807	4,350	930
Medicare	23,691	16,611	1,433	969	450	150	1,960	1,930	188
Medicaid	415,987	212,947	39,508	29,987	16,542	1,576	69,465	39,528	6,434
HMO	4,154	1,588	179	1,097	504	16	406	328	36
Other	33,132	14,608	4,612	3,280	1,120	105	5,996	3,130	281
None	192,672	90,259	33,357	19,415	8,814	150	29,654	9,550	1,473
No. of discharges	733,706	363,119	90,146	63,023	30,769	2,203	116,288	58,816	9,342

Continued. See notes at end of table.

Table 9.2a. Discharges aged 12 years and older, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Type of treatment service*								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,364,324	617,975	165,642	119,312	88,423	3,374	212,044	142,540	15,014
Arrests in past 30 days									
None	1,090,111	460,984	152,139	106,057	79,951	2,104	147,515	127,099	14,262
Once	63,692	27,948	8,446	8,800	6,532	152	5,950	5,309	555
2 or more times	12,037	5,607	1,183	1,467	1,114	38	1,562	994	72
No. of discharges	1,165,840	494,539	161,768	116,324	87,597	2,294	155,027	133,402	14,889
Frequency of use									
No use in the past month	326,766	196,198	54,785	10,895	24,116	185	3,067	37,255	265
Some use	326,273	148,695	51,580	30,440	29,397	746	38,967	25,385	1,063
Daily use	533,983	124,643	53,356	75,682	33,649	1,716	162,112	69,344	13,481
No. of discharges	1,187,022	469,536	159,721	117,017	87,162	2,647	204,146	131,984	14,809
Self-help programs attended in past 30 days									
No attendance in the past month	847,174	360,613	111,513	86,379	55,462	1,709	121,904	97,842	11,752
At least 1 time in the past month	236,052	99,493	36,847	23,752	28,904	512	17,140	27,828	1,576
1–3 times in the past month	58,102	22,818	9,521	6,926	5,182	357	5,949	6,928	421
4–7 times in the past month	38,385	16,305	6,616	3,631	4,615	47	2,911	3,937	323
8–30 times in the past month	95,974	42,556	18,027	5,853	13,406	65	6,037	9,406	624
Some attendance, but frequency unknown	43,591	17,814	2,683	7,342	5,701	43	2,243	7,557	208
No. of discharges	1,083,226	460,106	148,360	110,131	84,366	2,221	139,044	125,670	13,328

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] For some states, "Asian" includes "Pacific Islanders."

[5] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.2b. Discharges aged 12 years and older, by type of treatment service and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,364,324	617,975	165,642	119,312	88,423	3,374	212,044	142,540	15,014
Gender									
Male	64.4	62.3	61.8	67.4	63.6	68.3	74.2	59.3	71.1
Female	35.6	37.7	38.2	32.6	36.4	31.7	25.8	40.7	28.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Age at admission									
12 years	*	0.1	*	*	*	- -	*	- -	*
13 years	0.1	0.2	0.1	0.1	0.1	0.1	*	*	- -
14 years	0.3	0.5	0.3	0.2	0.2	- -	*	*	- -
15 years	0.5	0.8	0.5	0.4	0.5	- -	*	*	- -
16 years	0.7	1.0	0.7	0.6	0.7	0.1	0.1	*	*
17 years	0.7	1.0	0.7	0.5	0.8	0.1	0.1	*	*
18 years	0.6	0.9	0.5	0.4	0.5	0.5	0.2	0.2	0.1
19 years	0.8	1.1	0.9	0.7	0.7	0.7	0.4	0.4	0.3
20 years	1.1	1.4	1.1	0.9	1.0	1.5	0.5	0.6	0.5
21 to 24 years	7.1	8.3	7.9	6.2	7.2	6.9	4.5	5.4	5.7
25 to 29 years	16.0	16.5	16.9	14.5	16.7	13.8	13.5	17.2	17.9
30 to 34 years	18.0	17.6	18.9	16.8	18.5	16.0	16.6	21.0	22.2
35 to 39 years	15.1	14.6	15.6	14.9	15.1	15.1	14.8	17.1	17.9
40 to 44 years	11.0	10.6	11.3	11.2	10.8	10.8	11.7	11.3	11.4
45 to 49 years	8.6	8.0	8.5	9.2	8.5	9.1	10.3	8.2	7.8
50 to 54 years	8.0	7.0	7.2	9.6	8.3	9.1	11.3	7.3	6.8
55 to 59 years	6.5	5.7	5.3	8.2	6.6	8.6	9.3	5.6	5.0
60 to 64 years	3.4	3.0	2.7	4.2	2.8	4.8	4.7	3.6	3.1
65 to 69 years	1.1	1.0	0.7	1.1	0.6	2.1	1.3	1.6	1.0
70 to 74 years	0.3	0.3	0.2	0.3	0.2	0.5	0.4	0.4	0.2
75 years and older	0.1	0.2	0.1	0.1	*	0.2	0.2	0.1	*
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Continued. See notes at end of table.

Table 9.2b. Discharges aged 12 years and older, by type of treatment service and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,364,324	617,975	165,642	119,312	88,423	3,374	212,044	142,540	15,014
Race									
American Indian or Alaska Native	3.3	4.1	2.0	1.8	3.4	9.0	4.1	1.3	0.5
Asian[4]	0.6	0.6	0.7	0.4	0.9	0.3	0.5	0.5	0.4
Black or African American	17.8	18.1	18.7	21.9	18.4	12.4	18.5	11.3	13.7
White	69.1	69.2	71.4	68.6	63.0	72.4	65.5	74.8	77.6
Other	8.7	7.6	6.2	7.0	12.9	5.6	11.0	11.8	7.6
Native Hawaiian or Other Pacific Islander	0.5	0.4	1.0	0.2	1.4	0.3	0.4	0.3	0.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Ethnicity									
Not of Hispanic or Latino origin	12.7	11.7	9.1	10.5	18.2	7.1	16.8	13.9	9.3
Hispanic or Latino origin	87.3	88.3	90.9	89.5	81.8	92.9	83.2	86.1	90.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Marital status									
Never married	66.4	66.2	65.0	64.7	68.7	62.1	69.1	65.6	74.9
Now married	12.7	13.9	12.6	12.2	9.3	15.6	9.7	14.2	8.9
Separated	5.7	5.8	6.3	5.8	5.8	3.8	4.4	6.3	4.2
Divorced	13.4	12.4	14.4	15.3	14.6	17.0	14.8	11.7	9.9
Widowed	1.8	1.7	1.7	2.0	1.7	1.6	2.0	2.2	2.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Pregnant (female only)									
Yes	2.8	2.2	2.7	3.4	5.3	1.1	1.5	4.8	2.7
No	97.2	97.8	97.3	96.6	94.7	98.9	98.5	95.2	97.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of prior treatment episodes									
None	40.1	46.7	38.4	27.5	45.7	41.0	29.0	35.4	14.0
1 or more	59.9	53.3	61.6	72.5	54.3	59.0	71.0	64.6	86.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Continued. See notes at end of table.

Table 9.2b. Discharges aged 12 years and older, by type of treatment service and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	7,971	3,689	1,121	515	823	9	1,119	629	66
Treatment referral source									
Self or individual	47.9	37.3	41.6	47.8	37.8	60.9	68.5	66.2	76.1
Criminal justice/DUI	23.6	35.8	27.7	15.7	21.8	15.2	5.6	11.9	1.3
Other community referral	10.9	13.5	12.8	9.3	13.1	3.6	6.5	6.8	4.3
Substance use care provider	8.9	4.1	8.5	18.3	19.6	4.4	10.4	8.5	13.6
Other health care provider	8.0	7.9	8.8	8.5	7.5	15.6	8.8	6.5	4.7
School (educational)	0.4	0.8	0.2	0.1	0.1	0.1	*	*	*
Employer/EAP	0.4	0.6	0.4	0.4	0.1	0.2	0.1	0.1	*
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Usual route of administration									
Oral	42.0	41.8	39.9	47.1	38.4	58.8	57.6	19.9	26.0
Smoking	24.0	33.5	27.5	22.3	30.7	17.7	8.7	9.1	4.2
Inhalation	12.7	10.0	12.1	11.6	10.1	7.9	12.2	25.2	24.8
Injection	20.4	13.4	19.7	18.1	20.3	15.4	20.9	44.8	43.8
Other	1.0	1.3	0.8	0.9	0.5	0.2	0.7	1.0	1.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Expected or actual source of payment[5]									
Self-pay	6.9	7.0	6.3	3.3	4.1	0.9	11.8	6.0	3.9
Private insurance	8.1	6.2	12.7	12.3	12.3	12.2	8.2	6.6	18.6
Medicare	3.0	4.5	1.1	0.7	0.4	6.9	1.0	2.6	0.5
Medicaid	55.5	60.5	43.5	44.0	38.1	69.7	51.2	66.2	49.9
Other government payments	18.1	15.3	20.2	27.8	33.5	8.4	20.8	13.6	18.7
Workers' compensation	*	*	*	*	*	- -	*	*	- -
No charge	2.6	1.4	7.0	4.1	2.2	0.1	2.9	1.1	6.8
Other	5.7	5.0	9.3	7.6	9.3	1.8	4.1	3.9	1.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Type of health insurance									
Private insurance	8.7	7.5	12.3	13.1	10.9	9.4	7.6	7.4	10.0
Medicare	3.2	4.6	1.6	1.5	1.5	6.8	1.7	3.3	2.0
Medicaid	56.7	58.6	43.8	47.6	53.8	71.5	59.7	67.2	68.9
HMO	0.6	0.4	0.2	1.7	1.6	0.7	0.3	0.6	0.4
Other	4.5	4.0	5.1	5.2	3.6	4.8	5.2	5.3	3.0
None	26.3	24.9	37.0	30.8	28.6	6.8	25.5	16.2	15.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Continued. See notes at end of table.

Table 9.2b. Discharges aged 12 years and older, by type of treatment service and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,364,324	617,975	165,642	119,312	88,423	3,374	212,044	142,540	15,014
Arrests in past 30 days									
None	93.5	93.2	94.0	91.2	91.3	91.7	95.2	95.3	95.8
Once	5.5	5.7	5.2	7.6	7.5	6.6	3.8	4.0	3.7
2 or more times	1.0	1.1	0.7	1.3	1.3	1.7	1.0	0.7	0.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Frequency of use									
No use in the past month	27.5	41.8	34.3	9.3	27.7	7.0	1.5	28.2	1.8
Some use	27.5	31.7	32.3	26.0	33.7	28.2	19.1	19.2	7.2
Daily use	45.0	26.5	33.4	64.7	38.6	64.8	79.4	52.5	91.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Self-help programs attended in past 30 days									
No attendance in the past month	78.2	78.4	75.2	78.4	65.7	76.9	87.7	77.9	88.2
At least 1 time in the past month	21.8	21.6	24.8	21.6	34.3	23.1	12.3	22.1	11.8
1–3 times in the past month	5.4	5.0	6.4	6.3	6.1	16.1	4.3	5.5	3.2
4–7 times in the past month	3.5	3.5	4.5	3.3	5.5	2.1	2.1	3.1	2.4
8–30 times in the past month	8.9	9.2	12.2	5.3	15.9	2.9	4.3	7.5	4.7
frequency unknown	4.0	3.9	1.8	6.7	6.8	1.9	1.6	6.0	1.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

- - Quantity is zero; * Less than 0.05 percent.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] For some states, "Asian" includes "Pacific Islanders."

[5] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Percentages may not add to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.3a. Discharges aged 12 years and older, by type of treatment service and characteristics at discharge: Number, 2020

Characteristics at discharge	*Type of treatment service*								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,364,324	617,975	165,642	119,312	88,423	3,374	212,044	142,540	15,014
Arrests in past 30 days									
None	1,038,630	441,857	138,573	109,732	74,301	1,950	144,079	114,084	14,054
Once	43,117	22,601	5,130	3,609	2,227	123	4,732	4,420	275
2 or more times	18,051	10,708	1,021	1,353	505	44	3,084	1,294	42
No. of discharges	1,099,798	475,166	144,724	114,694	77,033	2,117	151,895	119,798	14,371
Frequency of use									
No use in the past month	466,439	208,453	57,640	59,484	43,881	732	43,196	44,377	8,676
Some use	232,014	100,258	31,907	20,278	12,240	765	41,165	24,583	818
Daily use	264,799	97,180	35,902	25,253	11,054	1,238	54,849	37,207	2,116
No. of discharges	963,252	405,891	125,449	105,015	67,175	2,735	139,210	106,167	11,610
Self-help programs attended in past 30 days									
No attendance in the past month	756,103	351,380	90,204	45,412	27,967	1,525	139,030	93,494	7,091
At least 1 time in the past month	333,237	97,917	40,501	64,965	46,938	1,174	54,220	21,219	6,303
1–3 times in the past month	75,747	26,693	10,391	9,539	5,153	618	14,656	6,444	2,253
4–7 times in the past month	48,307	17,109	7,257	6,948	4,823	103	7,937	3,211	919
8–30 times in the past month	142,819	37,523	18,780	31,563	29,188	145	15,649	7,371	2,600
Some attendance, but frequency unknown	66,364	16,592	4,073	16,915	7,774	308	15,978	4,193	531
No. of discharges	1,089,340	449,297	130,705	110,377	74,905	2,699	193,250	114,713	13,394

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.3b. Discharges aged 12 years and older, by type of treatment service and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,364,324	617,975	165,642	119,312	88,423	3,374	212,044	142,540	15,014
Arrests in past 30 days									
None	94.4	93.0	95.7	95.7	96.5	92.1	94.9	95.2	97.8
Once	3.9	4.8	3.5	3.1	2.9	5.8	3.1	3.7	1.9
2 or more times	1.6	2.3	0.7	1.2	0.7	2.1	2.0	1.1	0.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Frequency of use									
No use in the past month	48.4	51.4	45.9	56.6	65.3	26.8	31.0	41.8	74.7
Some use	24.1	24.7	25.4	19.3	18.2	28.0	29.6	23.2	7.0
Daily use	27.5	23.9	28.6	24.0	16.5	45.3	39.4	35.0	18.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Self-help programs attended in past 30 days									
No attendance in the past month	69.4	78.2	69.0	41.1	37.3	56.5	71.9	81.5	52.9
At least 1 time in the past month	30.6	21.8	31.0	58.9	62.7	43.5	28.1	18.5	47.1
1–3 times in the past month	7.0	5.9	7.9	8.6	6.9	22.9	7.6	5.6	16.8
4–7 times in the past month	4.4	3.8	5.6	6.3	6.4	3.8	4.1	2.8	6.9
8–30 times in the past month	13.1	8.4	14.4	28.6	39.0	5.4	8.1	6.4	19.4
Some attendance, but frequency unknown	6.1	3.7	3.1	15.3	10.4	11.4	8.3	3.7	4.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Percentages may not add to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.4a. Discharges aged 12 to 17 years, by type of treatment service and characteristics at admission: Number, 2020

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	31,270	22,569	3,908	2,171	2,097	10	418	90	7
Marital status									
Never married	24,261	16,494	3,604	1,875	1,807	9	386	80	6
Now married	254	191	26	13	18	- -	6	- -	- -
Separated	91	59	7	14	11	- -	- -	- -	- -
Divorced	59	47	7	2	3	- -	- -	- -	- -
Widowed	24	20	- -	2	2	- -	- -	- -	- -
No. of discharges	24,689	16,811	3,644	1,906	1,841	9	392	80	6
Pregnant (female only)									
Yes	106	74	16	7	7	- -	1	1	- -
No	9,698	7,038	1,272	596	638	4	121	25	4
No. of discharges	9,804	7,112	1,288	603	645	4	122	26	4
Education									
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	8,428	6,169	878	468	632	3	257	15	6
Grades 9 to 11	20,703	14,905	2,736	1,547	1,333	6	110	65	1
Grade 12 (or GED) or more	1,477	1,039	192	102	115	1	18	10	- -
No. of discharges	30,608	22,113	3,806	2,117	2,080	10	385	90	7

Continued. See notes at end of table.

Table 9.4a. Discharges aged 12 to 17 years, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Type of treatment service								
	Total[1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
No. of discharges	31,270	22,569	3,908	2,171	2,097	10	418	90	7
Living arrangements									
Homeless	446	257	52	113	18	1	4	1	- -
Dependent living	21,654	15,346	3,006	1,779	1,344	7	117	54	1
Independent living	8,025	6,145	683	196	700	2	258	35	6
No. of discharges	30,125	21,748	3,741	2,088	2,062	10	379	90	7
Primary substance									
Alcohol	2,717	1,960	314	147	231	3	56	6	- -
Opiates	500	223	70	71	90	- -	21	20	5
Marijuana/hashish	22,614	16,358	2,950	1,562	1,403	7	276	58	
Cocaine	211	102	33	25	39	- -	10	1	1
Stimulants	1,080	487	174	206	189	- -	18	5	1
Other/none specified[4]	4,148	3,439	367	160	145	- -	37	- -	- -
No. of discharges	31,270	22,569	3,908	2,171	2,097	10	418	90	7
Secondary or tertiary substance									
Alcohol	5,958	4,082	822	504	467	- -	71	11	1
Opiates	622	319	91	99	95	1	12	3	2
Marijuana/hashish	3,011	1,781	378	383	388	1	65	14	1
Cocaine	721	392	95	120	91	1	14	5	3
Stimulants	1,278	588	238	228	206	- -	7	11	- -
Other/none specified[4]	19,680	15,407	2,284	837	850	7	249	46	- -
No. of discharges	31,270	22,569	3,908	2,171	2,097	10	418	90	7

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.4b. Discharges aged 12 to 17 years, by type of treatment service and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	31,270	22,569	3,908	2,171	2,097	10	418	90	7
Marital status									
Never married	98.3	98.1	98.9	98.4	98.2	100.0	98.5	100.0	100.0
Now married	1.0	1.1	0.7	0.7	1.0	- -	1.5	- -	- -
Separated	0.4	0.4	0.2	0.7	0.6	- -	- -	- -	- -
Divorced	0.2	0.3	0.2	0.1	0.2	- -	- -	- -	- -
Widowed	0.1	0.1	- -	0.1	0.1	- -	- -	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Pregnant (female only)									
Yes	1.1	1.0	1.2	1.2	1.1	- -	0.8	3.8	- -
No	98.9	99.0	98.8	98.8	98.9	100.0	99.2	96.2	100.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Education									
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	27.5	27.9	23.1	22.1	30.4	30.0	66.8	16.7	85.7
Grades 9 to 11	67.6	67.4	71.9	73.1	64.1	60.0	28.6	72.2	14.3
Grade 12 (or GED) or more	4.8	4.7	5.0	4.8	5.5	10.0	4.7	11.1	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Continued. See notes at end of table.

Table 9.4b. Discharges aged 12 to 17 years, by type of treatment service and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	31,270	22,569	3,908	2,171	2,097	10	418	90	7
Living arrangements									
Homeless	1.5	1.2	1.4	5.4	0.9	- -	1.1	- -	- -
Dependent living	71.9	70.6	80.4	85.2	65.2	70.0	30.9	60.0	14.3
Independent living	26.6	28.3	18.3	9.4	33.9	20.0	68.1	38.9	85.7
Total	100.0	100.0	100.0	100.0	100.0	90.0	100.0	98.9	100.0
Primary substance									
Alcohol	8.7	8.7	8.0	6.8	11.0	- -	13.4	6.7	- -
Opiates	1.6	1.0	1.8	3.3	4.3	- -	5.0	22.2	71.4
Marijuana/hashish	72.3	72.5	75.5	71.9	66.9	70.0	66.0	64.4	- -
Cocaine	0.7	0.5	0.8	1.2	1.9	- -	2.4	- -	14.3
Stimulants	3.5	2.2	4.5	9.5	9.0	- -	4.3	5.6	14.3
Other/none specified[4]	13.3	15.2	9.4	7.4	6.9	- -	8.9	- -	- -
Total	100.0	100.0	100.0	100.0	100.0	70.0	100.0	98.9	100.0
Secondary or tertiary substance									
Alcohol	19.1	18.1	21.0	23.2	22.3	- -	17.0	12.2	14.3
Opiates	2.0	1.4	2.3	4.6	4.5	10.0	2.9	3.3	28.6
Marijuana/hashish	9.6	7.9	9.7	17.6	18.5	10.0	15.6	15.6	14.3
Cocaine	2.3	1.7	2.4	5.5	4.3	10.0	3.3	5.6	42.9
Stimulants	4.1	2.6	6.1	10.5	9.8	- -	1.7	12.2	- -
Other/none specified[4]	62.9	68.3	58.4	38.6	40.5	70.0	59.6	51.1	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

- - Quantity is zero; * Less than 0.05 percent.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Percentages may not add to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.5a. Discharges aged 12 to 17 years, by type of treatment service and characteristics at discharge: Number, 2020

Characteristics at discharge	*Type of treatment service*								
	Total[1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
No. of discharges	31,270	22,569	3,908	2,171	2,097	10	418	90	7
Living arrangements									
Homeless	440	243	47	113	27	1	8	1	- -
Dependent living	18,038	12,075	2,765	1,715	1,254	7	176	42	4
Independent living	7,696	5,885	661	182	707	1	213	44	3
No. of discharges	26,174	18,203	3,473	2,010	1,988	9	397	87	7
Primary substance									
Alcohol	2,584	1,809	332	139	245	3	49	7	- -
Opiates	483	220	67	63	92	- -	17	19	5
Marijuana/hashish	20,545	14,699	2,751	1,438	1,318	7	275	57	- -
Cocaine	189	94	22	24	38	- -	9	1	1
Stimulants	1,095	525	167	185	195	- -	17	5	1
Other/none specified[4]	6,374	5,222	569	322	209	- -	51	1	- -
No. of discharges	31,270	22,569	3,908	2,171	2,097	10	418	90	7
Secondary or tertiary substance									
Alcohol	5,025	3,283	737	476	447	- -	71	10	1
Opiates	647	359	88	88	97	1	9	3	2
Marijuana/hashish	2,753	1,564	378	355	378	1	61	15	1
Cocaine	775	448	91	116	95	1	16	5	3
Stimulants	1,188	506	240	231	193	- -	7	11	- -
Other/none specified[4]	20,882	16,409	2,374	905	887	7	254	46	- -
No. of discharges	31,270	22,569	3,908	2,171	2,097	10	418	90	7

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.5b. Discharges aged 12 to 17 years, by type of treatment service and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Type of treatment service*								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	31,270	22,569	3,908	2,171	2,097	10	418	90	7
Living arrangements									
Homeless	1.7	1.3	1.4	5.6	1.4	11.1	2.0	1.1	- -
Dependent living	68.9	66.3	79.6	85.3	63.1	77.8	44.3	48.3	57.1
Independent living	29.4	32.3	19.0	9.1	35.6	11.1	53.7	50.6	42.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Primary substance									
Alcohol	8.3	8.0	8.5	6.4	11.7	30.0	11.7	7.8	- -
Opiates	1.5	1.0	1.7	2.9	4.4	- -	4.1	21.1	71.4
Marijuana/hashish	65.7	65.1	70.4	66.2	62.9	70.0	65.8	63.3	- -
Cocaine	0.6	0.4	0.6	1.1	1.8	- -	2.2	1.1	14.3
Stimulants	3.5	2.3	4.3	8.5	9.3	- -	4.1	5.6	14.3
Other/none specified[4]	20.4	23.1	14.6	14.8	10.0	- -	12.2	1.1	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Secondary or tertiary substance									
Alcohol	16.1	14.5	18.9	21.9	21.3	- -	17.0	11.1	14.3
Opiates	2.1	1.6	2.3	4.1	4.6	10.0	2.2	3.3	28.6
Marijuana/hashish	8.8	6.9	9.7	16.4	18.0	10.0	14.6	16.7	14.3
Cocaine	2.5	2.0	2.3	5.3	4.5	10.0	3.8	5.6	42.9
Stimulants	3.8	2.2	6.1	10.6	9.2	- -	1.7	12.2	- -
Other/none specified[4]	66.8	72.7	60.7	41.7	42.3	70.0	60.8	51.1	- -
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Percentages may not add to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.6a. Discharges aged 18 years and older, by type of treatment service and characteristics at admission: Number, 2020

Characteristics at admission	*Type of treatment service*								
	Total[1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Marital status									
Never married	674,660	284,956	94,065	71,366	41,414	1,735	96,381	74,117	10,626
Now married	133,178	63,248	18,886	13,799	5,853	437	13,638	16,048	1,269
Separated	59,736	26,170	9,475	6,499	3,625	106	6,149	7,113	599
Divorced	140,491	56,505	21,624	17,345	9,168	477	20,684	13,283	1,405
Widowed	19,215	7,562	2,585	2,287	1,055	44	2,869	2,517	296
No. of discharges	1,027,280	438,441	146,635	111,296	61,115	2,799	139,721	113,078	14,195
Pregnant (female only)									
Yes	12,998	4,908	1,627	1,307	1,656	9	605	2,772	114
No	437,483	214,605	58,368	36,246	28,888	820	39,973	54,411	4,172
No. of discharges	450,481	219,513	59,995	37,553	30,544	829	40,578	57,183	4,286
Veteran[4]									
Yes	33,504	14,436	3,792	3,362	2,636	129	6,022	2,842	285
No	1,124,260	439,401	153,544	107,806	82,295	2,560	196,229	128,082	14,343
No. of discharges	1,157,764	453,837	157,336	111,168	84,931	2,689	202,251	130,924	14,628

Continued. See notes at end of table.

Table 9.6a. Discharges aged 18 years and older, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Type of treatment service								
	Total[1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Education									
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	56,987	19,653	5,573	4,895	4,103	96	15,141	5,979	1,547
Grades 9 to 11	214,064	87,631	29,343	21,999	17,360	316	30,370	25,328	1,717
Grade 12 (or GED)	575,883	225,305	78,270	55,027	40,850	1,175	101,189	66,147	7,920
1–3 years of college, university, or vocational school	235,016	92,142	32,593	24,484	17,281	529	39,054	26,114	2,819
4 years of college, university, or BA/BS	53,406	20,131	7,826	6,085	4,108	179	10,036	4,509	532
Some postgraduate study or more	17,647	7,120	2,669	2,196	1,444	54	2,710	1,345	109
No. of discharges	1,153,003	451,982	156,274	114,686	85,146	2,349	198,500	129,422	14,644
Source of income support[4]									
Wages/salary	271,474	165,458	30,358	17,152	6,747	834	26,996	22,385	1,544
Public assistance	70,078	25,673	7,939	6,929	5,209	132	13,495	10,105	596
Retirement/pension	9,290	4,900	1,189	752	383	81	1,351	589	45
Disability	54,122	24,345	6,542	4,333	2,606	285	8,917	6,130	964
Other	135,233	53,274	12,217	16,638	5,445	309	29,015	17,219	1,116
None	297,154	79,901	40,434	46,142	24,710	392	76,516	24,309	4,750
No. of discharges	837,351	353,551	98,679	91,946	45,100	2,033	156,290	80,737	9,015

Continued. See notes at end of table.

Table 9.6a. Discharges aged 18 years and older, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Type of treatment service*								
	Total[1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Living arrangements									
Homeless	199,981	41,580	18,811	29,040	28,079	457	65,514	12,432	4,068
Dependent living	176,070	70,562	28,192	21,065	22,554	313	14,603	17,243	1,538
Independent living	777,930	339,876	109,328	64,201	34,523	1,497	118,391	101,000	9,114
No. of discharges	1,153,981	452,018	156,331	114,306	85,156	2,267	198,508	130,675	14,720
Primary substance									
Alcohol	407,408	161,055	50,170	48,715	29,015	1,455	107,659	6,892	2,447
Opiates	383,346	96,107	45,903	26,382	19,732	511	69,842	113,444	11,425
Marijuana/hashish	107,626	77,486	16,838	4,402	4,209	82	1,973	2,589	47
Cocaine	68,372	28,533	10,661	11,839	7,728	184	6,131	2,887	409
Stimulants	175,149	82,258	29,844	20,754	22,368	370	14,713	4,706	136
Other/none specified[5]	191,153	149,967	8,318	5,049	3,274	762	11,308	11,932	543
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Secondary or tertiary substance									
Alcohol	76,134	35,111	11,010	6,338	6,686	93	10,384	5,282	1,230
Opiates	76,228	24,824	10,212	7,431	5,444	124	13,291	13,206	1,696
Marijuana/hashish	191,878	84,736	31,653	21,836	16,688	539	19,708	15,823	895
Cocaine	160,743	44,420	18,038	19,218	11,267	297	37,854	26,248	3,401
Stimulants	128,769	51,020	20,479	12,640	12,004	300	13,271	18,064	991
Other/none specified[5]	699,302	355,295	70,342	49,678	34,237	2,011	117,118	63,827	6,794
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007

Continued. See notes at end of table.

Table 9.6a. Discharges aged 18 years and older, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Type of treatment service								
	Total[1]	Out-patient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox-ification	Outpatient med.-asst. opi. ther.[2]	Med.-asst. opi. detox[3]
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Employment status[4]									
Employed	288,133	162,735	38,684	16,726	7,070	549	29,485	31,017	1,867
Full-time	208,806	119,272	26,958	13,113	5,158	421	22,053	20,477	1,354
Part-time	79,327	43,463	11,726	3,613	1,912	128	7,432	10,540	513
Unemployed	523,125	197,293	83,865	52,795	38,854	869	84,820	58,723	5,906
Not in labor force	356,535	105,000	34,598	44,993	38,718	938	83,294	42,251	6,743
No. of discharges	1,167,793	465,028	157,147	114,514	84,642	2,356	197,599	131,991	14,516
Detailed not in labor force[4]									
Homemaker	10,936	6,002	1,254	659	360	20	840	1,792	9
Student	6,831	4,110	1,000	344	308	7	454	594	14
Retired	11,729	4,618	1,412	1,486	474	89	2,605	973	72
Disabled	67,796	22,509	7,369	9,726	3,165	265	14,117	9,588	1,057
Inmate of institution	18,989	8,698	2,630	2,130	3,055	110	271	2,025	70
Other	187,785	44,507	17,341	30,019	14,998	445	56,791	18,398	5,286
No. of discharges	304,066	90,444	31,006	44,364	22,360	936	75,078	33,370	6,508

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[5] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.6b. Discharges aged 18 years and older, by type of treatment service and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Marital status									
Never married	65.7	65.0	64.1	64.1	67.8	62.0	69.0	65.5	74.9
Now married	13.0	14.4	12.9	12.4	9.6	15.6	9.8	14.2	8.9
Separated	5.8	6.0	6.5	5.8	5.9	3.8	4.4	6.3	4.2
Divorced	13.7	12.9	14.7	15.6	15.0	17.0	14.8	11.7	9.9
Widowed	1.9	1.7	1.8	2.1	1.7	1.6	2.1	2.2	2.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Pregnant (female only)									
Yes	2.9	2.2	2.7	3.5	5.4	1.1	1.5	4.8	2.7
No	97.1	97.8	97.3	96.5	94.6	98.9	98.5	95.2	97.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Veteran[4]									
Yes	2.9	3.2	2.4	3.0	3.1	4.8	3.0	2.2	1.9
No	97.1	96.8	97.6	97.0	96.9	95.2	97.0	97.8	98.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Continued. See notes at end of table.

Table 9.6b. Discharges aged 18 years and older, by type of treatment service and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Education									
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	4.9	4.3	3.6	4.3	4.8	4.1	7.6	4.6	10.6
Grades 9 to 11	18.6	19.4	18.8	19.2	20.4	13.5	15.3	19.6	11.7
Grade 12 (or GED)	49.9	49.8	50.1	48.0	48.0	50.0	51.0	51.1	54.1
1–3 years of college, university, or vocational school	20.4	20.4	20.9	21.3	20.3	22.5	19.7	20.2	19.3
4 years of college, university, or BA/BS	4.6	4.5	5.0	5.3	4.8	7.6	5.1	3.5	3.6
Some postgraduate study or more	1.5	1.6	1.7	1.9	1.7	2.3	1.4	1.0	0.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Source of income support[4]									
Wages/salary	32.4	46.8	30.8	18.7	15.0	41.0	17.3	27.7	17.1
Public assistance	8.4	7.3	8.0	7.5	11.5	6.5	8.6	12.5	6.6
Retirement/pension	1.1	1.4	1.2	0.8	0.8	4.0	0.9	0.7	0.5
Disability	6.5	6.9	6.6	4.7	5.8	14.0	5.7	7.6	10.7
Other	16.2	15.1	12.4	18.1	12.1	15.2	18.6	21.3	12.4
None	35.5	22.6	41.0	50.2	54.8	19.3	49.0	30.1	52.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Continued. See notes at end of table.

Table 9.6b. Discharges aged 18 years and older, by type of treatment service and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Type of treatment service								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Living arrangements									
Homeless	17.3	9.2	12.0	25.4	33.0	20.2	33.0	9.5	27.6
Dependent living	15.3	15.6	18.0	18.4	26.5	13.8	7.4	13.2	10.4
Independent living	67.4	75.2	69.9	56.2	40.5	66.0	59.6	77.3	61.9
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Primary substance									
Alcohol	30.6	27.0	31.0	41.6	33.6	43.3	50.9	4.8	16.3
Opiates	28.8	16.1	28.4	22.5	22.9	15.2	33.0	79.6	76.1
Marijuana/hashish	8.1	13.0	10.4	3.8	4.9	2.4	0.9	1.8	0.3
Cocaine	5.1	4.8	6.6	10.1	9.0	5.5	2.9	2.0	2.7
Stimulants	13.1	13.8	18.5	17.7	25.9	11.0	7.0	3.3	0.9
Other/none specified[5]	14.3	25.2	5.1	4.3	3.8	22.7	5.3	8.4	3.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Secondary or tertiary substance									
Alcohol	5.7	5.9	6.8	5.4	7.7	2.8	4.9	3.7	8.2
Opiates	5.7	4.2	6.3	6.3	6.3	3.7	6.3	9.3	11.3
Marijuana/hashish	14.4	14.2	19.6	18.6	19.3	16.0	9.3	11.1	6.0
Cocaine	12.1	7.5	11.2	16.4	13.1	8.8	17.9	18.4	22.7
Stimulants	9.7	8.6	12.7	10.8	13.9	8.9	6.3	12.7	6.6
Other/none specified[5]	52.5	59.7	43.5	42.4	39.7	59.8	55.3	44.8	45.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Continued. See notes at end of table.

Table 9.6b. Discharges aged 18 years and older, by type of treatment service and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Type of treatment service*								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Employment status[4]									
Employed	24.7	35.0	24.6	14.6	8.4	23.3	14.9	23.5	12.9
Full-time	17.9	25.6	17.2	11.5	6.1	17.9	11.2	15.5	9.3
Part-time	6.8	9.3	7.5	3.2	2.3	5.4	3.8	8.0	3.5
Unemployed	44.8	42.4	53.4	46.1	45.9	36.9	42.9	44.5	40.7
Not in labor force	30.5	22.6	22.0	39.3	45.7	39.8	42.2	32.0	46.5
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Detailed not in labor force[4]									
Homemaker	3.6	6.6	4.0	1.5	1.6	2.1	1.1	5.4	0.1
Student	2.2	4.5	3.2	0.8	1.4	0.7	0.6	1.8	0.2
Retired	3.9	5.1	4.6	3.3	2.1	9.5	3.5	2.9	1.1
Disabled	22.3	24.9	23.8	21.9	14.2	28.3	18.8	28.7	16.2
Inmate of institution	6.2	9.6	8.5	4.8	13.7	11.8	0.4	6.1	1.1
Other	61.8	49.2	55.9	67.7	67.1	47.5	75.6	55.1	81.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[5] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Percentages may not add to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.7a. Discharges aged 18 years and older, by type of treatment service and characteristics at discharge: Number, 2020

Characteristics at discharge	Type of treatment service								
	Total[1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Living arrangements									
Homeless	139,925	32,603	14,574	20,755	14,918	384	43,601	10,233	2,857
Dependent living	180,972	57,101	24,207	30,387	23,145	476	28,536	13,504	3,616
Independent living	709,846	324,931	104,575	60,565	36,846	1,562	79,763	93,506	8,098
No. of discharges	1,030,743	414,635	143,356	111,707	74,909	2,422	151,900	117,243	14,571
Primary substance									
Alcohol	357,542	160,325	44,036	44,425	25,188	1,511	73,286	6,664	2,107
Opiates	340,037	100,101	41,362	22,880	16,618	545	46,564	102,913	9,054
Marijuana/hashish	102,785	75,968	14,396	4,066	3,639	111	1,841	2,717	47
Cocaine	64,310	28,109	9,255	11,228	7,042	189	4,758	3,332	397
Stimulants	174,503	86,233	28,795	20,077	20,501	408	13,422	4,930	137
Other/none specified[4]	293,877	144,670	23,890	14,465	13,338	600	71,755	21,894	3,265
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Secondary or tertiary substance									
Alcohol	67,094	32,928	9,195	5,869	5,068	100	7,344	5,561	1,029
Opiates	67,913	25,132	8,835	6,701	4,602	127	8,802	12,267	1,447
Marijuana/hashish	176,519	81,437	27,851	20,641	14,293	550	16,412	14,587	748
Cocaine	132,351	43,947	15,272	17,606	9,751	304	18,286	24,303	2,882
Stimulants	121,068	52,832	18,526	11,631	10,009	326	11,669	15,237	838
Other/none specified[4]	768,109	359,130	82,055	54,693	42,603	1,957	149,113	70,495	8,063
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007

Continued. See notes at end of table.

Table 9.7a. Discharges aged 18 years and older, by type of treatment service and characteristics at discharge: Number, 2020 (continued)

Characteristics at discharge	*Type of treatment service*								
	Total[1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Employment status[5]									
Employed	300,479	175,367	41,493	15,455	12,650	510	21,633	31,626	1,745
Full-time	219,872	130,325	29,160	12,172	9,468	390	15,871	21,180	1,306
Part-time	80,607	45,042	12,333	3,283	3,182	120	5,762	10,446	439
Unemployed	467,051	173,029	73,474	52,727	35,196	992	74,881	50,684	6,068
Not in labor force	320,986	122,480	29,588	43,817	27,118	1,211	52,706	37,683	6,383
No. of discharges	1,088,516	470,876	144,555	111,999	74,964	2,713	149,220	119,993	14,196
Detailed not in labor force[5]									
Homemaker	10,494	5,770	1,158	572	369	21	628	1,961	15
Student	7,661	4,990	967	274	399	10	375	629	17
Retired	9,749	4,049	1,313	1,377	478	76	1,405	983	68
Disabled	60,578	23,471	6,245	8,284	3,330	282	8,588	9,360	1,018
Inmate of institution	18,095	7,908	2,541	1,922	1,801	34	1,257	2,335	297
Other	186,842	69,756	15,841	30,881	12,513	785	33,332	18,927	4,807
No. of discharges	293,419	115,944	28,065	43,310	18,890	1,208	45,585	34,195	6,222

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[5] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.7b. Discharges aged 18 years and older, by type of treatment service and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Type of treatment service*								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Living arrangements									
Homeless	13.6	7.9	10.2	18.6	19.9	15.9	28.7	8.7	19.6
Dependent living	17.6	13.8	16.9	27.2	30.9	19.7	18.8	11.5	24.8
Independent living	68.9	78.4	72.9	54.2	49.2	64.5	52.5	79.8	55.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Primary substance									
Alcohol	26.8	26.9	27.2	37.9	29.2	44.9	34.6	4.7	14.0
Opiates	25.5	16.8	25.6	19.5	19.3	16.2	22.0	72.2	60.3
Marijuana/hashish	7.7	12.8	8.9	3.5	4.2	3.3	0.9	1.9	0.3
Cocaine	4.8	4.7	5.7	9.6	8.2	5.6	2.2	2.3	2.6
Stimulants	13.1	14.5	17.8	17.1	23.7	12.1	6.3	3.5	0.9
Other/none specified[4]	22.0	24.3	14.8	12.3	15.5	17.8	33.9	15.4	21.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Secondary or tertiary substance									
Alcohol	5.0	5.5	5.7	5.0	5.9	3.0	3.5	3.9	6.9
Opiates	5.1	4.2	5.5	5.7	5.3	3.8	4.2	8.6	9.6
Marijuana/hashish	13.2	13.7	17.2	17.6	16.6	16.3	7.8	10.2	5.0
Cocaine	9.9	7.4	9.4	15.0	11.3	9.0	8.6	17.1	19.2
Stimulants	9.1	8.9	11.5	9.9	11.6	9.7	5.5	10.7	5.6
Other/none specified[4]	57.6	60.3	50.7	46.7	49.4	58.2	70.5	49.5	53.7
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Continued. See notes at end of table.

Table 9.7b. Discharges aged 18 years and older, by type of treatment service and characteristics at discharge: Column percent distribution, 2020 (continued)

Characteristics at discharge	*Type of treatment service*								
	Total [1]	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
No. of discharges	1,333,054	595,406	161,734	117,141	86,326	3,364	211,626	142,450	15,007
Employment status[5]									
Employed	27.6	37.2	28.7	13.8	16.9	18.8	14.5	26.4	12.3
Full-time	20.2	27.7	20.2	10.9	12.6	14.4	10.6	17.7	9.2
Part-time	7.4	9.6	8.5	2.9	4.2	4.4	3.9	8.7	3.1
Unemployed	42.9	36.7	50.8	47.1	47.0	36.6	50.2	42.2	42.7
Not in labor force	29.5	26.0	20.5	39.1	36.2	44.6	35.3	31.4	45.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Detailed not in labor force[5]									
Homemaker	3.6	5.0	4.1	1.3	2.0	1.7	1.4	5.7	0.2
Student	2.6	4.3	3.4	0.6	2.1	0.8	0.8	1.8	0.3
Retired	3.3	3.5	4.7	3.2	2.5	6.3	3.1	2.9	1.1
Disabled	20.6	20.2	22.3	19.1	17.6	23.3	18.8	27.4	16.4
Inmate of institution	6.2	6.8	9.1	4.4	9.5	2.8	2.8	6.8	4.8
Other	63.7	60.2	56.4	71.3	66.2	65.0	73.1	55.4	77.3
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[5] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Percentages may not add to 100 percent due to rounding. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.8a. Discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at admission: Number, 2020

Characteristics at admission	No. of dis-charges [1]	Type of treatment service: Total	Out-patient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox-ification	Outpatient med.-asst. opi. ther. [2]	Med.-asst. opi. detox [3]
Total	1,364,324	576,089	270,590	39,416	64,387	35,983	2,383	130,951	25,741	6,638
Gender										
Male	878,262	383,522	169,562	25,640	44,867	23,684	1,659	97,994	15,242	4,874
Female	485,440	192,413	100,982	13,758	19,507	12,276	723	32,917	10,493	1,757
Total	1,363,702	575,935	270,544	39,398	64,374	35,960	2,382	130,911	25,735	6,631
Age at admission										
12 years	570	219	187	23	1	6	- -	1	- -	1
13 years	1,693	541	418	57	29	23	- -	13	1	- -
14 years	3,923	1,322	893	214	106	86	- -	23	- -	- -
15 years	7,091	2,545	1,645	374	259	213	- -	53	1	- -
16 years	9,066	3,326	2,086	469	402	282	- -	85	2	- -
17 years	8,927	3,261	1,971	497	365	316	2	102	4	4
18 years	8,172	3,633	2,541	281	244	162	13	325	55	12
19 years	10,829	4,535	2,922	332	399	235	13	492	115	27
20 years	14,347	6,166	3,804	551	533	341	35	688	173	41
21 to 24 years	96,837	39,712	22,378	3,508	3,682	2,349	171	5,545	1,694	385
25 to 29 years	218,388	84,747	42,509	6,295	8,528	5,409	318	15,676	4,855	1,157
30 to 34 years	245,171	95,379	45,543	6,650	10,160	6,272	373	19,687	5,283	1,411
35 to 39 years	206,547	83,135	38,423	5,665	9,198	5,405	356	18,628	4,282	1,178
40 to 44 years	150,360	62,196	28,062	4,176	7,256	3,954	249	15,126	2,615	758
45 to 49 years	117,199	51,565	22,238	3,241	6,283	3,206	218	13,931	1,856	592
50 to 54 years	109,494	52,144	20,406	2,872	6,703	3,322	225	16,315	1,793	508
55 to 59 years	88,357	44,673	17,716	2,386	6,033	2,746	210	13,886	1,378	318
60 to 64 years	46,409	24,781	10,700	1,258	3,067	1,256	124	7,236	964	176
65 to 69 years	14,583	8,229	3,916	412	871	303	56	2,104	511	56
70 to 74 years	4,467	2,708	1,445	122	205	80	13	703	129	11
75 years and older	1,894	1,272	787	33	63	17	7	332	30	3
Total	1,364,324	576,089	270,590	39,416	64,387	35,983	2,383	130,951	25,741	6,638

Continued. See notes at end of table.

Table 9.8a. Discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	No. of discharges [1]	Type of treatment service: Total	Out-patient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox-ification	Outpatient med.-asst. opi. ther. [2]	Med.-asst. opi. detox [3]
Total	1,364,324	576,089	270,590	39,416	64,387	35,983	2,383	130,951	25,741	6,638
Race										
American Indian or Alaska Native	42,433	28,658	17,494	699	1,157	1,230	190	7,421	433	34
Asian[4]	7,971	3,597	1,861	295	326	282	6	684	107	36
Black or African American	232,339	89,699	36,211	6,462	13,845	6,048	255	24,099	2,024	755
White	901,608	363,137	162,241	29,005	43,084	23,441	1,567	80,050	18,586	5,163
Other	113,380	39,231	13,380	2,330	4,780	4,354	146	12,253	1,480	508
Native Hawaiian or Other Pacific Islander	6,901	2,533	1,336	156	154	306	5	484	80	12
Total	1,304,632	526,855	232,523	38,947	63,346	35,661	2,169	124,991	22,710	6,508
Ethnicity										
Not of Hispanic or Latino origin	166,212	68,396	24,751	4,312	7,581	5,979	185	22,606	2,283	699
Hispanic or Latino origin	1,141,387	463,159	208,777	34,568	55,889	29,715	1,986	105,808	20,592	5,824
Total	1,307,599	531,555	233,528	38,880	63,470	35,694	2,171	128,414	22,875	6,523
Marital status										
Never married	698,921	268,227	113,133	22,747	38,594	17,786	1,158	57,896	12,093	4,820
Now married	133,432	53,107	23,858	6,121	8,442	3,097	306	8,240	2,473	570
Separated	59,827	18,401	7,000	1,842	3,477	1,487	56	3,564	728	247
Divorced	140,550	50,225	16,538	4,889	9,269	3,960	307	13,105	1,567	590
Widowed	19,239	7,027	2,379	585	1,253	490	31	1,872	299	118
Total	1,051,969	396,987	162,908	36,184	61,035	26,820	1,858	84,677	17,160	6,345
Pregnant (female only)										
Yes	13,104	3,755	1,634	374	452	603	4	289	379	20
No	447,181	175,816	98,305	12,929	18,741	11,467	532	22,084	10,035	1,723
Total	460,285	179,571	99,939	13,303	19,193	12,070	536	22,373	10,414	1,743
No. of prior treatment episodes										
None	500,799	192,126	114,578	14,758	16,330	14,826	847	20,920	9,037	830
1 or more	748,623	320,697	144,596	23,427	46,144	20,318	1,084	63,496	15,870	5,762
Total	1,249,422	512,823	259,174	38,185	62,474	35,144	1,931	84,416	24,907	6,592

Continued. See notes at end of table.

Table 9.8a. Discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	No. of discharges [1]	Type of treatment service: Total	Out-patient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox-ification	Outpatient med.-asst. opi. ther. [2]	Med.-asst. opi. detox [3]
Total	1,364,324	576,089	270,590	39,416	64,387	35,983	2,383	130,951	25,741	6,638
Treatment referral source										
Self or individual	581,733	193,550	47,174	10,971	27,896	12,988	1,067	78,757	10,335	4,362
Criminal justice/DUI	286,858	120,089	73,179	14,687	10,423	8,727	197	9,071	3,689	116
Other community referral	132,739	48,319	19,465	5,695	7,064	4,299	52	10,089	1,245	410
Substance use care provider	107,528	46,488	5,455	4,477	12,842	7,350	75	13,310	1,776	1,203
Other health care provider	97,174	32,262	8,442	2,210	4,945	2,126	196	12,992	955	396
School (educational)	4,435	1,622	1,370	118	44	38	1	44	6	1
Employer/EAP	4,527	2,746	1,569	445	365	75	3	239	49	1
Total	1,214,994	445,076	156,654	38,603	63,579	35,603	1,591	124,502	18,055	6,489
Usual route of administration										
Oral	498,630	227,101	71,816	18,461	33,544	15,458	1,089	80,631	4,098	2,004
Smoking	285,264	92,339	47,526	10,708	12,892	9,689	260	9,353	1,618	293
Inhalation	150,871	44,690	10,715	3,653	6,977	3,698	132	13,715	4,226	1,574
Injection	241,990	63,539	12,436	4,961	9,333	6,401	202	20,510	7,173	2,523
Other	11,643	2,972	1,127	277	429	116	1	780	129	113
Total	1,188,398	430,641	143,620	38,060	63,175	35,362	1,684	124,989	17,244	6,507
Expected or actual source of payment[5]										
Self-pay	42,264	22,425	11,662	1,753	976	436	9	7,041	444	104
Private insurance	49,756	23,855	6,961	4,481	4,905	1,998	178	4,122	553	657
Medicare	18,273	15,216	13,243	201	184	48	92	568	869	11
Medicaid	339,025	194,051	133,436	5,927	9,986	2,803	959	27,348	12,242	1,350
Other government payments	110,748	50,849	22,302	5,586	7,572	3,015	108	10,581	1,168	517
Workers' compensation	47	18	9	1	4	- -	- -	4	- -	- -
No charge	15,683	4,682	1,214	1,413	1,047	197	1	693	75	42
Other	34,789	13,456	5,979	1,956	2,286	1,059	26	1,870	243	37
Total	610,585	324,552	194,806	21,318	26,960	9,556	1,373	52,227	15,594	2,718
Type of health insurance										
Private insurance	64,070	32,368	10,309	5,181	6,300	2,328	166	6,734	630	720
Medicare	23,691	17,418	13,799	392	524	184	103	1,344	962	110
Medicaid	415,987	227,762	136,884	7,661	13,915	6,302	1,105	44,865	12,965	4,065
HMO	4,154	1,792	395	69	717	294	4	254	37	22
Other	33,132	12,702	4,285	1,304	1,555	446	87	4,503	348	174
None	192,672	78,622	32,577	10,335	9,929	3,207	89	20,401	1,323	761
Total	733,706	370,664	198,249	24,942	32,940	12,761	1,554	78,101	16,265	5,852

Continued. See notes at end of table.

Table 9.8a. Discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	No. of discharges [1]	Type of treatment service: Total	Out-patient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox-ification	Outpatient med.-asst. opi. ther. [2]	Med.-asst. opi. detox [3]
Total	1,364,324	576,089	270,590	39,416	64,387	35,983	2,383	130,951	25,741	6,638
Arrests in past 30 days										
None	1,090,111	378,326	143,601	35,880	57,154	32,152	1,319	85,173	16,834	6,213
Once	63,692	25,190	10,047	2,449	4,949	3,015	75	3,529	850	276
2 or more times	12,037	6,092	3,137	336	889	514	24	860	293	39
Total	1,165,840	403,516	153,648	38,329	62,103	35,167	1,394	88,702	17,684	6,489
Frequency of use										
No use in the past month	326,766	113,560	72,591	16,275	5,546	10,446	112	1,606	6,898	86
Some use	326,273	115,993	45,386	12,064	16,429	11,803	514	26,168	3,286	343
Daily use	533,983	201,858	25,697	9,957	41,308	13,365	1,075	97,243	7,166	6,047
Total	1,187,022	431,411	143,674	38,296	63,283	35,614	1,701	125,017	17,350	6,476
Self-help programs attended in past 30 days										
No attendance in the past month	847,174	287,697	111,370	23,754	45,174	20,579	997	69,338	11,762	4,723
At least 1 time in the past month	236,052	83,024	30,726	10,492	13,667	13,412	367	8,897	4,610	853
1–3 times in the past month	58,102	20,873	7,763	2,633	3,369	2,368	281	3,225	1,050	184
4–7 times in the past month	38,385	13,858	5,487	1,936	2,076	1,984	27	1,573	612	163
8–30 times in the past month	95,974	31,603	12,498	5,110	3,320	5,979	30	2,946	1,360	360
Some attendance, but frequency unknown	43,591	16,690	4,978	813	4,902	3,081	29	1,153	1,588	146
Total	1,083,226	370,721	142,096	34,246	58,841	33,991	1,364	78,235	16,372	5,576

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] For some states, "Asian" includes "Pacific Islanders."

[5] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.8b. Proportions of discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at admission: 2020

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,364,324	42.2	43.8	23.8	54.0	40.7	70.6	61.8	18.1	44.2
Gender										
Male	878,262	43.7	44.1	25.1	55.8	42.2	72.0	62.3	18.0	45.7
Female	485,440	39.6	43.3	21.7	50.2	38.2	67.6	60.1	18.1	40.5
Total	1,363,702	42.2	43.8	23.8	54.0	40.7	70.6	61.8	18.1	44.2
Age at admission										
12 years	570	38.4	37.9	43.4	33.3	42.9	- -	20.0	- -	100.0
13 years	1,693	32.0	31.4	31.0	37.2	30.7	- -	61.9	33.3	- -
14 years	3,923	33.7	30.6	41.6	44.9	41.5	- -	54.8	- -	- -
15 years	7,091	35.9	32.1	42.7	49.9	44.4	- -	67.9	6.7	- -
16 years	9,066	36.7	32.4	40.6	56.9	45.0	- -	69.1	9.5	- -
17 years	8,927	36.5	31.4	44.1	58.1	45.5	50.0	68.5	8.2	80.0
18 years	8,172	44.5	45.6	31.4	49.2	34.2	76.5	66.9	25.6	57.1
19 years	10,829	41.9	44.4	23.5	48.1	37.2	56.5	63.0	21.9	54.0
20 years	14,347	43.0	45.0	29.7	50.1	39.2	70.0	62.7	19.6	58.6
21 to 24 years	96,837	41.0	43.4	26.6	49.8	36.7	73.1	58.1	21.9	45.1
25 to 29 years	218,388	38.8	41.7	22.5	49.3	36.7	68.2	54.6	19.8	43.1
30 to 34 years	245,171	38.9	42.0	21.3	50.8	38.3	69.2	55.9	17.7	42.3
35 to 39 years	206,547	40.2	42.5	21.9	51.6	40.5	70.1	59.3	17.5	43.8
40 to 44 years	150,360	41.4	42.7	22.3	54.4	41.4	68.2	61.1	16.3	44.2
45 to 49 years	117,199	44.0	44.7	23.1	57.3	42.4	71.0	63.9	15.9	50.7
50 to 54 years	109,494	47.6	47.3	24.2	58.7	45.5	73.5	68.0	17.2	49.7
55 to 59 years	88,357	50.6	50.4	27.4	61.5	46.9	72.7	70.3	17.2	42.7
60 to 64 years	46,409	53.4	56.9	28.4	61.8	50.8	76.5	72.1	19.0	37.8
65 to 69 years	14,583	56.4	62.2	36.8	64.8	53.4	77.8	75.2	22.9	35.9
70 to 74 years	4,467	60.6	66.9	41.5	68.1	54.4	72.2	79.2	20.5	36.7
75 years and older	1,894	67.2	67.5	38.4	63.6	48.6	87.5	91.0	22.9	75.0
Total	1,364,324	42.2	43.8	23.8	54.0	40.7	70.6	61.8	18.1	44.2

Continued. See notes at end of table.

Table 9.8b. Proportions of discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,364,324	42.2	43.8	23.8	54.0	40.7	70.6	61.8	18.1	44.2
Race										
American Indian or Alaska Native	42,433	67.5	74.8	21.4	54.5	41.5	67.1	87.6	23.3	50.7
Asian[4]	7,971	45.1	50.4	26.3	63.3	34.3	66.7	61.1	17.0	54.5
Black or African American	232,339	38.6	34.9	21.0	53.8	37.4	65.4	63.7	12.9	37.3
White	901,608	40.3	40.8	24.8	53.5	42.4	68.9	59.8	18.0	44.9
Other	113,380	34.6	30.7	23.0	57.9	38.3	83.4	54.6	9.1	45.1
Native Hawaiian or Other Pacific Islander	6,901	36.7	53.0	9.3	60.2	25.5	55.6	57.1	22.5	41.4
Total	1,304,632	40.4	40.4	23.7	53.9	40.6	69.1	61.1	16.5	43.9
Ethnicity										
Not of Hispanic or Latino origin	166,212	41.1	36.8	29.0	61.2	37.4	85.3	64.8	11.8	51.1
Hispanic or Latino origin	1,141,387	40.6	41.2	23.2	53.2	41.4	69.7	61.0	17.3	43.5
Total	1,307,599	40.7	40.7	23.8	54.0	40.7	70.8	61.7	16.5	44.2
Marital status										
Never married	698,921	67.6	69.4	62.9	63.2	66.3	62.3	68.4	70.5	76.0
Now married	133,432	13.4	14.6	16.9	13.8	11.5	16.5	9.7	14.4	9.0
Separated	59,827	4.6	4.3	5.1	5.7	5.5	3.0	4.2	4.2	3.9
Divorced	140,550	12.7	10.2	13.5	15.2	14.8	16.5	15.5	9.1	9.3
Widowed	19,239	1.8	1.5	1.6	2.1	1.8	1.7	2.2	1.7	1.9
Total	1,051,969	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Pregnant (female only)										
Yes	13,104	2.1	1.6	2.8	2.4	5.0	0.7	1.3	3.6	1.1
No	447,181	97.9	98.4	97.2	97.6	95.0	99.3	98.7	96.4	98.9
Total	460,285	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of prior treatment episodes										
None	500,799	38.4	41.8	24.3	51.5	37.5	74.8	48.8	18.5	41.4
1 or more	748,623	42.8	46.2	24.1	55.2	43.2	66.5	60.6	17.8	46.7
Total	1,249,422	41.0	44.2	24.2	54.2	40.6	69.9	57.2	18.1	46.0

Continued. See notes at end of table.

Table 9.8b. Proportions of discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,364,324	42.2	43.8	23.8	54.0	40.7	70.6	61.8	18.1	44.2
Treatment referral source										
Self or individual	581,733	33.3	25.6	16.3	49.7	39.3	71.7	56.4	11.7	38.7
Criminal justice/DUI	286,858	41.9	41.5	32.7	56.5	45.8	53.0	79.2	23.1	62.0
Other community referral	132,739	36.4	29.2	27.5	64.8	37.6	59.1	76.0	13.8	65.0
Substance use care provider	107,528	43.2	26.8	32.4	59.6	42.8	69.4	62.9	15.6	59.5
Other health care provider	97,174	33.2	21.8	15.6	49.3	32.3	51.3	72.6	11.1	57.1
School (educational)	4,435	36.6	35.9	36.2	45.4	59.4	50.0	48.9	17.1	20.0
Employer/EAP	4,527	60.7	55.0	64.2	82.2	79.8	75.0	82.7	34.3	20.0
Total	1,214,994	36.6	31.8	23.8	54.1	40.7	65.1	61.1	13.5	43.8
Usual route of administration										
Oral	498,630	45.5	36.4	29.0	60.9	46.4	70.6	68.6	15.6	51.9
Smoking	285,264	32.4	30.1	24.4	49.5	36.4	55.9	52.7	13.5	46.7
Inhalation	150,871	29.6	22.7	19.0	51.3	42.4	63.5	55.0	12.7	42.7
Injection	241,990	26.3	19.6	15.8	44.2	36.4	50.1	48.1	12.1	38.8
Other	11,643	25.5	18.8	20.7	39.7	24.6	20.0	58.6	10.3	61.7
Total	1,188,398	36.2	30.4	23.9	54.0	40.8	64.2	61.2	13.1	43.8
Expected or actual source of payment[5]										
Self-pay	42,264	53.1	50.5	36.6	55.5	47.7	52.9	85.0	13.8	59.8
Private insurance	49,756	47.9	33.9	46.3	75.7	73.8	74.8	72.1	15.5	80.0
Medicare	18,273	83.3	90.0	24.2	47.7	50.0	68.7	83.3	61.9	52.4
Medicaid	339,025	57.2	67.0	17.9	43.2	33.3	70.7	76.3	34.3	61.2
Other government payments	110,748	45.9	44.2	36.3	51.8	40.8	66.3	72.7	16.0	62.7
Workers' compensation	47	38.3	50.0	14.3	57.1	- -	- -	40.0	- -	- -
No charge	15,683	29.9	25.4	26.6	48.0	40.5	50.0	34.5	12.2	14.0
Other	34,789	38.7	36.2	27.4	57.0	51.6	72.2	65.7	11.5	52.1
Total	610,585	53.2	59.2	27.9	51.3	43.3	70.6	74.7	28.9	61.5
Type of health insurance										
Private insurance	64,070	50.5	38.0	46.9	76.1	69.7	80.6	76.5	14.5	77.4
Medicare	23,691	73.5	83.1	27.4	54.1	40.9	68.7	68.6	49.8	58.5
Medicaid	415,987	54.8	64.3	19.4	46.4	38.1	70.1	64.6	32.8	63.2
HMO	4,154	43.1	24.9	38.5	65.4	58.3	25.0	62.6	11.3	61.1
Other	33,132	38.3	29.3	28.3	47.4	39.8	82.9	75.1	11.1	61.9
None	192,672	40.8	36.1	31.0	51.1	36.4	59.3	68.8	13.9	51.7
Total	733,706	50.5	54.6	27.7	52.3	41.5	70.5	67.2	27.7	62.6

Continued. See notes at end of table.

Table 9.8b. Proportions of discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	*No. of discharges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,364,324	42.2	43.8	23.8	54.0	40.7	70.6	61.8	18.1	44.2
Arrests in past 30 days										
None	1,090,111	34.7	31.2	23.6	53.9	40.2	62.7	57.7	13.2	43.6
Once	63,692	39.5	35.9	29.0	56.2	46.2	49.3	59.3	16.0	49.7
2 or more times	12,037	50.6	55.9	28.4	60.6	46.1	63.2	55.1	29.5	54.2
Total	1,165,840	34.6	31.1	23.7	53.4	40.1	60.8	57.2	13.3	43.6
Frequency of use										
No use in the past month	326,766	34.8	37.0	29.7	50.9	43.3	60.5	52.4	18.5	32.5
Some use	326,273	35.6	30.5	23.4	54.0	40.2	68.9	67.2	12.9	32.3
Daily use	533,983	37.8	20.6	18.7	54.6	39.7	62.6	60.0	10.3	44.9
Total	1,187,022	36.3	30.6	24.0	54.1	40.9	64.3	61.2	13.1	43.7
Self-help programs attended in past 30 days										
No attendance in the past month	847,174	34.0	30.9	21.3	52.3	37.1	58.3	56.9	12.0	40.2
At least 1 time in the past month	236,052	35.2	30.9	28.5	57.5	46.4	71.7	51.9	16.6	54.1
1–3 times in the past month	58,102	35.9	34.0	27.7	48.6	45.7	78.7	54.2	15.2	43.7
4–7 times in the past month	38,385	36.1	33.7	29.3	57.2	43.0	57.4	54.0	15.5	50.5
8–30 times in the past month	95,974	32.9	29.4	28.3	56.7	44.6	46.2	48.8	14.5	57.7
Some attendance, but frequency unknown	43,591	38.3	27.9	30.3	66.8	54.0	67.4	51.4	21.0	70.2
Total	1,083,226	34.2	30.9	23.1	53.4	40.3	61.4	56.3	13.0	41.8

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] For some states, "Asian" includes "Pacific Islanders."

[5] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Percentages of discharges that completed treatment are calculated as a proportion of all treatment discharges (not taking into account the reason for discharge) within the admission characteristic and type of treatment service referenced. The denominator used for these calculations can be found in Table 9.2a. Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.9a. Discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at discharge: Number, 2020

Characteristics at discharge	*No. of discharges* [1]	*Type of treatment service*								
		Total	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	1,364,324	576,089	270,590	39,416	64,387	35,983	2,383	130,951	25,741	6,638
Arrests in past 30 days										
None	1,038,630	419,892	177,009	37,885	60,773	34,752	1,277	84,236	17,640	6,320
Once	43,117	16,044	9,508	571	1,637	697	65	2,944	490	132
2 or more times	18,051	11,436	7,462	179	796	201	40	2,294	443	21
Total	1,099,798	447,372	193,979	38,635	63,206	35,650	1,382	89,474	18,573	6,473
Frequency of use										
No use in the past month	466,439	208,296	89,272	23,096	37,799	23,946	526	22,335	7,930	3,392
Some use	232,014	72,388	28,165	4,218	7,915	2,670	539	26,514	2,103	264
Daily use	264,799	75,883	23,124	3,493	9,776	2,844	758	31,610	3,555	723
Total	963,252	356,567	140,561	30,807	55,490	29,460	1,823	80,459	13,588	4,379
Self-help programs attended in past 30 days										
No attendance in the past month	756,103	280,539	131,764	16,072	20,887	9,009	925	86,961	12,224	2,697
At least 1 time in the past month	333,237	176,486	48,449	18,721	40,033	25,927	911	33,933	5,329	3,183
1–3 times in the past month	75,747	33,609	14,433	3,436	3,950	1,899	526	7,362	1,288	715
4–7 times in the past month	48,307	24,674	9,384	3,335	3,852	2,005	67	4,582	808	641
8–30 times in the past month	142,819	77,964	17,841	9,992	19,878	17,073	88	9,900	1,731	1,461
Some attendance, but frequency unknown	66,364	40,239	6,791	1,958	12,353	4,950	230	12,089	1,502	366
Total	1,089,340	457,025	180,213	34,793	60,920	34,936	1,836	120,894	17,553	5,880

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.9b. Proportions of discharges aged 12 years and older that completed treatment, by type of treatment service and characteristics at discharge: 2020

Characteristics at discharge	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,364,324	42.2	43.8	23.8	54.0	40.7	70.6	61.8	18.1	44.2
Arrests in past 30 days										
None	1,038,630	40.4	40.1	27.3	55.4	46.8	65.5	58.5	15.5	45.0
Once	43,117	37.2	42.1	11.1	45.4	31.3	52.8	62.2	11.1	48.0
2 or more times	18,051	63.4	69.7	17.5	58.8	39.8	90.9	74.4	34.2	50.0
Total	1,099,798	40.7	40.8	26.7	55.1	46.3	65.3	58.9	15.5	45.0
Frequency of use										
No use in the past month	466,439	44.7	42.8	40.1	63.5	54.6	71.9	51.7	17.9	39.1
Some use	232,014	31.2	28.1	13.2	39.0	21.8	70.5	64.4	8.6	32.3
Daily use	264,799	28.7	23.8	9.7	38.7	25.7	61.2	57.6	9.6	34.2
Total	963,252	37.0	34.6	24.6	52.8	43.9	66.7	57.8	12.8	37.7
Self-help programs attended in past 30 days										
No attendance in the past month	756,103	37.1	37.5	17.8	46.0	32.2	60.7	62.5	13.1	38.0
At least 1 time in the past month	333,237	53.0	49.5	46.2	61.6	55.2	77.6	62.6	25.1	50.5
1–3 times in the past month	75,747	44.4	54.1	33.1	41.4	36.9	85.1	50.2	20.0	31.7
4–7 times in the past month	48,307	51.1	54.8	46.0	55.4	41.6	65.0	57.7	25.2	69.7
8–30 times in the past month	142,819	54.6	47.5	53.2	63.0	58.5	60.7	63.3	23.5	56.2
Some attendance, but frequency unknown	66,364	60.6	40.9	48.1	73.0	63.7	74.7	75.7	35.8	68.9
Total	1,089,340	42.0	40.1	26.6	55.2	46.6	68.0	62.6	15.3	43.9

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

NOTES: Percentages of discharges that completed treatment are calculated as a proportion of all treatment discharges (not taking into account the reason for discharge) within the admission characteristic and type of treatment service referenced. The denominator used for these calculations can be found in Table 9.3a. Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.10a. Discharges aged 12 to 17 years that completed treatment, by type of treatment service and characteristics at admission: Number, 2020

Characteristics at admission	No. of dis-charges [1]	Type of treatment service: Total	Out-patient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox-ification	Outpatient med.-asst. opi. ther. [2]	Med.-asst. opi. detox [3]
Total	31,270	11,214	7,200	1,634	1,162	926	2	277	8	5
Marital status										
Never married	24,261	9,071	5,513	1,572	958	770	2	247	5	4
Now married	254	77	43	9	4	15	- -	6	- -	- -
Separated	91	64	39	4	11	10	- -	- -	- -	- -
Divorced	59	18	12	2	2	2	- -	- -	- -	- -
Widowed	24	12	10	- -	- -	2	- -	- -	- -	- -
Total	24,689	9,242	5,617	1,587	975	799	2	253	5	4
Pregnant (female only)										
Yes	106	45	26	9	3	6	- -	1	- -	- -
No	9,698	3,504	2,257	552	327	286	- -	76	3	3
Total	9,804	3,549	2,283	561	330	292	- -	77	3	3
Education										
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	8,428	2,798	1,867	328	217	201	- -	180	1	4
Grades 9 to 11	20,703	7,607	4,824	1,202	864	653	2	56	5	1
Grade 12 (or GED) or more	1,477	623	397	90	59	65	- -	10	2	- -
Total	30,608	11,028	7,088	1,620	1,140	919	2	246	8	5

Continued. See notes at end of table.

Table 9.10a. Discharges aged 12 to 17 years that completed treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	No. of discharges[1]	Type of treatment service: Total	Out-patient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox-ification	Outpatient med.-asst. opi. ther.[2]	Med.-asst. opi. detox[3]
Total	31,270	11,214	7,200	1,634	1,162	926	2	277	8	5
Living arrangements										
Homeless	446	185	104	11	58	7	1	4	- -	- -
Dependent living	21,654	8,041	5,215	1,270	955	558	1	36	5	1
Independent living	8,025	2,644	1,671	311	106	340	- -	209	3	4
Total	30,125	10,870	6,990	1,592	1,119	905	2	249	8	5
Primary substance										
Alcohol	2,717	1,199	830	126	81	115	1	45	1	- -
Opiates	500	161	52	19	37	32	- -	16	2	3
Marijuana/hashish	22,614	8,236	5,417	1,196	815	632	1	170	5	- -
Cocaine	211	90	36	14	15	15	- -	9	- -	1
Stimulants	1,080	349	98	50	107	79	- -	14	- -	1
Other/none specified[4]	4,148	1,179	767	229	107	53	- -	23	- -	- -
Total	31,270	11,214	7,200	1,634	1,162	926	2	277	8	5
Secondary or tertiary substance										
Alcohol	5,958	2,152	1,336	287	255	214	- -	58	1	1
Opiates	622	225	98	31	58	28	- -	8	- -	2
Marijuana/hashish	3,011	1,078	524	127	218	160	- -	49	- -	- -
Cocaine	721	290	138	34	70	38	- -	8	- -	2
Stimulants	1,278	391	138	67	105	74	- -	6	1	- -
Other/none specified[4]	19,680	7,078	4,966	1,088	456	412	2	148	6	- -
Total	31,270	11,214	7,200	1,634	1,162	926	2	277	8	5

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.10b. Proportions of discharges aged 12 to 17 years that completed treatment, by type of treatment service and characteristics at admission: 2020

Characteristics at admission	*No. of dis-charges* [1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	31,270	35.9	31.9	41.8	53.5	44.2	20.0	66.3	8.9	71.4
Marital status										
Never married	24,261	37.4	33.4	43.6	51.1	42.6	22.2	64.0	6.3	66.7
Now married	254	30.3	22.5	34.6	30.8	83.3	- -	100.0	- -	- -
Separated	91	70.3	66.1	57.1	78.6	90.9	- -	- -	- -	- -
Divorced	59	30.5	25.5	28.6	100.0	66.7	- -	- -	- -	- -
Widowed	24	50.0	50.0	- -	- -	100.0	- -	- -	- -	- -
Total	24,689	37.4	33.4	43.6	51.2	43.4	22.2	64.5	6.3	66.7
Pregnant (female only)										
Yes	106	42.5	35.1	56.3	42.9	85.7	- -	100.0	- -	- -
No	9,698	36.1	32.1	43.4	54.9	44.8	- -	62.8	12.0	75.0
Total	9,804	36.2	32.1	43.6	54.7	45.3	- -	63.1	11.5	75.0
Education										
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	8,428	33.2	30.3	37.4	46.4	31.8	- -	70.0	6.7	66.7
Grades 9 to 11	20,703	36.7	32.4	43.9	55.9	49.0	33.3	50.9	7.7	100.0
Grade 12 (or GED) or more	1,477	42.2	38.2	46.9	57.8	56.5	- -	55.6	20.0	- -
Total	30,608	36.0	32.1	42.6	53.8	44.2	20.0	63.9	8.9	71.4

Continued. See notes at end of table.

Table 9.10b. Proportions of discharges aged 12 to 17 years that completed treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	31,270	35.9	31.9	41.8	53.5	44.2	20.0	66.3	8.9	71.4
Living arrangements										
Homeless	446	41.5	40.5	21.2	51.3	38.9	100.0	100.0	- -	- -
Dependent living	21,654	37.1	34.0	42.2	53.7	41.5	14.3	30.8	9.3	100.0
Independent living	8,025	32.9	27.2	45.5	54.1	48.6	- -	81.0	8.6	66.7
Total	30,125	36.1	32.1	42.6	53.6	43.9	20.0	65.7	8.9	71.4
Primary substance										
Alcohol	2,717	44.1	42.3	40.1	55.1	49.8	33.3	80.4	16.7	- -
Opiates	500	32.2	23.3	27.1	52.1	35.6	- -	76.2	10.0	60.0
Marijuana/hashish	22,614	36.4	33.1	40.5	52.2	45.0	14.3	61.6	8.6	- -
Cocaine	211	42.7	35.3	42.4	60.0	38.5	- -	90.0	- -	100.0
Stimulants	1,080	32.3	20.1	28.7	51.9	41.8	- -	77.8	- -	100.0
Other/none specified[4]	4,148	28.4	22.3	62.4	66.9	36.6	- -	62.2	- -	- -
Total	31,270	35.9	31.9	41.8	53.5	44.2	20.0	66.3	8.9	71.4
Secondary or tertiary substance										
Alcohol	5,958	36.1	32.7	34.9	50.6	45.8	- -	81.7	9.1	100.0
Opiates	622	36.2	30.7	34.1	58.6	29.5	- -	66.7	- -	100.0
Marijuana/hashish	3,011	35.8	29.4	33.6	56.9	41.2	- -	75.4	- -	- -
Cocaine	721	40.2	35.2	35.8	58.3	41.8	- -	57.1	- -	66.7
Stimulants	1,278	30.6	23.5	28.2	46.1	35.9	- -	85.7	9.1	- -
Other/none specified[4]	19,680	36.0	32.2	47.6	54.5	48.5	28.6	59.4	13.0	- -
Total	31,270	35.9	31.9	41.8	53.5	44.2	20.0	66.3	8.9	71.4

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Percentages of discharges that completed treatment are calculated as a proportion of all treatment discharges (not taking into account the reason for discharge) within the admission characteristic and type of treatment service referenced. The denominator used for these calculations can be found in Table 9.4a. Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.11a. Discharges aged 12 to 17 years that completed treatment, by type of treatment service and characteristics at discharge: Number, 2020

Characteristics at discharge	*No. of discharges*[1]	*Type of treatment service*								
		Total	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	31,270	11,214	7,200	1,634	1,162	926	2	277	8	5
Living arrangements										
Homeless	440	184	94	11	61	12	1	5	- -	- -
Dependent living	18,038	7,894	5,037	1,250	951	552	1	94	5	4
Independent living	7,696	2,762	1,794	334	110	351	- -	169	3	1
Total	26,174	10,840	6,925	1,595	1,122	915	2	268	8	5
Primary substance										
Alcohol	2,584	1,160	788	137	75	119	1	39	1	- -
Opiates	483	150	50	20	32	31	- -	13	1	3
Marijuana/hashish	20,545	7,401	4,762	1,144	717	602	1	170	5	- -
Cocaine	189	77	31	7	15	15	- -	8	- -	1
Stimulants	1,095	334	104	44	88	84	- -	13	- -	1
Other/none specified[4]	6,374	2,092	1,465	282	235	75	- -	34	1	- -
Total	31,270	11,214	7,200	1,634	1,162	926	2	277	8	5
Secondary or tertiary substance										
Alcohol	5,025	2,020	1,238	274	236	211	- -	59	1	1
Opiates	647	219	102	27	46	36	- -	6	- -	2
Marijuana/hashish	2,753	1,060	529	133	197	154	- -	47	- -	- -
Cocaine	775	298	153	31	63	39	- -	10	- -	2
Stimulants	1,188	402	139	77	106	73	- -	6	1	- -
Other/none specified[4]	20,882	7,215	5,039	1,092	514	413	2	149	6	- -
Total	31,270	11,214	7,200	1,634	1,162	926	2	277	8	5

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.11b. Proportions of discharges aged 12 to 17 years that completed treatment, by type of treatment service and characteristics at discharge: 2020

Characteristics at discharge	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	31,270	35.9	31.9	41.8	53.5	44.2	20.0	66.3	8.9	71.4
Living arrangements										
Homeless	440	41.8	38.7	23.4	54.0	44.4	100.0	62.5	- -	- -
Dependent living	18,038	43.8	41.7	45.2	55.5	44.0	14.3	53.4	11.9	100.0
Independent living	7,696	35.9	30.5	50.5	60.4	49.6	- -	79.3	6.8	33.3
Total	26,174	41.4	38.0	45.9	55.8	46.0	22.2	67.5	9.2	71.4
Primary substance										
Alcohol	2,584	44.9	43.6	41.3	54.0	48.6	33.3	79.6	14.3	- -
Opiates	483	31.1	22.7	29.9	50.8	33.7	- -	76.5	5.3	60.0
Marijuana/hashish	20,545	36.0	32.4	41.6	49.9	45.7	14.3	61.8	8.8	- -
Cocaine	189	40.7	33.0	31.8	62.5	39.5	- -	88.9	- -	100.0
Stimulants	1,095	30.5	19.8	26.3	47.6	43.1	- -	76.5	- -	100.0
Other/none specified[4]	6,374	32.8	28.1	49.6	73.0	35.9	- -	66.7	100.0	- -
Total	31,270	35.9	31.9	41.8	53.5	44.2	20.0	66.3	8.9	71.4
Secondary or tertiary substance										
Alcohol	5,025	40.2	37.7	37.2	49.6	47.2	- -	83.1	10.0	100.0
Opiates	647	33.8	28.4	30.7	52.3	37.1	- -	66.7	- -	100.0
Marijuana/hashish	2,753	38.5	33.8	35.2	55.5	40.7	- -	77.0	- -	- -
Cocaine	775	38.5	34.2	34.1	54.3	41.1	- -	62.5	- -	66.7
Stimulants	1,188	33.8	27.5	32.1	45.9	37.8	- -	85.7	9.1	- -
Other/none specified[4]	20,882	34.6	30.7	46.0	56.8	46.6	28.6	58.7	13.0	- -
Total	31,270	35.9	31.9	41.8	53.5	44.2	20.0	66.3	8.9	71.4

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Percentages of discharges that completed treatment are calculated as a proportion of all treatment discharges (not taking into account the reason for discharge) within the admission characteristic and type of treatment service referenced. The denominator used for these calculations can be found in Table 9.5a. Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.12a. Discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at admission: Number, 2020

Characteristics at admission	No. of discharges[1]	Type of treatment service: Total	Out-patient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox-ification	Outpatient med.-asst. opi. ther.[2]	Med.-asst. opi. detox[3]
Total	1,333,054	564,875	263,390	37,782	63,225	35,057	2,381	130,674	25,733	6,633
Marital status										
Never married	674,660	259,156	107,620	21,175	37,636	17,016	1,156	57,649	12,088	4,816
Now married	133,178	53,030	23,815	6,112	8,438	3,082	306	8,234	2,473	570
Separated	59,736	18,337	6,961	1,838	3,466	1,477	56	3,564	728	247
Divorced	140,491	50,207	16,526	4,887	9,267	3,958	307	13,105	1,567	590
Widowed	19,215	7,015	2,369	585	1,253	488	31	1,872	299	118
Total	1,027,280	387,745	157,291	34,597	60,060	26,021	1,856	84,424	17,155	6,341
Pregnant (female only)										
Yes	12,998	3,710	1,608	365	449	597	4	288	379	20
No	437,483	172,312	96,048	12,377	18,414	11,181	532	22,008	10,032	1,720
Total	450,481	176,022	97,656	12,742	18,863	11,778	536	22,296	10,411	1,740
Veteran[4]										
Yes	33,504	14,355	5,111	1,135	1,953	1,286	102	4,239	392	137
No	1,124,260	407,614	136,893	35,528	57,844	33,123	1,650	119,639	16,612	6,325
Total	1,157,764	421,969	142,004	36,663	59,797	34,409	1,752	123,878	17,004	6,462

Continued. See notes at end of table.

Table 9.12a. Discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	No. of discharges[1]	Type of treatment service: Total	Out-patient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox-ification	Outpatient med.-asst. opi. ther.[2]	Med.-asst. opi. detox[3]
Total	1,333,054	564,875	263,390	37,782	63,225	35,057	2,381	130,674	25,733	6,633
Education										
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	56,987	19,741	5,021	979	2,326	1,282	53	8,735	485	860
Grades 9 to 11	214,064	66,364	21,822	5,886	10,753	6,265	166	18,443	2,588	441
Grade 12 (or GED)	575,883	205,316	66,815	18,265	29,615	16,838	711	61,050	8,414	3,608
1–3 years of college, university, or vocational school	235,016	85,517	27,955	7,809	13,821	7,490	318	23,742	3,236	1,146
4 years of college, university, or BA/BS	53,406	24,507	7,672	2,958	4,121	2,069	130	6,615	651	291
Some postgraduate study or more	17,647	7,929	2,540	966	1,533	731	33	1,877	200	49
Total	1,153,003	409,374	131,825	36,863	62,169	34,675	1,411	120,462	15,574	6,395
Source of income support[4]										
Wages/salary	271,474	156,525	100,835	11,746	12,052	3,952	669	19,675	6,535	1,061
Public assistance	70,078	32,860	13,753	1,790	4,002	2,380	111	9,062	1,403	359
Retirement/pension	9,290	6,222	3,591	543	485	247	59	1,092	173	32
Disability	54,122	23,256	11,176	1,428	2,044	1,055	162	5,705	1,105	581
Other	135,233	65,223	23,378	4,010	10,563	2,755	206	20,791	2,774	746
None	297,154	120,555	20,096	10,096	24,438	10,829	185	48,832	3,220	2,859
Total	837,351	404,641	172,829	29,613	53,584	21,218	1,392	105,157	15,210	5,638

Continued. See notes at end of table.

Table 9.12a. Discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	564,875	263,390	37,782	63,225	35,057	2,381	130,674	25,733	6,633
Living arrangements										
Homeless	199,981	80,037	8,427	2,810	14,877	10,110	244	40,821	992	1,756
Dependent living	176,070	59,038	20,034	8,179	10,522	9,826	166	7,522	2,117	672
Independent living	777,930	269,736	102,736	25,775	36,551	14,674	976	72,518	12,489	4,017
Total	1,153,981	408,811	131,197	36,764	61,950	34,610	1,386	120,861	15,598	6,445
Primary substance										
Alcohol	407,408	202,486	63,360	16,216	30,459	13,878	1,040	74,661	1,438	1,434
Opiates	383,346	100,542	18,656	6,636	12,800	7,709	288	35,567	14,377	4,509
Marijuana/hashish	107,626	35,352	25,451	4,578	2,244	1,531	54	1,079	386	29
Cocaine	68,372	23,268	7,578	2,360	6,086	3,124	124	3,299	464	233
Stimulants	175,149	52,733	20,765	6,418	8,971	7,725	162	8,140	493	59
Other/none specified[5]	191,153	150,494	127,580	1,574	2,665	1,090	713	7,928	8,575	369
Total	1,333,054	564,875	263,390	37,782	63,225	35,057	2,381	130,674	25,733	6,633
Secondary or tertiary substance										
Alcohol	76,134	25,705	10,686	2,518	3,335	2,565	57	5,257	782	505
Opiates	76,228	23,543	5,437	2,029	3,639	2,056	85	7,514	1,892	891
Marijuana/hashish	191,878	62,707	24,237	7,012	10,747	6,553	303	11,445	2,079	331
Cocaine	160,743	57,547	11,081	3,518	10,542	4,644	217	22,804	3,369	1,372
Stimulants	128,769	33,585	11,526	3,473	5,511	4,278	170	6,534	1,747	346
Other/none specified[5]	699,302	361,788	200,423	19,232	29,451	14,961	1,549	77,120	15,864	3,188
Total	1,333,054	564,875	263,390	37,782	63,225	35,057	2,381	130,674	25,733	6,633

Continued. See notes at end of table.

Table 9.12a. Discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*No. of discharges*[1]	*Type of treatment service*								
		Total	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	564,875	263,390	37,782	63,225	35,057	2,381	130,674	25,733	6,633
Employment status[4]										
Employed	288,133	121,321	67,649	12,536	11,339	3,943	364	19,388	5,110	992
Full-time	208,806	93,714	52,281	9,669	9,243	3,118	287	14,780	3,568	768
Part-time	79,327	27,607	15,368	2,867	2,096	825	77	4,608	1,542	224
Unemployed	523,125	158,230	43,721	15,326	25,699	14,155	530	51,193	5,812	1,794
Not in labor force	356,535	147,211	37,236	9,062	25,149	16,434	570	49,117	6,022	3,621
Total	1,167,793	426,762	148,606	36,924	62,187	34,532	1,464	119,698	16,944	6,407
Detailed not in labor force[4]										
Homemaker	10,936	2,796	1,247	282	372	121	19	593	158	4
Student	6,831	2,358	1,409	304	201	107	4	258	65	10
Retired	11,729	6,707	2,396	601	1,037	309	61	2,113	148	42
Disabled	67,796	24,512	5,646	1,577	4,704	1,311	146	9,587	1,147	394
Inmate of institution	18,989	7,048	2,548	1,156	1,263	1,477	71	154	328	51
Other	187,785	90,899	20,649	4,368	17,191	7,254	268	34,456	3,660	3,053
Total	304,066	134,320	33,895	8,288	24,768	10,579	569	47,161	5,506	3,554

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[5] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.12b. Proportions of discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at admission: 2020

Characteristics at admission	*No. of discharges*[1]	*Type of treatment service*								
		Total	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	42.4	44.2	23.4	54.0	40.6	70.8	61.7	18.1	44.2
Marital status										
Never married	674,660	38.4	37.8	22.5	52.7	41.1	66.6	59.8	16.3	45.3
Now married	133,178	39.8	37.7	32.4	61.1	52.7	70.0	60.4	15.4	44.9
Separated	59,736	30.7	26.6	19.4	53.3	40.7	52.8	58.0	10.2	41.2
Divorced	140,491	35.7	29.2	22.6	53.4	43.2	64.4	63.4	11.8	42.0
Widowed	19,215	36.5	31.3	22.6	54.8	46.3	70.5	65.2	11.9	39.9
Total	1,027,280	37.7	35.9	23.6	54.0	42.6	66.3	60.4	15.2	44.7
Pregnant (female only)										
Yes	12,998	28.5	32.8	22.4	34.4	36.1	44.4	47.6	13.7	17.5
No	437,483	39.4	44.8	21.2	50.8	38.7	64.9	55.1	18.4	41.2
Total	450,481	39.1	44.5	21.2	50.2	38.6	64.7	54.9	18.2	40.6
Veteran[4]										
Yes	33,504	42.8	35.4	29.9	58.1	48.8	79.1	70.4	13.8	48.1
No	1,124,260	36.3	31.2	23.1	53.7	40.2	64.5	61.0	13.0	44.1
Total	1,157,764	36.4	31.3	23.3	53.8	40.5	65.2	61.2	13.0	44.2

Continued. See notes at end of table.

Table 9.12b. Proportions of discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	42.4	44.2	23.4	54.0	40.6	70.8	61.7	18.1	44.2
Education										
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	56,987	34.6	25.5	17.6	47.5	31.2	55.2	57.7	8.1	55.6
Grades 9 to 11	214,064	31.0	24.9	20.1	48.9	36.1	52.5	60.7	10.2	25.7
Grade 12 (or GED)	575,883	35.7	29.7	23.3	53.8	41.2	60.5	60.3	12.7	45.6
1–3 years of college, university, or vocational school	235,016	36.4	30.3	24.0	56.4	43.3	60.1	60.8	12.4	40.7
4 years of college, university, or BA/BS	53,406	45.9	38.1	37.8	67.7	50.4	72.6	65.9	14.4	54.7
Some postgraduate study or more	17,647	44.9	35.7	36.2	69.8	50.6	61.1	69.3	14.9	45.0
Total	1,153,003	35.5	29.2	23.6	54.2	40.7	60.1	60.7	12.0	43.7
Source of income support[4]										
Wages/salary	271,474	57.7	60.9	38.7	70.3	58.6	80.2	72.9	29.2	68.7
Public assistance	70,078	46.9	53.6	22.5	57.8	45.7	84.1	67.2	13.9	60.2
Retirement/pension	9,290	67.0	73.3	45.7	64.5	64.5	72.8	80.8	29.4	71.1
Disability	54,122	43.0	45.9	21.8	47.2	40.5	56.8	64.0	18.0	60.3
Other	135,233	48.2	43.9	32.8	63.5	50.6	66.7	71.7	16.1	66.8
None	297,154	40.6	25.2	25.0	53.0	43.8	47.2	63.8	13.2	60.2
Total	837,351	48.3	48.9	30.0	58.3	47.0	68.5	67.3	18.8	62.5

Continued. See notes at end of table.

Table 9.12b. Proportions of discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	42.4	44.2	23.4	54.0	40.6	70.8	61.7	18.1	44.2
Living arrangements										
Homeless	199,981	40.0	20.3	14.9	51.2	36.0	53.4	62.3	8.0	43.2
Dependent living	176,070	33.5	28.4	29.0	50.0	43.6	53.0	51.5	12.3	43.7
Independent living	777,930	34.7	30.2	23.6	56.9	42.5	65.2	61.3	12.4	44.1
Total	1,153,981	35.4	29.0	23.5	54.2	40.6	61.1	60.9	11.9	43.8
Primary substance										
Alcohol	407,408	49.7	39.3	32.3	62.5	47.8	71.5	69.3	20.9	58.6
Opiates	383,346	26.2	19.4	14.5	48.5	39.1	56.4	50.9	12.7	39.5
Marijuana/hashish	107,626	32.8	32.8	27.2	51.0	36.4	65.9	54.7	14.9	61.7
Cocaine	68,372	34.0	26.6	22.1	51.4	40.4	67.4	53.8	16.1	57.0
Stimulants	175,149	30.1	25.2	21.5	43.2	34.5	43.8	55.3	10.5	43.4
Other/none specified[5]	191,153	78.7	85.1	18.9	52.8	33.3	93.6	70.1	71.9	68.0
Total	1,333,054	42.4	44.2	23.4	54.0	40.6	70.8	61.7	18.1	44.2
Secondary or tertiary substance										
Alcohol	76,134	33.8	30.4	22.9	52.6	38.4	61.3	50.6	14.8	41.1
Opiates	76,228	30.9	21.9	19.9	49.0	37.8	68.5	56.5	14.3	52.5
Marijuana/hashish	191,878	32.7	28.6	22.2	49.2	39.3	56.2	58.1	13.1	37.0
Cocaine	160,743	35.8	24.9	19.5	54.9	41.2	73.1	60.2	12.8	40.3
Stimulants	128,769	26.1	22.6	17.0	43.6	35.6	56.7	49.2	9.7	34.9
Other/none specified[5]	699,302	51.7	56.4	27.3	59.3	43.7	77.0	65.8	24.9	46.9
Total	1,333,054	42.4	44.2	23.4	54.0	40.6	70.8	61.7	18.1	44.2

Continued. See notes at end of table.

Table 9.12b. Proportions of discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	42.4	44.2	23.4	54.0	40.6	70.8	61.7	18.1	44.2
Employment status[4]										
Employed	288,133	42.1	41.6	32.4	67.8	55.8	66.3	65.8	16.5	53.1
Full-time	208,806	44.9	43.8	35.9	70.5	60.4	68.2	67.0	17.4	56.7
Part-time	79,327	34.8	35.4	24.4	58.0	43.1	60.2	62.0	14.6	43.7
Unemployed	523,125	30.2	22.2	18.3	48.7	36.4	61.0	60.4	9.9	30.4
Not in labor force	356,535	41.3	35.5	26.2	55.9	42.4	60.8	59.0	14.3	53.7
Total	1,167,793	36.5	32.0	23.5	54.3	40.8	62.1	60.6	12.8	44.1
Detailed not in labor force[4]										
Homemaker	10,936	25.6	20.8	22.5	56.4	33.6	95.0	70.6	8.8	44.4
Student	6,831	34.5	34.3	30.4	58.4	34.7	57.1	56.8	10.9	71.4
Retired	11,729	57.2	51.9	42.6	69.8	65.2	68.5	81.1	15.2	58.3
Disabled	67,796	36.2	25.1	21.4	48.4	41.4	55.1	67.9	12.0	37.3
Inmate of institution	18,989	37.1	29.3	44.0	59.3	48.3	64.5	56.8	16.2	72.9
Other	187,785	48.4	46.4	25.2	57.3	48.4	60.2	60.7	19.9	57.8
Total	304,066	44.2	37.5	26.7	55.8	47.3	60.8	62.8	16.5	54.6

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[5] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Percentages of discharges that completed treatment are calculated as a proportion of all treatment discharges (not taking into account the reason for discharge) within the admission characteristic and type of treatment service referenced. The denominator used for these calculations can be found in Table 9.6a. Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.13a. Discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at discharge: Number, 2020

Characteristics at discharge	*No. of discharges* [1]	*Type of treatment service*								
		Total	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	1,333,054	564,875	263,390	37,782	63,225	35,057	2,381	130,674	25,733	6,633
Living arrangements										
Homeless	139,925	48,241	5,751	1,526	9,121	4,300	211	25,884	663	785
Dependent living	180,972	78,919	16,574	7,804	18,449	11,825	296	19,489	1,839	2,643
Independent living	709,846	249,943	108,535	27,024	34,289	18,427	1,130	44,268	13,231	3,039
Total	1,030,743	377,103	130,860	36,354	61,859	34,552	1,637	89,641	15,733	6,467
Primary substance										
Alcohol	357,542	171,478	67,505	13,248	26,965	11,453	1,106	48,699	1,341	1,161
Opiates	340,037	80,827	24,566	4,645	10,297	6,025	323	20,463	11,686	2,822
Marijuana/hashish	102,785	36,545	27,907	3,655	2,090	1,296	84	1,036	451	26
Cocaine	64,310	21,132	7,764	1,767	5,699	2,759	131	2,323	464	225
Stimulants	174,503	57,580	27,216	6,072	8,820	6,705	205	7,912	594	56
Other/none specified[4]	293,877	197,313	108,432	8,395	9,354	6,819	532	50,241	11,197	2,343
Total	1,333,054	564,875	263,390	37,782	63,225	35,057	2,381	130,674	25,733	6,633
Secondary or tertiary substance										
Alcohol	67,094	24,412	12,156	2,101	3,045	2,372	66	3,422	879	371
Opiates	67,913	20,088	6,830	1,453	3,147	1,846	93	4,334	1,674	711
Marijuana/hashish	176,519	59,972	27,326	6,001	10,131	6,038	333	8,094	1,832	217
Cocaine	132,351	40,490	11,889	2,362	9,455	3,906	232	8,946	2,708	992
Stimulants	121,068	38,395	17,791	3,233	5,151	4,059	210	5,768	1,916	267
Other/none specified[4]	768,109	381,518	187,398	22,632	32,296	16,836	1,447	100,110	16,724	4,075
Total	1,333,054	564,875	263,390	37,782	63,225	35,057	2,381	130,674	25,733	6,633

Continued. See notes at end of table.

Table 9.13a. Discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at discharge: Number, 2020 (continued)

Characteristics at discharge	*No. of discharges* [1]	*Type of treatment service*								
		Total	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	1,333,054	564,875	263,390	37,782	63,225	35,057	2,381	130,674	25,733	6,633
Employment status[5]										
Employed	300,479	144,335	87,107	16,381	10,565	8,215	367	13,694	7,079	927
Full-time	219,872	111,519	67,457	12,590	8,676	6,400	282	10,242	5,122	750
Part-time	80,607	32,816	19,650	3,791	1,889	1,815	85	3,452	1,957	177
Unemployed	467,051	143,501	36,015	12,685	26,692	14,810	652	45,638	5,080	1,929
Not in labor force	320,986	146,187	64,021	7,539	24,538	11,521	891	27,849	6,341	3,487
Total	1,088,516	434,023	187,143	36,605	61,795	34,546	1,910	87,181	18,500	6,343
Detailed not in labor force[5]										
Homemaker	10,494	2,751	1,275	319	312	146	20	440	228	11
Student	7,661	3,526	2,508	311	152	180	9	219	134	13
Retired	9,749	5,189	1,970	584	990	319	53	1,054	179	40
Disabled	60,578	20,933	6,866	1,452	3,911	1,503	176	5,475	1,170	380
Inmate of institution	18,095	5,962	1,570	850	1,217	739	17	1,016	289	264
Other	186,842	97,635	46,787	3,440	17,676	4,730	614	17,810	3,869	2,709
Total	293,419	135,996	60,976	6,956	24,258	7,617	889	26,014	5,869	3,417

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[5] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.13b. Proportions of discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at discharge: 2020

Characteristics at discharge	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	42.4	44.2	23.4	54.0	40.6	70.8	61.7	18.1	44.2
Living arrangements										
Homeless	139,925	34.5	17.6	10.5	43.9	28.8	54.9	59.4	6.5	27.5
Dependent living	180,972	43.6	29.0	32.2	60.7	51.1	62.2	68.3	13.6	73.1
Independent living	709,846	35.2	33.4	25.8	56.6	50.0	72.3	55.5	14.1	37.5
Total	1,030,743	36.6	31.6	25.4	55.4	46.1	67.6	59.0	13.4	44.4
Primary substance										
Alcohol	357,542	48.0	42.1	30.1	60.7	45.5	73.2	66.5	20.1	55.1
Opiates	340,037	23.8	24.5	11.2	45.0	36.3	59.3	43.9	11.4	31.2
Marijuana/hashish	102,785	35.6	36.7	25.4	51.4	35.6	75.7	56.3	16.6	55.3
Cocaine	64,310	32.9	27.6	19.1	50.8	39.2	69.3	48.8	13.9	56.7
Stimulants	174,503	33.0	31.6	21.1	43.9	32.7	50.2	58.9	12.0	40.9
Other/none specified[4]	293,877	67.1	75.0	35.1	64.7	51.1	88.7	70.0	51.1	71.8
Total	1,333,054	42.4	44.2	23.4	54.0	40.6	70.8	61.7	18.1	44.2
Secondary or tertiary substance										
Alcohol	67,094	36.4	36.9	22.8	51.9	46.8	66.0	46.6	15.8	36.1
Opiates	67,913	29.6	27.2	16.4	47.0	40.1	73.2	49.2	13.6	49.1
Marijuana/hashish	176,519	34.0	33.6	21.5	49.1	42.2	60.5	49.3	12.6	29.0
Cocaine	132,351	30.6	27.1	15.5	53.7	40.1	76.3	48.9	11.1	34.4
Stimulants	121,068	31.7	33.7	17.5	44.3	40.6	64.4	49.4	12.6	31.9
Other/none specified[4]	768,109	49.7	52.2	27.6	59.0	39.5	73.9	67.1	23.7	50.5
Total	1,333,054	42.4	44.2	23.4	54.0	40.6	70.8	61.7	18.1	44.2

Continued. See notes at end of table.

Table 9.13b. Proportions of discharges aged 18 years and older that completed treatment, by type of treatment service and characteristics at discharge: 2020 (continued)

Characteristics at discharge	*No. of discharges*[1]	*Type of treatment service*								
		Total	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	42.4	44.2	23.4	54.0	40.6	70.8	61.7	18.1	44.2
Employment status[5]										
Employed	300,479	48.0	49.7	39.5	68.4	64.9	72.0	63.3	22.4	53.1
Full-time	219,872	50.7	51.8	43.2	71.3	67.6	72.3	64.5	24.2	57.4
Part-time	80,607	40.7	43.6	30.7	57.5	57.0	70.8	59.9	18.7	40.3
Unemployed	467,051	30.7	20.8	17.3	50.6	42.1	65.7	60.9	10.0	31.8
Not in labor force	320,986	45.5	52.3	25.5	56.0	42.5	73.6	52.8	16.8	54.6
Total	1,088,516	39.9	39.7	25.3	55.2	46.1	70.4	58.4	15.4	44.7
Detailed not in labor force[5]										
Homemaker	10,494	26.2	22.1	27.5	54.5	39.6	95.2	70.1	11.6	73.3
Student	7,661	46.0	50.3	32.2	55.5	45.1	90.0	58.4	21.3	76.5
Retired	9,749	53.2	48.7	44.5	71.9	66.7	69.7	75.0	18.2	58.8
Disabled	60,578	34.6	29.3	23.3	47.2	45.1	62.4	63.8	12.5	37.3
Inmate of institution	18,095	32.9	19.9	33.5	63.3	41.0	50.0	80.8	12.4	88.9
Other	186,842	52.3	67.1	21.7	57.2	37.8	78.2	53.4	20.4	56.4
Total	293,419	46.3	52.6	24.8	56.0	40.3	73.6	57.1	17.2	54.9

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[5] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

NOTES: Percentages of discharges that completed treatment are calculated as a proportion of all treatment discharges (not taking into account the reason for discharge) within the admission characteristic and type of treatment service referenced. The denominator used for these calculations can be found in Table 9.7a. Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.14a. Discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,364,324	309,387	128,114	60,681	18,681	19,089	379	32,025	46,953	3,465
Gender										
Male	878,262	188,011	76,651	36,492	11,884	11,255	243	22,771	26,408	2,307
Female	485,440	121,292	51,418	24,175	6,795	7,826	136	9,246	20,538	1,158
Total	1,363,702	309,303	128,069	60,667	18,679	19,081	379	32,017	46,946	3,465
Age at admission										
12 years	570	66	52	10	2	2	- -	- -	- -	- -
13 years	1,693	278	194	43	25	13	2	1	- -	- -
14 years	3,923	615	437	88	53	37	- -	- -	- -	- -
15 years	7,091	1,053	694	150	113	87	- -	- -	9	- -
16 years	9,066	1,252	802	206	113	116	3	2	10	- -
17 years	8,927	1,135	769	145	93	109	2	3	14	- -
18 years	8,172	850	493	120	59	83	1	60	29	5
19 years	10,829	1,528	727	288	124	93	6	104	180	6
20 years	14,347	2,119	1,082	283	163	134	5	167	279	6
21 to 24 years	96,837	18,710	8,951	3,538	1,045	1,227	23	1,613	2,142	171
25 to 29 years	218,388	51,886	22,983	9,772	2,817	3,187	58	4,823	7,682	564
30 to 34 years	245,171	62,357	25,955	12,493	3,218	3,800	47	5,742	10,321	781
35 to 39 years	206,547	51,919	21,082	10,412	3,071	2,851	62	4,889	8,964	588
40 to 44 years	150,360	37,947	15,639	7,689	2,236	2,055	36	3,870	6,001	421
45 to 49 years	117,199	27,881	11,031	5,760	1,647	1,799	36	3,257	4,130	221
50 to 54 years	109,494	22,655	8,225	4,634	1,611	1,681	37	3,101	3,129	237
55 to 59 years	88,357	16,529	5,848	3,054	1,354	1,280	40	2,662	2,074	217
60 to 64 years	46,409	8,091	2,449	1,614	747	443	10	1,330	1,330	168
65 to 69 years	14,583	1,846	454	307	147	67	8	295	501	67
70 to 74 years	4,467	506	145	59	30	22	3	90	145	12
75 years and older	1,894	164	102	16	13	3	- -	16	13	1
Total	1,364,324	309,387	128,114	60,681	18,681	19,089	379	32,025	46,953	3,465

Continued. See notes at end of table.

Table 9.14a. Discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*No. of discharges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,364,324	309,387	128,114	60,681	18,681	19,089	379	32,025	46,953	3,465
Race										
American Indian or Alaska Native	42,433	4,412	1,595	1,121	245	449	15	524	446	17
Asian[4]	7,971	1,364	439	313	36	243	2	171	147	13
Black or African American	232,339	47,081	18,414	10,609	3,343	3,728	47	6,054	4,178	708
White	901,608	230,738	99,490	44,955	13,968	11,647	297	21,683	36,191	2,507
Other	113,380	22,134	7,234	2,627	961	2,464	9	3,109	5,522	208
Native Hawaiian or Other Pacific Islander	6,901	1,988	419	805	31	491	- -	181	53	8
Total	1,304,632	307,717	127,591	60,430	18,584	19,022	370	31,722	46,537	3,461
Ethnicity										
Not of Hispanic or Latino origin	166,212	22,341	8,034	2,721	1,154	2,795	4	3,457	4,008	168
Hispanic or Latino origin	1,141,387	285,013	119,213	57,628	17,353	16,182	319	28,355	42,703	3,260
Total	1,307,599	307,354	127,247	60,349	18,507	18,977	323	31,812	46,711	3,428
Marital status										
Never married	698,921	172,918	73,652	36,989	11,327	8,687	209	15,071	24,718	2,265
Now married	133,432	32,370	15,601	5,845	1,814	786	45	2,418	5,606	255
Separated	59,827	20,128	9,050	4,446	1,164	872	24	1,275	3,120	177
Divorced	140,550	42,908	18,114	9,244	3,448	2,224	81	3,861	5,540	396
Widowed	19,239	5,169	2,052	1,032	412	198	3	495	880	97
No. of discharges	1,051,969	273,493	118,469	57,556	18,165	12,767	362	23,120	39,864	3,190
Pregnant (female only)										
Yes	13,104	3,196	997	511	309	356	1	141	837	44
No	447,181	115,788	49,603	23,133	6,365	7,286	134	8,655	19,508	1,104
No. of discharges	460,285	118,984	50,600	23,644	6,674	7,642	135	8,796	20,345	1,148
No. of prior treatment episodes										
None	500,799	137,307	61,528	24,099	5,853	11,399	120	13,860	19,934	514
1 or more	748,623	164,499	64,660	35,246	12,270	7,542	236	15,845	26,064	2,636
Total	1,249,422	301,806	126,188	59,345	18,123	18,941	356	29,705	45,998	3,150

Continued. See notes at end of table.

Table 9.14a. Discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	No. of discharges[1]	Type of treatment service: Total	Out-patient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox-ification	Outpatient med.-asst. opi. ther.[2]	Med.-asst. opi. detox[3]
Total	1,364,324	309,387	128,114	60,681	18,681	19,089	379	32,025	46,953	3,465
Treatment referral source										
Self or individual	581,733	168,832	62,230	31,536	10,303	8,355	139	22,764	30,420	3,085
Criminal justice/DUI	286,858	52,839	28,159	10,464	3,706	3,115	100	1,458	5,805	32
Other community referral	132,739	33,662	17,382	7,295	775	2,871	19	1,747	3,510	63
Substance use care provider	107,528	17,518	4,262	3,127	1,829	2,351	12	3,042	2,701	194
Other health care provider	97,174	32,133	13,511	7,481	1,811	2,308	96	2,659	4,189	78
School (educational)	4,435	722	591	66	21	5	- -	32	5	2
Employer/EAP	4,527	308	163	66	15	4	- -	28	30	2
Total	1,214,994	306,014	126,298	60,035	18,460	19,009	366	31,730	46,660	3,456
Usual route of administration										
Oral	498,630	107,482	44,082	21,403	7,958	6,890	198	15,892	10,397	662
Smoking	285,264	62,823	31,292	11,908	4,065	5,725	78	5,316	4,302	137
Inhalation	150,871	44,135	17,094	8,409	2,167	1,705	18	3,487	10,160	1,095
Injection	241,990	80,234	27,716	15,916	3,982	4,083	52	6,279	20,656	1,550
Other	11,643	4,408	3,057	555	79	123	- -	178	398	18
Total	1,188,398	299,082	123,241	58,191	18,251	18,526	346	31,152	45,913	3,462
Expected or actual source of payment[5]										
Self-pay	42,264	5,550	3,004	809	380	90	3	746	510	8
Private insurance	49,756	12,207	7,506	1,030	497	140	32	874	2,097	31
Medicare	18,273	935	404	147	78	9	23	64	202	8
Medicaid	339,025	64,923	31,486	11,765	6,158	2,573	147	4,137	8,414	243
Other government payments	110,748	13,919	5,376	2,601	1,807	1,355	4	1,424	1,319	33
Workers' compensation	47	11	2	3	- -	1	- -	4	1	- -
No charge	15,683	4,005	758	1,254	533	105	- -	947	179	229
Other	34,789	7,344	3,438	1,760	692	209	1	367	868	9
Total	610,585	108,894	51,974	19,369	10,145	4,482	210	8,563	13,590	561
Type of health insurance										
Private insurance	64,070	12,798	7,598	1,222	520	196	19	1,066	2,147	30
Medicare	23,691	1,278	511	236	122	29	19	108	246	7
Medicaid	415,987	71,235	33,116	13,421	6,788	3,021	168	5,458	8,999	264
HMO	4,154	959	660	24	109	13	9	21	123	- -
Other	33,132	7,097	3,540	1,036	517	156	6	258	1,571	13
None	192,672	23,477	8,589	5,544	3,190	1,341	22	3,256	1,277	258
Total	733,706	116,844	54,014	21,483	11,246	4,756	243	10,167	14,363	572

Continued. See notes at end of table.

Table 9.14a. Discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*No. of discharges*[1]	*Type of treatment service*								
		Total	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,364,324	309,387	128,114	60,681	18,681	19,089	379	32,025	46,953	3,465
Arrests in past 30 days										
None	1,090,111	289,993	120,906	57,279	16,748	17,752	333	29,135	44,526	3,314
Once	63,692	13,073	5,236	2,161	1,332	1,099	36	1,317	1,760	132
2 or more times	12,037	2,021	808	258	123	159	5	429	221	18
Total	1,165,840	305,087	126,950	59,698	18,203	19,010	374	30,881	46,507	3,464
Frequency of use										
No use in the past month	326,766	80,145	42,063	16,182	2,459	4,717	35	852	13,791	46
Some use	326,273	78,288	31,267	16,159	5,402	6,686	98	8,691	9,607	378
Daily use	533,983	139,338	48,974	25,647	10,370	7,174	214	21,497	22,425	3,037
Total	1,187,022	297,771	122,304	57,988	18,231	18,577	347	31,040	45,823	3,461
Self-help programs attended in past 30 days										
No attendance in the past month	847,174	240,175	99,319	47,137	14,108	13,995	324	25,851	36,272	3,169
At least 1 time in the past month	236,052	58,715	25,748	10,868	3,862	4,759	41	3,924	9,243	270
1–3 times in the past month	58,102	14,422	5,236	2,846	1,540	811	14	1,361	2,522	92
4–7 times in the past month	38,385	9,192	3,723	1,777	564	973	6	702	1,367	80
8–30 times in the past month	95,974	27,453	12,608	5,418	999	2,538	14	1,694	4,084	98
Some attendance, but frequency unknown	43,591	7,648	4,181	827	759	437	7	167	1,270	- -
Total	1,083,226	298,890	125,067	58,005	17,970	18,754	365	29,775	45,515	3,439

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] For some states, "Asian" includes "Pacific Islanders."

[5] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.14b. Proportions of discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: 2020

Characteristics at admission	*No. of dis-charges* [1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	1,364,324	22.7	20.7	36.6	15.7	21.6	11.2	15.1	32.9	23.1
Gender										
Male	878,262	21.4	19.9	35.7	14.8	20.1	10.6	14.5	31.2	21.6
Female	485,440	25.0	22.1	38.2	17.5	24.3	12.7	16.9	35.4	26.7
Total	1,363,702	22.7	20.7	36.6	15.7	21.6	11.2	15.1	32.9	23.1
Age at admission										
12 years	570	11.6	10.5	18.9	66.7	14.3	- -	- -	- -	- -
13 years	1,693	16.4	14.6	23.4	32.1	17.3	100.0	4.8	- -	- -
14 years	3,923	15.7	15.0	17.1	22.5	17.9	- -	- -	- -	- -
15 years	7,091	14.8	13.5	17.1	21.8	18.1	- -	- -	60.0	- -
16 years	9,066	13.8	12.5	17.9	16.0	18.5	75.0	1.6	47.6	- -
17 years	8,927	12.7	12.3	12.9	14.8	15.7	50.0	2.0	28.6	- -
18 years	8,172	10.4	8.9	13.4	11.9	17.5	5.9	12.3	13.5	23.8
19 years	10,829	14.1	11.1	20.4	14.9	14.7	26.1	13.3	34.2	12.0
20 years	14,347	14.8	12.8	15.3	15.3	15.4	10.0	15.2	31.7	8.6
21 to 24 years	96,837	19.3	17.4	26.9	14.1	19.2	9.8	16.9	27.7	20.0
25 to 29 years	218,388	23.8	22.5	34.9	16.3	21.6	12.4	16.8	31.4	21.0
30 to 34 years	245,171	25.4	23.9	40.0	16.1	23.2	8.7	16.3	34.5	23.4
35 to 39 years	206,547	25.1	23.3	40.3	17.2	21.4	12.2	15.6	36.7	21.9
40 to 44 years	150,360	25.2	23.8	41.0	16.8	21.5	9.9	15.6	37.3	24.6
45 to 49 years	117,199	23.8	22.2	41.1	15.0	23.8	11.7	14.9	35.4	18.9
50 to 54 years	109,494	20.7	19.1	39.0	14.1	23.0	12.1	12.9	30.0	23.2
55 to 59 years	88,357	18.7	16.6	35.1	13.8	21.9	13.8	13.5	25.8	29.1
60 to 64 years	46,409	17.4	13.0	36.5	15.1	17.9	6.2	13.3	26.1	36.1
65 to 69 years	14,583	12.7	7.2	27.4	10.9	11.8	11.1	10.5	22.4	42.9
70 to 74 years	4,467	11.3	6.7	20.1	10.0	15.0	16.7	10.1	23.0	40.0
75 years and older	1,894	8.7	8.7	18.6	13.1	8.6	- -	4.4	9.9	25.0
Total	1,364,324	22.7	20.7	36.6	15.7	21.6	11.2	15.1	32.9	23.1

Continued. See notes at end of table.

Table 9.14b. Proportions of discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	No. of discharges [1]	Type of treatment service: Total	Out-patient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox-ification	Outpatient med.-asst. opi. ther. [2]	Med.-asst. opi. detox [3]
Total	1,364,324	22.7	20.7	36.6	15.7	21.6	11.2	15.1	32.9	23.1
Race										
American Indian or Alaska Native	42,433	10.4	6.8	34.4	11.5	15.2	5.3	6.2	24.0	25.4
Asian[4]	7,971	17.1	11.9	27.9	7.0	29.5	22.2	15.3	23.4	19.7
Black or African American	232,339	20.3	17.7	34.5	13.0	23.1	12.1	16.0	26.7	35.0
White	901,608	25.6	25.0	38.4	17.3	21.1	13.1	16.2	35.1	21.8
Other	113,380	19.5	16.6	25.9	11.6	21.7	5.1	13.9	33.9	18.5
Native Hawaiian or Other Pacific Islander	6,901	28.8	16.6	47.8	12.1	40.9	- -	21.3	14.9	27.6
Total	1,304,632	23.6	22.2	36.8	15.8	21.7	11.8	15.5	33.7	23.4
Ethnicity										
Not of Hispanic or Latino origin	166,212	13.4	12.0	18.3	9.3	17.5	1.8	9.9	20.8	12.3
Hispanic or Latino origin	1,141,387	25.0	23.5	38.7	16.5	22.6	11.2	16.4	35.8	24.4
Total	1,307,599	23.5	22.2	36.9	15.8	21.6	10.5	15.3	33.7	23.2
Marital status										
Never married	698,921	24.7	24.4	37.9	15.5	20.1	12.0	15.6	33.3	21.3
Now married	133,432	24.3	24.6	30.9	13.1	13.4	10.3	17.7	34.9	20.1
Separated	59,827	33.6	34.5	46.9	17.9	24.0	22.6	20.7	43.9	29.5
Divorced	140,550	30.5	32.0	42.7	19.9	24.3	17.0	18.7	41.7	28.2
Widowed	19,239	26.9	27.1	39.9	18.0	18.7	6.8	17.3	35.0	32.8
Total	1,051,969	26.0	26.0	38.3	16.0	20.3	12.9	16.5	35.2	22.5
Pregnant (female only)										
Yes	13,104	24.4	20.0	31.1	23.5	21.4	11.1	23.3	30.2	38.6
No	447,181	25.9	22.4	38.8	17.3	24.7	16.3	21.6	35.8	26.4
Total	460,285	25.9	22.3	38.6	17.5	24.5	16.2	21.6	35.6	26.8
No. of prior treatment episodes										
None	500,799	27.4	22.4	39.7	18.5	28.8	10.6	32.3	40.8	25.7
1 or more	748,623	22.0	20.7	36.2	14.7	16.0	14.5	15.1	29.3	21.4
Total	1,249,422	24.2	21.5	37.6	15.7	21.9	12.9	20.1	33.4	22.0

Continued. See notes at end of table.

Table 9.14b. Proportions of discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	No. of discharges[1]	Type of treatment service: Total	Out-patient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox-ification	Outpatient med.-asst. opi. ther.[2]	Med.-asst. opi. detox[3]
Total	1,364,324	22.7	20.7	36.6	15.7	21.6	11.2	15.1	32.9	23.1
Treatment referral source										
Self or individual	581,733	29.0	33.8	46.8	18.3	25.3	9.3	16.3	34.4	27.4
Criminal justice/DUI	286,858	18.4	16.0	23.3	20.1	16.3	26.9	12.7	36.4	17.1
Other community referral	132,739	25.4	26.1	35.2	7.1	25.1	21.6	13.2	38.8	10.0
Substance use care provider	107,528	16.3	20.9	22.6	8.5	13.7	11.1	14.4	23.8	9.6
Other health care provider	97,174	33.1	34.8	52.7	18.1	35.1	25.1	14.9	48.6	11.3
School (educational)	4,435	16.3	15.5	20.2	21.6	7.8	- -	35.6	14.3	40.0
Employer/EAP	4,527	6.8	5.7	9.5	3.4	4.3	- -	9.7	21.0	40.0
Total	1,214,994	25.2	25.6	37.0	15.7	21.7	15.0	15.6	34.9	23.3
Usual route of administration										
Oral	498,630	21.6	22.3	33.6	14.5	20.7	12.8	13.5	39.6	17.2
Smoking	285,264	22.0	19.8	27.2	15.6	21.5	16.8	30.0	35.8	21.9
Inhalation	150,871	29.3	36.2	43.7	15.9	19.5	8.7	14.0	30.5	29.7
Injection	241,990	33.2	43.8	50.7	18.8	23.2	12.9	14.7	35.0	23.8
Other	11,643	37.9	51.1	41.5	7.3	26.1	- -	13.4	31.7	9.8
Total	1,188,398	25.2	26.1	36.5	15.6	21.4	13.2	15.3	34.8	23.3
Expected or actual source of payment[5]										
Self-pay	42,264	13.1	13.0	16.9	21.6	9.8	17.6	9.0	15.8	4.6
Private insurance	49,756	24.5	36.6	10.6	7.7	5.2	13.4	15.3	58.6	3.8
Medicare	18,273	5.1	2.7	17.7	20.2	9.4	17.2	9.4	14.4	38.1
Medicaid	339,025	19.1	15.8	35.5	26.6	30.6	10.8	11.5	23.6	11.0
Other government payments	110,748	12.6	10.7	16.9	12.4	18.3	2.5	9.8	18.0	4.0
Workers' compensation	47	23.4	11.1	42.9	- -	100.0	- -	40.0	25.0	- -
No charge	15,683	25.5	15.9	23.6	24.4	21.6	- -	47.2	29.0	76.3
Other	34,789	21.1	20.8	24.7	17.3	10.2	2.8	12.9	41.0	12.7
Total	610,585	17.8	15.8	25.4	19.3	20.3	10.8	12.2	25.2	12.7
Type of health insurance										
Private insurance	64,070	20.0	28.0	11.1	6.3	5.9	9.2	12.1	49.4	3.2
Medicare	23,691	5.4	3.1	16.5	12.6	6.4	12.7	5.5	12.7	3.7
Medicaid	415,987	17.1	15.6	34.0	22.6	18.3	10.7	7.9	22.8	4.1
HMO	4,154	23.1	41.6	13.4	9.9	2.6	56.3	5.2	37.5	- -
Other	33,132	21.4	24.2	22.5	15.8	13.9	5.7	4.3	50.2	4.6
None	192,672	12.2	9.5	16.6	16.4	15.2	14.7	11.0	13.4	17.5
Total	733,706	15.9	14.9	23.8	17.8	15.5	11.0	8.7	24.4	6.1

Continued. See notes at end of table.

Table 9.14b. Proportions of discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	*No. of discharges* [1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	1,364,324	22.7	20.7	36.6	15.7	21.6	11.2	15.1	32.9	23.1
Arrests in past 30 days										
None	1,090,111	26.6	26.2	37.6	15.8	22.2	15.8	19.8	35.0	23.2
Once	63,692	20.5	18.7	25.6	15.1	16.8	23.7	22.1	33.2	23.8
2 or more times	12,037	16.8	14.4	21.8	8.4	14.3	13.2	27.5	22.2	25.0
Total	1,165,840	26.2	25.7	36.9	15.6	21.7	16.3	19.9	34.9	23.3
Frequency of use										
No use in the past month	326,766	24.5	21.4	29.5	22.6	19.6	18.9	27.8	37.0	17.4
Some use	326,273	24.0	21.0	31.3	17.7	22.7	13.1	22.3	37.8	35.6
Daily use	533,983	26.1	39.3	48.1	13.7	21.3	12.5	13.3	32.3	22.5
Total	1,187,022	25.1	26.0	36.3	15.6	21.3	13.1	15.2	34.7	23.4
Self-help programs attended in past 30 days										
No attendance in the past month	847,174	28.4	27.5	42.3	16.3	25.2	19.0	21.2	37.1	27.0
At least 1 time in the past month	236,052	24.9	25.9	29.5	16.3	16.5	8.0	22.9	33.2	17.1
1–3 times in the past month	58,102	24.8	22.9	29.9	22.2	15.7	3.9	22.9	36.4	21.9
4–7 times in the past month	38,385	23.9	22.8	26.9	15.5	21.1	12.8	24.1	34.7	24.8
8–30 times in the past month	95,974	28.6	29.6	30.1	17.1	18.9	21.5	28.1	43.4	15.7
Some attendance, but frequency unknown	43,591	17.5	23.5	30.8	10.3	7.7	16.3	7.4	16.8	- -
Total	1,083,226	27.6	27.2	39.1	16.3	22.2	16.4	21.4	36.2	25.8

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] For some states, "Asian" includes "Pacific Islanders."

[5] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Percentages of discharges that completed treatment are calculated as a proportion of all treatment discharges (not taking into account the reason for discharge) within the admission characteristic and type of treatment service referenced. The denominator used for these calculations can be found in Table 9.2a. Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.15a. Discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at discharge: Number, 2020

Characteristics at discharge	*No. of dis-charges* [1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	1,364,324	309,387	128,114	60,681	18,681	19,089	379	32,025	46,953	3,465
Arrests in past 30 days										
None	1,038,630	291,456	120,975	57,286	17,382	18,443	334	29,095	44,571	3,370
Once	43,117	10,186	4,470	1,813	724	473	25	1,166	1,435	80
2 or more times	18,051	2,047	824	273	103	79	- -	500	255	13
Total	1,099,798	303,689	126,269	59,372	18,209	18,995	359	30,761	46,261	3,463
Frequency of use										
No use in the past month	466,439	99,674	42,997	17,398	8,531	7,490	56	4,438	16,395	2,369
Some use	232,014	72,626	28,706	14,809	4,274	4,523	90	10,335	9,602	287
Daily use	264,799	110,249	45,800	23,960	4,960	4,776	190	12,663	17,216	684
Total	963,252	282,549	117,503	56,167	17,765	16,789	336	27,436	43,213	3,340
Self-help programs attended in past 30 days										
No attendance in the past month	756,103	221,432	98,395	45,092	8,181	9,852	259	21,181	36,503	1,969
At least 1 time in the past month	333,237	76,248	25,746	12,112	9,521	8,904	93	9,273	9,140	1,459
1–3 times in the past month	75,747	19,785	5,505	3,603	2,071	1,145	9	3,803	2,902	747
4–7 times in the past month	48,307	10,905	3,661	2,005	701	1,180	7	1,968	1,320	63
8–30 times in the past month	142,819	37,695	12,487	5,599	5,599	6,087	32	3,194	4,053	644
Some attendance, but frequency unknown	66,364	7,863	4,093	905	1,150	492	45	308	865	5
Total	1,089,340	297,680	124,141	57,204	17,702	18,756	352	30,454	45,643	3,428

1 Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.15b. Proportions of discharges aged 12 years and older that transferred to further treatment, by type of treatment service and characteristics at discharge: 2020

Characteristics at discharge	*No. of dis-charges* [1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	1,364,324	22.7	20.7	36.6	15.7	21.6	11.2	15.1	32.9	23.1
Arrests in past 30 days										
None	1,038,630	28.1	27.4	41.3	15.8	24.8	17.1	20.2	39.1	24.0
Once	43,117	23.6	19.8	35.3	20.1	21.2	20.3	24.6	32.5	29.1
2 or more times	18,051	11.3	7.7	26.7	7.6	15.6	- -	16.2	19.7	31.0
Total	1,099,798	27.6	26.6	41.0	15.9	24.7	17.0	20.3	38.6	24.1
Frequency of use										
No use in the past month	466,439	21.4	20.6	30.2	14.3	17.1	7.7	10.3	36.9	27.3
Some use	232,014	31.3	28.6	46.4	21.1	37.0	11.8	25.1	39.1	35.1
Daily use	264,799	41.6	47.1	66.7	19.6	43.2	15.3	23.1	46.3	32.3
Total	963,252	29.3	28.9	44.8	16.9	25.0	12.3	19.7	40.7	28.8
Self-help programs attended in past 30 days										
No attendance in the past month	756,103	29.3	28.0	50.0	18.0	35.2	17.0	15.2	39.0	27.8
At least 1 time in the past month	333,237	22.9	26.3	29.9	14.7	19.0	7.9	17.1	43.1	23.1
1–3 times in the past month	75,747	26.1	20.6	34.7	21.7	22.2	1.5	25.9	45.0	33.2
4–7 times in the past month	48,307	22.6	21.4	27.6	10.1	24.5	6.8	24.8	41.1	6.9
8–30 times in the past month	142,819	26.4	33.3	29.8	17.7	20.9	22.1	20.4	55.0	24.8
Some attendance, but frequency unknown	66,364	11.8	24.7	22.2	6.8	6.3	14.6	1.9	20.6	0.9
Total	1,089,340	27.3	27.6	43.8	16.0	25.0	13.0	15.8	39.8	25.6

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

NOTES: Percentages of discharges that completed treatment are calculated as a proportion of all treatment discharges (not taking into account the reason for discharge) within the admission characteristic and type of treatment service referenced. The denominator used for these calculations can be found in Table 9.3a. Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.16a. Discharges aged 12 to 17 years that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020

Characteristics at admission	*No. of dis-charges* [1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	31,270	4,399	2,948	642	399	364	7	6	33	- -
Marital status										
Never married	24,261	3,120	1,826	603	359	292	6	5	29	- -
Now married	254	106	103	1	2	- -	- -	- -	- -	- -
Separated	91	3	1	1	1	- -	- -	- -	- -	- -
Divorced	59	27	27	- -	- -	- -	- -	- -	- -	- -
Widowed	24	8	8	- -	- -	- -	- -	- -	- -	- -
Total	24,689	3,264	1,965	605	362	292	6	5	29	- -
Pregnant (female only)										
Yes	106	9	7	1	1	- -	- -	- -	- -	- -
No	9,698	1,361	907	204	126	113	3	2	6	
Total	9,804	1,370	914	205	127	113	3	2	6	- -
Education										
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	8,428	1,321	863	168	116	158	3	1	12	- -
Grades 9 to 11	20,703	2,837	1,931	428	262	193	3	4	16	- -
Grade 12 (or GED) or more	1,477	178	115	29	14	13	1	1	5	- -
Total	30,608	4,336	2,909	625	392	364	7	6	33	- -

Continued. See notes at end of table.

Table 9.16a. Discharges aged 12 to 17 years that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*No. of discharges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	31,270	4,399	2,948	642	399	364	7	6	33	- -
Living arrangements										
Homeless	446	30	19	1	7	3	- -	- -	- -	- -
Dependent living	21,654	3,436	2,205	537	366	293	5	4	26	- -
Independent living	8,025	828	660	79	18	60	2	2	7	- -
Total	30,125	4,294	2,884	617	391	356	7	6	33	- -
Primary substance										
Alcohol	2,717	373	240	70	24	33	2	1	3	- -
Opiates	500	95	46	14	11	20	- -	1	3	- -
Marijuana/hashish	22,614	3,349	2,287	487	305	238	5	2	25	- -
Cocaine	211	32	15	5	2	10	- -	- -	- -	- -
Stimulants	1,080	213	104	37	40	29	- -	1	2	- -
Other/none specified[4]	4,148	337	256	29	17	34	- -	1	- -	- -
Total	31,270	4,399	2,948	642	399	364	7	6	33	- -
Secondary or tertiary substance										
Alcohol	5,958	871	537	175	86	69	- -	- -	4	- -
Opiates	622	116	58	21	11	25	- -	- -	1	- -
Marijuana/hashish	3,011	515	298	84	59	69	1	1	3	- -
Cocaine	721	102	61	16	10	10	1	2	2	- -
Stimulants	1,278	287	111	61	52	59	- -	- -	4	- -
Other/none specified[4]	19,680	2,508	1,883	285	181	132	5	3	19	- -
Total	31,270	4,399	2,948	642	399	364	7	6	33	- -

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.16b. Proportions of discharges aged 12 to 17 years that transferred to further treatment, by type of treatment service and characteristics at admission: 2020

Characteristics at admission	*No. of dis-charges* [1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	31,270	14.1	13.1	16.4	18.4	17.4	70.0	1.4	36.7	- -
Marital status										
Never married	24,261	12.9	11.1	16.7	19.1	16.2	66.7	1.3	36.3	- -
Now married	254	41.7	53.9	3.8	15.4	- -	- -	- -	- -	- -
Separated	91	3.3	1.7	14.3	7.1	- -	- -	- -	- -	- -
Divorced	59	45.8	57.4	- -	- -	- -	- -	- -	- -	- -
Widowed	24	33.3	40.0	- -	- -	- -	- -	- -	- -	- -
Total	24,689	13.2	11.7	16.6	19.0	15.9	66.7	1.3	36.3	- -
Pregnant (female only)										
Yes	106	8.5	9.5	6.3	14.3	- -	- -	- -	- -	- -
No	9,698	14.0	12.9	16.0	21.1	17.7	75.0	1.7	24.0	- -
Total	9,804	14.0	12.9	15.9	21.1	17.5	75.0	1.6	23.1	- -
Education										
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	8,428	15.7	14.0	19.1	24.8	25.0	100.0	0.4	80.0	- -
Grades 9 to 11	20,703	13.7	13.0	15.6	16.9	14.5	50.0	3.6	24.6	- -
Grade 12 (or GED) or more	1,477	12.1	11.1	15.1	13.7	11.3	100.0	5.6	50.0	- -
Total	30,608	14.2	13.2	16.4	18.5	17.5	70.0	1.6	36.7	- -

Continued. See notes at end of table.

Table 9.16b. Proportions of discharges aged 12 to 17 years that transferred to further treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	*No. of discharges* [1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	31,270	14.1	13.1	16.4	18.4	17.4	70.0	1.4	36.7	- -
Living arrangements										
Homeless	446	6.7	7.4	1.9	6.2	16.7	- -	- -	- -	- -
Dependent living	21,654	15.9	14.4	17.9	20.6	21.8	71.4	3.4	48.1	- -
Independent living	8,025	10.3	10.7	11.6	9.2	8.6	100.0	0.8	20.0	- -
Total	30,125	14.3	13.3	16.5	18.7	17.3	70.0	1.6	36.7	- -
Primary substance										
Alcohol	2,717	13.7	12.2	22.3	16.3	14.3	66.7	1.8	50.0	- -
Opiates	500	19.0	20.6	20.0	15.5	22.2	- -	4.8	15.0	- -
Marijuana/hashish	22,614	14.8	14.0	16.5	19.5	17.0	71.4	0.7	43.1	- -
Cocaine	211	15.2	14.7	15.2	8.0	25.6	- -	- -	- -	- -
Stimulants	1,080	19.7	21.4	21.3	19.4	15.3	- -	5.6	40.0	- -
Other/none specified[4]	4,148	8.1	7.4	7.9	10.6	23.4	- -	2.7	- -	- -
Total	31,270	14.1	13.1	16.4	18.4	17.4	70.0	1.4	36.7	- -
Secondary or tertiary substance										
Alcohol	5,958	14.6	13.2	21.3	17.1	14.8	- -	- -	36.4	- -
Opiates	622	18.6	18.2	23.1	11.1	26.3	- -	- -	33.3	- -
Marijuana/hashish	3,011	17.1	16.7	22.2	15.4	17.8	100.0	1.5	21.4	- -
Cocaine	721	14.1	15.6	16.8	8.3	11.0	100.0	14.3	40.0	- -
Stimulants	1,278	22.5	18.9	25.6	22.8	28.6	- -	- -	36.4	- -
Other/none specified[4]	19,680	12.7	12.2	12.5	21.6	15.5	71.4	1.2	41.3	- -
Total	31,270	14.1	13.1	16.4	18.4	17.4	70.0	1.4	36.7	- -

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Percentages of discharges that completed treatment are calculated as a proportion of all treatment discharges (not taking into account the reason for discharge) within the admission characteristic and type of treatment service referenced. The denominator used for these calculations can be found in Table 9.4a. Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.17a. Discharges aged 12 to 17 years that transferred to further treatment, by type of treatment service and characteristics at discharge: Number, 2020

Characteristics at discharge	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	31,270	4,399	2,948	642	399	364	7	6	33	- -
Living arrangements										
Homeless	440	39	28	2	6	3	- -	- -	- -	- -
Dependent living	18,038	3,192	1,965	535	366	297	5	4	20	- -
Independent living	7,696	954	808	58	14	59	1	1	13	- -
Total	26,174	4,185	2,801	595	386	359	6	5	33	- -
Primary substance										
Alcohol	2,584	356	224	69	24	33	2	1	3	- -
Opiates	483	95	47	14	10	20	- -	1	3	- -
Marijuana/hashish	20,545	2,929	1,899	475	299	224	5	2	25	- -
Cocaine	189	29	13	4	2	10	- -	- -	- -	- -
Stimulants	1,095	209	98	40	38	30	- -	1	2	- -
Other/none specified[4]	6,374	781	667	40	26	47	- -	1	- -	- -
Total	31,270	4,399	2,948	642	399	364	7	6	33	- -
Secondary or tertiary substance										
Alcohol	5,025	859	535	168	83	69	- -	- -	4	- -
Opiates	647	173	119	24	13	16	- -	- -	1	- -
Marijuana/hashish	2,753	573	350	88	60	70	1	1	3	- -
Cocaine	775	196	138	21	16	16	1	2	2	- -
Stimulants	1,188	288	117	59	54	54	- -	- -	4	- -
Other/none specified[4]	20,882	2,310	1,689	282	173	139	5	3	19	- -
Total	31,270	4,399	2,948	642	399	364	7	6	33	- -

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.17b. Proportions of discharges aged 12 to 17 years that transferred to further treatment, by type of treatment service and characteristics at discharge: 2020

Characteristics at discharge	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	31,270	14.1	13.1	16.4	18.4	17.4	70.0	1.4	36.7	- -
Living arrangements										
Homeless	440	8.9	11.5	4.3	5.3	11.1	- -	- -	- -	- -
Dependent living	18,038	17.7	16.3	19.3	21.3	23.7	71.4	2.3	47.6	- -
Independent living	7,696	12.4	13.7	8.8	7.7	8.3	100.0	0.5	29.5	- -
Total	26,174	16.0	15.4	17.1	19.2	18.1	66.7	1.3	37.9	- -
Primary substance										
Alcohol	2,584	13.8	12.4	20.8	17.3	13.5	66.7	2.0	42.9	- -
Opiates	483	19.7	21.4	20.9	15.9	21.7	- -	5.9	15.8	- -
Marijuana/hashish	20,545	14.3	12.9	17.3	20.8	17.0	71.4	0.7	43.9	- -
Cocaine	189	15.3	13.8	18.2	8.3	26.3	- -	- -	- -	- -
Stimulants	1,095	19.1	18.7	24.0	20.5	15.4	- -	5.9	40.0	- -
Other/none specified[4]	6,374	12.3	12.8	7.0	8.1	22.5	- -	2.0	- -	- -
Total	31,270	14.1	13.1	16.4	18.4	17.4	70.0	1.4	36.7	- -
Secondary or tertiary substance										
Alcohol	5,025	17.1	16.3	22.8	17.4	15.4	- -	- -	40.0	- -
Opiates	647	26.7	33.1	27.3	14.8	16.5	- -	- -	33.3	- -
Marijuana/hashish	2,753	20.8	22.4	23.3	16.9	18.5	100.0	1.6	20.0	- -
Cocaine	775	25.3	30.8	23.1	13.8	16.8	100.0	12.5	40.0	- -
Stimulants	1,188	24.2	23.1	24.6	23.4	28.0	- -	- -	36.4	- -
Other/none specified[4]	20,882	11.1	10.3	11.9	19.1	15.7	71.4	1.2	41.3	- -
Total	31,270	14.1	13.1	16.4	18.4	17.4	70.0	1.4	36.7	- -

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Percentages of discharges that completed treatment are calculated as a proportion of all treatment discharges (not taking into account the reason for discharge) within the admission characteristic and type of treatment service referenced. The denominator used for these calculations can be found in Table 9.5a. Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.18a. Discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	304,988	125,166	60,039	18,282	18,725	372	32,019	46,920	3,465
Marital status										
Never married	674,660	169,798	71,826	36,386	10,968	8,395	203	15,066	24,689	2,265
Now married	133,178	32,264	15,498	5,844	1,812	786	45	2,418	5,606	255
Separated	59,736	20,125	9,049	4,445	1,163	872	24	1,275	3,120	177
Divorced	140,491	42,881	18,087	9,244	3,448	2,224	81	3,861	5,540	396
Widowed	19,215	5,161	2,044	1,032	412	198	3	495	880	97
Total	1,027,280	270,229	116,504	56,951	17,803	12,475	356	23,115	39,835	3,190
Pregnant (female only)										
Yes	12,998	3,187	990	510	308	356	1	141	837	44
No	437,483	114,427	48,696	22,929	6,239	7,173	131	8,653	19,502	1,104
Total	450,481	117,614	49,686	23,439	6,547	7,529	132	8,794	20,339	1,148
Veteran[4]										
Yes	33,504	6,551	2,612	1,206	520	448	14	810	878	63
No	1,124,260	294,015	121,127	57,988	17,458	18,168	344	30,398	45,215	3,317
Total	1,157,764	300,566	123,739	59,194	17,978	18,616	358	31,208	46,093	3,380

Continued. See notes at end of table.

Table 9.18a. Discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	304,988	125,166	60,039	18,282	18,725	372	32,019	46,920	3,465
Education										
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	56,987	12,561	5,488	2,136	830	670	8	1,233	2,037	159
Grades 9 to 11	214,064	56,520	23,608	10,768	3,398	3,995	62	5,455	8,512	722
Grade 12 (or GED)	575,883	150,069	62,202	29,220	8,846	8,823	183	15,929	23,204	1,662
1–3 years of college, university, or vocational school	235,016	63,562	25,696	13,127	3,820	3,766	78	6,600	9,684	791
4 years of college, university, or BA/BS	53,406	10,838	3,953	2,176	727	854	24	1,542	1,469	93
Some postgraduate study or more	17,647	3,736	1,412	744	226	348	7	437	532	30
Total	1,153,003	297,286	122,359	58,171	17,847	18,456	362	31,196	45,438	3,457
Source of income support[4]										
Wages/salary	271,474	29,430	15,953	4,732	1,525	611	72	2,085	4,368	84
Public assistance	70,078	9,631	2,793	1,733	923	619	5	966	2,552	40
Retirement/pension	9,290	742	246	167	87	32	9	98	98	5
Disability	54,122	10,129	4,979	1,631	860	345	46	620	1,593	55
Other	135,233	17,357	8,640	2,273	1,621	492	34	946	3,320	31
None	297,154	58,837	23,795	11,491	7,072	3,319	71	6,078	6,640	371
Total	837,351	126,126	56,406	22,027	12,088	5,418	237	10,793	18,571	586

Continued. See notes at end of table.

Table 9.18a. Discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	304,988	125,166	60,039	18,282	18,725	372	32,019	46,920	3,465
Living arrangements										
Homeless	199,981	47,947	13,385	8,189	4,259	6,393	77	10,206	4,363	1,075
Dependent living	176,070	38,221	13,063	7,229	4,130	3,859	63	3,786	5,697	394
Independent living	777,930	213,118	96,838	43,066	9,390	8,235	218	17,066	36,335	1,970
Total	1,153,981	299,286	123,286	58,484	17,779	18,487	358	31,058	46,395	3,439
Primary substance										
Alcohol	407,408	73,709	30,114	14,201	6,699	5,810	181	14,139	2,259	306
Opiates	383,346	128,082	43,415	25,192	4,189	4,811	57	9,635	37,759	3,024
Marijuana/hashish	107,626	20,208	12,785	3,894	742	900	16	582	1,286	3
Cocaine	68,372	15,924	6,523	3,771	1,704	1,377	19	1,581	886	63
Stimulants	175,149	49,969	24,235	9,113	4,139	4,927	65	4,608	2,854	28
Other/none specified[5]	191,153	17,096	8,094	3,868	809	900	34	1,474	1,876	41
Total	1,333,054	304,988	125,166	60,039	18,282	18,725	372	32,019	46,920	3,465
Secondary or tertiary substance										
Alcohol	76,134	16,872	6,764	3,589	922	1,335	13	1,859	2,065	325
Opiates	76,228	23,508	9,426	4,225	1,357	1,199	12	1,826	5,177	286
Marijuana/hashish	191,878	50,381	21,646	11,076	3,825	3,477	90	4,201	5,770	296
Cocaine	160,743	37,452	12,705	7,961	2,319	2,237	19	3,907	7,401	903
Stimulants	128,769	43,043	17,756	8,363	2,732	3,058	38	3,819	6,956	321
Other/none specified[5]	699,302	133,732	56,869	24,825	7,127	7,419	200	16,407	19,551	1,334
Total	1,333,054	304,988	125,166	60,039	18,282	18,725	372	32,019	46,920	3,465

Continued. See notes at end of table.

Table 9.18a. Discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	304,988	125,166	60,039	18,282	18,725	372	32,019	46,920	3,465
Employment status[4]										
Employed	288,133	57,784	29,346	10,584	1,743	1,299	82	4,431	9,983	316
Full-time	208,806	37,802	19,901	6,550	1,131	751	61	3,038	6,180	190
Part-time	79,327	19,982	9,445	4,034	612	548	21	1,393	3,803	126
Unemployed	523,125	177,733	72,502	39,663	10,241	10,518	145	16,635	26,002	2,027
Not in labor force	356,535	65,941	21,837	8,993	6,005	6,760	138	10,539	10,555	1,114
Total	1,167,793	301,458	123,685	59,240	17,989	18,577	365	31,605	46,540	3,457
Detailed not in labor force[4]										
Homemaker	10,936	5,159	3,134	522	139	161	- -	94	1,106	3
Student	6,831	2,342	1,308	427	47	112	2	102	343	1
Retired	11,729	1,690	652	330	139	42	14	182	310	21
Disabled	67,796	13,950	5,944	1,838	1,603	474	44	1,243	2,415	389
Inmate of institution	18,989	4,563	2,349	484	411	332	20	33	930	4
Other	187,785	22,279	5,622	4,665	3,582	1,203	57	3,603	2,932	615
Total	304,066	49,983	19,009	8,266	5,921	2,324	137	5,257	8,036	1,033

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[5] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.18b. Proportions of discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: 2020

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	22.9	21.0	37.1	15.6	21.7	11.1	15.1	32.9	23.1
Marital status										
Never married	674,660	25.2	25.2	38.7	15.4	20.3	11.7	15.6	33.3	21.3
Now married	133,178	24.2	24.5	30.9	13.1	13.4	10.3	17.7	34.9	20.1
Separated	59,736	33.7	34.6	46.9	17.9	24.1	22.6	20.7	43.9	29.5
Divorced	140,491	30.5	32.0	42.7	19.9	24.3	17.0	18.7	41.7	28.2
Widowed	19,215	26.9	27.0	39.9	18.0	18.8	6.8	17.3	35.0	32.8
Total	1,027,280	26.3	26.6	38.8	16.0	20.4	12.7	16.5	35.2	22.5
Pregnant (female only)										
Yes	12,998	24.5	20.2	31.3	23.6	21.5	11.1	23.3	30.2	38.6
No	437,483	26.2	22.7	39.3	17.2	24.8	16.0	21.6	35.8	26.5
Total	450,481	26.1	22.6	39.1	17.4	24.6	15.9	21.7	35.6	26.8
Veteran[4]										
Yes	33,504	19.6	18.1	31.8	15.5	17.0	10.9	13.5	30.9	22.1
No	1,124,260	26.2	27.6	37.8	16.2	22.1	13.4	15.5	35.3	23.1
Total	1,157,764	26.0	27.3	37.6	16.2	21.9	13.3	15.4	35.2	23.1

Continued. See notes at end of table.

Table 9.18b. Proportions of discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	22.9	21.0	37.1	15.6	21.7	11.1	15.1	32.9	23.1
Education										
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	56,987	22.0	27.9	38.3	17.0	16.3	8.3	8.1	34.1	10.3
Grades 9 to 11	214,064	26.4	26.9	36.7	15.4	23.0	19.6	18.0	33.6	42.1
Grade 12 (or GED)	575,883	26.1	27.6	37.3	16.1	21.6	15.6	15.7	35.1	21.0
1–3 years of college, university, or vocational school	235,016	27.0	27.9	40.3	15.6	21.8	14.7	16.9	37.1	28.1
4 years of college, university, or BA/BS	53,406	20.3	19.6	27.8	11.9	20.8	13.4	15.4	32.6	17.5
Some postgraduate study or more	17,647	21.2	19.8	27.9	10.3	24.1	13.0	16.1	39.6	27.5
Total	1,153,003	25.8	27.1	37.2	15.6	21.7	15.4	15.7	35.1	23.6
Source of income support[4]										
Wages/salary	271,474	10.8	9.6	15.6	8.9	9.1	8.6	7.7	19.5	5.4
Public assistance	70,078	13.7	10.9	21.8	13.3	11.9	3.8	7.2	25.3	6.7
Retirement/pension	9,290	8.0	5.0	14.0	11.6	8.4	11.1	7.3	16.6	11.1
Disability	54,122	18.7	20.5	24.9	19.8	13.2	16.1	7.0	26.0	5.7
Other	135,233	12.8	16.2	18.6	9.7	9.0	11.0	3.3	19.3	2.8
None	297,154	19.8	29.8	28.4	15.3	13.4	18.1	7.9	27.3	7.8
Total	837,351	15.1	16.0	22.3	13.1	12.0	11.7	6.9	23.0	6.5

Continued. See notes at end of table.

Table 9.18b. Proportions of discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	*No. of dis-charges* [1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	1,333,054	22.9	21.0	37.1	15.6	21.7	11.1	15.1	32.9	23.1
Living arrangements										
Homeless	199,981	24.0	32.2	43.5	14.7	22.8	16.8	15.6	35.1	26.4
Dependent living	176,070	21.7	18.5	25.6	19.6	17.1	20.1	25.9	33.0	25.6
Independent living	777,930	27.4	28.5	39.4	14.6	23.9	14.6	14.4	36.0	21.6
Total	1,153,981	25.9	27.3	37.4	15.6	21.7	15.8	15.6	35.5	23.4
Primary substance										
Alcohol	407,408	18.1	18.7	28.3	13.8	20.0	12.4	13.1	32.8	12.5
Opiates	383,346	33.4	45.2	54.9	15.9	24.4	11.2	13.8	33.3	26.5
Marijuana/hashish	107,626	18.8	16.5	23.1	16.9	21.4	19.5	29.5	49.7	6.4
Cocaine	68,372	23.3	22.9	35.4	14.4	17.8	10.3	25.8	30.7	15.4
Stimulants	175,149	28.5	29.5	30.5	19.9	22.0	17.6	31.3	60.6	20.6
Other/none specified[5]	191,153	8.9	5.4	46.5	16.0	27.5	4.5	13.0	15.7	7.6
Total	1,333,054	22.9	21.0	37.1	15.6	21.7	11.1	15.1	32.9	23.1
Secondary or tertiary substance										
Alcohol	76,134	22.2	19.3	32.6	14.5	20.0	14.0	17.9	39.1	26.4
Opiates	76,228	30.8	38.0	41.4	18.3	22.0	9.7	13.7	39.2	16.9
Marijuana/hashish	191,878	26.3	25.5	35.0	17.5	20.8	16.7	21.3	36.5	33.1
Cocaine	160,743	23.3	28.6	44.1	12.1	19.9	6.4	10.3	28.2	26.6
Stimulants	128,769	33.4	34.8	40.8	21.6	25.5	12.7	28.8	38.5	32.4
Other/none specified[5]	699,302	19.1	16.0	35.3	14.3	21.7	9.9	14.0	30.6	19.6
Total	1,333,054	22.9	21.0	37.1	15.6	21.7	11.1	15.1	32.9	23.1

Continued. See notes at end of table.

Table 9.18b. Proportions of discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at admission: 2020 (continued)

Characteristics at admission	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	22.9	21.0	37.1	15.6	21.7	11.1	15.1	32.9	23.1
Employment status[4]										
Employed	288,133	20.1	18.0	27.4	10.4	18.4	14.9	15.0	32.2	16.9
Full-time	208,806	18.1	16.7	24.3	8.6	14.6	14.5	13.8	30.2	14.0
Part-time	79,327	25.2	21.7	34.4	16.9	28.7	16.4	18.7	36.1	24.6
Unemployed	523,125	34.0	36.7	47.3	19.4	27.1	16.7	19.6	44.3	34.3
Not in labor force	356,535	18.5	20.8	26.0	13.3	17.5	14.7	12.7	25.0	16.5
Total	1,167,793	25.8	26.6	37.7	15.7	21.9	15.5	16.0	35.3	23.8
Detailed not in labor force[4]										
Homemaker	10,936	47.2	52.2	41.6	21.1	44.7	- -	11.2	61.7	33.3
Student	6,831	34.3	31.8	42.7	13.7	36.4	28.6	22.5	57.7	7.1
Retired	11,729	14.4	14.1	23.4	9.4	8.9	15.7	7.0	31.9	29.2
Disabled	67,796	20.6	26.4	24.9	16.5	15.0	16.6	8.8	25.2	36.8
Inmate of institution	18,989	24.0	27.0	18.4	19.3	10.9	18.2	12.2	45.9	5.7
Other	187,785	11.9	12.6	26.9	11.9	8.0	12.8	6.3	15.9	11.6
Total	304,066	16.4	21.0	26.7	13.3	10.4	14.6	7.0	24.1	15.9

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[5] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Percentages of discharges that completed treatment are calculated as a proportion of all treatment discharges (not taking into account the reason for discharge) within the admission characteristic and type of treatment service referenced. The denominator used for these calculations can be found in Table 9.6a. Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.19a. Discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at discharge: Number, 2020

Characteristics at discharge	*No. of dis-charges* [1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.* [2]	*Med.-asst. opi. detox* [3]
Total	1,333,054	304,988	125,166	60,039	18,282	18,725	372	32,019	46,920	3,465
Living arrangements										
Homeless	139,925	44,375	12,928	7,975	3,402	5,677	70	9,042	4,293	988
Dependent living	180,972	41,002	13,054	7,006	4,997	4,242	111	5,395	5,708	489
Independent living	709,846	211,984	96,549	43,326	9,142	8,504	163	16,102	36,233	1,965
Total	1,030,743	297,361	122,531	58,307	17,541	18,423	344	30,539	46,234	3,442
Primary substance										
Alcohol	357,542	70,028	29,092	13,938	6,592	5,265	181	12,422	2,237	301
Opiates	340,037	124,455	43,093	25,080	4,104	4,573	56	8,960	35,654	2,935
Marijuana/hashish	102,785	19,386	12,329	3,703	681	807	15	561	1,284	6
Cocaine	64,310	15,550	6,421	3,694	1,673	1,295	19	1,478	908	62
Stimulants	174,503	47,051	23,318	8,881	4,071	4,212	66	3,665	2,812	26
Other/none specified[4]	293,877	28,518	10,913	4,743	1,161	2,573	35	4,933	4,025	135
Total	1,333,054	304,988	125,166	60,039	18,282	18,725	372	32,019	46,920	3,465
Secondary or tertiary substance										
Alcohol	67,094	17,407	7,004	3,632	914	1,319	11	1,556	2,657	314
Opiates	67,913	24,205	9,733	4,313	1,332	1,225	13	1,835	5,446	308
Marijuana/hashish	176,519	53,063	21,861	11,160	3,754	3,883	88	6,115	5,897	305
Cocaine	132,351	38,673	13,066	8,035	2,263	2,533	20	4,249	7,599	908
Stimulants	121,068	42,554	17,661	8,214	2,478	2,988	39	3,849	7,004	321
Other/none specified[4]	768,109	129,086	55,841	24,685	7,541	6,777	201	14,415	18,317	1,309
Total	1,333,054	304,988	125,166	60,039	18,282	18,725	372	32,019	46,920	3,465

Continued. See notes at end of table.

Table 9.19a. Discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at discharge: Number, 2020 (continued)

Characteristics at discharge	*No. of discharges*[1]	*Type of treatment service*								
		Total	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	304,988	125,166	60,039	18,282	18,725	372	32,019	46,920	3,465
Employment status[5]										
Employed	300,479	58,420	29,547	11,006	1,642	1,454	76	4,232	10,137	326
Full-time	219,872	38,259	20,092	6,770	1,069	867	59	2,914	6,286	202
Part-time	80,607	20,161	9,455	4,236	573	587	17	1,318	3,851	124
Unemployed	467,051	176,058	71,823	39,191	10,272	10,530	160	16,659	25,365	2,058
Not in labor force	320,986	65,231	21,830	8,810	5,905	6,591	114	10,050	10,859	1,072
Total	1,088,516	299,709	123,200	59,007	17,819	18,575	350	30,941	46,361	3,456
Detailed not in labor force[5]										
Homemaker	10,494	5,103	3,084	499	149	157	1	91	1,120	2
Student	7,661	2,319	1,295	433	41	110	- -	98	340	2
Retired	9,749	1,672	650	340	124	43	12	170	315	18
Disabled	60,578	14,002	6,064	1,835	1,580	476	43	1,132	2,500	372
Inmate of institution	18,095	4,091	2,138	426	296	231	1	37	958	4
Other	186,842	22,143	5,691	4,526	3,632	1,345	56	3,308	2,984	601
Total	293,419	49,330	18,922	8,059	5,822	2,362	113	4,836	8,217	999

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[5] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Some data items in this table are Supplemental Data Set items, which are reported at each state's option. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 9.19b. Proportions of discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at discharge: 2020

Characteristics at discharge	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	22.9	21.0	37.1	15.6	21.7	11.1	15.1	32.9	23.1
Living arrangements										
Homeless	139,925	31.7	39.7	54.7	16.4	38.1	18.2	20.7	42.0	34.6
Dependent living	180,972	22.7	22.9	28.9	16.4	18.3	23.3	18.9	42.3	13.5
Independent living	709,846	29.9	29.7	41.4	15.1	23.1	10.4	20.2	38.7	24.3
Total	1,030,743	28.8	29.6	40.7	15.7	24.6	14.2	20.1	39.4	23.6
Primary substance										
Alcohol	357,542	19.6	18.1	31.7	14.8	20.9	12.0	17.0	33.6	14.3
Opiates	340,037	36.6	43.0	60.6	17.9	27.5	10.3	19.2	34.6	32.4
Marijuana/hashish	102,785	18.9	16.2	25.7	16.7	22.2	13.5	30.5	47.3	12.8
Cocaine	64,310	24.2	22.8	39.9	14.9	18.4	10.1	31.1	27.3	15.6
Stimulants	174,503	27.0	27.0	30.8	20.3	20.5	16.2	27.3	57.0	19.0
Other/none specified[4]	293,877	9.7	7.5	19.9	8.0	19.3	5.8	6.9	18.4	4.1
Total	1,333,054	22.9	21.0	37.1	15.6	21.7	11.1	15.1	32.9	23.1
Secondary or tertiary substance										
Alcohol	67,094	25.9	21.3	39.5	15.6	26.0	11.0	21.2	47.8	30.5
Opiates	67,913	35.6	38.7	48.8	19.9	26.6	10.2	20.8	44.4	21.3
Marijuana/hashish	176,519	30.1	26.8	40.1	18.2	27.2	16.0	37.3	40.4	40.8
Cocaine	132,351	29.2	29.7	52.6	12.9	26.0	6.6	23.2	31.3	31.5
Stimulants	121,068	35.1	33.4	44.3	21.3	29.9	12.0	33.0	46.0	38.3
Other/none specified[4]	768,109	16.8	15.5	30.1	13.8	15.9	10.3	9.7	26.0	16.2
Total	1,333,054	22.9	21.0	37.1	15.6	21.7	11.1	15.1	32.9	23.1

Continued. See notes at end of table.

Table 9.19b. Proportions of discharges aged 18 years and older that transferred to further treatment, by type of treatment service and characteristics at discharge: 2020 (continued)

Characteristics at discharge	*No. of dis-charges*[1]	*Type of treatment service*								
		Total	*Out-patient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detox-ification*	*Outpatient med.-asst. opi. ther.*[2]	*Med.-asst. opi. detox*[3]
Total	1,333,054	22.9	21.0	37.1	15.6	21.7	11.1	15.1	32.9	23.1
Employment status[5]										
Employed	300,479	19.4	16.8	26.5	10.6	11.5	14.9	19.6	32.1	18.7
Full-time	219,872	17.4	15.4	23.2	8.8	9.2	15.1	18.4	29.7	15.5
Part-time	80,607	25.0	21.0	34.3	17.5	18.4	14.2	22.9	36.9	28.2
Unemployed	467,051	37.7	41.5	53.3	19.5	29.9	16.1	22.2	50.0	33.9
Not in labor force	320,986	20.3	17.8	29.8	13.5	24.3	9.4	19.1	28.8	16.8
Total	1,088,516	27.5	26.2	40.8	15.9	24.8	12.9	20.7	38.6	24.3
Detailed not in labor force[5]										
Homemaker	10,494	48.6	53.4	43.1	26.0	42.5	4.8	14.5	57.1	13.3
Student	7,661	30.3	26.0	44.8	15.0	27.6	- -	26.1	54.1	11.8
Retired	9,749	17.2	16.1	25.9	9.0	9.0	15.8	12.1	32.0	26.5
Disabled	60,578	23.1	25.8	29.4	19.1	14.3	15.2	13.2	26.7	36.5
Inmate of institution	18,095	22.6	27.0	16.8	15.4	12.8	2.9	2.9	41.0	1.3
Other	186,842	11.9	8.2	28.6	11.8	10.7	7.1	9.9	15.8	12.5
Total	293,419	16.8	16.3	28.7	13.4	12.5	9.4	10.6	24.0	16.1

- - Quantity is zero.

[1] Excludes 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

[2] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[3] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

[4] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[5] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

NOTES: Percentages of discharges that completed treatment are calculated as a proportion of all treatment discharges (not taking into account the reason for discharge) within the admission characteristic and type of treatment service referenced. The denominator used for these calculations can be found in Table 9.7a. Based on linked admission and discharge data reported to TEDS by 46 states and jurisdictions. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator). The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.1. Outpatient treatment discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020

	Reason for discharge (number)						*Reason for discharge (row percent distribution)*					
State or jurisdiction	*All outpatient treatment discharges*	*Com-pleted*	*Trans-ferred*	*Dropped out*	*Termi-nated*	*Other*	*Total*	*Com-pleted*	*Trans-ferred*	*Dropped out*	*Termi-nated*	*Other*
Total	617,975	270,590	128,114	145,454	33,283	40,534	100.0	43.8	20.7	23.5	5.4	6.6
Alabama	4,890	1,425	712	1,902	193	658	100.0	29.1	14.6	38.9	3.9	13.5
Alaska	2,577	979	194	305	734	365	100.0	38.0	7.5	11.8	28.5	14.2
Arizona	129,585	128,478	13	27	10	1,057	100.0	99.1	*	*	*	0.8
Arkansas	3,849	2,355	296	834	298	66	100.0	61.2	7.7	21.7	7.7	1.7
California	41,039	10,108	7,511	22,687	23	710	100.0	24.6	18.3	55.3	0.1	1.7
Colorado	16,888	6,733	1,449	4,460	3,448	798	100.0	39.9	8.6	26.4	20.4	4.7
Connecticut	10,655	3,251	2,373	2,566	644	1,821	100.0	30.5	22.3	24.1	6.0	17.1
Delaware	852	256	85	75	266	170	100.0	30.0	10.0	8.8	31.2	20.0
District of Columbia	490	124	71	3	48	244	100.0	25.3	14.5	0.6	9.8	49.8
Florida	12,041	4,766	1,281	1,601	219	4,174	100.0	39.6	10.6	13.3	1.8	34.7
Georgia	22,345	1,139	229	19,064	1,069	844	100.0	5.1	1.0	85.3	4.8	3.8
Hawaii	1,329	673	400	198	50	8	100.0	50.6	30.1	14.9	3.8	0.6
Illinois	11,301	3,363	2,656	3,405	1,664	213	100.0	29.8	23.5	30.1	14.7	1.9
Indiana	9,005	1,678	449	5,711	360	807	100.0	18.6	5.0	63.4	4.0	9.0
Iowa	15,959	6,740	532	5,329	1,153	2,205	100.0	42.2	3.3	33.4	7.2	13.8
Kansas	2,692	1,090	305	925	163	209	100.0	40.5	11.3	34.4	6.1	7.8
Kentucky	45,023	2,216	39,350	1,473	539	1,445	100.0	4.9	87.4	3.3	1.2	3.2
Louisiana	5,762	151	60	5,499	3	49	100.0	2.6	1.0	95.4	0.1	0.9
Maine	2,598	756	308	1,056	209	269	100.0	29.1	11.9	40.6	8.0	10.4
Massachusetts	4,582	1,155	446	2,001	205	775	100.0	25.2	9.7	43.7	4.5	16.9
Michigan	20,982	5,904	2,454	9,488	694	2,442	100.0	28.1	11.7	45.2	3.3	11.6
Minnesota	74	27	16	18	6	7	100.0	36.5	21.6	24.3	8.1	9.5
Mississippi	1,883	475	412	314	189	493	100.0	25.2	21.9	16.7	10.0	26.2
Missouri	9,495	3,366	2,550	2,626	583	370	100.0	35.5	26.9	27.7	6.1	3.9
Montana	332	226	37	61	1	7	100.0	68.1	11.1	18.4	0.3	2.1
Nebraska	4,564	2,966	372	705	62	459	100.0	65.0	8.2	15.4	1.4	10.1
Nevada	2,337	886	235	963	131	122	100.0	37.9	10.1	41.2	5.6	5.2
New Hampshire	1,089	432	174	227	42	214	100.0	39.7	16.0	20.8	3.9	19.7
New Jersey	17,107	8,998	172	4,672	764	2,501	100.0	52.6	1.0	27.3	4.5	14.6
New York	61,722	21,125	3,757	27,518	5,595	3,727	100.0	34.2	6.1	44.6	9.1	6.0
North Carolina	69,749	14,875	54,614	183	5	72	100.0	21.3	78.3	0.3	*	0.1
North Dakota	1,100	314	144	575	1	66	100.0	28.5	13.1	52.3	0.1	6.0
Ohio	4,506	1,138	191	1,347	987	843	100.0	25.3	4.2	29.9	21.9	18.7
Oklahoma	7,482	2,029	680	4,003	171	599	100.0	27.1	9.1	53.5	2.3	8.0
Pennsylvania	8,386	2,588	398	2,008	618	2,774	100.0	30.9	4.7	23.9	7.4	33.1
Puerto Rico	657	320	19	248	28	42	100.0	48.7	2.9	37.7	4.3	6.4
Rhode Island	2,706	1,009	571	747	310	69	100.0	37.3	21.1	27.6	11.5	2.5
South Carolina	20,370	10,186	485	5,511	3,053	1,135	100.0	50.0	2.4	27.1	15.0	5.6
South Dakota	5,170	2,048	716	1,089	548	769	100.0	39.6	13.8	21.1	10.6	14.9
Tennessee	1,550	542	56	610	235	107	100.0	35.0	3.6	39.4	15.2	6.9
Texas	11,101	5,864	461	1,337	2,239	1,200	100.0	52.8	4.2	12.0	20.2	10.8
Vermont	1,729	529	54	783	133	230	100.0	30.6	3.1	45.3	7.7	13.3
Virginia	13,655	4,122	4	12	5,280	4,237	100.0	30.2	*	0.1	38.7	31.0
Washington	2,420	686	477	463	73	721	100.0	28.3	19.7	19.1	3.0	29.8
Wisconsin	2,660	1,501	235	549	213	162	100.0	56.4	8.8	20.6	8.0	6.1
Wyoming	1,687	998	110	276	24	279	100.0	59.2	6.5	16.4	1.4	16.5

- - Quantity is zero; * Less than 0.05 percent.

NOTES: Based on linked admission and discharge data reported to TEDS by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. Comparisons among states should be made with caution. Percentages may not add to 100 percent due to rounding. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Admissions for which values were not collected or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.2a. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient treatment discharges	617,975	270,590	128,114	145,454	33,283	40,534	59
Gender							
Male	384,770	169,562	76,651	90,787	21,336	26,434	65
Female	232,986	100,982	51,418	54,565	11,940	14,081	50
No. of discharges	617,756	270,544	128,069	145,352	33,276	40,515	59
Age at admission							
12 years	494	187	52	128	19	108	135
13 years	1,330	418	194	377	70	271	141
14 years	2,922	893	437	917	178	497	135
15 years	5,123	1,645	694	1,698	325	761	134
16 years	6,430	2,086	802	2,243	446	853	125
17 years	6,270	1,971	769	2,264	456	810	122
18 years	5,567	2,541	493	1,754	324	455	43
19 years	6,577	2,922	727	1,936	476	516	43
20 years	8,462	3,804	1,082	2,317	600	659	61
21 to 24 years	51,518	22,378	8,951	13,085	3,454	3,650	65
25 to 29 years	102,051	42,509	22,983	24,244	5,849	6,466	68
30 to 34 years	108,532	45,543	25,955	24,567	5,773	6,694	63
35 to 39 years	90,497	38,423	21,082	20,427	4,830	5,735	62
40 to 44 years	65,778	28,062	15,639	14,714	3,325	4,038	58
45 to 49 years	49,696	22,238	11,031	11,142	2,367	2,918	51
50 to 54 years	43,137	20,406	8,225	9,943	2,103	2,460	46
55 to 59 years	35,171	17,716	5,848	8,059	1,591	1,957	42
60 to 64 years	18,803	10,700	2,449	3,866	743	1,045	30
65 to 69 years	6,292	3,916	454	1,227	256	439	35
70 to 74 years	2,159	1,445	145	364	67	138	30
75 years and older	1,166	787	102	182	31	64	31
No. of discharges	617,975	270,590	128,114	145,454	33,283	40,534	59

Continued. See notes at end of table.

Table 10.2a. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	23,402	17,494	1,595	2,602	903	808	15
Asian[1]	3,689	1,861	439	1,013	192	184	97
Black or African American	103,858	36,211	18,414	32,378	8,314	8,541	90
White	397,774	162,241	99,490	89,004	20,582	26,457	70
Other	43,628	13,380	7,234	17,503	2,484	3,027	143
Native Hawaiian or Other Pacific Islander	2,520	1,336	419	574	108	83	107
No. of discharges	574,871	232,523	127,591	143,074	32,583	39,100	75
Ethnicity							
Not of Hispanic or Latino origin	67,208	24,751	8,034	24,885	4,600	4,938	130
Hispanic or Latino origin	506,963	208,777	119,213	117,650	27,869	33,454	64
No. of discharges	574,171	233,528	127,247	142,535	32,469	38,392	74
Marital status							
Never married	301,450	113,133	73,652	75,090	17,605	21,970	85
Now married	63,439	23,858	15,601	16,230	3,732	4,018	109
Separated	26,229	7,000	9,050	6,653	1,708	1,818	126
Divorced	56,552	16,538	18,114	14,738	3,312	3,850	125
Widowed	7,582	2,379	2,052	2,075	504	572	133
No. of discharges	455,252	162,908	118,469	114,786	26,861	32,228	92
Pregnant (female only)							
Yes	4,982	1,634	997	1,583	386	382	134
No	221,643	98,305	49,603	49,775	11,097	12,863	47
No. of discharges	226,625	99,939	50,600	51,358	11,483	13,245	49
No. of prior treatment episodes							
None	274,099	114,578	61,528	69,815	11,964	16,214	78
1 or more	312,837	144,596	64,660	64,870	17,898	20,813	40
No. of discharges	586,936	259,174	126,188	134,685	29,862	37,027	57

Continued. See notes at end of table.

Table 10.2a. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Treatment referral source							
Self or individual	184,096	47,174	62,230	54,899	9,923	9,870	90
Criminal justice/DUI	176,426	73,179	28,159	43,600	14,216	17,272	131
Other community referral	66,657	19,465	17,382	20,355	4,510	4,945	115
Substance use care provider	20,349	5,455	4,262	7,450	1,314	1,868	137
Other health care provider	38,798	8,442	13,511	12,000	1,875	2,970	91
School (educational)	3,816	1,370	591	1,431	218	206	117
Employer/EAP	2,855	1,569	163	620	169	334	92
No. of discharges	492,997	156,654	126,298	140,355	32,225	37,465	114
Usual route of administration							
Oral	197,324	71,816	44,082	55,983	12,280	13,163	121
Smoking	157,959	47,526	31,292	54,817	12,116	12,208	124
Inhalation	47,198	10,715	17,094	12,232	3,624	3,533	119
Injection	63,319	12,436	27,716	14,676	3,540	4,951	121
Other	5,980	1,127	3,057	882	284	630	107
No. of discharges	471,780	143,620	123,241	138,590	31,844	34,485	121
Expected or actual source of payment[2]							
Self-pay	23,096	11,662	3,004	4,624	2,321	1,485	106
Private insurance	20,535	6,961	7,506	4,021	918	1,129	93
Medicare	14,720	13,243	404	641	116	316	3
Medicaid	199,198	133,436	31,486	20,371	6,843	7,062	15
Other government payments	50,476	22,302	5,376	8,487	4,731	9,580	110
Workers' compensation	18	9	2	4	2	1	81
No charge	4,771	1,214	758	2,175	315	309	159
Other	16,526	5,979	3,438	3,878	1,949	1,282	142
No. of discharges	329,340	194,806	51,974	44,201	17,195	21,164	31
Type of health insurance							
Private insurance	27,106	10,309	7,598	6,018	1,678	1,503	106
Medicare	16,611	13,799	511	1,617	181	503	5
Medicaid	212,947	136,884	33,116	27,444	7,039	8,464	16
HMO	1,588	395	660	371	74	88	122
Other	14,608	4,285	3,540	4,078	880	1,825	104
None	90,259	32,577	8,589	32,381	8,892	7,820	113
No. of discharges	363,119	198,249	54,014	71,909	18,744	20,203	32

Continued. See notes at end of table.

Table 10.2a. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Arrests in past 30 days							
None	460,984	143,601	120,906	133,764	30,065	32,648	114
Once	27,948	10,047	5,236	6,418	1,754	4,493	121
2 or more times	5,607	3,137	808	890	295	477	58
No. of discharges	494,539	156,785	126,950	141,072	32,114	37,618	114
Frequency of use							
No use in the past month	196,198	72,591	42,063	53,189	12,689	15,666	127
Some use	148,695	45,386	31,267	50,451	11,219	10,372	126
Daily use	124,643	25,697	48,974	34,068	7,715	8,189	97
No. of discharges	469,536	143,674	122,304	137,708	31,623	34,227	122
Self-help programs attended in past 30 days							
No attendance in the past month	360,613	111,370	99,319	100,983	23,302	25,639	111
At least 1 time in the past month	99,493	30,726	25,748	28,562	5,739	8,718	138
1–3 times in the past month	22,818	7,763	5,236	5,746	1,644	2,429	117
4–7 times in the past month	16,305	5,487	3,723	4,661	1,002	1,432	123
8–30 times in the past month	42,556	12,498	12,608	12,337	2,023	3,090	131
Some attendance, but frequency unknown	17,814	4,978	4,181	5,818	1,070	1,767	209
No. of discharges	460,106	142,096	125,067	129,545	29,041	34,357	116

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.2b. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient treatment discharges	617,975						59
Gender							
Male	384,770	62.7	59.9	62.5	64.1	65.2	65
Female	232,986	37.3	40.1	37.5	35.9	34.8	50
No. of discharges	617,756	100.0	100.0	100.0	100.0	100.0	59
Age at admission							
12 years	494	0.1	*	0.1	0.1	0.3	135
13 years	1,330	0.2	0.2	0.3	0.2	0.7	141
14 years	2,922	0.3	0.3	0.6	0.5	1.2	135
15 years	5,123	0.6	0.5	1.2	1.0	1.9	134
16 years	6,430	0.8	0.6	1.5	1.3	2.1	125
17 years	6,270	0.7	0.6	1.6	1.4	2.0	122
18 years	5,567	0.9	0.4	1.2	1.0	1.1	43
19 years	6,577	1.1	0.6	1.3	1.4	1.3	43
20 years	8,462	1.4	0.8	1.6	1.8	1.6	61
21 to 24 years	51,518	8.3	7.0	9.0	10.4	9.0	65
25 to 29 years	102,051	15.7	17.9	16.7	17.6	16.0	68
30 to 34 years	108,532	16.8	20.3	16.9	17.3	16.5	63
35 to 39 years	90,497	14.2	16.5	14.0	14.5	14.1	62
40 to 44 years	65,778	10.4	12.2	10.1	10.0	10.0	58
45 to 49 years	49,696	8.2	8.6	7.7	7.1	7.2	51
50 to 54 years	43,137	7.5	6.4	6.8	6.3	6.1	46
55 to 59 years	35,171	6.5	4.6	5.5	4.8	4.8	42
60 to 64 years	18,803	4.0	1.9	2.7	2.2	2.6	30
65 to 69 years	6,292	1.4	0.4	0.8	0.8	1.1	35
70 to 74 years	2,159	0.5	0.1	0.3	0.2	0.3	30
75 years and older	1,166	0.3	0.1	0.1	0.1	0.2	31
No. of discharges	617,975	100.0	100.0	100.0	100.0	100.0	59

Continued. See notes at end of table.

Table 10.2b. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Race							
American Indian or Alaska Native	23,402	7.5	1.3	1.8	2.8	2.1	15
Asian[1]	3,689	0.8	0.3	0.7	0.6	0.5	97
Black or African American	103,858	15.6	14.4	22.6	25.5	21.8	90
Native Hawaiian or Other Pacific Islander	397,774	69.8	78.0	62.2	63.2	67.7	70
White	43,628	5.8	5.7	12.2	7.6	7.7	143
Other	2,520	0.6	0.3	0.4	0.3	0.2	107
No. of discharges	574,871	100.0	100.0	100.0	100.0	100.0	75
Ethnicity							
Not of Hispanic or Latino origin	67,208	10.6	6.3	17.5	14.2	12.9	130
Hispanic or Latino origin	506,963	89.4	93.7	82.5	85.8	87.1	64
No. of discharges	574,171	100.0	100.0	100.0	100.0	100.0	74
Marital status							
Never married	301,450	69.4	62.2	65.4	65.5	68.2	85
Now married	63,439	14.6	13.2	14.1	13.9	12.5	109
Separated	26,229	4.3	7.6	5.8	6.4	5.6	126
Divorced	56,552	10.2	15.3	12.8	12.3	11.9	125
Widowed	7,582	1.5	1.7	1.8	1.9	1.8	133
No. of discharges	455,252	100.0	100.0	100.0	100.0	100.0	92
Pregnant (female only)							
Yes	4,982	1.6	2.0	3.1	3.4	2.9	134
No	221,643	98.4	98.0	96.9	96.6	97.1	47
No. of discharges	226,625	100.0	100.0	100.0	100.0	100.0	49
No. of prior treatment episodes							
None	274,099	44.2	48.8	51.8	40.1	43.8	78
1 or more	312,837	55.8	51.2	48.2	59.9	56.2	40
No. of discharges	586,936	100.0	100.0	100.0	100.0	100.0	57

Continued. See notes at end of table.

Table 10.2b. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Treatment referral source							
Self or individual	184,096	30.1	49.3	39.1	30.8	26.3	90
Criminal justice/DUI	176,426	46.7	22.3	31.1	44.1	46.1	131
Other community referral	66,657	12.4	13.8	14.5	14.0	13.2	115
Substance use care provider	20,349	3.5	3.4	5.3	4.1	5.0	137
Other health care provider	38,798	5.4	10.7	8.5	5.8	7.9	91
School (educational)	3,816	0.9	0.5	1.0	0.7	0.5	117
Employer/EAP	2,855	1.0	0.1	0.4	0.5	0.9	92
No. of discharges	492,997	100.0	100.0	100.0	100.0	100.0	114
Usual route of administration							
Oral	197,324	50.0	35.8	40.4	38.6	38.2	121
Smoking	157,959	33.1	25.4	39.6	38.0	35.4	124
Inhalation	47,198	7.5	13.9	8.8	11.4	10.2	119
Injection	63,319	8.7	22.5	10.6	11.1	14.4	121
Other	5,980	0.8	2.5	0.6	0.9	1.8	107
No. of discharges	471,780	100.0	100.0	100.0	100.0	100.0	121
Expected or actual source of payment[2]							
Self-pay	23,096	6.0	5.8	10.5	13.5	7.0	106
Private insurance	20,535	3.6	14.4	9.1	5.3	5.3	93
Medicare	14,720	6.8	0.8	1.5	0.7	1.5	3
Medicaid	199,198	68.5	60.6	46.1	39.8	33.4	15
Other government payments	50,476	11.4	10.3	19.2	27.5	45.3	110
Workers' compensation	18	*	*	*	*	*	81
No charge	4,771	0.6	1.5	4.9	1.8	1.5	159
Other	16,526	3.1	6.6	8.8	11.3	6.1	142
No. of discharges	329,340	100.0	100.0	100.0	100.0	100.0	31
Type of health insurance							
Private insurance	27,106	5.2	14.1	8.4	9.0	7.4	106
Medicare	16,611	7.0	0.9	2.2	1.0	2.5	5
Medicaid	212,947	69.0	61.3	38.2	37.6	41.9	16
HMO	1,588	0.2	1.2	0.5	0.4	0.4	122
Other	14,608	2.2	6.6	5.7	4.7	9.0	104
None	90,259	16.4	15.9	45.0	47.4	38.7	113
No. of discharges	363,119	100.0	100.0	100.0	100.0	100.0	32

Continued. See notes at end of table.

Table 10.2b. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Arrests in past 30 days							
None	460,984	91.6	95.2	94.8	93.6	86.8	114
Once	27,948	6.4	4.1	4.5	5.5	11.9	121
2 or more times	5,607	2.0	0.6	0.6	0.9	1.3	58
No. of discharges	494,539	100.0	100.0	100.0	100.0	100.0	114
Frequency of use							
No use in the past month	196,198	50.5	34.4	38.6	40.1	45.8	127
Some use	148,695	31.6	25.6	36.6	35.5	30.3	126
Daily use	124,643	17.9	40.0	24.7	24.4	23.9	97
No. of discharges	469,536	100.0	100.0	100.0	100.0	100.0	122
Self-help programs attended in past 30 days							
No attendance in the past month	360,613	78.4	79.4	78.0	80.2	74.6	111
At least 1 time in the past month	99,493	21.6	20.6	22.0	19.8	25.4	138
1–3 times in the past month	22,818	5.5	4.2	4.4	5.7	7.1	117
4–7 times in the past month	16,305	3.9	3.0	3.6	3.5	4.2	123
8–30 times in the past month	42,556	8.8	10.1	9.5	7.0	9.0	131
Some attendance, but frequency unknown	17,814	3.5	3.3	4.5	3.7	5.1	209
No. of discharges	460,106	100.0	100.0	100.0	100.0	100.0	116

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.2c. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All outpatient treatment discharges	617,975							59
Gender								
Male	384,770	44.1	19.9	23.6	5.5	6.9	100.0	65
Female	232,986	43.3	22.1	23.4	5.1	6.0	100.0	50
No. of discharges	617,756	43.8	20.7	23.5	5.4	6.6	100.0	59
Age at admission								
12 years	494	37.9	10.5	25.9	3.8	21.9	100.0	135
13 years	1,330	31.4	14.6	28.3	5.3	20.4	100.0	141
14 years	2,922	30.6	15.0	31.4	6.1	17.0	100.0	135
15 years	5,123	32.1	13.5	33.1	6.3	14.9	100.0	134
16 years	6,430	32.4	12.5	34.9	6.9	13.3	100.0	125
17 years	6,270	31.4	12.3	36.1	7.3	12.9	100.0	122
18 years	5,567	45.6	8.9	31.5	5.8	8.2	100.0	43
19 years	6,577	44.4	11.1	29.4	7.2	7.8	100.0	43
20 years	8,462	45.0	12.8	27.4	7.1	7.8	100.0	61
21 to 24 years	51,518	43.4	17.4	25.4	6.7	7.1	100.0	65
25 to 29 years	102,051	41.7	22.5	23.8	5.7	6.3	100.0	68
30 to 34 years	108,532	42.0	23.9	22.6	5.3	6.2	100.0	63
35 to 39 years	90,497	42.5	23.3	22.6	5.3	6.3	100.0	62
40 to 44 years	65,778	42.7	23.8	22.4	5.1	6.1	100.0	58
45 to 49 years	49,696	44.7	22.2	22.4	4.8	5.9	100.0	51
50 to 54 years	43,137	47.3	19.1	23.0	4.9	5.7	100.0	46
55 to 59 years	35,171	50.4	16.6	22.9	4.5	5.6	100.0	42
60 to 64 years	18,803	56.9	13.0	20.6	4.0	5.6	100.0	30
65 to 69 years	6,292	62.2	7.2	19.5	4.1	7.0	100.0	35
70 to 74 years	2,159	66.9	6.7	16.9	3.1	6.4	100.0	30
75 years and older	1,166	67.5	8.7	15.6	2.7	5.5	100.0	31
No. of discharges	617,975	43.8	20.7	23.5	5.4	6.6	100.0	59

Continued. See notes at end of table.

Table 10.2c. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Race								
American Indian or Alaska Native	23,402	74.8	6.8	11.1	3.9	3.5	100.0	15
Asian[1]	3,689	50.4	11.9	27.5	5.2	5.0	100.0	97
Black or African American	103,858	34.9	17.7	31.2	8.0	8.2	100.0	90
Native Hawaiian or Other Pacific Islander	397,774	40.8	25.0	22.4	5.2	6.7	100.0	70
White	43,628	30.7	16.6	40.1	5.7	6.9	100.0	143
Other	2,520	53.0	16.6	22.8	4.3	3.3	100.0	107
No. of discharges	574,871	40.4	22.2	24.9	5.7	6.8	100.0	75
Ethnicity								
Not of Hispanic or Latino origin	67,208	36.8	12.0	37.0	6.8	7.3	100.0	130
Hispanic or Latino origin	506,963	41.2	23.5	23.2	5.5	6.6	100.0	64
No. of discharges	574,171	40.7	22.2	24.8	5.7	6.7	100.0	74
Marital status								
Never married	301,450	37.5	24.4	24.9	5.8	7.3	100.0	85
Now married	63,439	37.6	24.6	25.6	5.9	6.3	100.0	109
Separated	26,229	26.7	34.5	25.4	6.5	6.9	100.0	126
Divorced	56,552	29.2	32.0	26.1	5.9	6.8	100.0	125
Widowed	7,582	31.4	27.1	27.4	6.6	7.5	100.0	133
No. of discharges	455,252	35.8	26.0	25.2	5.9	7.1	100.0	92
Pregnant (female only)								
Yes	4,982	32.8	20.0	31.8	7.7	7.7	100.0	134
No	221,643	44.4	22.4	22.5	5.0	5.8	100.0	47
No. of discharges	226,625	44.1	22.3	22.7	5.1	5.8	100.0	49
No. of prior treatment episodes								
None	274,099	41.8	22.4	25.5	4.4	5.9	100.0	78
1 or more	312,837	46.2	20.7	20.7	5.7	6.7	100.0	40
No. of discharges	586,936	44.2	21.5	22.9	5.1	6.3	100.0	57

Continued. See notes at end of table.

Table 10.2c. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Treatment referral source								
Self or individual	184,096	25.6	33.8	29.8	5.4	5.4	100.0	90
Criminal justice/DUI	176,426	41.5	16.0	24.7	8.1	9.8	100.0	131
Other community referral	66,657	29.2	26.1	30.5	6.8	7.4	100.0	115
Substance use care provider	20,349	26.8	20.9	36.6	6.5	9.2	100.0	137
Other health care provider	38,798	21.8	34.8	30.9	4.8	7.7	100.0	91
School (educational)	3,816	35.9	15.5	37.5	5.7	5.4	100.0	117
Employer/EAP	2,855	55.0	5.7	21.7	5.9	11.7	100.0	92
No. of discharges	492,997	31.8	25.6	28.5	6.5	7.6	100.0	114
Usual route of administration								
Oral	197,324	36.4	22.3	28.4	6.2	6.7	100.0	121
Smoking	157,959	30.1	19.8	34.7	7.7	7.7	100.0	124
Inhalation	47,198	22.7	36.2	25.9	7.7	7.5	100.0	119
Injection	63,319	19.6	43.8	23.2	5.6	7.8	100.0	121
Other	5,980	18.8	51.1	14.7	4.7	10.5	100.0	107
No. of discharges	471,780	30.4	26.1	29.4	6.7	7.3	100.0	121
Expected or actual source of payment[2]								
Self-pay	23,096	50.5	13.0	20.0	10.0	6.4	100.0	106
Private insurance	20,535	33.9	36.6	19.6	4.5	5.5	100.0	93
Medicare	14,720	90.0	2.7	4.4	0.8	2.1	100.0	3
Medicaid	199,198	67.0	15.8	10.2	3.4	3.5	100.0	15
Other government payments	50,476	44.2	10.7	16.8	9.4	19.0	100.0	110
Workers' compensation	18	50.0	11.1	22.2	11.1	5.6	100.0	81
No charge	4,771	25.4	15.9	45.6	6.6	6.5	100.0	159
Other	16,526	36.2	20.8	23.5	11.8	7.8	100.0	142
No. of discharges	329,340	59.2	15.8	13.4	5.2	6.4	100.0	31
Type of health insurance								
Private insurance	27,106	38.0	28.0	22.2	6.2	5.5	100.0	106
Medicare	16,611	83.1	3.1	9.7	1.1	3.0	100.0	5
Medicaid	212,947	64.3	15.6	12.9	3.3	4.0	100.0	16
HMO	1,588	24.9	41.6	23.4	4.7	5.5	100.0	122
Other	14,608	29.3	24.2	27.9	6.0	12.5	100.0	104
None	90,259	36.1	9.5	35.9	9.9	8.7	100.0	113
No. of discharges	363,119	54.6	14.9	19.8	5.2	5.6	100.0	32

Continued. See notes at end of table.

Table 10.2c. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Arrests in past 30 days								
None	460,984	31.2	26.2	29.0	6.5	7.1	100.0	114
Once	27,948	35.9	18.7	23.0	6.3	16.1	100.0	121
2 or more times	5,607	55.9	14.4	15.9	5.3	8.5	100.0	58
No. of discharges	494,539	31.7	25.7	28.5	6.5	7.6	100.0	114
Frequency of use								
No use in the past month	196,198	37.0	21.4	27.1	6.5	8.0	100.0	127
Some use	148,695	30.5	21.0	33.9	7.5	7.0	100.0	126
Daily use	124,643	20.6	39.3	27.3	6.2	6.6	100.0	97
No. of discharges	469,536	30.6	26.0	29.3	6.7	7.3	100.0	122
Self-help programs attended in past 30 days								
No attendance in the past month	360,613	30.9	27.5	28.0	6.5	7.1	100.0	111
At least 1 time in the past month	99,493	30.9	25.9	28.7	5.8	8.8	100.0	138
1–3 times in the past month	22,818	34.0	22.9	25.2	7.2	10.6	100.0	117
4–7 times in the past month	16,305	33.7	22.8	28.6	6.1	8.8	100.0	123
8–30 times in the past month	42,556	29.4	29.6	29.0	4.8	7.3	100.0	131
Some attendance, but frequency unknown	17,814	27.9	23.5	32.7	6.0	9.9	100.0	209
No. of discharges	460,106	30.9	27.2	28.2	6.3	7.5	100.0	116

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.3a. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient treatment discharges	617,975	270,590	128,114	145,454	33,283	40,534	59
Arrests in past 30 days							
None	441,857	177,009	120,975	85,321	27,295	31,257	93
Once	22,601	9,508	4,470	2,717	1,337	4,569	23
2 or more times	10,708	7,462	824	1,162	762	498	19
No. of discharges	475,166	193,979	126,269	89,200	29,394	36,324	90
Frequency of use							
No use in the past month	208,453	89,272	42,997	46,769	13,384	16,031	140
Some use	100,258	28,165	28,706	27,703	7,671	8,013	51
Daily use	97,180	23,124	45,800	18,362	5,027	4,867	29
No. of discharges	405,891	140,561	117,503	92,834	26,082	28,911	106
Self-help programs attended in past 30 days							
No attendance in the past month	351,380	131,764	98,395	73,617	22,079	25,525	83
At least 1 time in the past month	97,917	48,449	25,746	11,842	4,380	7,500	116
1–3 times in the past month	26,693	14,433	5,505	3,004	1,437	2,314	90
4–7 times in the past month	17,109	9,384	3,661	1,898	768	1,398	106
8–30 times in the past month	37,523	17,841	12,487	3,414	1,500	2,281	119
Some attendance, but frequency unknown	16,592	6,791	4,093	3,526	675	1,507	205
No. of discharges	449,297	180,213	124,141	85,459	26,459	33,025	91

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.3b. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient treatment discharges	617,975						59
Arrests in past 30 days							
None	441,857	91.3	95.8	95.7	92.9	86.1	93
Once	22,601	4.9	3.5	3.0	4.5	12.6	23
2 or more times	10,708	3.8	0.7	1.3	2.6	1.4	19
No. of discharges	475,166	100.0	100.0	100.0	100.0	100.0	90
Frequency of use							
No use in the past month	208,453	63.5	36.6	50.4	51.3	55.4	140
Some use	100,258	20.0	24.4	29.8	29.4	27.7	51
Daily use	97,180	16.5	39.0	19.8	19.3	16.8	29
No. of discharges	405,891	100.0	100.0	100.0	100.0	100.0	106
Self-help programs attended in past 30 days							
No attendance in the past month	351,380	73.1	79.3	86.1	83.4	77.3	83
At least 1 time in the past month	97,917	26.9	20.7	13.9	16.6	22.7	116
1–3 times in the past month	26,693	8.0	4.4	3.5	5.4	7.0	90
4–7 times in the past month	17,109	5.2	2.9	2.2	2.9	4.2	106
8–30 times in the past month	37,523	9.9	10.1	4.0	5.7	6.9	119
Some attendance, but frequency unknown	16,592	3.8	3.3	4.1	2.6	4.6	205
No. of discharges	449,297	100.0	100.0	100.0	100.0	100.0	91

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.3c. Outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All outpatient treatment discharges	617,975							59
Arrests in past 30 days								
None	441,857	40.1	27.4	19.3	6.2	7.1	100.0	93
Once	22,601	42.1	19.8	12.0	5.9	20.2	100.0	23
2 or more times	10,708	69.7	7.7	10.9	7.1	4.7	100.0	19
No. of discharges	475,166	40.8	26.6	18.8	6.2	7.6	100.0	90
Frequency of use								
No use in the past month	208,453	42.8	20.6	22.4	6.4	7.7	100.0	140
Some use	100,258	28.1	28.6	27.6	7.7	8.0	100.0	51
Daily use	97,180	23.8	47.1	18.9	5.2	5.0	100.0	29
No. of discharges	405,891	34.6	28.9	22.9	6.4	7.1	100.0	106
Self-help programs attended in past 30 days								
No attendance in the past month	351,380	37.5	28.0	21.0	6.3	7.3	100.0	83
At least 1 time in the past month	97,917	49.5	26.3	12.1	4.5	7.7	100.0	116
1–3 times in the past month	26,693	54.1	20.6	11.3	5.4	8.7	100.0	90
4–7 times in the past month	17,109	54.8	21.4	11.1	4.5	8.2	100.0	106
8–30 times in the past month	37,523	47.5	33.3	9.1	4.0	6.1	100.0	119
Some attendance, but frequency unknown	16,592	40.9	24.7	21.3	4.1	9.1	100.0	205
No. of discharges	449,297	40.1	27.6	19.0	5.9	7.4	100.0	91

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.4a. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient treatment discharges	22,569	7,200	2,948	7,627	1,494	3,300	129
Marital status							
Never married	16,494	5,513	1,826	4,962	1,288	2,905	125
Now married	191	43	103	23	12	10	183
Separated	59	39	1	10	3	6	170
Divorced	47	12	27	3	2	3	232
Widowed	20	10	8	2	- -	- -	183
No. of discharges	16,811	5,617	1,965	5,000	1,305	2,924	126
Pregnant (female only)							
Yes	74	26	7	25	8	8	146
No	7,038	2,257	907	2,326	394	1,154	133
No. of discharges	7,112	2,283	914	2,351	402	1,162	133
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	6,169	1,867	863	1,848	362	1,229	137
Grades 9 to 11	14,905	4,824	1,931	5,190	1,051	1,909	128
Grade 12 (or GED) or more	1,039	397	115	372	58	97	106
No. of discharges	22,113	7,088	2,909	7,410	1,471	3,235	129

Continued. See notes at end of table.

Table 10.4a. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	257	104	19	68	14	52	104
Dependent living	15,346	5,215	2,205	4,527	748	2,651	124
Independent living	6,145	1,671	660	2,640	692	482	153
No. of discharges	21,748	6,990	2,884	7,235	1,454	3,185	129
Primary substance							
Alcohol	1,960	830	240	623	95	172	108
Opiates	223	52	46	88	20	17	154
Marijuana/hashish	16,358	5,417	2,287	6,073	1,201	1,380	134
Cocaine	102	36	15	34	10	7	120
Stimulants	487	98	104	207	26	52	142
Other/none specified[1]	3,439	767	256	602	142	1,672	115
No. of discharges	22,569	7,200	2,948	7,627	1,494	3,300	129
Secondary or tertiary substance							
Alcohol	4,082	1,336	537	1,630	275	304	142
Opiates	319	98	58	105	23	35	135
Marijuana/hashish	1,781	524	298	684	110	165	146
Cocaine	392	138	61	125	27	41	158
Stimulants	588	138	111	236	40	63	137
Other/none specified[1]	15,407	4,966	1,883	4,847	1,019	2,692	122
No. of discharges	22,569	7,200	2,948	7,627	1,494	3,300	129

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.4b. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient treatment discharges	22,569						129
Marital status							
Never married	16,494	98.1	92.9	99.2	98.7	99.4	125
Now married	191	0.8	5.2	0.5	0.9	0.3	183
Separated	59	0.7	0.1	0.2	0.2	0.2	170
Divorced	47	0.2	1.4	0.1	0.2	0.1	232
Widowed	20	0.2	0.4	*	- -	- -	183
No. of discharges	16,811	100.0	100.0	100.0	100.0	100.0	126
Pregnant (female only)							
Yes	74	1.1	0.8	1.1	2.0	0.7	146
No	7,038	98.9	99.2	98.9	98.0	99.3	133
No. of discharges	7,112	100.0	100.0	100.0	100.0	100.0	133
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	6,169	26.3	29.7	24.9	24.6	38.0	137
Grades 9 to 11	14,905	68.1	66.4	70.0	71.4	59.0	128
Grade 12 (or GED) or more	1,039	5.6	4.0	5.0	3.9	3.0	106
No. of discharges	22,113	100.0	100.0	100.0	100.0	100.0	129

Continued. See notes at end of table.

Table 10.4b. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	257	1.5	0.7	0.9	1.0	1.6	104
Dependent living	15,346	74.6	76.5	62.6	51.4	83.2	124
Independent living	6,145	23.9	22.9	36.5	47.6	15.1	153
No. of discharges	21,748	100.0	100.0	100.0	100.0	100.0	129
Primary substance							
Alcohol	1,960	11.5	8.1	8.2	6.4	5.2	108
Opiates	223	0.7	1.6	1.2	1.3	0.5	154
Marijuana/hashish	16,358	75.2	77.6	79.6	80.4	41.8	134
Cocaine	102	0.5	0.5	0.4	0.7	0.2	120
Stimulants	487	1.4	3.5	2.7	1.7	1.6	142
Other/none specified[1]	3,439	10.7	8.7	7.9	9.5	50.7	115
No. of discharges	22,569	100.0	100.0	100.0	100.0	100.0	129
Secondary or tertiary substance							
Alcohol	4,082	18.6	18.2	21.4	18.4	9.2	142
Opiates	319	1.4	2.0	1.4	1.5	1.1	135
Marijuana/hashish	1,781	7.3	10.1	9.0	7.4	5.0	146
Cocaine	392	1.9	2.1	1.6	1.8	1.2	158
Stimulants	588	1.9	3.8	3.1	2.7	1.9	137
Other/none specified[1]	15,407	69.0	63.9	63.6	68.2	81.6	122
No. of discharges	22,569	100.0	100.0	100.0	100.0	100.0	129

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.4c. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All outpatient treatment discharges	22,569							129
Marital status								
Never married	16,494	33.4	11.1	30.1	7.8	17.6	100.0	125
Now married	191	22.5	53.9	12.0	6.3	5.2	100.0	183
Separated	59	66.1	1.7	16.9	5.1	10.2	100.0	170
Divorced	47	25.5	57.4	6.4	4.3	6.4	100.0	232
Widowed	20	50.0	40.0	10.0	- -	- -	100.0	183
No. of discharges	16,811	33.4	11.7	29.7	7.8	17.4	100.0	126
Pregnant (female only)								
Yes	74	35.1	9.5	33.8	10.8	10.8	100.0	146
No	7,038	32.1	12.9	33.0	5.6	16.4	100.0	133
No. of discharges	7,112	32.1	12.9	33.1	5.7	16.3	100.0	133
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	6,169	30.3	14.0	30.0	5.9	19.9	100.0	137
Grades 9 to 11	14,905	32.4	13.0	34.8	7.1	12.8	100.0	128
Grade 12 (or GED) or more	1,039	38.2	11.1	35.8	5.6	9.3	100.0	106
No. of discharges	22,113	32.1	13.2	33.5	6.7	14.6	100.0	129

Continued. See notes at end of table.

Table 10.4c. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*		
Living arrangements								
Homeless	257	40.5	7.4	26.5	5.4	20.2	100.0	104
Dependent living	15,346	34.0	14.4	29.5	4.9	17.3	100.0	124
Independent living	6,145	27.2	10.7	43.0	11.3	7.8	100.0	153
No. of discharges	21,748	32.1	13.3	33.3	6.7	14.6	100.0	129
Primary substance								
Alcohol	1,960	42.3	12.2	31.8	4.8	8.8	100.0	108
Opiates	223	23.3	20.6	39.5	9.0	7.6	100.0	154
Marijuana/hashish	16,358	33.1	14.0	37.1	7.3	8.4	100.0	134
Cocaine	102	35.3	14.7	33.3	9.8	6.9	100.0	120
Stimulants	487	20.1	21.4	42.5	5.3	10.7	100.0	142
Other/none specified[1]	3,439	22.3	7.4	17.5	4.1	48.6	100.0	115
No. of discharges	22,569	31.9	13.1	33.8	6.6	14.6	100.0	129
Secondary or tertiary substance								
Alcohol	4,082	32.7	13.2	39.9	6.7	7.4	100.0	142
Opiates	319	30.7	18.2	32.9	7.2	11.0	100.0	135
Marijuana/hashish	1,781	29.4	16.7	38.4	6.2	9.3	100.0	146
Cocaine	392	35.2	15.6	31.9	6.9	10.5	100.0	158
Stimulants	588	23.5	18.9	40.1	6.8	10.7	100.0	137
Other/none specified[1]	15,407	32.2	12.2	31.5	6.6	17.5	100.0	122
No. of discharges	22,569	31.9	13.1	33.8	6.6	14.6	100.0	129

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.5a. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient treatment discharges	22,569	7,200	2,948	7,627	1,494	3,300	129
Living arrangements							
Homeless	243	94	28	61	15	45	108
Dependent living	12,075	5,037	1,965	2,123	544	2,406	123
Independent living	5,885	1,794	808	2,170	678	435	156
No. of discharges	18,203	6,925	2,801	4,354	1,237	2,886	128
Primary substance							
Alcohol	1,809	788	224	551	96	150	104
Opiates	220	50	47	86	21	16	165
Marijuana/hashish	14,699	4,762	1,899	5,553	1,154	1,331	134
Cocaine	94	31	13	31	10	9	123
Stimulants	525	104	98	229	51	43	126
Other/none specified[1]	5,222	1,465	667	1,177	162	1,751	122
No. of discharges	22,569	7,200	2,948	7,627	1,494	3,300	129
Secondary or tertiary substance							
Alcohol	3,283	1,238	535	999	264	247	146
Opiates	359	102	119	85	23	30	134
Marijuana/hashish	1,564	529	350	450	108	127	145
Cocaine	448	153	138	92	28	37	157
Stimulants	506	139	117	155	37	58	141
Other/none specified[1]	16,409	5,039	1,689	5,846	1,034	2,801	122
No. of discharges	22,569	7,200	2,948	7,627	1,494	3,300	129

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.5b. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient treatment discharges	22,569						129
Living arrangements							
Homeless	243	1.4	1.0	1.4	1.2	1.6	108
Dependent living	12,075	72.7	70.2	48.8	44.0	83.4	123
Independent living	5,885	25.9	28.8	49.8	54.8	15.1	156
No. of discharges	18,203	100.0	100.0	100.0	100.0	100.0	128
Primary substance							
Alcohol	1,809	10.9	7.6	7.2	6.4	4.5	104
Opiates	220	0.7	1.6	1.1	1.4	0.5	165
Marijuana/hashish	14,699	66.1	64.4	72.8	77.2	40.3	134
Cocaine	94	0.4	0.4	0.4	0.7	0.3	123
Stimulants	525	1.4	3.3	3.0	3.4	1.3	126
Other/none specified[1]	5,222	20.3	22.6	15.4	10.8	53.1	122
No. of discharges	22,569	100.0	100.0	100.0	100.0	100.0	129
Secondary or tertiary substance							
Alcohol	3,283	17.2	18.1	13.1	17.7	7.5	146
Opiates	359	1.4	4.0	1.1	1.5	0.9	134
Marijuana/hashish	1,564	7.3	11.9	5.9	7.2	3.8	145
Cocaine	448	2.1	4.7	1.2	1.9	1.1	157
Stimulants	506	1.9	4.0	2.0	2.5	1.8	141
Other/none specified[1]	16,409	70.0	57.3	76.6	69.2	84.9	122
No. of discharges	22,569	100.0	100.0	100.0	100.0	100.0	129

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.5c. Outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All outpatient treatment discharges	22,569							129
Living arrangements								
Homeless	243	38.7	11.5	25.1	6.2	18.5	100.0	108
Dependent living	12,075	41.7	16.3	17.6	4.5	19.9	100.0	123
Independent living	5,885	30.5	13.7	36.9	11.5	7.4	100.0	156
No. of discharges	18,203	38.0	15.4	23.9	6.8	15.9	100.0	128
Primary substance								
Alcohol	1,809	43.6	12.4	30.5	5.3	8.3	100.0	104
Opiates	220	22.7	21.4	39.1	9.5	7.3	100.0	165
Marijuana/hashish	14,699	32.4	12.9	37.8	7.9	9.1	100.0	134
Cocaine	94	33.0	13.8	33.0	10.6	9.6	100.0	123
Stimulants	525	19.8	18.7	43.6	9.7	8.2	100.0	126
Other/none specified[1]	5,222	28.1	12.8	22.5	3.1	33.5	100.0	122
No. of discharges	22,569	31.9	13.1	33.8	6.6	14.6	100.0	129
Secondary or tertiary substance								
Alcohol	3,283	37.7	16.3	30.4	8.0	7.5	100.0	146
Opiates	359	28.4	33.1	23.7	6.4	8.4	100.0	134
Marijuana/hashish	1,564	33.8	22.4	28.8	6.9	8.1	100.0	145
Cocaine	448	34.2	30.8	20.5	6.3	8.3	100.0	157
Stimulants	506	27.5	23.1	30.6	7.3	11.5	100.0	141
Other/none specified[1]	16,409	30.7	10.3	35.6	6.3	17.1	100.0	122
No. of discharges	22,569	31.9	13.1	33.8	6.6	14.6	100.0	129

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.6a. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient treatment discharges	595,406	263,390	125,166	137,827	31,789	37,234	57
Marital status							
Never married	284,956	107,620	71,826	70,128	16,317	19,065	82
Now married	63,248	23,815	15,498	16,207	3,720	4,008	109
Separated	26,170	6,961	9,049	6,643	1,705	1,812	126
Divorced	56,505	16,526	18,087	14,735	3,310	3,847	125
Widowed	7,562	2,369	2,044	2,073	504	572	133
No. of discharges	438,441	157,291	116,504	109,786	25,556	29,304	91
Pregnant (female only)							
Yes	4,908	1,608	990	1,558	378	374	134
No	214,605	96,048	48,696	47,449	10,703	11,709	44
No. of discharges	219,513	97,656	49,686	49,007	11,081	12,083	45
Veteran[1]							
Yes	14,436	5,111	2,612	3,557	727	2,429	127
No	439,401	136,893	121,127	128,695	24,895	27,791	112
No. of discharges	453,837	142,004	123,739	132,252	25,622	30,220	113

Continued. See notes at end of table.

Table 10.6a. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	19,653	5,021	5,488	6,356	1,221	1,567	134
Grades 9 to 11	87,631	21,822	23,608	28,232	7,085	6,884	127
Grade 12 (or GED)	225,305	66,815	62,202	62,729	15,310	18,249	120
1–3 years of college, university, or vocational school	92,142	27,955	25,696	26,521	5,812	6,158	129
4 years of college, university, or BA/BS	20,131	7,672	3,953	6,014	1,164	1,328	134
Some postgraduate study or more	7,120	2,540	1,412	2,147	511	510	140
No. of discharges	451,982	131,825	122,359	131,999	31,103	34,696	124
Source of income support[1]							
Wages/salary	165,458	100,835	15,953	30,650	9,780	8,240	56
Public assistance	25,673	13,753	2,793	6,060	1,705	1,362	24
Retirement/pension	4,900	3,591	246	648	184	231	19
Disability	24,345	11,176	4,979	5,426	1,179	1,585	29
Other	53,274	23,378	8,640	13,915	3,677	3,664	69
None	79,901	20,096	23,795	21,510	6,343	8,157	120
No. of discharges	353,551	172,829	56,406	78,209	22,868	23,239	60

Continued. See notes at end of table.

Table 10.6a. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	41,580	8,427	13,385	14,542	2,304	2,922	112
Dependent living	70,562	20,034	13,063	24,928	5,428	7,109	125
Independent living	339,876	102,736	96,838	92,729	23,200	24,373	126
No. of discharges	452,018	131,197	123,286	132,199	30,932	34,404	125
Primary substance							
Alcohol	161,055	63,360	30,114	46,735	10,097	10,749	121
Opiates	96,107	18,656	43,415	20,766	6,171	7,099	113
Marijuana/hashish	77,486	25,451	12,785	25,975	6,833	6,442	122
Cocaine	28,533	7,578	6,523	9,602	2,401	2,429	121
Stimulants	82,258	20,765	24,235	26,708	4,824	5,726	123
Other/none specified[2]	149,967	127,580	8,094	8,041	1,463	4,789	7
No. of discharges	595,406	263,390	125,166	137,827	31,789	37,234	57
Secondary or tertiary substance							
Alcohol	35,111	10,686	6,764	12,135	2,825	2,701	133
Opiates	24,824	5,437	9,426	6,102	1,694	2,165	127
Marijuana/hashish	84,736	24,237	21,646	26,204	6,225	6,424	130
Cocaine	44,420	11,081	12,705	13,289	3,603	3,742	129
Stimulants	51,020	11,526	17,756	14,633	3,471	3,634	120
Other/none specified[2]	355,295	200,423	56,869	65,464	13,971	18,568	33
No. of discharges	595,406	263,390	125,166	137,827	31,789	37,234	57

Continued. See notes at end of table.

Table 10.6a. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	162,735	67,649	29,346	42,551	11,591	11,598	121
Full-time	119,272	52,281	19,901	30,228	8,380	8,482	120
Part-time	43,463	15,368	9,445	12,323	3,211	3,116	124
Unemployed	197,293	43,721	72,502	55,084	12,761	13,225	112
Not in labor force	105,000	37,236	21,837	29,770	6,415	9,742	98
No. of discharges	465,028	148,606	123,685	127,405	30,767	34,565	113
Detailed not in labor force[1]							
Homemaker	6,002	1,247	3,134	899	293	429	114
Student	4,110	1,409	1,308	822	263	308	99
Retired	4,618	2,396	652	981	250	339	97
Disabled	22,509	5,646	5,944	6,420	2,077	2,422	150
Inmate of institution	8,698	2,548	2,349	1,048	507	2,246	101
Other	44,507	20,649	5,622	11,682	2,884	3,670	72
No. of discharges	90,444	33,895	19,009	21,852	6,274	9,414	92

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.6b. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient treatment discharges	595,406						57
Marital status							
Never married	284,956	68.4	61.7	63.9	63.8	65.1	82
Now married	63,248	15.1	13.3	14.8	14.6	13.7	109
Separated	26,170	4.4	7.8	6.1	6.7	6.2	126
Divorced	56,505	10.5	15.5	13.4	13.0	13.1	125
Widowed	7,562	1.5	1.8	1.9	2.0	2.0	133
No. of discharges	438,441	100.0	100.0	100.0	100.0	100.0	91
Pregnant (female only)							
Yes	4,908	1.6	2.0	3.2	3.4	3.1	134
No	214,605	98.4	98.0	96.8	96.6	96.9	44
No. of discharges	219,513	100.0	100.0	100.0	100.0	100.0	45
Veteran[1]							
Yes	14,436	3.6	2.1	2.7	2.8	8.0	127
No	439,401	96.4	97.9	97.3	97.2	92.0	112
No. of discharges	453,837	100.0	100.0	100.0	100.0	100.0	113

Continued. See notes at end of table.

Table 10.6b. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	19,653	3.8	4.5	4.8	3.9	4.5	134
Grades 9 to 11	87,631	16.6	19.3	21.4	22.8	19.8	127
Grade 12 (or GED)	225,305	50.7	50.8	47.5	49.2	52.6	120
1–3 years of college, university, or vocational school	92,142	21.2	21.0	20.1	18.7	17.7	129
4 years of college, university, or BA/BS	20,131	5.8	3.2	4.6	3.7	3.8	134
Some postgraduate study or more	7,120	1.9	1.2	1.6	1.6	1.5	140
No. of discharges	451,982	100.0	100.0	100.0	100.0	100.0	124
Source of income support[1]							
Wages/salary	165,458	58.3	28.3	39.2	42.8	35.5	56
Public assistance	25,673	8.0	5.0	7.7	7.5	5.9	24
Retirement/pension	4,900	2.1	0.4	0.8	0.8	1.0	19
Disability	24,345	6.5	8.8	6.9	5.2	6.8	29
Other	53,274	13.5	15.3	17.8	16.1	15.8	69
None	79,901	11.6	42.2	27.5	27.7	35.1	120
No. of discharges	353,551	100.0	100.0	100.0	100.0	100.0	60

Continued. See notes at end of table.

Table 10.6b. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	41,580	6.4	10.9	11.0	7.4	8.5	112
Dependent living	70,562	15.3	10.6	18.9	17.5	20.7	125
Independent living	339,876	78.3	78.5	70.1	75.0	70.8	126
No. of discharges	452,018	100.0	100.0	100.0	100.0	100.0	125
Primary substance							
Alcohol	161,055	24.1	24.1	33.9	31.8	28.9	121
Opiates	96,107	7.1	34.7	15.1	19.4	19.1	113
Marijuana/hashish	77,486	9.7	10.2	18.8	21.5	17.3	122
Cocaine	28,533	2.9	5.2	7.0	7.6	6.5	121
Stimulants	82,258	7.9	19.4	19.4	15.2	15.4	123
Other/none specified[2]	149,967	48.4	6.5	5.8	4.6	12.9	7
No. of discharges	595,406	100.0	100.0	100.0	100.0	100.0	57
Secondary or tertiary substance							
Alcohol	35,111	4.1	5.4	8.8	8.9	7.3	133
Opiates	24,824	2.1	7.5	4.4	5.3	5.8	127
Marijuana/hashish	84,736	9.2	17.3	19.0	19.6	17.3	130
Cocaine	44,420	4.2	10.2	9.6	11.3	10.0	129
Stimulants	51,020	4.4	14.2	10.6	10.9	9.8	120
Other/none specified[2]	355,295	76.1	45.4	47.5	43.9	49.9	33
No. of discharges	595,406	100.0	100.0	100.0	100.0	100.0	57

Continued. See notes at end of table.

Table 10.6b. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	162,735	45.5	23.7	33.4	37.7	33.6	121
Full-time	119,272	35.2	16.1	23.7	27.2	24.5	120
Part-time	43,463	10.3	7.6	9.7	10.4	9.0	124
Unemployed	197,293	29.4	58.6	43.2	41.5	38.3	112
Not in labor force	105,000	25.1	17.7	23.4	20.9	28.2	98
No. of discharges	465,028	100.0	100.0	100.0	100.0	100.0	113
Detailed not in labor force[1]							
Homemaker	6,002	3.7	16.5	4.1	4.7	4.6	114
Student	4,110	4.2	6.9	3.8	4.2	3.3	99
Retired	4,618	7.1	3.4	4.5	4.0	3.6	97
Disabled	22,509	16.7	31.3	29.4	33.1	25.7	150
Inmate of institution	8,698	7.5	12.4	4.8	8.1	23.9	101
Other	44,507	60.9	29.6	53.5	46.0	39.0	72
No. of discharges	90,444	100.0	100.0	100.0	100.0	100.0	92

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.6c. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All outpatient treatment discharges	595,406							57
Marital status								
Never married	284,956	37.8	25.2	24.6	5.7	6.7	100.0	82
Now married	63,248	37.7	24.5	25.6	5.9	6.3	100.0	109
Separated	26,170	26.6	34.6	25.4	6.5	6.9	100.0	126
Divorced	56,505	29.2	32.0	26.1	5.9	6.8	100.0	125
Widowed	7,562	31.3	27.0	27.4	6.7	7.6	100.0	133
No. of discharges	438,441	35.9	26.6	25.0	5.8	6.7	100.0	91
Pregnant (female only)								
Yes	4,908	32.8	20.2	31.7	7.7	7.6	100.0	134
No	214,605	44.8	22.7	22.1	5.0	5.5	100.0	44
No. of discharges	219,513	44.5	22.6	22.3	5.0	5.5	100.0	45
Veteran[1]								
Yes	14,436	35.4	18.1	24.6	5.0	16.8	100.0	127
No	439,401	31.2	27.6	29.3	5.7	6.3	100.0	112
No. of discharges	453,837	31.3	27.3	29.1	5.6	6.7	100.0	113

Continued. See notes at end of table.

Table 10.6c. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	19,653	25.5	27.9	32.3	6.2	8.0	100.0	134
Grades 9 to 11	87,631	24.9	26.9	32.2	8.1	7.9	100.0	127
Grade 12 (or GED)	225,305	29.7	27.6	27.8	6.8	8.1	100.0	120
1–3 years of college, university, or vocational school	92,142	30.3	27.9	28.8	6.3	6.7	100.0	129
4 years of college, university, or BA/BS	20,131	38.1	19.6	29.9	5.8	6.6	100.0	134
Some postgraduate study or more	7,120	35.7	19.8	30.2	7.2	7.2	100.0	140
No. of discharges	451,982	29.2	27.1	29.2	6.9	7.7	100.0	124
Source of income support[1]								
Wages/salary	165,458	60.9	9.6	18.5	5.9	5.0	100.0	56
Public assistance	25,673	53.6	10.9	23.6	6.6	5.3	100.0	24
Retirement/pension	4,900	73.3	5.0	13.2	3.8	4.7	100.0	19
Disability	24,345	45.9	20.5	22.3	4.8	6.5	100.0	29
Other	53,274	43.9	16.2	26.1	6.9	6.9	100.0	69
None	79,901	25.2	29.8	26.9	7.9	10.2	100.0	120
No. of discharges	353,551	48.9	16.0	22.1	6.5	6.6	100.0	60

Continued. See notes at end of table.

Table 10.6c. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Living arrangements								
Homeless	41,580	20.3	32.2	35.0	5.5	7.0	100.0	112
Dependent living	70,562	28.4	18.5	35.3	7.7	10.1	100.0	125
Independent living	339,876	30.2	28.5	27.3	6.8	7.2	100.0	126
No. of discharges	452,018	29.0	27.3	29.2	6.8	7.6	100.0	125
Primary substance								
Alcohol	161,055	39.3	18.7	29.0	6.3	6.7	100.0	121
Opiates	96,107	19.4	45.2	21.6	6.4	7.4	100.0	113
Marijuana/hashish	77,486	32.8	16.5	33.5	8.8	8.3	100.0	122
Cocaine	28,533	26.6	22.9	33.7	8.4	8.5	100.0	121
Stimulants	82,258	25.2	29.5	32.5	5.9	7.0	100.0	123
Other/none specified[2]	149,967	85.1	5.4	5.4	1.0	3.2	100.0	7
No. of discharges	595,406	44.2	21.0	23.1	5.3	6.3	100.0	57
Secondary or tertiary substance								
Alcohol	35,111	30.4	19.3	34.6	8.0	7.7	100.0	133
Opiates	24,824	21.9	38.0	24.6	6.8	8.7	100.0	127
Marijuana/hashish	84,736	28.6	25.5	30.9	7.3	7.6	100.0	130
Cocaine	44,420	24.9	28.6	29.9	8.1	8.4	100.0	129
Stimulants	51,020	22.6	34.8	28.7	6.8	7.1	100.0	120
Other/none specified[2]	355,295	56.4	16.0	18.4	3.9	5.2	100.0	33
No. of discharges	595,406	44.2	21.0	23.1	5.3	6.3	100.0	57

Continued. See notes at end of table.

Table 10.6c. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Employment status[1]								
Employed	162,735	41.6	18.0	26.1	7.1	7.1	100.0	121
Full-time	119,272	43.8	16.7	25.3	7.0	7.1	100.0	120
Part-time	43,463	35.4	21.7	28.4	7.4	7.2	100.0	124
Unemployed	197,293	22.2	36.7	27.9	6.5	6.7	100.0	112
Not in labor force	105,000	35.5	20.8	28.4	6.1	9.3	100.0	98
No. of discharges	465,028	32.0	26.6	27.4	6.6	7.4	100.0	113
Detailed not in labor force[1]								
Homemaker	6,002	20.8	52.2	15.0	4.9	7.1	100.0	114
Student	4,110	34.3	31.8	20.0	6.4	7.5	100.0	99
Retired	4,618	51.9	14.1	21.2	5.4	7.3	100.0	97
Disabled	22,509	25.1	26.4	28.5	9.2	10.8	100.0	150
Inmate of institution	8,698	29.3	27.0	12.0	5.8	25.8	100.0	101
Other	44,507	46.4	12.6	26.2	6.5	8.2	100.0	72
No. of discharges	90,444	37.5	21.0	24.2	6.9	10.4	100.0	92

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.7a. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient treatment discharges	595,406	263,390	125,166	137,827	31,789	37,234	57
Living arrangements							
Homeless	32,603	5,751	12,928	9,613	2,070	2,241	101
Dependent living	57,101	16,574	13,054	15,588	4,297	7,588	113
Independent living	324,931	108,535	96,549	76,511	21,155	22,181	128
No. of discharges	414,635	130,860	122,531	101,712	27,522	32,010	124
Primary substance							
Alcohol	160,325	67,505	29,092	43,551	9,866	10,311	102
Opiates	100,101	24,566	43,093	19,520	6,111	6,811	70
Marijuana/hashish	75,968	27,907	12,329	23,186	6,455	6,091	100
Cocaine	28,109	7,764	6,421	9,218	2,334	2,372	106
Stimulants	86,233	27,216	23,318	25,061	4,880	5,758	88
Other/none specified[1]	144,670	108,432	10,913	17,291	2,143	5,891	15
No. of discharges	595,406	263,390	125,166	137,827	31,789	37,234	57
Secondary or tertiary substance							
Alcohol	32,928	12,156	7,004	8,658	2,682	2,428	107
Opiates	25,132	6,830	9,733	4,916	1,650	2,003	90
Marijuana/hashish	81,437	27,326	21,861	20,428	5,932	5,890	106
Cocaine	43,947	11,889	13,066	12,019	3,546	3,427	112
Stimulants	52,832	17,791	17,661	10,509	3,410	3,461	65
Other/none specified[1]	359,130	187,398	55,841	81,297	14,569	20,025	41
No. of discharges	595,406	263,390	125,166	137,827	31,789	37,234	57

Continued. See notes at end of table.

Table 10.7a. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	175,367	87,107	29,547	36,161	11,590	10,962	115
Full-time	130,325	67,457	20,092	26,302	8,431	8,043	119
Part-time	45,042	19,650	9,455	9,859	3,159	2,919	102
Unemployed	173,029	36,015	71,823	42,082	11,446	11,663	98
Not in labor force	122,480	64,021	21,830	19,632	6,013	10,984	31
No. of discharges	470,876	187,143	123,200	97,875	29,049	33,609	90
Detailed not in labor force[2]							
Homemaker	5,770	1,275	3,084	773	279	359	120
Student	4,990	2,508	1,295	725	221	241	40
Retired	4,049	1,970	650	876	230	323	136
Disabled	23,471	6,866	6,064	5,853	1,930	2,758	133
Inmate of institution	7,908	1,570	2,138	685	406	3,109	99
Other	69,756	46,787	5,691	10,373	2,810	4,095	15
No. of discharges	115,944	60,976	18,922	19,285	5,876	10,885	29

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.7b. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient treatment discharges	595,406						57
Living arrangements							
Homeless	32,603	4.4	10.6	9.5	7.5	7.0	101
Dependent living	57,101	12.7	10.7	15.3	15.6	23.7	113
Independent living	324,931	82.9	78.8	75.2	76.9	69.3	128
No. of discharges	414,635	100.0	100.0	100.0	100.0	100.0	124
Primary substance							
Alcohol	160,325	25.6	23.2	31.6	31.0	27.7	102
Opiates	100,101	9.3	34.4	14.2	19.2	18.3	70
Marijuana/hashish	75,968	10.6	9.9	16.8	20.3	16.4	100
Cocaine	28,109	2.9	5.1	6.7	7.3	6.4	106
Stimulants	86,233	10.3	18.6	18.2	15.4	15.5	88
Other/none specified[1]	144,670	41.2	8.7	12.5	6.7	15.8	15
No. of discharges	595,406	100.0	100.0	100.0	100.0	100.0	57
Secondary or tertiary substance							
Alcohol	32,928	4.6	5.6	6.3	8.4	6.5	107
Opiates	25,132	2.6	7.8	3.6	5.2	5.4	90
Marijuana/hashish	81,437	10.4	17.5	14.8	18.7	15.8	106
Cocaine	43,947	4.5	10.4	8.7	11.2	9.2	112
Stimulants	52,832	6.8	14.1	7.6	10.7	9.3	65
Other/none specified[1]	359,130	71.1	44.6	59.0	45.8	53.8	41
No. of discharges	595,406	100.0	100.0	100.0	100.0	100.0	57

Continued. See notes at end of table.

Table 10.7b. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	175,367	46.5	24.0	36.9	39.9	32.6	115
Full-time	130,325	36.0	16.3	26.9	29.0	23.9	119
Part-time	45,042	10.5	7.7	10.1	10.9	8.7	102
Unemployed	173,029	19.2	58.3	43.0	39.4	34.7	98
Not in labor force	122,480	34.2	17.7	20.1	20.7	32.7	31
No. of discharges	470,876	100.0	100.0	100.0	100.0	100.0	90
Detailed not in labor force[2]							
Homemaker	5,770	2.1	16.3	4.0	4.7	3.3	120
Student	4,990	4.1	6.8	3.8	3.8	2.2	40
Retired	4,049	3.2	3.4	4.5	3.9	3.0	136
Disabled	23,471	11.3	32.0	30.4	32.8	25.3	133
Inmate of institution	7,908	2.6	11.3	3.6	6.9	28.6	99
Other	69,756	76.7	30.1	53.8	47.8	37.6	15
No. of discharges	115,944	100.0	100.0	100.0	100.0	100.0	29

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 10.7c. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All outpatient treatment discharges	595,406							57
Living arrangements								
Homeless	32,603	17.6	39.7	29.5	6.3	6.9	100.0	101
Dependent living	57,101	29.0	22.9	27.3	7.5	13.3	100.0	113
Independent living	324,931	33.4	29.7	23.5	6.5	6.8	100.0	128
No. of discharges	414,635	31.6	29.6	24.5	6.6	7.7	100.0	124
Primary substance								
Alcohol	160,325	42.1	18.1	27.2	6.2	6.4	100.0	102
Opiates	100,101	24.5	43.0	19.5	6.1	6.8	100.0	70
Marijuana/hashish	75,968	36.7	16.2	30.5	8.5	8.0	100.0	100
Cocaine	28,109	27.6	22.8	32.8	8.3	8.4	100.0	106
Stimulants	86,233	31.6	27.0	29.1	5.7	6.7	100.0	88
Other/none specified[1]	144,670	75.0	7.5	12.0	1.5	4.1	100.0	15
No. of discharges	595,406	44.2	21.0	23.1	5.3	6.3	100.0	57
Secondary or tertiary substance								
Alcohol	32,928	36.9	21.3	26.3	8.1	7.4	100.0	107
Opiates	25,132	27.2	38.7	19.6	6.6	8.0	100.0	90
Marijuana/hashish	81,437	33.6	26.8	25.1	7.3	7.2	100.0	106
Cocaine	43,947	27.1	29.7	27.3	8.1	7.8	100.0	112
Stimulants	52,832	33.7	33.4	19.9	6.5	6.6	100.0	65
Other/none specified[1]	359,130	52.2	15.5	22.6	4.1	5.6	100.0	41
No. of discharges	595,406	44.2	21.0	23.1	5.3	6.3	100.0	57

Continued. See notes at end of table.

Table 10.7c. Outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Employment status[2]								
Employed	175,367	49.7	16.8	20.6	6.6	6.3	100.0	115
Full-time	130,325	51.8	15.4	20.2	6.5	6.2	100.0	119
Part-time	45,042	43.6	21.0	21.9	7.0	6.5	100.0	102
Unemployed	173,029	20.8	41.5	24.3	6.6	6.7	100.0	98
Not in labor force	122,480	52.3	17.8	16.0	4.9	9.0	100.0	31
No. of discharges	470,876	39.7	26.2	20.8	6.2	7.1	100.0	90
Detailed not in labor force[2]								
Homemaker	5,770	22.1	53.4	13.4	4.8	6.2	100.0	120
Student	4,990	50.3	26.0	14.5	4.4	4.8	100.0	40
Retired	4,049	48.7	16.1	21.6	5.7	8.0	100.0	136
Disabled	23,471	29.3	25.8	24.9	8.2	11.8	100.0	133
Inmate of institution	7,908	19.9	27.0	8.7	5.1	39.3	100.0	99
Other	69,756	67.1	8.2	14.9	4.0	5.9	100.0	15
No. of discharges	115,944	52.6	16.3	16.6	5.1	9.4	100.0	29

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 46 states and jurisdictions that offered outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.1. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Reason for discharge (number)						Reason for discharge (row percent distribution)					
	All intensive outpatient treatment discharges	Com-pleted	Trans-ferred	Dropped out	Termi-nated	Other	Total	Com-pleted	Trans-ferred	Dropped out	Termi-nated	Other
Total	165,642	39,416	60,681	43,557	10,711	11,277	100.0	23.8	36.6	26.3	6.5	6.8
Alabama	1,615	368	221	789	43	194	100.0	22.8	13.7	48.9	2.7	12.0
Alaska	841	244	134	123	223	117	100.0	29.0	15.9	14.6	26.5	13.9
Arizona	181	153	6	12	7	3	100.0	84.5	3.3	6.6	3.9	1.7
Arkansas	2,023	1,703	79	161	58	22	100.0	84.2	3.9	8.0	2.9	1.1
California	8,761	1,597	1,506	5,522	12	124	100.0	18.2	17.2	63.0	0.1	1.4
Colorado	3,479	1,773	525	780	307	94	100.0	51.0	15.1	22.4	8.8	2.7
Connecticut	6,413	1,567	2,211	1,543	186	906	100.0	24.4	34.5	24.1	2.9	14.1
Delaware	1,999	251	276	156	1,124	192	100.0	12.6	13.8	7.8	56.2	9.6
District of Columbia	323	55	97	1	32	138	100.0	17.0	30.0	0.3	9.9	42.7
Florida	1,388	788	126	240	58	176	100.0	56.8	9.1	17.3	4.2	12.7
Georgia	3,206	114	96	2,915	23	58	100.0	3.6	3.0	90.9	0.7	1.8
Hawaii	2,175	63	1,295	259	501	57	100.0	2.9	59.5	11.9	23.0	2.6
Illinois	4,430	891	1,658	1,234	583	64	100.0	20.1	37.4	27.9	13.2	1.4
Indiana	2,777	478	397	1,463	102	337	100.0	17.2	14.3	52.7	3.7	12.1
Iowa	2,534	898	180	809	345	302	100.0	35.4	7.1	31.9	13.6	11.9
Kansas	341	76	104	92	18	51	100.0	22.3	30.5	27.0	5.3	15.0
Kentucky	8,513	150	8,172	44	44	103	100.0	1.8	96.0	0.5	0.5	1.2
Louisiana	1,005	5	14	981	1	4	100.0	0.5	1.4	97.6	0.1	0.4
Maine	318	83	50	114	41	30	100.0	26.1	15.7	35.8	12.9	9.4
Michigan	3,626	1,055	550	1,469	315	237	100.0	29.1	15.2	40.5	8.7	6.5
Minnesota	14,252	5,764	1,398	5,024	934	1,132	100.0	40.4	9.8	35.3	6.6	7.9
Mississippi	510	267	115	12	26	90	100.0	52.4	22.5	2.4	5.1	17.6
Missouri	14,908	2,529	4,766	5,575	1,200	838	100.0	17.0	32.0	37.4	8.0	5.6
Montana	200	20	133	35	- -	12	100.0	10.0	66.5	17.5	- -	6.0
Nebraska	470	246	48	100	25	51	100.0	52.3	10.2	21.3	5.3	10.9
Nevada	378	114	64	155	29	16	100.0	30.2	16.9	41.0	7.7	4.2
New Hampshire	549	159	103	92	18	177	100.0	29.0	18.8	16.8	3.3	32.2
New Jersey	16,766	7,059	143	5,665	932	2,967	100.0	42.1	0.9	33.8	5.6	17.7
New York	2,088	545	323	833	228	159	100.0	26.1	15.5	39.9	10.9	7.6
North Carolina	35,547	2,356	33,167	9	3	12	100.0	6.6	93.3	*	*	*
North Dakota	208	45	20	124	- -	19	100.0	21.6	9.6	59.6	- -	9.1
Ohio	1,907	501	121	683	390	212	100.0	26.3	6.3	35.8	20.5	11.1
Pennsylvania	3,453	1,037	175	1,026	298	917	100.0	30.0	5.1	29.7	8.6	26.6
Puerto Rico	8	6	- -	1	- -	1	100.0	75.0	- -	12.5	- -	12.5
Rhode Island	1,012	151	444	296	112	9	100.0	14.9	43.9	29.2	11.1	0.9
South Carolina	4,054	738	286	1,978	903	149	100.0	18.2	7.1	48.8	22.3	3.7
South Dakota	2,117	665	631	415	177	229	100.0	31.4	29.8	19.6	8.4	10.8
Tennessee	5,466	2,349	197	1,776	917	227	100.0	43.0	3.6	32.5	16.8	4.2
Texas	1,853	1,289	93	123	186	162	100.0	69.6	5.0	6.6	10.0	8.7
Vermont	383	115	38	162	9	59	100.0	30.0	9.9	42.3	2.3	15.4
Virginia	269	54	2	3	158	52	100.0	20.1	0.7	1.1	58.7	19.3
Washington	1,851	405	546	520	80	300	100.0	21.9	29.5	28.1	4.3	16.2
Wisconsin	161	58	26	30	30	17	100.0	36.0	16.1	18.6	18.6	10.6
Wyoming	1,284	632	145	213	33	261	100.0	49.2	11.3	16.6	2.6	20.3

- - Quantity is zero; * Less than 0.05 percent.

NOTES: Based on linked admission and discharge data reported to TEDS by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. Comparisons among states should be made with caution. Percentages may not add to 100 percent due to rounding. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Admissions for which values were not collected or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.2a. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All intensive outpatient treatment discharges	165,642	39,416	60,681	43,557	10,711	11,277	91
Gender							
Male	102,238	25,640	36,492	26,154	6,644	7,308	89
Female	63,323	13,758	24,175	17,366	4,065	3,959	93
No. of discharges	165,561	39,398	60,667	43,520	10,709	11,267	91
Age at admission							
12 years	53	23	10	12	4	4	137
13 years	184	57	43	47	15	22	122
14 years	514	214	88	122	50	40	115
15 years	876	374	150	198	76	78	120
16 years	1,154	469	206	279	104	96	113
17 years	1,127	497	145	295	94	96	109
18 years	896	281	120	345	77	73	85
19 years	1,410	332	288	531	134	125	73
20 years	1,853	551	283	665	164	190	86
21 to 24 years	13,166	3,508	3,538	3,984	1,088	1,048	87
25 to 29 years	27,997	6,295	9,772	7,918	1,995	2,017	92
30 to 34 years	31,264	6,650	12,493	8,101	1,965	2,055	91
35 to 39 years	25,849	5,665	10,412	6,509	1,627	1,636	92
40 to 44 years	18,761	4,176	7,689	4,629	1,110	1,157	88
45 to 49 years	14,030	3,241	5,760	3,387	777	865	89
50 to 54 years	11,879	2,872	4,634	2,952	654	767	89
55 to 59 years	8,704	2,386	3,054	2,196	463	605	84
60 to 64 years	4,424	1,258	1,614	1,034	222	296	84
65 to 69 years	1,121	412	307	263	63	76	92
70 to 74 years	294	122	59	68	20	25	89
75 years and older	86	33	16	22	9	6	80
No. of discharges	165,642	39,416	60,681	43,557	10,711	11,277	91

Continued. See notes at end of table.

Table 11.2a. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Race							
American Indian or Alaska Native	3,263	699	1,121	918	223	302	92
Asian[1]	1,121	295	313	319	133	61	91
Black or African American	30,709	6,462	10,609	8,897	2,480	2,261	92
White	117,133	29,005	44,955	28,509	6,896	7,768	90
Other	10,139	2,330	2,627	4,051	552	579	90
Native Hawaiian or Other Pacific Islander	1,684	156	805	338	319	66	92
No. of discharges	164,049	38,947	60,430	43,032	10,603	11,037	91
Ethnicity							
Not of Hispanic or Latino origin	14,890	4,312	2,721	5,684	1,037	1,136	93
Hispanic or Latino origin	148,805	34,568	57,628	37,218	9,501	9,890	91
No. of discharges	163,695	38,880	60,349	42,902	10,538	11,026	91
Marital status							
Never married	97,669	22,747	36,989	23,643	7,010	7,280	91
Now married	18,912	6,121	5,845	4,493	1,203	1,250	83
Separated	9,482	1,842	4,446	2,091	625	478	93
Divorced	21,631	4,889	9,244	4,908	1,260	1,330	93
Widowed	2,585	585	1,032	650	176	142	93
No. of discharges	150,279	36,184	57,556	35,785	10,274	10,480	90
Pregnant (female only)							
Yes	1,643	374	511	549	110	99	112
No	59,640	12,929	23,133	16,019	3,868	3,691	93
No. of discharges	61,283	13,303	23,644	16,568	3,978	3,790	93
No. of prior treatment episodes							
None	60,642	14,758	24,099	15,937	2,807	3,041	94
1 or more	97,340	23,427	35,246	25,009	6,267	7,391	86
No. of discharges	157,982	38,185	59,345	40,946	9,074	10,432	90

Continued. See notes at end of table.

Table 11.2a. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Treatment referral source							
Self or individual	67,407	10,971	31,536	18,083	3,617	3,200	83
Criminal justice/DUI	44,952	14,687	10,464	11,031	3,880	4,890	105
Other community referral	20,711	5,695	7,295	5,512	1,006	1,203	82
Substance use care provider	13,812	4,477	3,127	4,239	912	1,057	62
Other health care provider	14,190	2,210	7,481	3,090	861	548	79
School (educational)	326	118	66	88	28	26	123
Employer/EAP	693	445	66	126	34	22	102
No. of discharges	162,091	38,603	60,035	42,169	10,338	10,946	91
Usual route of administration							
Oral	63,630	18,461	21,403	16,208	3,359	4,199	85
Smoking	43,844	10,708	11,908	14,383	3,546	3,299	101
Inhalation	19,259	3,653	8,409	4,544	1,335	1,318	82
Injection	31,408	4,961	15,916	6,735	1,924	1,872	87
Other	1,337	277	555	264	93	148	88
No. of discharges	159,478	38,060	58,191	42,134	10,257	10,836	90
Expected or actual source of payment[2]							
Self-pay	4,794	1,753	809	1,513	389	330	99
Private insurance	9,679	4,481	1,030	2,628	729	811	48
Medicare	829	201	147	288	119	74	83
Medicaid	33,180	5,927	11,765	9,130	3,450	2,908	92
Other government payments	15,392	5,586	2,601	3,464	1,504	2,237	92
Workers' compensation	7	1	3	1	- -	2	88
No charge	5,319	1,413	1,254	1,949	427	276	92
Other	7,135	1,956	1,760	2,074	727	618	156
No. of discharges	76,335	21,318	19,369	21,047	7,345	7,256	90
Type of health insurance							
Private insurance	11,057	5,181	1,222	3,024	747	883	57
Medicare	1,433	392	236	506	145	154	104
Medicaid	39,508	7,661	13,421	11,241	3,749	3,436	87
HMO	179	69	24	45	16	25	93
Other	4,612	1,304	1,036	1,245	408	619	78
None	33,357	10,335	5,544	11,407	3,278	2,793	92
No. of discharges	90,146	24,942	21,483	27,468	8,343	7,910	85

Continued. See notes at end of table.

Table 11.2a. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Arrests in past 30 days							
None	152,139	35,880	57,279	39,482	9,629	9,869	90
Once	8,446	2,449	2,161	2,321	712	803	94
2 or more times	1,183	336	258	387	98	104	93
No. of discharges	161,768	38,665	59,698	42,190	10,439	10,776	91
Frequency of use							
No use in the past month	54,785	16,275	16,182	14,426	3,478	4,424	103
Some use	51,580	12,064	16,159	15,917	3,604	3,836	87
Daily use	53,356	9,957	25,647	11,905	3,163	2,684	64
No. of discharges	159,721	38,296	57,988	42,248	10,245	10,944	91
Self-help programs attended in past 30 days							
No attendance in the past month	111,513	23,754	47,137	26,663	7,145	6,814	91
At least 1 time in the past month	36,847	10,492	10,868	10,740	2,136	2,611	93
1–3 times in the past month	9,521	2,633	2,846	2,614	653	775	96
4–7 times in the past month	6,616	1,936	1,777	1,936	419	548	97
8–30 times in the past month	18,027	5,110	5,418	5,576	894	1,029	92
Some attendance, but frequency unknown	2,683	813	827	614	170	259	102
No. of discharges	148,360	34,246	58,005	37,403	9,281	9,425	92

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.2b. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All intensive outpatient treatment discharges	165,642						91
Gender							
Male	102,238	65.1	60.2	60.1	62.0	64.9	89
Female	63,323	34.9	39.8	39.9	38.0	35.1	93
No. of discharges	165,561	100.0	100.0	100.0	100.0	100.0	91
Age at admission							
12 years	53	0.1	*	*	*	*	137
13 years	184	0.1	0.1	0.1	0.1	0.2	122
14 years	514	0.5	0.1	0.3	0.5	0.4	115
15 years	876	0.9	0.2	0.5	0.7	0.7	120
16 years	1,154	1.2	0.3	0.6	1.0	0.9	113
17 years	1,127	1.3	0.2	0.7	0.9	0.9	109
18 years	896	0.7	0.2	0.8	0.7	0.6	85
19 years	1,410	0.8	0.5	1.2	1.3	1.1	73
20 years	1,853	1.4	0.5	1.5	1.5	1.7	86
21 to 24 years	13,166	8.9	5.8	9.1	10.2	9.3	87
25 to 29 years	27,997	16.0	16.1	18.2	18.6	17.9	92
30 to 34 years	31,264	16.9	20.6	18.6	18.3	18.2	91
35 to 39 years	25,849	14.4	17.2	14.9	15.2	14.5	92
40 to 44 years	18,761	10.6	12.7	10.6	10.4	10.3	88
45 to 49 years	14,030	8.2	9.5	7.8	7.3	7.7	89
50 to 54 years	11,879	7.3	7.6	6.8	6.1	6.8	89
55 to 59 years	8,704	6.1	5.0	5.0	4.3	5.4	84
60 to 64 years	4,424	3.2	2.7	2.4	2.1	2.6	84
65 to 69 years	1,121	1.0	0.5	0.6	0.6	0.7	92
70 to 74 years	294	0.3	0.1	0.2	0.2	0.2	89
75 years and older	86	0.1	*	0.1	0.1	0.1	80
No. of discharges	165,642	100.0	100.0	100.0	100.0	100.0	91

Continued. See notes at end of table.

Table 11.2b. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	3,263	1.8	1.9	2.1	2.1	2.7	92
Asian[1]	1,121	0.8	0.5	0.7	1.3	0.6	91
Black or African American	30,709	16.6	17.6	20.7	23.4	20.5	92
White	117,133	74.5	74.4	66.3	65.0	70.4	90
Other	10,139	6.0	4.3	9.4	5.2	5.2	90
Native Hawaiian or Other Pacific Islander	1,684	0.4	1.3	0.8	3.0	0.6	92
No. of discharges	164,049	100.0	100.0	100.0	100.0	100.0	91
Ethnicity							
Not of Hispanic or Latino origin	14,890	11.1	4.5	13.2	9.8	10.3	93
Hispanic or Latino origin	148,805	88.9	95.5	86.8	90.2	89.7	91
No. of discharges	163,695	100.0	100.0	100.0	100.0	100.0	91
Marital status							
Never married	97,669	62.9	64.3	66.1	68.2	69.5	91
Now married	18,912	16.9	10.2	12.6	11.7	11.9	83
Separated	9,482	5.1	7.7	5.8	6.1	4.6	93
Divorced	21,631	13.5	16.1	13.7	12.3	12.7	93
Widowed	2,585	1.6	1.8	1.8	1.7	1.4	93
No. of discharges	150,279	100.0	100.0	100.0	100.0	100.0	90
Pregnant (female only)							
Yes	1,643	2.8	2.2	3.3	2.8	2.6	112
No	59,640	97.2	97.8	96.7	97.2	97.4	93
No. of discharges	61,283	100.0	100.0	100.0	100.0	100.0	93
No. of prior treatment episodes							
None	60,642	38.6	40.6	38.9	30.9	29.2	94
1 or more	97,340	61.4	59.4	61.1	69.1	70.8	86
No. of discharges	157,982	100.0	100.0	100.0	100.0	100.0	90

Continued. See notes at end of table.

Table 11.2b. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Treatment referral source							
Self or individual	67,407	28.4	52.5	42.9	35.0	29.2	83
Criminal justice/DUI	44,952	38.0	17.4	26.2	37.5	44.7	105
Other community referral	20,711	14.8	12.2	13.1	9.7	11.0	82
Substance use care provider	13,812	11.6	5.2	10.1	8.8	9.7	62
Other health care provider	14,190	5.7	12.5	7.3	8.3	5.0	79
School (educational)	326	0.3	0.1	0.2	0.3	0.2	123
Employer/EAP	693	1.2	0.1	0.3	0.3	0.2	102
No. of discharges	162,091	100.0	100.0	100.0	100.0	100.0	91
Usual route of administration							
Oral	63,630	48.5	36.8	38.5	32.7	38.8	85
Smoking	43,844	28.1	20.5	34.1	34.6	30.4	101
Inhalation	19,259	9.6	14.5	10.8	13.0	12.2	82
Injection	31,408	13.0	27.4	16.0	18.8	17.3	87
Other	1,337	0.7	1.0	0.6	0.9	1.4	88
No. of discharges	159,478	100.0	100.0	100.0	100.0	100.0	90
Expected or actual source of payment[2]							
Self-pay	4,794	8.2	4.2	7.2	5.3	4.5	99
Private insurance	9,679	21.0	5.3	12.5	9.9	11.2	48
Medicare	829	0.9	0.8	1.4	1.6	1.0	83
Medicaid	33,180	27.8	60.7	43.4	47.0	40.1	92
Other government payments	15,392	26.2	13.4	16.5	20.5	30.8	92
Workers' compensation	7	*	*	*	- -	*	88
No charge	5,319	6.6	6.5	9.3	5.8	3.8	92
Other	7,135	9.2	9.1	9.9	9.9	8.5	156
No. of discharges	76,335	100.0	100.0	100.0	100.0	100.0	90
Type of health insurance							
Private insurance	11,057	20.8	5.7	11.0	9.0	11.2	57
Medicare	1,433	1.6	1.1	1.8	1.7	1.9	104
Medicaid	39,508	30.7	62.5	40.9	44.9	43.4	87
HMO	179	0.3	0.1	0.2	0.2	0.3	93
Other	4,612	5.2	4.8	4.5	4.9	7.8	78
None	33,357	41.4	25.8	41.5	39.3	35.3	92
No. of discharges	90,146	100.0	100.0	100.0	100.0	100.0	85

Continued. See notes at end of table.

Table 11.2b. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Arrests in past 30 days							
None	152,139	92.8	95.9	93.6	92.2	91.6	90
Once	8,446	6.3	3.6	5.5	6.8	7.5	94
2 or more times	1,183	0.9	0.4	0.9	0.9	1.0	93
No. of discharges	161,768	100.0	100.0	100.0	100.0	100.0	91
Frequency of use							
No use in the past month	54,785	42.5	27.9	34.1	33.9	40.4	103
Some use	51,580	31.5	27.9	37.7	35.2	35.1	87
Daily use	53,356	26.0	44.2	28.2	30.9	24.5	64
No. of discharges	159,721	100.0	100.0	100.0	100.0	100.0	91
Self-help programs attended in past 30 days							
No attendance in the past month	111,513	69.4	81.3	71.3	77.0	72.3	91
At least 1 time in the past month	36,847	30.6	18.7	28.7	23.0	27.7	93
1–3 times in the past month	9,521	7.7	4.9	7.0	7.0	8.2	96
4–7 times in the past month	6,616	5.7	3.1	5.2	4.5	5.8	97
8–30 times in the past month	18,027	14.9	9.3	14.9	9.6	10.9	92
Some attendance, but frequency unknown	2,683	2.4	1.4	1.6	1.8	2.7	102
No. of discharges	148,360	100.0	100.0	100.0	100.0	100.0	92

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.2c. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All intensive outpatient treatment discharges	165,642							91
Gender								
Male	102,238	25.1	35.7	25.6	6.5	7.1	100.0	89
Female	63,323	21.7	38.2	27.4	6.4	6.3	100.0	93
No. of discharges	165,561	23.8	36.6	26.3	6.5	6.8	100.0	91
Age at admission								
12 years	53	43.4	18.9	22.6	7.5	7.5	100.0	137
13 years	184	31.0	23.4	25.5	8.2	12.0	100.0	122
14 years	514	41.6	17.1	23.7	9.7	7.8	100.0	115
15 years	876	42.7	17.1	22.6	8.7	8.9	100.0	120
16 years	1,154	40.6	17.9	24.2	9.0	8.3	100.0	113
17 years	1,127	44.1	12.9	26.2	8.3	8.5	100.0	109
18 years	896	31.4	13.4	38.5	8.6	8.1	100.0	85
19 years	1,410	23.5	20.4	37.7	9.5	8.9	100.0	73
20 years	1,853	29.7	15.3	35.9	8.9	10.3	100.0	86
21 to 24 years	13,166	26.6	26.9	30.3	8.3	8.0	100.0	87
25 to 29 years	27,997	22.5	34.9	28.3	7.1	7.2	100.0	92
30 to 34 years	31,264	21.3	40.0	25.9	6.3	6.6	100.0	91
35 to 39 years	25,849	21.9	40.3	25.2	6.3	6.3	100.0	92
40 to 44 years	18,761	22.3	41.0	24.7	5.9	6.2	100.0	88
45 to 49 years	14,030	23.1	41.1	24.1	5.5	6.2	100.0	89
50 to 54 years	11,879	24.2	39.0	24.9	5.5	6.5	100.0	89
55 to 59 years	8,704	27.4	35.1	25.2	5.3	7.0	100.0	84
60 to 64 years	4,424	28.4	36.5	23.4	5.0	6.7	100.0	84
65 to 69 years	1,121	36.8	27.4	23.5	5.6	6.8	100.0	92
70 to 74 years	294	41.5	20.1	23.1	6.8	8.5	100.0	89
75 years and older	86	38.4	18.6	25.6	10.5	7.0	100.0	80
No. of discharges	165,642	23.8	36.6	26.3	6.5	6.8	100.0	91

Continued. See notes at end of table.

Table 11.2c. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Race								
American Indian or Alaska Native	3,263	21.4	34.4	28.1	6.8	9.3	100.0	92
Asian[1]	1,121	26.3	27.9	28.5	11.9	5.4	100.0	91
Black or African American	30,709	21.0	34.5	29.0	8.1	7.4	100.0	92
White	117,133	24.8	38.4	24.3	5.9	6.6	100.0	90
Other	10,139	23.0	25.9	40.0	5.4	5.7	100.0	90
Native Hawaiian or Other Pacific Islander	1,684	9.3	47.8	20.1	18.9	3.9	100.0	92
No. of discharges	164,049	23.7	36.8	26.2	6.5	6.7	100.0	91
Ethnicity								
Not of Hispanic or Latino origin	14,890	29.0	18.3	38.2	7.0	7.6	100.0	93
Hispanic or Latino origin	148,805	23.2	38.7	25.0	6.4	6.6	100.0	91
No. of discharges	163,695	23.8	36.9	26.2	6.4	6.7	100.0	91
Marital status								
Never married	97,669	23.3	37.9	24.2	7.2	7.5	100.0	91
Now married	18,912	32.4	30.9	23.8	6.4	6.6	100.0	83
Separated	9,482	19.4	46.9	22.1	6.6	5.0	100.0	93
Divorced	21,631	22.6	42.7	22.7	5.8	6.1	100.0	93
Widowed	2,585	22.6	39.9	25.1	6.8	5.5	100.0	93
No. of discharges	150,279	24.1	38.3	23.8	6.8	7.0	100.0	90
Pregnant (female only)								
Yes	1,643	22.8	31.1	33.4	6.7	6.0	100.0	112
No	59,640	21.7	38.8	26.9	6.5	6.2	100.0	93
No. of discharges	61,283	21.7	38.6	27.0	6.5	6.2	100.0	93
No. of prior treatment episodes								
None	60,642	24.3	39.7	26.3	4.6	5.0	100.0	94
1 or more	97,340	24.1	36.2	25.7	6.4	7.6	100.0	86
No. of discharges	157,982	24.2	37.6	25.9	5.7	6.6	100.0	90

Continued. See notes at end of table.

Table 11.2c. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Treatment referral source								
Self or individual	67,407	16.3	46.8	26.8	5.4	4.7	100.0	83
Criminal justice/DUI	44,952	32.7	23.3	24.5	8.6	10.9	100.0	105
Other community referral	20,711	27.5	35.2	26.6	4.9	5.8	100.0	82
Substance use care provider	13,812	32.4	22.6	30.7	6.6	7.7	100.0	62
Other health care provider	14,190	15.6	52.7	21.8	6.1	3.9	100.0	79
School (educational)	326	36.2	20.2	27.0	8.6	8.0	100.0	123
Employer/EAP	693	64.2	9.5	18.2	4.9	3.2	100.0	102
No. of discharges	162,091	23.8	37.0	26.0	6.4	6.8	100.0	91
Usual route of administration								
Oral	63,630	29.0	33.6	25.5	5.3	6.6	100.0	85
Smoking	43,844	24.4	27.2	32.8	8.1	7.5	100.0	101
Inhalation	19,259	19.0	43.7	23.6	6.9	6.8	100.0	82
Injection	31,408	15.8	50.7	21.4	6.1	6.0	100.0	87
Other	1,337	20.7	41.5	19.7	7.0	11.1	100.0	88
No. of discharges	159,478	23.9	36.5	26.4	6.4	6.8	100.0	90
Expected or actual source of payment[2]								
Self-pay	4,794	36.6	16.9	31.6	8.1	6.9	100.0	99
Private insurance	9,679	46.3	10.6	27.2	7.5	8.4	100.0	48
Medicare	829	24.2	17.7	34.7	14.4	8.9	100.0	83
Medicaid	33,180	17.9	35.5	27.5	10.4	8.8	100.0	92
Other government payments	15,392	36.3	16.9	22.5	9.8	14.5	100.0	92
Workers' compensation	7	14.3	42.9	14.3	- -	28.6	100.0	88
No charge	5,319	26.6	23.6	36.6	8.0	5.2	100.0	92
Other	7,135	27.4	24.7	29.1	10.2	8.7	100.0	156
No. of discharges	76,335	27.9	25.4	27.6	9.6	9.5	100.0	90
Type of health insurance								
Private insurance	11,057	46.9	11.1	27.3	6.8	8.0	100.0	57
Medicare	1,433	27.4	16.5	35.3	10.1	10.7	100.0	104
Medicaid	39,508	19.4	34.0	28.5	9.5	8.7	100.0	87
HMO	179	38.5	13.4	25.1	8.9	14.0	100.0	93
Other	4,612	28.3	22.5	27.0	8.8	13.4	100.0	78
None	33,357	31.0	16.6	34.2	9.8	8.4	100.0	92
No. of discharges	90,146	27.7	23.8	30.5	9.3	8.8	100.0	85

Continued. See notes at end of table.

Table 11.2c. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Arrests in past 30 days								
None	152,139	23.6	37.6	26.0	6.3	6.5	100.0	90
Once	8,446	29.0	25.6	27.5	8.4	9.5	100.0	94
2 or more times	1,183	28.4	21.8	32.7	8.3	8.8	100.0	93
No. of discharges	161,768	23.9	36.9	26.1	6.5	6.7	100.0	91
Frequency of use								
No use in the past month	54,785	29.7	29.5	26.3	6.3	8.1	100.0	103
Some use	51,580	23.4	31.3	30.9	7.0	7.4	100.0	87
Daily use	53,356	18.7	48.1	22.3	5.9	5.0	100.0	64
No. of discharges	159,721	24.0	36.3	26.5	6.4	6.9	100.0	91
Self-help programs attended in past 30 days								
No attendance in the past month	111,513	21.3	42.3	23.9	6.4	6.1	100.0	91
At least 1 time in the past month	36,847	28.5	29.5	29.1	5.8	7.1	100.0	93
1–3 times in the past month	9,521	27.7	29.9	27.5	6.9	8.1	100.0	96
4–7 times in the past month	6,616	29.3	26.9	29.3	6.3	8.3	100.0	97
8–30 times in the past month	18,027	28.3	30.1	30.9	5.0	5.7	100.0	92
Some attendance, but frequency unknown	2,683	30.3	30.8	22.9	6.3	9.7	100.0	102
No. of discharges	148,360	23.1	39.1	25.2	6.3	6.4	100.0	92

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.3a. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All intensive outpatient treatment discharges	165,642	39,416	60,681	43,557	10,711	11,277	91
Arrests in past 30 days							
None	138,573	37,885	57,286	26,448	8,203	8,751	90
Once	5,130	571	1,813	976	421	1,349	87
2 or more times	1,021	179	273	352	103	114	103
No. of discharges	144,724	38,635	59,372	27,776	8,727	10,214	90
Frequency of use							
No use in the past month	57,640	23,096	17,398	10,556	3,056	3,534	100
Some use	31,907	4,218	14,809	7,447	2,447	2,986	60
Daily use	35,902	3,493	23,960	5,412	1,596	1,441	58
No. of discharges	125,449	30,807	56,167	23,415	7,099	7,961	92
Self-help programs attended in past 30 days							
No attendance in the past month	90,204	16,072	45,092	17,360	5,435	6,245	92
At least 1 time in the past month	40,501	18,721	12,112	5,675	1,757	2,236	92
1–3 times in the past month	10,391	3,436	3,603	2,031	593	728	96
4–7 times in the past month	7,257	3,335	2,005	1,087	363	467	99
8–30 times in the past month	18,780	9,992	5,599	1,826	608	755	86
Some attendance, but frequency unknown	4,073	1,958	905	731	193	286	134
No. of discharges	130,705	34,793	57,204	23,035	7,192	8,481	92

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.3b. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All intensive outpatient treatment discharges	165,642						91
Arrests in past 30 days							
None	138,573	98.1	96.5	95.2	94.0	85.7	90
Once	5,130	1.5	3.1	3.5	4.8	13.2	87
2 or more times	1,021	0.5	0.5	1.3	1.2	1.1	103
No. of discharges	144,724	100.0	100.0	100.0	100.0	100.0	90
Frequency of use							
No use in the past month	57,640	75.0	31.0	45.1	43.0	44.4	100
Some use	31,907	13.7	26.4	31.8	34.5	37.5	60
Daily use	35,902	11.3	42.7	23.1	22.5	18.1	58
No. of discharges	125,449	100.0	100.0	100.0	100.0	100.0	92
Self-help programs attended in past 30 days							
No attendance in the past month	90,204	46.2	78.8	75.4	75.6	73.6	92
At least 1 time in the past month	40,501	53.8	21.2	24.6	24.4	26.4	92
1–3 times in the past month	10,391	9.9	6.3	8.8	8.2	8.6	96
4–7 times in the past month	7,257	9.6	3.5	4.7	5.0	5.5	99
8–30 times in the past month	18,780	28.7	9.8	7.9	8.5	8.9	86
Some attendance, but frequency unknown	4,073	5.6	1.6	3.2	2.7	3.4	134
No. of discharges	130,705	100.0	100.0	100.0	100.0	100.0	92

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.3c. Intensive outpatient treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All intensive outpatient treatment discharges	165,642							91
Arrests in past 30 days								
None	138,573	27.3	41.3	19.1	5.9	6.3	100.0	90
Once	5,130	11.1	35.3	19.0	8.2	26.3	100.0	87
2 or more times	1,021	17.5	26.7	34.5	10.1	11.2	100.0	103
No. of discharges	144,724	26.7	41.0	19.2	6.0	7.1	100.0	90
Frequency of use								
No use in the past month	57,640	40.1	30.2	18.3	5.3	6.1	100.0	100
Some use	31,907	13.2	46.4	23.3	7.7	9.4	100.0	60
Daily use	35,902	9.7	66.7	15.1	4.4	4.0	100.0	58
No. of discharges	125,449	24.6	44.8	18.7	5.7	6.3	100.0	92
Self-help programs attended in past 30 days								
No attendance in the past month	90,204	17.8	50.0	19.2	6.0	6.9	100.0	92
At least 1 time in the past month	40,501	46.2	29.9	14.0	4.3	5.5	100.0	92
1–3 times in the past month	10,391	33.1	34.7	19.5	5.7	7.0	100.0	96
4–7 times in the past month	7,257	46.0	27.6	15.0	5.0	6.4	100.0	99
8–30 times in the past month	18,780	53.2	29.8	9.7	3.2	4.0	100.0	86
Some attendance, but frequency unknown	4,073	48.1	22.2	17.9	4.7	7.0	100.0	134
No. of discharges	130,705	26.6	43.8	17.6	5.5	6.5	100.0	92

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.4a. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All intensive outpatient treatment discharges	3,908	1,634	642	953	343	336	115
Marital status							
Never married	3,604	1,572	603	819	313	297	115
Now married	26	9	1	2	13	1	136
Separated	7	4	1	2	- -	- -	127
Divorced	7	2	- -	- -	5	- -	144
Widowed	- -	- -	- -	- -	- -	- -	‡
No. of discharges	3,644	1,587	605	823	331	298	115
Pregnant (female only)							
Yes	16	9	1	5	- -	1	118
No	1,272	552	204	332	97	87	118
No. of discharges	1,288	561	205	337	97	88	118
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	878	328	168	217	88	77	123
Grades 9 to 11	2,736	1,202	428	661	229	216	112
Grade 12 (or GED) or more	192	90	29	54	11	8	111
No. of discharges	3,806	1,620	625	932	328	301	115

Continued. See notes at end of table.

Table 11.4a. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	52	11	1	7	5	28	93
Dependent living	3,006	1,270	537	747	259	193	117
Independent living	683	311	79	157	62	74	99
No. of discharges	3,741	1,592	617	911	326	295	115
Primary substance							
Alcohol	314	126	70	70	18	30	112
Opiates	70	19	14	24	5	8	54
Marijuana/hashish	2,950	1,196	487	757	262	248	117
Cocaine	33	14	5	7	5	2	127
Stimulants	174	50	37	61	13	13	93
Other/none specified[1]	367	229	29	34	40	35	111
No. of discharges	3,908	1,634	642	953	343	336	115
Secondary or tertiary substance							
Alcohol	822	287	175	220	71	69	101
Opiates	91	31	21	22	11	6	71
Marijuana/hashish	378	127	84	103	25	39	93
Cocaine	95	34	16	24	9	12	121
Stimulants	238	67	61	67	18	25	116
Other/none specified[1]	2,284	1,088	285	517	209	185	118
No. of discharges	3,908	1,634	642	953	343	336	115

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.4b. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All intensive outpatient treatment discharges	3,908						115
Marital status							
Never married	3,604	99.1	99.7	99.5	94.6	99.7	115
Now married	26	0.6	0.2	0.2	3.9	0.3	136
Separated	7	0.3	0.2	0.2	- -	- -	127
Divorced	7	0.1	- -	- -	1.5	- -	144
Widowed	- -	- -	- -	- -	- -	- -	- -
No. of discharges	3,644	100.0	100.0	100.0	100.0	100.0	115
Pregnant (female only)							
Yes	16	1.6	0.5	1.5	- -	1.1	118
No	1,272	98.4	99.5	98.5	100.0	98.9	118
No. of discharges	1,288	100.0	100.0	100.0	100.0	100.0	118
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	878	20.2	26.9	23.3	26.8	25.6	123
Grades 9 to 11	2,736	74.2	68.5	70.9	69.8	71.8	112
Grade 12 (or GED) or more	192	5.6	4.6	5.8	3.4	2.7	111
No. of discharges	3,806	100.0	100.0	100.0	100.0	100.0	115

Continued. See notes at end of table.

Table 11.4b. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	52	0.7	0.2	0.8	1.5	9.5	93
Dependent living	3,006	79.8	87.0	82.0	79.4	65.4	117
Independent living	683	19.5	12.8	17.2	19.0	25.1	99
No. of discharges	3,741	100.0	100.0	100.0	100.0	100.0	115
Primary substance							
Alcohol	314	7.7	10.9	7.3	5.2	8.9	112
Opiates	70	1.2	2.2	2.5	1.5	2.4	54
Marijuana/hashish	2,950	73.2	75.9	79.4	76.4	73.8	117
Cocaine	33	0.9	0.8	0.7	1.5	0.6	127
Stimulants	174	3.1	5.8	6.4	3.8	3.9	93
Other/none specified[1]	367	14.0	4.5	3.6	11.7	10.4	111
No. of discharges	3,908	100.0	100.0	100.0	100.0	100.0	115
Secondary or tertiary substance							
Alcohol	822	17.6	27.3	23.1	20.7	20.5	101
Opiates	91	1.9	3.3	2.3	3.2	1.8	71
Marijuana/hashish	378	7.8	13.1	10.8	7.3	11.6	93
Cocaine	95	2.1	2.5	2.5	2.6	3.6	121
Stimulants	238	4.1	9.5	7.0	5.2	7.4	116
Other/none specified[1]	2,284	66.6	44.4	54.2	60.9	55.1	118
No. of discharges	3,908	100.0	100.0	100.0	100.0	100.0	115

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.4c. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All intensive outpatient treatment discharges	3,908							115
Marital status								
Never married	3,604	43.6	16.7	22.7	8.7	8.2	100.0	115
Now married	26	34.6	3.8	7.7	50.0	3.8	100.0	136
Separated	7	57.1	14.3	28.6	- -	- -	100.0	127
Divorced	7	28.6	- -	- -	71.4	- -	100.0	144
Widowed	- -	- -	- -	- -	- -	- -	- -	‡
No. of discharges	3,644	43.6	16.6	22.6	9.1	8.2	100.0	115
Pregnant (female only)								
Yes	16	56.3	6.3	31.3	- -	6.3	100.0	118
No	1,272	43.4	16.0	26.1	7.6	6.8	100.0	118
No. of discharges	1,288	43.6	15.9	26.2	7.5	6.8	100.0	118
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	878	37.4	19.1	24.7	10.0	8.8	100.0	123
Grades 9 to 11	2,736	43.9	15.6	24.2	8.4	7.9	100.0	112
Grade 12 (or GED) or more	192	46.9	15.1	28.1	5.7	4.2	100.0	111
No. of discharges	3,806	42.6	16.4	24.5	8.6	7.9	100.0	115

Continued. See notes at end of table.

Table 11.4c. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Living arrangements								
Homeless	52	21.2	1.9	13.5	9.6	53.8	100.0	93
Dependent living	3,006	42.2	17.9	24.9	8.6	6.4	100.0	117
Independent living	683	45.5	11.6	23.0	9.1	10.8	100.0	99
No. of discharges	3,741	42.6	16.5	24.4	8.7	7.9	100.0	115
Primary substance								
Alcohol	314	40.1	22.3	22.3	5.7	9.6	100.0	112
Opiates	70	27.1	20.0	34.3	7.1	11.4	100.0	54
Marijuana/hashish	2,950	40.5	16.5	25.7	8.9	8.4	100.0	117
Cocaine	33	42.4	15.2	21.2	15.2	6.1	100.0	127
Stimulants	174	28.7	21.3	35.1	7.5	7.5	100.0	93
Other/none specified[1]	367	62.4	7.9	9.3	10.9	9.5	100.0	111
No. of discharges	3,908	41.8	16.4	24.4	8.8	8.6	100.0	115
Secondary or tertiary substance								
Alcohol	822	34.9	21.3	26.8	8.6	8.4	100.0	101
Opiates	91	34.1	23.1	24.2	12.1	6.6	100.0	71
Marijuana/hashish	378	33.6	22.2	27.2	6.6	10.3	100.0	93
Cocaine	95	35.8	16.8	25.3	9.5	12.6	100.0	121
Stimulants	238	28.2	25.6	28.2	7.6	10.5	100.0	116
Other/none specified[1]	2,284	47.6	12.5	22.6	9.2	8.1	100.0	118
No. of discharges	3,908	41.8	16.4	24.4	8.8	8.6	100.0	115

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.5a. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All intensive outpatient treatment discharges	3,908	1,634	642	953	343	336	115
Living arrangements							
Homeless	47	11	2	2	4	28	93
Dependent living	2,765	1,250	535	557	244	179	115
Independent living	661	334	58	135	61	73	117
No. of discharges	3,473	1,595	595	694	309	280	115
Primary substance							
Alcohol	332	137	69	75	20	31	107
Opiates	67	20	14	19	6	8	44
Marijuana/hashish	2,751	1,144	475	676	239	217	119
Cocaine	22	7	4	5	4	2	151
Stimulants	167	44	40	60	10	13	89
Other/none specified[1]	569	282	40	118	64	65	106
No. of discharges	3,908	1,634	642	953	343	336	115
Secondary or tertiary substance							
Alcohol	737	274	168	159	68	68	105
Opiates	88	27	24	19	11	7	78
Marijuana/hashish	378	133	88	97	26	34	79
Cocaine	91	31	21	18	9	12	111
Stimulants	240	77	59	62	20	22	116
Other/none specified[1]	2,374	1,092	282	598	209	193	118
No. of discharges	3,908	1,634	642	953	343	336	115

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.5b. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All intensive outpatient treatment discharges	3,908						115
Living arrangements							
Homeless	47	0.7	0.3	0.3	1.3	10.0	93
Dependent living	2,765	78.4	89.9	80.3	79.0	63.9	115
Independent living	661	20.9	9.7	19.5	19.7	26.1	117
No. of discharges	3,473	100.0	100.0	100.0	100.0	100.0	115
Primary substance							
Alcohol	332	8.4	10.7	7.9	5.8	9.2	107
Opiates	67	1.2	2.2	2.0	1.7	2.4	44
Marijuana/hashish	2,751	70.0	74.0	70.9	69.7	64.6	119
Cocaine	22	0.4	0.6	0.5	1.2	0.6	151
Stimulants	167	2.7	6.2	6.3	2.9	3.9	89
Other/none specified[1]	569	17.3	6.2	12.4	18.7	19.3	106
No. of discharges	3,908	100.0	100.0	100.0	100.0	100.0	115
Secondary or tertiary substance							
Alcohol	737	16.8	26.2	16.7	19.8	20.2	105
Opiates	88	1.7	3.7	2.0	3.2	2.1	78
Marijuana/hashish	378	8.1	13.7	10.2	7.6	10.1	79
Cocaine	91	1.9	3.3	1.9	2.6	3.6	111
Stimulants	240	4.7	9.2	6.5	5.8	6.5	116
Other/none specified[1]	2,374	66.8	43.9	62.7	60.9	57.4	118
No. of discharges	3,908	100.0	100.0	100.0	100.0	100.0	115

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.5c. Intensive outpatient treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All intensive outpatient treatment discharges	3,908							115
Living arrangements								
Homeless	47	23.4	4.3	4.3	8.5	59.6	100.0	93
Dependent living	2,765	45.2	19.3	20.1	8.8	6.5	100.0	115
Independent living	661	50.5	8.8	20.4	9.2	11.0	100.0	117
No. of discharges	3,473	45.9	17.1	20.0	8.9	8.1	100.0	115
Primary substance								
Alcohol	332	41.3	20.8	22.6	6.0	9.3	100.0	107
Opiates	67	29.9	20.9	28.4	9.0	11.9	100.0	44
Marijuana/hashish	2,751	41.6	17.3	24.6	8.7	7.9	100.0	119
Cocaine	22	31.8	18.2	22.7	18.2	9.1	100.0	151
Stimulants	167	26.3	24.0	35.9	6.0	7.8	100.0	89
Other/none specified[1]	569	49.6	7.0	20.7	11.2	11.4	100.0	106
No. of discharges	3,908	41.8	16.4	24.4	8.8	8.6	100.0	115
Secondary or tertiary substance								
Alcohol	737	37.2	22.8	21.6	9.2	9.2	100.0	105
Opiates	88	30.7	27.3	21.6	12.5	8.0	100.0	78
Marijuana/hashish	378	35.2	23.3	25.7	6.9	9.0	100.0	79
Cocaine	91	34.1	23.1	19.8	9.9	13.2	100.0	111
Stimulants	240	32.1	24.6	25.8	8.3	9.2	100.0	116
Other/none specified[1]	2,374	46.0	11.9	25.2	8.8	8.1	100.0	118
No. of discharges	3,908	41.8	16.4	24.4	8.8	8.6	100.0	115

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.6a. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All intensive outpatient treatment discharges	161,734	37,782	60,039	42,604	10,368	10,941	90
Marital status							
Never married	94,065	21,175	36,386	22,824	6,697	6,983	89
Now married	18,886	6,112	5,844	4,491	1,190	1,249	83
Separated	9,475	1,838	4,445	2,089	625	478	93
Divorced	21,624	4,887	9,244	4,908	1,255	1,330	93
Widowed	2,585	585	1,032	650	176	142	93
No. of discharges	146,635	34,597	56,951	34,962	9,943	10,182	89
Pregnant (female only)							
Yes	1,627	365	510	544	110	98	112
No	58,368	12,377	22,929	15,687	3,771	3,604	92
No. of discharges	59,995	12,742	23,439	16,231	3,881	3,702	92
Veteran[1]							
Yes	3,792	1,135	1,206	942	258	251	92
No	153,544	35,528	57,988	40,218	9,708	10,102	90
No. of discharges	157,336	36,663	59,194	41,160	9,966	10,353	90

Continued. See notes at end of table.

Table 11.6a. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	5,573	979	2,136	1,675	365	418	94
Grades 9 to 11	29,343	5,886	10,768	8,469	2,257	1,963	96
Grade 12 (or GED)	78,270	18,265	29,220	19,999	5,089	5,697	87
1–3 years of college, university, or vocational school	32,593	7,809	13,127	8,025	1,855	1,777	92
4 years of college, university, or BA/BS	7,826	2,958	2,176	1,821	367	504	74
Some postgraduate study or more	2,669	966	744	675	134	150	78
No. of discharges	156,274	36,863	58,171	40,664	10,067	10,509	90
Source of income support[1]							
Wages/salary	30,358	11,746	4,732	8,472	2,741	2,667	91
Public assistance	7,939	1,790	1,733	2,810	882	724	115
Retirement/pension	1,189	543	167	298	85	96	90
Disability	6,542	1,428	1,631	2,245	562	676	107
Other	12,217	4,010	2,273	3,506	1,200	1,228	85
None	40,434	10,096	11,491	11,750	3,712	3,385	85
No. of discharges	98,679	29,613	22,027	29,081	9,182	8,776	90

Continued. See notes at end of table.

Table 11.6a. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	18,811	2,810	8,189	5,833	1,108	871	89
Dependent living	28,192	8,179	7,229	8,582	2,074	2,128	91
Independent living	109,328	25,775	43,066	26,254	6,793	7,440	89
No. of discharges	156,331	36,764	58,484	40,669	9,975	10,439	90
Primary substance							
Alcohol	50,170	16,216	14,201	13,546	2,660	3,547	86
Opiates	45,903	6,636	25,192	8,770	2,683	2,622	79
Marijuana/hashish	16,838	4,578	3,894	5,337	1,487	1,542	98
Cocaine	10,661	2,360	3,771	2,980	749	801	78
Stimulants	29,844	6,418	9,113	10,099	2,294	1,920	106
Other/none specified[2]	8,318	1,574	3,868	1,872	495	509	88
No. of discharges	161,734	37,782	60,039	42,604	10,368	10,941	90
Secondary or tertiary substance							
Alcohol	11,010	2,518	3,589	3,298	798	807	93
Opiates	10,212	2,029	4,225	2,471	718	769	87
Marijuana/hashish	31,653	7,012	11,076	8,978	2,367	2,220	93
Cocaine	18,038	3,518	7,961	4,004	1,246	1,309	84
Stimulants	20,479	3,473	8,363	5,873	1,531	1,239	94
Other/none specified[2]	70,342	19,232	24,825	17,980	3,708	4,597	87
No. of discharges	161,734	37,782	60,039	42,604	10,368	10,941	90

Continued. See notes at end of table.

Table 11.6a. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	38,684	12,536	10,584	9,902	2,721	2,941	91
Full-time	26,958	9,669	6,550	6,754	1,919	2,066	88
Part-time	11,726	2,867	4,034	3,148	802	875	99
Unemployed	83,865	15,326	39,663	19,640	4,744	4,492	88
Not in labor force	34,598	9,062	8,993	10,858	2,646	3,039	91
No. of discharges	157,147	36,924	59,240	40,400	10,111	10,472	90
Detailed not in labor force[1]							
Homemaker	1,254	282	522	306	74	70	96
Student	1,000	304	427	162	48	59	79
Retired	1,412	601	330	291	79	111	85
Disabled	7,369	1,577	1,838	2,403	772	779	101
Inmate of institution	2,630	1,156	484	353	203	434	98
Other	17,341	4,368	4,665	5,347	1,451	1,510	76
No. of discharges	31,006	8,288	8,266	8,862	2,627	2,963	88

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.6b. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All intensive outpatient treatment discharges	161,734						90
Marital status							
Never married	94,065	61.2	63.9	65.3	67.4	68.6	89
Now married	18,886	17.7	10.3	12.8	12.0	12.3	83
Separated	9,475	5.3	7.8	6.0	6.3	4.7	93
Divorced	21,624	14.1	16.2	14.0	12.6	13.1	93
Widowed	2,585	1.7	1.8	1.9	1.8	1.4	93
No. of discharges	146,635	100.0	100.0	100.0	100.0	100.0	89
Pregnant (female only)							
Yes	1,627	2.9	2.2	3.4	2.8	2.6	112
No	58,368	97.1	97.8	96.6	97.2	97.4	92
No. of discharges	59,995	100.0	100.0	100.0	100.0	100.0	92
Veteran[1]							
Yes	3,792	3.1	2.0	2.3	2.6	2.4	92
No	153,544	96.9	98.0	97.7	97.4	97.6	90
No. of discharges	157,336	100.0	100.0	100.0	100.0	100.0	90

Continued. See notes at end of table.

Table 11.6b. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	5,573	2.7	3.7	4.1	3.6	4.0	94
Grades 9 to 11	29,343	16.0	18.5	20.8	22.4	18.7	96
Grade 12 (or GED)	78,270	49.5	50.2	49.2	50.6	54.2	87
1–3 years of college, university, or vocational school	32,593	21.2	22.6	19.7	18.4	16.9	92
4 years of college, university, or BA/BS	7,826	8.0	3.7	4.5	3.6	4.8	74
Some postgraduate study or more	2,669	2.6	1.3	1.7	1.3	1.4	78
No. of discharges	156,274	100.0	100.0	100.0	100.0	100.0	90
Source of income support[1]							
Wages/salary	30,358	39.7	21.5	29.1	29.9	30.4	91
Public assistance	7,939	6.0	7.9	9.7	9.6	8.2	115
Retirement/pension	1,189	1.8	0.8	1.0	0.9	1.1	90
Disability	6,542	4.8	7.4	7.7	6.1	7.7	107
Other	12,217	13.5	10.3	12.1	13.1	14.0	85
None	40,434	34.1	52.2	40.4	40.4	38.6	85
No. of discharges	98,679	100.0	100.0	100.0	100.0	100.0	90

Continued. See notes at end of table.

Table 11.6b. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	18,811	7.6	14.0	14.3	11.1	8.3	89
Dependent living	28,192	22.2	12.4	21.1	20.8	20.4	91
Independent living	109,328	70.1	73.6	64.6	68.1	71.3	89
No. of discharges	156,331	100.0	100.0	100.0	100.0	100.0	90
Primary substance							
Alcohol	50,170	42.9	23.7	31.8	25.7	32.4	86
Opiates	45,903	17.6	42.0	20.6	25.9	24.0	79
Marijuana/hashish	16,838	12.1	6.5	12.5	14.3	14.1	98
Cocaine	10,661	6.2	6.3	7.0	7.2	7.3	78
Stimulants	29,844	17.0	15.2	23.7	22.1	17.5	106
Other/none specified[2]	8,318	4.2	6.4	4.4	4.8	4.7	88
No. of discharges	161,734	100.0	100.0	100.0	100.0	100.0	90
Secondary or tertiary substance							
Alcohol	11,010	6.7	6.0	7.7	7.7	7.4	93
Opiates	10,212	5.4	7.0	5.8	6.9	7.0	87
Marijuana/hashish	31,653	18.6	18.4	21.1	22.8	20.3	93
Cocaine	18,038	9.3	13.3	9.4	12.0	12.0	84
Stimulants	20,479	9.2	13.9	13.8	14.8	11.3	94
Other/none specified[2]	70,342	50.9	41.3	42.2	35.8	42.0	87
No. of discharges	161,734	100.0	100.0	100.0	100.0	100.0	90

Continued. See notes at end of table.

Table 11.6b. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	38,684	34.0	17.9	24.5	26.9	28.1	91
Full-time	26,958	26.2	11.1	16.7	19.0	19.7	88
Part-time	11,726	7.8	6.8	7.8	7.9	8.4	99
Unemployed	83,865	41.5	67.0	48.6	46.9	42.9	88
Not in labor force	34,598	24.5	15.2	26.9	26.2	29.0	91
No. of discharges	157,147	100.0	100.0	100.0	100.0	100.0	90
Detailed not in labor force[1]							
Homemaker	1,254	3.4	6.3	3.5	2.8	2.4	96
Student	1,000	3.7	5.2	1.8	1.8	2.0	79
Retired	1,412	7.3	4.0	3.3	3.0	3.7	85
Disabled	7,369	19.0	22.2	27.1	29.4	26.3	101
Inmate of institution	2,630	13.9	5.9	4.0	7.7	14.6	98
Other	17,341	52.7	56.4	60.3	55.2	51.0	76
No. of discharges	31,006	100.0	100.0	100.0	100.0	100.0	88

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.6c. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All intensive outpatient treatment discharges	161,734							90
Marital status								
Never married	94,065	22.5	38.7	24.3	7.1	7.4	100.0	89
Now married	18,886	32.4	30.9	23.8	6.3	6.6	100.0	83
Separated	9,475	19.4	46.9	22.0	6.6	5.0	100.0	93
Divorced	21,624	22.6	42.7	22.7	5.8	6.2	100.0	93
Widowed	2,585	22.6	39.9	25.1	6.8	5.5	100.0	93
No. of discharges	146,635	23.6	38.8	23.8	6.8	6.9	100.0	89
Pregnant (female only)								
Yes	1,627	22.4	31.3	33.4	6.8	6.0	100.0	112
No	58,368	21.2	39.3	26.9	6.5	6.2	100.0	92
No. of discharges	59,995	21.2	39.1	27.1	6.5	6.2	100.0	92
Veteran[1]								
Yes	3,792	29.9	31.8	24.8	6.8	6.6	100.0	92
No	153,544	23.1	37.8	26.2	6.3	6.6	100.0	90
No. of discharges	157,336	23.3	37.6	26.2	6.3	6.6	100.0	90

Continued. See notes at end of table.

Table 11.6c. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	5,573	17.6	38.3	30.1	6.5	7.5	100.0	94
Grades 9 to 11	29,343	20.1	36.7	28.9	7.7	6.7	100.0	96
Grade 12 (or GED)	78,270	23.3	37.3	25.6	6.5	7.3	100.0	87
1–3 years of college, university, or vocational school	32,593	24.0	40.3	24.6	5.7	5.5	100.0	92
4 years of college, university, or BA/BS	7,826	37.8	27.8	23.3	4.7	6.4	100.0	74
Some postgraduate study or more	2,669	36.2	27.9	25.3	5.0	5.6	100.0	78
No. of discharges	156,274	23.6	37.2	26.0	6.4	6.7	100.0	90
Source of income support[1]								
Wages/salary	30,358	38.7	15.6	27.9	9.0	8.8	100.0	91
Public assistance	7,939	22.5	21.8	35.4	11.1	9.1	100.0	115
Retirement/pension	1,189	45.7	14.0	25.1	7.1	8.1	100.0	90
Disability	6,542	21.8	24.9	34.3	8.6	10.3	100.0	107
Other	12,217	32.8	18.6	28.7	9.8	10.1	100.0	85
None	40,434	25.0	28.4	29.1	9.2	8.4	100.0	85
No. of discharges	98,679	30.0	22.3	29.5	9.3	8.9	100.0	90

Continued. See notes at end of table.

Table 11.6c. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Living arrangements								
Homeless	18,811	14.9	43.5	31.0	5.9	4.6	100.0	89
Dependent living	28,192	29.0	25.6	30.4	7.4	7.5	100.0	91
Independent living	109,328	23.6	39.4	24.0	6.2	6.8	100.0	89
No. of discharges	156,331	23.5	37.4	26.0	6.4	6.7	100.0	90
Primary substance								
Alcohol	50,170	32.3	28.3	27.0	5.3	7.1	100.0	86
Opiates	45,903	14.5	54.9	19.1	5.8	5.7	100.0	79
Marijuana/hashish	16,838	27.2	23.1	31.7	8.8	9.2	100.0	98
Cocaine	10,661	22.1	35.4	28.0	7.0	7.5	100.0	78
Stimulants	29,844	21.5	30.5	33.8	7.7	6.4	100.0	106
Other/none specified[2]	8,318	18.9	46.5	22.5	6.0	6.1	100.0	88
No. of discharges	161,734	23.4	37.1	26.3	6.4	6.8	100.0	90
Secondary or tertiary substance								
Alcohol	11,010	22.9	32.6	30.0	7.2	7.3	100.0	93
Opiates	10,212	19.9	41.4	24.2	7.0	7.5	100.0	87
Marijuana/hashish	31,653	22.2	35.0	28.4	7.5	7.0	100.0	93
Cocaine	18,038	19.5	44.1	22.2	6.9	7.3	100.0	84
Stimulants	20,479	17.0	40.8	28.7	7.5	6.1	100.0	94
Other/none specified[2]	70,342	27.3	35.3	25.6	5.3	6.5	100.0	87
No. of discharges	161,734	23.4	37.1	26.3	6.4	6.8	100.0	90

Continued. See notes at end of table.

Table 11.6c. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Employment status[1]								
Employed	38,684	32.4	27.4	25.6	7.0	7.6	100.0	91
Full-time	26,958	35.9	24.3	25.1	7.1	7.7	100.0	88
Part-time	11,726	24.4	34.4	26.8	6.8	7.5	100.0	99
Unemployed	83,865	18.3	47.3	23.4	5.7	5.4	100.0	88
Not in labor force	34,598	26.2	26.0	31.4	7.6	8.8	100.0	91
No. of discharges	157,147	23.5	37.7	25.7	6.4	6.7	100.0	90
Detailed not in labor force[1]								
Homemaker	1,254	22.5	41.6	24.4	5.9	5.6	100.0	96
Student	1,000	30.4	42.7	16.2	4.8	5.9	100.0	79
Retired	1,412	42.6	23.4	20.6	5.6	7.9	100.0	85
Disabled	7,369	21.4	24.9	32.6	10.5	10.6	100.0	101
Inmate of institution	2,630	44.0	18.4	13.4	7.7	16.5	100.0	98
Other	17,341	25.2	26.9	30.8	8.4	8.7	100.0	76
No. of discharges	31,006	26.7	26.7	28.6	8.5	9.6	100.0	88

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.7a. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All intensive outpatient treatment discharges	161,734	37,782	60,039	42,604	10,368	10,941	90
Living arrangements							
Homeless	14,574	1,526	7,975	3,424	930	719	85
Dependent living	24,207	7,804	7,006	5,313	1,627	2,457	78
Independent living	104,575	27,024	43,326	21,648	5,881	6,696	92
No. of discharges	143,356	36,354	58,307	30,385	8,438	9,872	90
Primary substance							
Alcohol	44,036	13,248	13,938	11,426	2,458	2,966	90
Opiates	41,362	4,645	25,080	7,098	2,457	2,082	79
Marijuana/hashish	14,396	3,655	3,703	4,477	1,353	1,208	98
Cocaine	9,255	1,767	3,694	2,444	668	682	77
Stimulants	28,795	6,072	8,881	9,705	2,277	1,860	107
Other/none specified[1]	23,890	8,395	4,743	7,454	1,155	2,143	80
No. of discharges	161,734	37,782	60,039	42,604	10,368	10,941	90
Secondary or tertiary substance							
Alcohol	9,195	2,101	3,632	2,095	718	649	94
Opiates	8,835	1,453	4,313	1,839	639	591	89
Marijuana/hashish	27,851	6,001	11,160	6,720	2,202	1,768	93
Cocaine	15,272	2,362	8,035	2,855	1,115	905	84
Stimulants	18,526	3,233	8,214	4,541	1,474	1,064	93
Other/none specified[1]	82,055	22,632	24,685	24,554	4,220	5,964	88
No. of discharges	161,734	37,782	60,039	42,604	10,368	10,941	90

Continued. See notes at end of table.

Table 11.7a. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	41,493	16,381	11,006	8,739	2,547	2,820	97
Full-time	29,160	12,590	6,770	6,092	1,772	1,936	96
Part-time	12,333	3,791	4,236	2,647	775	884	101
Unemployed	73,474	12,685	39,191	13,895	4,028	3,675	81
Not in labor force	29,588	7,539	8,810	7,537	2,206	3,496	86
No. of discharges	144,555	36,605	59,007	30,171	8,781	9,991	90
Detailed not in labor force[2]							
Homemaker	1,158	319	499	216	60	64	97
Student	967	311	433	138	40	45	78
Retired	1,313	584	340	233	60	96	85
Disabled	6,245	1,452	1,835	1,721	568	669	107
Inmate of institution	2,541	850	426	236	167	862	122
Other	15,841	3,440	4,526	4,867	1,284	1,724	52
No. of discharges	28,065	6,956	8,059	7,411	2,179	3,460	82

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.7b. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All intensive outpatient treatment discharges	161,734						90
Living arrangements							
Homeless	14,574	4.2	13.7	11.3	11.0	7.3	85
Dependent living	24,207	21.5	12.0	17.5	19.3	24.9	78
Independent living	104,575	74.3	74.3	71.2	69.7	67.8	92
No. of discharges	143,356	100.0	100.0	100.0	100.0	100.0	90
Primary substance							
Alcohol	44,036	35.1	23.2	26.8	23.7	27.1	90
Opiates	41,362	12.3	41.8	16.7	23.7	19.0	79
Marijuana/hashish	14,396	9.7	6.2	10.5	13.0	11.0	98
Cocaine	9,255	4.7	6.2	5.7	6.4	6.2	77
Stimulants	28,795	16.1	14.8	22.8	22.0	17.0	107
Other/none specified[1]	23,890	22.2	7.9	17.5	11.1	19.6	80
No. of discharges	161,734	100.0	100.0	100.0	100.0	100.0	90
Secondary or tertiary substance							
Alcohol	9,195	5.6	6.0	4.9	6.9	5.9	94
Opiates	8,835	3.8	7.2	4.3	6.2	5.4	89
Marijuana/hashish	27,851	15.9	18.6	15.8	21.2	16.2	93
Cocaine	15,272	6.3	13.4	6.7	10.8	8.3	84
Stimulants	18,526	8.6	13.7	10.7	14.2	9.7	93
Other/none specified[1]	82,055	59.9	41.1	57.6	40.7	54.5	88
No. of discharges	161,734	100.0	100.0	100.0	100.0	100.0	90

Continued. See notes at end of table.

Table 11.7b. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	41,493	44.8	18.7	29.0	29.0	28.2	97
Full-time	29,160	34.4	11.5	20.2	20.2	19.4	96
Part-time	12,333	10.4	7.2	8.8	8.8	8.8	101
Unemployed	73,474	34.7	66.4	46.1	45.9	36.8	81
Not in labor force	29,588	20.6	14.9	25.0	25.1	35.0	86
No. of discharges	144,555	100.0	100.0	100.0	100.0	100.0	90
Detailed not in labor force[2]							
Homemaker	1,158	4.6	6.2	2.9	2.8	1.8	97
Student	967	4.5	5.4	1.9	1.8	1.3	78
Retired	1,313	8.4	4.2	3.1	2.8	2.8	85
Disabled	6,245	20.9	22.8	23.2	26.1	19.3	107
Inmate of institution	2,541	12.2	5.3	3.2	7.7	24.9	122
Other	15,841	49.5	56.2	65.7	58.9	49.8	52
No. of discharges	28,065	100.0	100.0	100.0	100.0	100.0	82

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 11.7c. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All intensive outpatient treatment discharges	161,734							90
Living arrangements								
Homeless	14,574	10.5	54.7	23.5	6.4	4.9	100.0	85
Dependent living	24,207	32.2	28.9	21.9	6.7	10.1	100.0	78
Independent living	104,575	25.8	41.4	20.7	5.6	6.4	100.0	92
No. of discharges	143,356	25.4	40.7	21.2	5.9	6.9	100.0	90
Primary substance								
Alcohol	44,036	30.1	31.7	25.9	5.6	6.7	100.0	90
Opiates	41,362	11.2	60.6	17.2	5.9	5.0	100.0	79
Marijuana/hashish	14,396	25.4	25.7	31.1	9.4	8.4	100.0	98
Cocaine	9,255	19.1	39.9	26.4	7.2	7.4	100.0	77
Stimulants	28,795	21.1	30.8	33.7	7.9	6.5	100.0	107
Other/none specified[1]	23,890	35.1	19.9	31.2	4.8	9.0	100.0	80
No. of discharges	161,734	23.4	37.1	26.3	6.4	6.8	100.0	90
Secondary or tertiary substance								
Alcohol	9,195	22.8	39.5	22.8	7.8	7.1	100.0	94
Opiates	8,835	16.4	48.8	20.8	7.2	6.7	100.0	89
Marijuana/hashish	27,851	21.5	40.1	24.1	7.9	6.3	100.0	93
Cocaine	15,272	15.5	52.6	18.7	7.3	5.9	100.0	84
Stimulants	18,526	17.5	44.3	24.5	8.0	5.7	100.0	93
Other/none specified[1]	82,055	27.6	30.1	29.9	5.1	7.3	100.0	88
No. of discharges	161,734	23.4	37.1	26.3	6.4	6.8	100.0	90

Continued. See notes at end of table.

Table 11.7c. Intensive outpatient treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Employment status[2]								
Employed	41,493	39.5	26.5	21.1	6.1	6.8	100.0	97
Full-time	29,160	43.2	23.2	20.9	6.1	6.6	100.0	96
Part-time	12,333	30.7	34.3	21.5	6.3	7.2	100.0	101
Unemployed	73,474	17.3	53.3	18.9	5.5	5.0	100.0	81
Not in labor force	29,588	25.5	29.8	25.5	7.5	11.8	100.0	86
No. of discharges	144,555	25.3	40.8	20.9	6.1	6.9	100.0	90
Detailed not in labor force[2]								
Homemaker	1,158	27.5	43.1	18.7	5.2	5.5	100.0	97
Student	967	32.2	44.8	14.3	4.1	4.7	100.0	78
Retired	1,313	44.5	25.9	17.7	4.6	7.3	100.0	85
Disabled	6,245	23.3	29.4	27.6	9.1	10.7	100.0	107
Inmate of institution	2,541	33.5	16.8	9.3	6.6	33.9	100.0	122
Other	15,841	21.7	28.6	30.7	8.1	10.9	100.0	52
No. of discharges	28,065	24.8	28.7	26.4	7.8	12.3	100.0	82

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered intensive outpatient substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.1. Short-term residential treatment discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Reason for discharge (number)						Reason for discharge (row percent distribution)					
	All short-term residential treatment discharges	Completed	Transferred	Dropped out	Terminated	Other	Total	Completed	Transferred	Dropped out	Terminated	Other
Total	119,312	64,387	18,681	25,508	5,456	5,280	100.0	54.0	15.7	21.4	4.6	4.4
Alabama	1,096	438	230	241	112	75	100.0	40.0	21.0	22.0	10.2	6.8
Alaska	85	59	12	10	4	- -	100.0	69.4	14.1	11.8	4.7	- -
Arkansas	3,522	2,397	90	831	196	8	100.0	68.1	2.6	23.6	5.6	0.2
California	558	332	99	118	4	5	100.0	59.5	17.7	21.1	0.7	0.9
Colorado	4,359	3,252	224	615	163	105	100.0	74.6	5.1	14.1	3.7	2.4
Connecticut	2,850	1,767	439	442	93	109	100.0	62.0	15.4	15.5	3.3	3.8
Delaware	669	313	63	137	115	41	100.0	46.8	9.4	20.5	17.2	6.1
Columbia	1,196	712	43	1	30	410	100.0	59.5	3.6	0.1	2.5	34.3
Illinois	6,276	2,241	2,475	1,274	276	10	100.0	35.7	39.4	20.3	4.4	0.2
Indiana	1,225	527	71	552	47	28	100.0	43.0	5.8	45.1	3.8	2.3
Iowa	2,803	1,254	87	933	254	275	100.0	44.7	3.1	33.3	9.1	9.8
Kansas	567	357	90	82	30	8	100.0	63.0	15.9	14.5	5.3	1.4
Kentucky	3,256	212	2,715	294	20	15	100.0	6.5	83.4	9.0	0.6	0.5
Louisiana	4,908	1,457	1,224	2,223	- -	4	100.0	29.7	24.9	45.3	- -	0.1
Maine	329	164	18	129	16	2	100.0	49.8	5.5	39.2	4.9	0.6
Massachusetts	2,185	1,525	134	411	67	48	100.0	69.8	6.1	18.8	3.1	2.2
Michigan	11,972	3,228	3,932	3,772	612	428	100.0	27.0	32.8	31.5	5.1	3.6
Minnesota	6,759	4,527	168	1,548	250	266	100.0	67.0	2.5	22.9	3.7	3.9
Mississippi	1,098	593	140	153	36	176	100.0	54.0	12.8	13.9	3.3	16.0
Missouri	4,306	740	2,432	807	215	112	100.0	17.2	56.5	18.7	5.0	2.6
Nebraska	854	548	42	179	47	38	100.0	64.2	4.9	21.0	5.5	4.4
Nevada	793	606	55	109	18	5	100.0	76.4	6.9	13.7	2.3	0.6
New Hampshire	314	174	23	28	22	67	100.0	55.4	7.3	8.9	7.0	21.3
New Jersey	8,672	7,107	148	1,147	147	123	100.0	82.0	1.7	13.2	1.7	1.4
New York	26,361	18,024	1,122	5,984	1,049	182	100.0	68.4	4.3	22.7	4.0	0.7
North Carolina	2,099	627	1,460	6	- -	6	100.0	29.9	69.6	0.3	- -	0.3
North Dakota	317	70	100	140	2	5	100.0	22.1	31.5	44.2	0.6	1.6
Ohio	135	25	10	73	16	11	100.0	18.5	7.4	54.1	11.9	8.1
Oklahoma	967	407	63	358	92	47	100.0	42.1	6.5	37.0	9.5	4.9
Pennsylvania	3,972	1,400	93	624	127	1,728	100.0	35.2	2.3	15.7	3.2	43.5
Rhode Island	2,077	1,161	355	414	141	6	100.0	55.9	17.1	19.9	6.8	0.3
South Carolina	192	87	19	64	15	7	100.0	45.3	9.9	33.3	7.8	3.6
South Dakota	1,148	776	163	137	48	24	100.0	67.6	14.2	11.9	4.2	2.1
Tennessee	4,069	2,500	49	892	531	97	100.0	61.4	1.2	21.9	13.0	2.4
Texas	2,923	2,207	129	295	108	184	100.0	75.5	4.4	10.1	3.7	6.3
Vermont	955	684	40	172	37	22	100.0	71.6	4.2	18.0	3.9	2.3
Virginia	1,777	994	4	4	421	354	100.0	55.9	0.2	0.2	23.7	19.9
Washinton	1,319	713	84	242	73	207	100.0	54.1	6.4	18.3	5.5	15.7
Wisconsin	160	80	23	39	11	7	100.0	50.0	14.4	24.4	6.9	4.4
Wyoming	189	102	13	28	11	35	100.0	54.0	6.9	14.8	5.8	18.5

- - Quantity is zero; * Less than 0.05 percent.

NOTES: Based on linked admission and discharge data reported to TEDS by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. Comparisons among states should be made with caution. Percentages may not add to 100 percent due to rounding. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Admissions for which values were not collected or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.2a. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All short-term residential treatment discharges	119,312	64,387	18,681	25,508	5,456	5,280	26
Gender							
Male	80,438	44,867	11,884	16,480	3,685	3,522	26
Female	38,849	19,507	6,795	9,022	1,769	1,756	27
No. of discharges	119,287	64,374	18,679	25,502	5,454	5,278	26
Age at admission							
12 years	3	1	2	- -	- -	- -	23
13 years	78	29	25	7	10	7	64
14 years	236	106	53	26	38	13	58
15 years	519	259	113	54	63	30	68
16 years	707	402	113	74	80	38	64
17 years	628	365	93	83	50	37	59
18 years	496	244	59	124	49	20	28
19 years	830	399	124	220	48	39	28
20 years	1,064	533	163	268	56	44	28
21 to 24 years	7,396	3,682	1,045	1,846	445	378	27
25 to 29 years	17,290	8,528	2,817	4,100	977	868	27
30 to 34 years	20,006	10,160	3,218	4,567	1,051	1,010	27
35 to 39 years	17,827	9,198	3,071	3,967	817	774	27
40 to 44 years	13,343	7,256	2,236	2,770	518	563	26
45 to 49 years	10,957	6,283	1,647	2,195	385	447	25
50 to 54 years	11,416	6,703	1,611	2,259	406	437	23
55 to 59 years	9,812	6,033	1,354	1,792	302	331	22
60 to 64 years	4,960	3,067	747	868	113	165	22
65 to 69 years	1,344	871	147	223	39	64	23
70 to 74 years	301	205	30	48	8	10	20
75 years and older	99	63	13	17	1	5	24
No. of discharges	119,312	64,387	18,681	25,508	5,456	5,280	26

Continued. See notes at end of table.

Table 12.2a. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Race							
American Indian or Alaska Native	2,123	1,157	245	528	119	74	30
Asian[1]	515	326	36	115	19	19	23
Black or African American	25,745	13,845	3,343	6,118	1,273	1,166	24
White	80,543	43,084	13,968	16,383	3,518	3,590	27
Other	8,249	4,780	961	1,898	405	205	21
Native Hawaiian or Other Pacific Islander	256	154	31	57	10	4	27
No. of discharges	117,431	63,346	18,584	25,099	5,344	5,058	26
Ethnicity							
Not of Hispanic or Latino origin	12,395	7,581	1,154	2,667	591	402	25
Hispanic or Latino origin	105,099	55,889	17,353	22,469	4,755	4,633	27
No. of discharges	117,494	63,470	18,507	25,136	5,346	5,035	26
Marital status							
Never married	73,241	38,594	11,327	16,617	3,460	3,243	27
Now married	13,812	8,442	1,814	2,676	443	437	23
Separated	6,513	3,477	1,164	1,387	239	246	27
Divorced	17,347	9,269	3,448	3,381	648	601	27
Widowed	2,289	1,253	412	480	62	82	27
No. of discharges	113,202	61,035	18,165	24,541	4,852	4,609	26
Pregnant (female only)							
Yes	1,314	452	309	410	68	75	29
No	36,842	18,741	6,365	8,484	1,653	1,599	27
No. of discharges	38,156	19,193	6,674	8,894	1,721	1,674	27
No. of prior treatment episodes							
None	31,692	16,330	5,853	6,183	1,533	1,793	28
1 or more	83,668	46,144	12,270	18,489	3,622	3,143	25
No. of discharges	115,360	62,474	18,123	24,672	5,155	4,936	26

Continued. See notes at end of table.

Table 12.2a. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Treatment referral source							
Self or individual	56,152	27,896	10,303	13,927	2,285	1,741	23
Criminal justice/DUI	18,436	10,423	3,706	2,352	1,064	891	28
Other community referral	10,893	7,064	775	2,066	479	509	27
Substance use care provider	21,546	12,842	1,829	4,507	930	1,438	22
Other health care provider	10,022	4,945	1,811	2,369	530	367	27
School (educational)	97	44	21	17	5	10	26
Employer/EAP	444	365	15	48	10	6	24
No. of discharges	117,590	63,579	18,460	25,286	5,303	4,962	26
Usual route of administration							
Oral	55,055	33,544	7,958	9,850	1,798	1,905	23
Smoking	26,019	12,892	4,065	6,342	1,461	1,259	28
Inhalation	13,597	6,977	2,167	3,282	730	441	25
Injection	21,136	9,333	3,982	5,391	1,315	1,115	28
Other	1,080	429	79	175	49	348	27
No. of discharges	116,887	63,175	18,251	25,040	5,353	5,068	26
Expected or actual source of payment[2]							
Self-pay	1,759	976	380	286	58	59	28
Private insurance	6,481	4,905	497	786	140	153	19
Medicare	386	184	78	80	18	26	28
Medicaid	23,125	9,986	6,158	5,350	892	739	26
Other government payments	14,629	7,572	1,807	2,414	633	2,203	29
Workers' compensation	7	4	- -	1	- -	2	28
No charge	2,180	1,047	533	549	26	25	46
Other	4,008	2,286	692	710	190	130	28
No. of discharges	52,575	26,960	10,145	10,176	1,957	3,337	28
Type of health insurance							
Private insurance	8,275	6,300	520	1,074	206	175	21
Medicare	969	524	122	207	41	75	28
Medicaid	29,987	13,915	6,788	7,111	1,205	968	27
HMO	1,097	717	109	203	33	35	28
Other	3,280	1,555	517	519	112	577	28
None	19,415	9,929	3,190	3,506	1,105	1,685	28
No. of discharges	63,023	32,940	11,246	12,620	2,702	3,515	28

Continued. See notes at end of table.

Table 12.2a. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Arrests in past 30 days							
None	106,057	57,154	16,748	22,921	4,700	4,534	26
Once	8,800	4,949	1,332	1,613	494	412	28
2 or more times	1,467	889	123	322	79	54	21
No. of discharges	116,324	62,992	18,203	24,856	5,273	5,000	26
Frequency of use							
No use in the past month	10,895	5,546	2,459	1,547	696	647	30
Some use	30,440	16,429	5,402	6,119	1,321	1,169	28
Daily use	75,682	41,308	10,370	17,430	3,340	3,234	23
No. of discharges	117,017	63,283	18,231	25,096	5,357	5,050	26
Self-help programs attended in past 30 days							
No attendance in the past month	86,379	45,174	14,108	20,026	3,966	3,105	27
At least 1 time in the past month	23,752	13,667	3,862	4,174	1,111	938	25
1–3 times in the past month	6,926	3,369	1,540	1,384	311	322	28
4–7 times in the past month	3,631	2,076	564	656	170	165	27
8–30 times in the past month	5,853	3,320	999	882	395	257	28
Some attendance, but frequency unknown	7,342	4,902	759	1,252	235	194	19
No. of discharges	110,131	58,841	17,970	24,200	5,077	4,043	27

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.2b. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All short-term residential treatment discharges	119,312						26
Gender							
Male	80,438	69.7	63.6	64.6	67.6	66.7	26
Female	38,849	30.3	36.4	35.4	32.4	33.3	27
No. of discharges	119,287	100.0	100.0	100.0	100.0	100.0	26
Age at admission							
12 years	3	*	*	- -	- -	- -	23
13 years	78	*	0.1	*	0.2	0.1	64
14 years	236	0.2	0.3	0.1	0.7	0.2	58
15 years	519	0.4	0.6	0.2	1.2	0.6	68
16 years	707	0.6	0.6	0.3	1.5	0.7	64
17 years	628	0.6	0.5	0.3	0.9	0.7	59
18 years	496	0.4	0.3	0.5	0.9	0.4	28
19 years	830	0.6	0.7	0.9	0.9	0.7	28
20 years	1,064	0.8	0.9	1.1	1.0	0.8	28
21 to 24 years	7,396	5.7	5.6	7.2	8.2	7.2	27
25 to 29 years	17,290	13.2	15.1	16.1	17.9	16.4	27
30 to 34 years	20,006	15.8	17.2	17.9	19.3	19.1	27
35 to 39 years	17,827	14.3	16.4	15.6	15.0	14.7	27
40 to 44 years	13,343	11.3	12.0	10.9	9.5	10.7	26
45 to 49 years	10,957	9.8	8.8	8.6	7.1	8.5	25
50 to 54 years	11,416	10.4	8.6	8.9	7.4	8.3	23
55 to 59 years	9,812	9.4	7.2	7.0	5.5	6.3	22
60 to 64 years	4,960	4.8	4.0	3.4	2.1	3.1	22
65 to 69 years	1,344	1.4	0.8	0.9	0.7	1.2	23
70 to 74 years	301	0.3	0.2	0.2	0.1	0.2	20
75 years and older	99	0.1	0.1	0.1	*	0.1	24
No. of discharges	119,312	100.0	100.0	100.0	100.0	100.0	26

Continued. See notes at end of table.

Table 12.2b. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	2,123	1.8	1.3	2.1	2.2	1.5	30
Asian[1]	515	0.5	0.2	0.5	0.4	0.4	23
Black or African American	25,745	21.9	18.0	24.4	23.8	23.1	24
White	80,543	68.0	75.2	65.3	65.8	71.0	27
Other	8,249	7.5	5.2	7.6	7.6	4.1	21
Native Hawaiian or Other Pacific Islander	256	0.2	0.2	0.2	0.2	0.1	27
No. of discharges	117,431	100.0	100.0	100.0	100.0	100.0	26
Ethnicity							
Not of Hispanic or Latino origin	12,395	11.9	6.2	10.6	11.1	8.0	25
Hispanic or Latino origin	105,099	88.1	93.8	89.4	88.9	92.0	27
No. of discharges	117,494	100.0	100.0	100.0	100.0	100.0	26
Marital status							
Never married	73,241	63.2	62.4	67.7	71.3	70.4	27
Now married	13,812	13.8	10.0	10.9	9.1	9.5	23
Separated	6,513	5.7	6.4	5.7	4.9	5.3	27
Divorced	17,347	15.2	19.0	13.8	13.4	13.0	27
Widowed	2,289	2.1	2.3	2.0	1.3	1.8	27
No. of discharges	113,202	100.0	100.0	100.0	100.0	100.0	26
Pregnant (female only)							
Yes	1,314	2.4	4.6	4.6	4.0	4.5	29
No	36,842	97.6	95.4	95.4	96.0	95.5	27
No. of discharges	38,156	100.0	100.0	100.0	100.0	100.0	27
No. of prior treatment episodes							
None	31,692	26.1	32.3	25.1	29.7	36.3	28
1 or more	83,668	73.9	67.7	74.9	70.3	63.7	25
No. of discharges	115,360	100.0	100.0	100.0	100.0	100.0	26

Continued. See notes at end of table.

Table 12.2b. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Treatment referral source							
Self or individual	56,152	43.9	55.8	55.1	43.1	35.1	23
Criminal justice/DUI	18,436	16.4	20.1	9.3	20.1	18.0	28
Other community referral	10,893	11.1	4.2	8.2	9.0	10.3	27
Substance use care provider	21,546	20.2	9.9	17.8	17.5	29.0	22
Other health care provider	10,022	7.8	9.8	9.4	10.0	7.4	27
School (educational)	97	0.1	0.1	0.1	0.1	0.2	26
Employer/EAP	444	0.6	0.1	0.2	0.2	0.1	24
No. of discharges	117,590	100.0	100.0	100.0	100.0	100.0	26
Usual route of administration							
Oral	55,055	53.1	43.6	39.3	33.6	37.6	23
Smoking	26,019	20.4	22.3	25.3	27.3	24.8	28
Inhalation	13,597	11.0	11.9	13.1	13.6	8.7	25
Injection	21,136	14.8	21.8	21.5	24.6	22.0	28
Other	1,080	0.7	0.4	0.7	0.9	6.9	27
No. of discharges	116,887	100.0	100.0	100.0	100.0	100.0	26
Expected or actual source of payment[2]							
Self-pay	1,759	3.6	3.7	2.8	3.0	1.8	28
Private insurance	6,481	18.2	4.9	7.7	7.2	4.6	19
Medicare	386	0.7	0.8	0.8	0.9	0.8	28
Medicaid	23,125	37.0	60.7	52.6	45.6	22.1	26
Other government payments	14,629	28.1	17.8	23.7	32.3	66.0	29
Workers' compensation	7	*	- -	*	- -	0.1	28
No charge	2,180	3.9	5.3	5.4	1.3	0.7	46
Other	4,008	8.5	6.8	7.0	9.7	3.9	28
No. of discharges	52,575	100.0	100.0	100.0	100.0	100.0	28
Type of health insurance							
Private insurance	8,275	19.1	4.6	8.5	7.6	5.0	21
Medicare	969	1.6	1.1	1.6	1.5	2.1	28
Medicaid	29,987	42.2	60.4	56.3	44.6	27.5	27
HMO	1,097	2.2	1.0	1.6	1.2	1.0	28
Other	3,280	4.7	4.6	4.1	4.1	16.4	28
None	19,415	30.1	28.4	27.8	40.9	47.9	28
No. of discharges	63,023	100.0	100.0	100.0	100.0	100.0	28

Continued. See notes at end of table.

Table 12.2b. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Arrests in past 30 days							
None	106,057	90.7	92.0	92.2	89.1	90.7	26
Once	8,800	7.9	7.3	6.5	9.4	8.2	28
2 or more times	1,467	1.4	0.7	1.3	1.5	1.1	21
No. of discharges	116,324	100.0	100.0	100.0	100.0	100.0	26
Frequency of use							
No use in the past month	10,895	8.8	13.5	6.2	13.0	12.8	30
Some use	30,440	26.0	29.6	24.4	24.7	23.1	28
Daily use	75,682	65.3	56.9	69.5	62.3	64.0	23
No. of discharges	117,017	100.0	100.0	100.0	100.0	100.0	26
Self-help programs attended in past 30 days							
No attendance in the past month	86,379	76.8	78.5	82.8	78.1	76.8	27
At least 1 time in the past month	23,752	23.2	21.5	17.2	21.9	23.2	25
1–3 times in the past month	6,926	5.7	8.6	5.7	6.1	8.0	28
4–7 times in the past month	3,631	3.5	3.1	2.7	3.3	4.1	27
8–30 times in the past month	5,853	5.6	5.6	3.6	7.8	6.4	28
Some attendance, but frequency unknown	7,342	8.3	4.2	5.2	4.6	4.8	19
No. of discharges	110,131	100.0	100.0	100.0	100.0	100.0	27

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.2c. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All short-term residential treatment discharges	119,312							26
Gender								
Male	80,438	55.8	14.8	20.5	4.6	4.4	100.0	26
Female	38,849	50.2	17.5	23.2	4.6	4.5	100.0	27
No. of discharges	119,287	54.0	15.7	21.4	4.6	4.4	100.0	26
Age at admission								
12 years	3	33.3	66.7	- -	- -	- -	100.0	23
13 years	78	37.2	32.1	9.0	12.8	9.0	100.0	64
14 years	236	44.9	22.5	11.0	16.1	5.5	100.0	58
15 years	519	49.9	21.8	10.4	12.1	5.8	100.0	68
16 years	707	56.9	16.0	10.5	11.3	5.4	100.0	64
17 years	628	58.1	14.8	13.2	8.0	5.9	100.0	59
18 years	496	49.2	11.9	25.0	9.9	4.0	100.0	28
19 years	830	48.1	14.9	26.5	5.8	4.7	100.0	28
20 years	1,064	50.1	15.3	25.2	5.3	4.1	100.0	28
21 to 24 years	7,396	49.8	14.1	25.0	6.0	5.1	100.0	27
25 to 29 years	17,290	49.3	16.3	23.7	5.7	5.0	100.0	27
30 to 34 years	20,006	50.8	16.1	22.8	5.3	5.0	100.0	27
35 to 39 years	17,827	51.6	17.2	22.3	4.6	4.3	100.0	27
40 to 44 years	13,343	54.4	16.8	20.8	3.9	4.2	100.0	26
45 to 49 years	10,957	57.3	15.0	20.0	3.5	4.1	100.0	25
50 to 54 years	11,416	58.7	14.1	19.8	3.6	3.8	100.0	23
55 to 59 years	9,812	61.5	13.8	18.3	3.1	3.4	100.0	22
60 to 64 years	4,960	61.8	15.1	17.5	2.3	3.3	100.0	22
65 to 69 years	1,344	64.8	10.9	16.6	2.9	4.8	100.0	23
70 to 74 years	301	68.1	10.0	15.9	2.7	3.3	100.0	20
75 years and older	99	63.6	13.1	17.2	1.0	5.1	100.0	24
No. of discharges	119,312	54.0	15.7	21.4	4.6	4.4	100.0	26

Continued. See notes at end of table.

Table 12.2c. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Race								
American Indian or Alaska Native	2,123	54.5	11.5	24.9	5.6	3.5	100.0	30
Asian[1]	515	63.3	7.0	22.3	3.7	3.7	100.0	23
Black or African American	25,745	53.8	13.0	23.8	4.9	4.5	100.0	24
White	80,543	53.5	17.3	20.3	4.4	4.5	100.0	27
Other	8,249	57.9	11.6	23.0	4.9	2.5	100.0	21
Native Hawaiian or Other Pacific Islander	256	60.2	12.1	22.3	3.9	1.6	100.0	27
No. of discharges	117,431	53.9	15.8	21.4	4.6	4.3	100.0	26
Ethnicity								
Not of Hispanic or Latino origin	12,395	61.2	9.3	21.5	4.8	3.2	100.0	25
Hispanic or Latino origin	105,099	53.2	16.5	21.4	4.5	4.4	100.0	27
No. of discharges	117,494	54.0	15.8	21.4	4.6	4.3	100.0	26
Marital status								
Never married	73,241	52.7	15.5	22.7	4.7	4.4	100.0	27
Now married	13,812	61.1	13.1	19.4	3.2	3.2	100.0	23
Separated	6,513	53.4	17.9	21.3	3.7	3.8	100.0	27
Divorced	17,347	53.4	19.9	19.5	3.7	3.5	100.0	27
Widowed	2,289	54.7	18.0	21.0	2.7	3.6	100.0	27
No. of discharges	113,202	53.9	16.0	21.7	4.3	4.1	100.0	26
Pregnant (female only)								
Yes	1,314	34.4	23.5	31.2	5.2	5.7	100.0	29
No	36,842	50.9	17.3	23.0	4.5	4.3	100.0	27
No. of discharges	38,156	50.3	17.5	23.3	4.5	4.4	100.0	27
No. of prior treatment episodes								
None	31,692	51.5	18.5	19.5	4.8	5.7	100.0	28
1 or more	83,668	55.2	14.7	22.1	4.3	3.8	100.0	25
No. of discharges	115,360	54.2	15.7	21.4	4.5	4.3	100.0	26

Continued. See notes at end of table.

Table 12.2c. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Treatment referral source								
Self or individual	56,152	49.7	18.3	24.8	4.1	3.1	100.0	23
Criminal justice/DUI	18,436	56.5	20.1	12.8	5.8	4.8	100.0	28
Other community referral	10,893	64.8	7.1	19.0	4.4	4.7	100.0	27
Substance use care provider	21,546	59.6	8.5	20.9	4.3	6.7	100.0	22
Other health care provider	10,022	49.3	18.1	23.6	5.3	3.7	100.0	27
School (educational)	97	45.4	21.6	17.5	5.2	10.3	100.0	26
Employer/EAP	444	82.2	3.4	10.8	2.3	1.4	100.0	24
No. of discharges	117,590	54.1	15.7	21.5	4.5	4.2	100.0	26
Usual route of administration								
Oral	55,055	60.9	14.5	17.9	3.3	3.5	100.0	23
Smoking	26,019	49.5	15.6	24.4	5.6	4.8	100.0	28
Inhalation	13,597	51.3	15.9	24.1	5.4	3.2	100.0	25
Injection	21,136	44.2	18.8	25.5	6.2	5.3	100.0	28
Other	1,080	39.7	7.3	16.2	4.5	32.2	100.0	27
No. of discharges	116,887	54.0	15.6	21.4	4.6	4.3	100.0	26
Expected or actual source of payment[2]								
Self-pay	1,759	55.5	21.6	16.3	3.3	3.4	100.0	28
Private insurance	6,481	75.7	7.7	12.1	2.2	2.4	100.0	19
Medicare	386	47.7	20.2	20.7	4.7	6.7	100.0	28
Medicaid	23,125	43.2	26.6	23.1	3.9	3.2	100.0	26
Other government payments	14,629	51.8	12.4	16.5	4.3	15.1	100.0	29
Workers' compensation	7	57.1	- -	14.3	- -	28.6	100.0	28
No charge	2,180	48.0	24.4	25.2	1.2	1.1	100.0	46
Other	4,008	57.0	17.3	17.7	4.7	3.2	100.0	28
No. of discharges	52,575	51.3	19.3	19.4	3.7	6.3	100.0	28
Type of health insurance								
Private insurance	8,275	76.1	6.3	13.0	2.5	2.1	100.0	21
Medicare	969	54.1	12.6	21.4	4.2	7.7	100.0	28
Medicaid	29,987	46.4	22.6	23.7	4.0	3.2	100.0	27
HMO	1,097	65.4	9.9	18.5	3.0	3.2	100.0	28
Other	3,280	47.4	15.8	15.8	3.4	17.6	100.0	28
None	19,415	51.1	16.4	18.1	5.7	8.7	100.0	28
No. of discharges	63,023	52.3	17.8	20.0	4.3	5.6	100.0	28

Continued. See notes at end of table.

Table 12.2c. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Arrests in past 30 days								
None	106,057	53.9	15.8	21.6	4.4	4.3	100.0	26
Once	8,800	56.2	15.1	18.3	5.6	4.7	100.0	28
2 or more times	1,467	60.6	8.4	21.9	5.4	3.7	100.0	21
No. of discharges	116,324	54.2	15.6	21.4	4.5	4.3	100.0	26
Frequency of use								
No use in the past month	10,895	50.9	22.6	14.2	6.4	5.9	100.0	30
Some use	30,440	54.0	17.7	20.1	4.3	3.8	100.0	28
Daily use	75,682	54.6	13.7	23.0	4.4	4.3	100.0	23
No. of discharges	117,017	54.1	15.6	21.4	4.6	4.3	100.0	26
Self-help programs attended in past 30 days								
No attendance in the past month	86,379	52.3	16.3	23.2	4.6	3.6	100.0	27
At least 1 time in the past month	23,752	57.5	16.3	17.6	4.7	3.9	100.0	25
1–3 times in the past month	6,926	48.6	22.2	20.0	4.5	4.6	100.0	28
4–7 times in the past month	3,631	57.2	15.5	18.1	4.7	4.5	100.0	27
8–30 times in the past month	5,853	56.7	17.1	15.1	6.7	4.4	100.0	28
Some attendance, but frequency unknown	7,342	66.8	10.3	17.1	3.2	2.6	100.0	19
No. of discharges	110,131	53.4	16.3	22.0	4.6	3.7	100.0	27

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.3a. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All short-term residential treatment discharges	119,312	64,387	18,681	25,508	5,456	5,280	26
Arrests in past 30 days							
None	109,732	60,773	17,382	22,177	4,768	4,632	26
Once	3,609	1,637	724	774	230	244	25
2 or more times	1,353	796	103	326	75	53	21
No. of discharges	114,694	63,206	18,209	23,277	5,073	4,929	26
Frequency of use							
No use in the past month	59,484	37,799	8,531	9,323	2,209	1,622	28
Some use	20,278	7,915	4,274	5,756	1,397	936	22
Daily use	25,253	9,776	4,960	7,024	1,398	2,095	28
No. of discharges	105,015	55,490	17,765	22,103	5,004	4,653	27
Self-help programs attended in past 30 days							
No attendance in the past month	45,412	20,887	8,181	12,212	2,051	2,081	22
At least 1 time in the past month	64,965	40,033	9,521	10,603	2,742	2,066	27
1–3 times in the past month	9,539	3,950	2,071	2,547	524	447	27
4–7 times in the past month	6,948	3,852	701	1,595	384	416	27
8–30 times in the past month	31,563	19,878	5,599	3,934	1,239	913	28
Some attendance, but frequency unknown	16,915	12,353	1,150	2,527	595	290	21
No. of discharges	110,377	60,920	17,702	22,815	4,793	4,147	27

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.3b. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All short-term residential treatment discharges	119,312						26
Arrests in past 30 days							
None	109,732	96.2	95.5	95.3	94.0	94.0	26
Once	3,609	2.6	4.0	3.3	4.5	5.0	25
2 or more times	1,353	1.3	0.6	1.4	1.5	1.1	21
No. of discharges	114,694	100.0	100.0	100.0	100.0	100.0	26
Frequency of use							
No use in the past month	59,484	68.1	48.0	42.2	44.1	34.9	28
Some use	20,278	14.3	24.1	26.0	27.9	20.1	22
Daily use	25,253	17.6	27.9	31.8	27.9	45.0	28
No. of discharges	105,015	100.0	100.0	100.0	100.0	100.0	27
Self-help programs attended in past 30 days							
No attendance in the past month	45,412	34.3	46.2	53.5	42.8	50.2	22
At least 1 time in the past month	64,965	65.7	53.8	46.5	57.2	49.8	27
1–3 times in the past month	9,539	6.5	11.7	11.2	10.9	10.8	27
4–7 times in the past month	6,948	6.3	4.0	7.0	8.0	10.0	27
8–30 times in the past month	31,563	32.6	31.6	17.2	25.9	22.0	28
Some attendance, but frequency unknown	16,915	20.3	6.5	11.1	12.4	7.0	21
No. of discharges	110,377	100.0	100.0	100.0	100.0	100.0	27

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.3c. Short-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All short-term residential treatment discharges	119,312							26
Arrests in past 30 days								
None	109,732	55.4	15.8	20.2	4.3	4.2	100.0	26
Once	3,609	45.4	20.1	21.4	6.4	6.8	100.0	25
2 or more times	1,353	58.8	7.6	24.1	5.5	3.9	100.0	21
No. of discharges	114,694	55.1	15.9	20.3	4.4	4.3	100.0	26
Frequency of use								
No use in the past month	59,484	63.5	14.3	15.7	3.7	2.7	100.0	28
Some use	20,278	39.0	21.1	28.4	6.9	4.6	100.0	22
Daily use	25,253	38.7	19.6	27.8	5.5	8.3	100.0	28
No. of discharges	105,015	52.8	16.9	21.0	4.8	4.4	100.0	27
Self-help programs attended in past 30 days								
No attendance in the past month	45,412	46.0	18.0	26.9	4.5	4.6	100.0	22
At least 1 time in the past month	64,965	61.6	14.7	16.3	4.2	3.2	100.0	27
1–3 times in the past month	9,539	41.4	21.7	26.7	5.5	4.7	100.0	27
4–7 times in the past month	6,948	55.4	10.1	23.0	5.5	6.0	100.0	27
8–30 times in the past month	31,563	63.0	17.7	12.5	3.9	2.9	100.0	28
Some attendance, but frequency unknown	16,915	73.0	6.8	14.9	3.5	1.7	100.0	21
No. of discharges	110,377	55.2	16.0	20.7	4.3	3.8	100.0	27

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.4a. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All short-term residential treatment discharges	2,171	1,162	399	244	241	125	63
Marital status							
Never married	1,875	958	359	220	221	117	74
Now married	13	4	2	1	2	4	86
Separated	14	11	1	- -	2	- -	44
Divorced	2	2	- -	- -	- -	- -	80
Widowed	2	- -	- -	2	- -	- -	- -
No. of discharges	1,906	975	362	223	225	121	73
Pregnant (female only)							
Yes	7	3	1	1	1	1	193
No	596	327	126	64	52	27	60
No. of discharges	603	330	127	65	53	28	60
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	468	217	116	50	53	32	77
Grades 9 to 11	1,547	864	262	175	166	80	63
Grade 12 (or GED) or more	102	59	14	13	9	7	49
No. of discharges	2,117	1,140	392	238	228	119	64

Continued. See notes at end of table.

Table 12.4a. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	113	58	7	25	15	8	85
Dependent living	1,779	955	366	177	190	91	64
Independent living	196	106	18	30	23	19	30
No. of discharges	2,088	1,119	391	232	228	118	64
Primary substance							
Alcohol	147	81	24	18	13	11	47
Opiates	71	37	11	13	6	4	42
Marijuana/hashish	1,562	815	305	173	180	89	66
Cocaine	25	15	2	2	4	2	55
Stimulants	206	107	40	26	22	11	56
Other/none specified[1]	160	107	17	12	16	8	64
No. of discharges	2,171	1,162	399	244	241	125	63
Secondary or tertiary substance							
Alcohol	504	255	86	63	61	39	60
Opiates	99	58	11	14	12	4	62
Marijuana/hashish	383	218	59	42	41	23	52
Cocaine	120	70	10	17	13	10	74
Stimulants	228	105	52	32	27	12	61
Other/none specified[1]	837	456	181	76	87	37	70
No. of discharges	2,171	1,162	399	244	241	125	63

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.4b. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All short-term residential treatment discharges	2,171						63
Marital status							
Never married	1,875	98.3	99.2	98.7	98.2	96.7	74
Now married	13	0.4	0.6	0.4	0.9	3.3	86
Separated	14	1.1	0.3	- -	0.9	- -	44
Divorced	2	0.2	- -	- -	- -	- -	80
Widowed	2	- -	- -	0.9	- -	- -	- -
No. of discharges	1,906	100.0	100.0	100.0	100.0	100.0	73
Pregnant (female only)							
Yes	7	0.9	0.8	1.5	1.9	3.6	193
No	596	99.1	99.2	98.5	98.1	96.4	60
No. of discharges	603	100.0	100.0	100.0	100.0	100.0	60
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	468	19.0	29.6	21.0	23.2	26.9	77
Grades 9 to 11	1,547	75.8	66.8	73.5	72.8	67.2	63
Grade 12 (or GED) or more	102	5.2	3.6	5.5	3.9	5.9	49
No. of discharges	2,117	100.0	100.0	100.0	100.0	100.0	64

Continued. See notes at end of table.

Table 12.4b. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	113	5.2	1.8	10.8	6.6	6.8	85
Dependent living	1,779	85.3	93.6	76.3	83.3	77.1	64
Independent living	196	9.5	4.6	12.9	10.1	16.1	30
No. of discharges	2,088	100.0	100.0	100.0	100.0	100.0	64
Primary substance							
Alcohol	147	7.0	6.0	7.4	5.4	8.8	47
Opiates	71	3.2	2.8	5.3	2.5	3.2	42
Marijuana/hashish	1,562	70.1	76.4	70.9	74.7	71.2	66
Cocaine	25	1.3	0.5	0.8	1.7	1.6	55
Stimulants	206	9.2	10.0	10.7	9.1	8.8	56
Other/none specified[1]	160	9.2	4.3	4.9	6.6	6.4	64
No. of discharges	2,171	100.0	100.0	100.0	100.0	100.0	63
Secondary or tertiary substance							
Alcohol	504	21.9	21.6	25.8	25.3	31.2	60
Opiates	99	5.0	2.8	5.7	5.0	3.2	62
Marijuana/hashish	383	18.8	14.8	17.2	17.0	18.4	52
Cocaine	120	6.0	2.5	7.0	5.4	8.0	74
Stimulants	228	9.0	13.0	13.1	11.2	9.6	61
Other/none specified[1]	837	39.2	45.4	31.1	36.1	29.6	70
No. of discharges	2,171	100.0	100.0	100.0	100.0	100.0	63

- - Quantity is zero

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.4c. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All short-term residential treatment discharges	2,171							63
Marital status								
Never married	1,875	51.1	19.1	11.7	11.8	6.2	100.0	74
Now married	13	30.8	15.4	7.7	15.4	30.8	100.0	86
Separated	14	78.6	7.1	- -	14.3	- -	100.0	44
Divorced	2	100.0	- -	- -	- -	- -	100.0	80
Widowed	2	- -	- -	100.0	- -	- -	100.0	- -
No. of discharges	1,906	51.2	19.0	11.7	11.8	6.3	100.0	73
Pregnant (female only)								
Yes	7	42.9	14.3	14.3	14.3	14.3	100.0	193
No	596	54.9	21.1	10.7	8.7	4.5	100.0	60
No. of discharges	603	54.7	21.1	10.8	8.8	4.6	100.0	60
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	468	46.4	24.8	10.7	11.3	6.8	100.0	77
Grades 9 to 11	1,547	55.9	16.9	11.3	10.7	5.2	100.0	63
Grade 12 (or GED) or more	102	57.8	13.7	12.7	8.8	6.9	100.0	49
No. of discharges	2,117	53.8	18.5	11.2	10.8	5.6	100.0	64

Continued. See notes at end of table.

Table 12.4c. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Living arrangements								
Homeless	113	51.3	6.2	22.1	13.3	7.1	100.0	85
Dependent living	1,779	53.7	20.6	9.9	10.7	5.1	100.0	64
Independent living	196	54.1	9.2	15.3	11.7	9.7	100.0	30
No. of discharges	2,088	53.6	18.7	11.1	10.9	5.7	100.0	64
Primary substance								
Alcohol	147	55.1	16.3	12.2	8.8	7.5	100.0	47
Opiates	71	52.1	15.5	18.3	8.5	5.6	100.0	42
Marijuana/hashish	1,562	52.2	19.5	11.1	11.5	5.7	100.0	66
Cocaine	25	60.0	8.0	8.0	16.0	8.0	100.0	55
Stimulants	206	51.9	19.4	12.6	10.7	5.3	100.0	56
Other/none specified[1]	160	66.9	10.6	7.5	10.0	5.0	100.0	64
No. of discharges	2,171	53.5	18.4	11.2	11.1	5.8	100.0	63
Secondary or tertiary substance								
Alcohol	504	50.6	17.1	12.5	12.1	7.7	100.0	60
Opiates	99	58.6	11.1	14.1	12.1	4.0	100.0	62
Marijuana/hashish	383	56.9	15.4	11.0	10.7	6.0	100.0	52
Cocaine	120	58.3	8.3	14.2	10.8	8.3	100.0	74
Stimulants	228	46.1	22.8	14.0	11.8	5.3	100.0	61
Other/none specified[1]	837	54.5	21.6	9.1	10.4	4.4	100.0	70
No. of discharges	2,171	53.5	18.4	11.2	11.1	5.8	100.0	63

- - Quantity is zero

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.4a. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	113	58	7	25	15	8	85
Dependent living	1,779	955	366	177	190	91	64
Independent living	196	106	18	30	23	19	30
No. of discharges	2,088	1,119	391	232	228	118	64
Primary substance							
Alcohol	147	81	24	18	13	11	47
Opiates	71	37	11	13	6	4	42
Marijuana/hashish	1,562	815	305	173	180	89	66
Cocaine	25	15	2	2	4	2	55
Stimulants	206	107	40	26	22	11	56
Other/none specified[1]	160	107	17	12	16	8	64
No. of discharges	2,171	1,162	399	244	241	125	63
Secondary or tertiary substance							
Alcohol	504	255	86	63	61	39	60
Opiates	99	58	11	14	12	4	62
Marijuana/hashish	383	218	59	42	41	23	52
Cocaine	120	70	10	17	13	10	74
Stimulants	228	105	52	32	27	12	61
Other/none specified[1]	837	456	181	76	87	37	70
No. of discharges	2,171	1,162	399	244	241	125	63

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.5b. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All short-term residential treatment discharges	2,171						63
Living arrangements							
Homeless	113	5.4	1.6	12.7	7.6	5.3	84
Dependent living	1,715	84.8	94.8	72.6	85.3	79.8	63
Independent living	182	9.8	3.6	14.7	7.1	14.9	32
No. of discharges	2,010	100.0	100.0	100.0	100.0	100.0	63
Primary substance							
Alcohol	139	6.5	6.0	7.4	5.4	7.2	50
Opiates	63	2.8	2.5	4.9	2.1	3.2	46
Marijuana/hashish	1,438	61.7	74.9	68.4	69.7	69.6	74
Cocaine	24	1.3	0.5	0.8	1.2	1.6	55
Stimulants	185	7.6	9.5	10.2	9.5	8.8	62
Other/none specified[1]	322	20.2	6.5	8.2	12.0	9.6	29
No. of discharges	2,171	100.0	100.0	100.0	100.0	100.0	63
Secondary or tertiary substance							
Alcohol	476	20.3	20.8	24.2	24.9	30.4	63
Opiates	88	4.0	3.3	5.3	5.0	3.2	83
Marijuana/hashish	355	17.0	15.0	15.2	16.2	17.6	58
Cocaine	116	5.4	4.0	6.6	4.6	8.0	82
Stimulants	231	9.1	13.5	12.7	11.6	9.6	63
Other/none specified[1]	905	44.2	43.4	36.1	37.8	31.2	63
No. of discharges	2,171	100.0	100.0	100.0	100.0	100.0	63

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.5c. Short-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All short-term residential treatment discharges	2,171							63
Living arrangements								
Homeless	113	54.0	5.3	22.1	14.2	4.4	100.0	84
Dependent living	1,715	55.5	21.3	8.3	10.5	4.4	100.0	63
Independent living	182	60.4	7.7	15.9	8.2	7.7	100.0	32
No. of discharges	2,010	55.8	19.2	9.8	10.5	4.7	100.0	63
Primary substance								
Alcohol	139	54.0	17.3	12.9	9.4	6.5	100.0	50
Opiates	63	50.8	15.9	19.0	7.9	6.3	100.0	46
Marijuana/hashish	1,438	49.9	20.8	11.6	11.7	6.1	100.0	74
Cocaine	24	62.5	8.3	8.3	12.5	8.3	100.0	55
Stimulants	185	47.6	20.5	13.5	12.4	5.9	100.0	62
Other/none specified[1]	322	73.0	8.1	6.2	9.0	3.7	100.0	29
No. of discharges	2,171	53.5	18.4	11.2	11.1	5.8	100.0	63
Secondary or tertiary substance								
Alcohol	476	49.6	17.4	12.4	12.6	8.0	100.0	63
Opiates	88	52.3	14.8	14.8	13.6	4.5	100.0	83
Marijuana/hashish	355	55.5	16.9	10.4	11.0	6.2	100.0	58
Cocaine	116	54.3	13.8	13.8	9.5	8.6	100.0	82
Stimulants	231	45.9	23.4	13.4	12.1	5.2	100.0	63
Other/none specified[1]	905	56.8	19.1	9.7	10.1	4.3	100.0	63
No. of discharges	2,171	53.5	18.4	11.2	11.1	5.8	100.0	63

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.6a. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All short-term residential treatment discharges	117,141	63,225	18,282	25,264	5,215	5,155	26
Marital status							
Never married	71,366	37,636	10,968	16,397	3,239	3,126	26
Now married	13,799	8,438	1,812	2,675	441	433	23
Separated	6,499	3,466	1,163	1,387	237	246	27
Divorced	17,345	9,267	3,448	3,381	648	601	27
Widowed	2,287	1,253	412	478	62	82	27
No. of discharges	111,296	60,060	17,803	24,318	4,627	4,488	26
Pregnant (female only)							
Yes	1,307	449	308	409	67	74	29
No	36,246	18,414	6,239	8,420	1,601	1,572	27
No. of discharges	37,553	18,863	6,547	8,829	1,668	1,646	27
Veteran[1]							
Yes	3,362	1,953	520	645	122	122	26
No	107,806	57,844	17,458	23,795	4,461	4,248	26
No. of discharges	111,168	59,797	17,978	24,440	4,583	4,370	26

Continued. See notes at end of table.

Table 12.6a. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	4,895	2,326	830	1,303	245	191	27
Grades 9 to 11	21,999	10,753	3,398	5,820	1,170	858	27
Grade 12 (or GED)	55,027	29,615	8,846	11,598	2,414	2,554	26
1–3 years of college, university, or vocational school	24,484	13,821	3,820	4,862	1,047	934	26
4 years of college, university, or BA/BS	6,085	4,121	727	865	175	197	23
Some postgraduate study or more	2,196	1,533	226	295	65	77	22
No. of discharges	114,686	62,169	17,847	24,743	5,116	4,811	26
Source of income support[1]							
Wages/salary	17,152	12,052	1,525	2,591	479	505	23
Public assistance	6,929	4,002	923	1,563	316	125	21
Retirement/pension	752	485	87	123	10	47	27
Disability	4,333	2,044	860	936	203	290	28
Other	16,638	10,563	1,621	3,539	582	333	21
None	46,142	24,438	7,072	10,294	2,128	2,210	28
No. of discharges	91,946	53,584	12,088	19,046	3,718	3,510	26

Continued. See notes at end of table.

Table 12.6a. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Living arrangements							
Homeless	29,040	14,877	4,259	7,105	1,516	1,283	26
Dependent living	21,065	10,522	4,130	4,079	1,002	1,332	28
Independent living	64,201	36,551	9,390	13,449	2,573	2,238	24
No. of discharges	114,306	61,950	17,779	24,633	5,091	4,853	26
Primary substance							
Alcohol	48,715	30,459	6,699	8,480	1,493	1,584	23
Opiates	26,382	12,800	4,189	6,403	1,529	1,461	25
Marijuana/hashish	4,402	2,244	742	921	272	223	28
Cocaine	11,839	6,086	1,704	2,943	610	496	27
Stimulants	20,754	8,971	4,139	5,493	1,122	1,029	28
Other/none specified[2]	5,049	2,665	809	1,024	189	362	25
No. of discharges	117,141	63,225	18,282	25,264	5,215	5,155	26
Secondary or tertiary substance							
Alcohol	6,338	3,335	922	1,464	302	315	27
Opiates	7,431	3,639	1,357	1,712	379	344	26
Marijuana/hashish	21,836	10,747	3,825	5,230	1,131	903	27
Cocaine	19,218	10,542	2,319	4,726	936	695	21
Stimulants	12,640	5,511	2,732	2,988	740	669	28
Other/none specified[2]	49,678	29,451	7,127	9,144	1,727	2,229	25
No. of discharges	117,141	63,225	18,282	25,264	5,215	5,155	26

Continued. See notes at end of table.

Table 12.6a. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	16,726	11,339	1,743	2,564	484	596	21
Full-time	13,113	9,243	1,131	1,924	349	466	21
Part-time	3,613	2,096	612	640	135	130	25
Unemployed	52,795	25,699	10,241	11,207	2,744	2,904	28
Not in labor force	44,993	25,149	6,005	10,747	1,911	1,181	24
No. of discharges	114,514	62,187	17,989	24,518	5,139	4,681	26
Detailed not in labor force[1]							
Homemaker	659	372	139	102	25	21	20
Student	344	201	47	65	18	13	28
Retired	1,486	1,037	139	222	36	52	21
Disabled	9,726	4,704	1,603	2,447	571	401	25
Inmate of institution	2,130	1,263	411	259	136	61	30
Other	30,019	17,191	3,582	7,541	1,111	594	23
No. of discharges	44,364	24,768	5,921	10,636	1,897	1,142	24

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.6b. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All short-term residential treatment discharges	117,141						26
Marital status							
Never married	71,366	62.7	61.6	67.4	70.0	69.7	26
Now married	13,799	14.0	10.2	11.0	9.5	9.6	23
Separated	6,499	5.8	6.5	5.7	5.1	5.5	27
Divorced	17,345	15.4	19.4	13.9	14.0	13.4	27
Widowed	2,287	2.1	2.3	2.0	1.3	1.8	27
No. of discharges	111,296	100.0	100.0	100.0	100.0	100.0	26
Pregnant (female only)							
Yes	1,307	2.4	4.7	4.6	4.0	4.5	29
No	36,246	97.6	95.3	95.4	96.0	95.5	27
No. of discharges	37,553	100.0	100.0	100.0	100.0	100.0	27
Veteran[1]							
Yes	3,362	3.3	2.9	2.6	2.7	2.8	26
No	107,806	96.7	97.1	97.4	97.3	97.2	26
No. of discharges	111,168	100.0	100.0	100.0	100.0	100.0	26

Continued. See notes at end of table.

Table 12.6b. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	4,895	3.7	4.7	5.3	4.8	4.0	27
Grades 9 to 11	21,999	17.3	19.0	23.5	22.9	17.8	27
Grade 12 (or GED)	55,027	47.6	49.6	46.9	47.2	53.1	26
1–3 years of college, university, or vocational school	24,484	22.2	21.4	19.7	20.5	19.4	26
4 years of college, university, or BA/BS	6,085	6.6	4.1	3.5	3.4	4.1	23
Some postgraduate study or more	2,196	2.5	1.3	1.2	1.3	1.6	22
No. of discharges	114,686	100.0	100.0	100.0	100.0	100.0	26
Source of income support[1]							
Wages/salary	17,152	22.5	12.6	13.6	12.9	14.4	23
Public assistance	6,929	7.5	7.6	8.2	8.5	3.6	21
Retirement/pension	752	0.9	0.7	0.6	0.3	1.3	27
Disability	4,333	3.8	7.1	4.9	5.5	8.3	28
Other	16,638	19.7	13.4	18.6	15.7	9.5	21
None	46,142	45.6	58.5	54.0	57.2	63.0	28
No. of discharges	91,946	100.0	100.0	100.0	100.0	100.0	26

Continued. See notes at end of table.

Table 12.6b. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	29,040	24.0	24.0	28.8	29.8	26.4	26
Dependent living	21,065	17.0	23.2	16.6	19.7	27.4	28
Independent living	64,201	59.0	52.8	54.6	50.5	46.1	24
No. of discharges	114,306	100.0	100.0	100.0	100.0	100.0	26
Primary substance							
Alcohol	48,715	48.2	36.6	33.6	28.6	30.7	23
Opiates	26,382	20.2	22.9	25.3	29.3	28.3	25
Marijuana/hashish	4,402	3.5	4.1	3.6	5.2	4.3	28
Cocaine	11,839	9.6	9.3	11.6	11.7	9.6	27
Stimulants	20,754	14.2	22.6	21.7	21.5	20.0	28
Other/none specified[2]	5,049	4.2	4.4	4.1	3.6	7.0	25
No. of discharges	117,141	100.0	100.0	100.0	100.0	100.0	26
Secondary or tertiary substance							
Alcohol	6,338	5.3	5.0	5.8	5.8	6.1	27
Opiates	7,431	5.8	7.4	6.8	7.3	6.7	26
Marijuana/hashish	21,836	17.0	20.9	20.7	21.7	17.5	27
Cocaine	19,218	16.7	12.7	18.7	17.9	13.5	21
Stimulants	12,640	8.7	14.9	11.8	14.2	13.0	28
Other/none specified[2]	49,678	46.6	39.0	36.2	33.1	43.2	25
No. of discharges	117,141	100.0	100.0	100.0	100.0	100.0	26

Continued. See notes at end of table.

Table 12.6b. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	16,726	18.2	9.7	10.5	9.4	12.7	21
Full-time	13,113	14.9	6.3	7.8	6.8	10.0	21
Part-time	3,613	3.4	3.4	2.6	2.6	2.8	25
Unemployed	52,795	41.3	56.9	45.7	53.4	62.0	28
Not in labor force	44,993	40.4	33.4	43.8	37.2	25.2	24
No. of discharges	114,514	100.0	100.0	100.0	100.0	100.0	26
Detailed not in labor force[1]							
Homemaker	659	1.5	2.3	1.0	1.3	1.8	20
Student	344	0.8	0.8	0.6	0.9	1.1	28
Retired	1,486	4.2	2.3	2.1	1.9	4.6	21
Disabled	9,726	19.0	27.1	23.0	30.1	35.1	25
Inmate of institution	2,130	5.1	6.9	2.4	7.2	5.3	30
Other	30,019	69.4	60.5	70.9	58.6	52.0	23
No. of discharges	44,364	100.0	100.0	100.0	100.0	100.0	24

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.6c. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All short-term residential treatment discharges	117,141							26
Marital status								
Never married	71,366	52.7	15.4	23.0	4.5	4.4	100.0	26
Now married	13,799	61.1	13.1	19.4	3.2	3.1	100.0	23
Separated	6,499	53.3	17.9	21.3	3.6	3.8	100.0	27
Divorced	17,345	53.4	19.9	19.5	3.7	3.5	100.0	27
Widowed	2,287	54.8	18.0	20.9	2.7	3.6	100.0	27
No. of discharges	111,296	54.0	16.0	21.8	4.2	4.0	100.0	26
Pregnant (female only)								
Yes	1,307	34.4	23.6	31.3	5.1	5.7	100.0	29
No	36,246	50.8	17.2	23.2	4.4	4.3	100.0	27
No. of discharges	37,553	50.2	17.4	23.5	4.4	4.4	100.0	27
Veteran[1]								
Yes	3,362	58.1	15.5	19.2	3.6	3.6	100.0	26
No	107,806	53.7	16.2	22.1	4.1	3.9	100.0	26
No. of discharges	111,168	53.8	16.2	22.0	4.1	3.9	100.0	26

Continued. See notes at end of table.

Table 12.6c. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	4,895	47.5	17.0	26.6	5.0	3.9	100.0	27
Grades 9 to 11	21,999	48.9	15.4	26.5	5.3	3.9	100.0	27
Grade 12 (or GED)	55,027	53.8	16.1	21.1	4.4	4.6	100.0	26
1–3 years of college, university, or vocational school	24,484	56.4	15.6	19.9	4.3	3.8	100.0	26
4 years of college, university, or BA/BS	6,085	67.7	11.9	14.2	2.9	3.2	100.0	23
Some postgraduate study or more	2,196	69.8	10.3	13.4	3.0	3.5	100.0	22
No. of discharges	114,686	54.2	15.6	21.6	4.5	4.2	100.0	26
Source of income support[1]								
Wages/salary	17,152	70.3	8.9	15.1	2.8	2.9	100.0	23
Public assistance	6,929	57.8	13.3	22.6	4.6	1.8	100.0	21
Retirement/pension	752	64.5	11.6	16.4	1.3	6.3	100.0	27
Disability	4,333	47.2	19.8	21.6	4.7	6.7	100.0	28
Other	16,638	63.5	9.7	21.3	3.5	2.0	100.0	21
None	46,142	53.0	15.3	22.3	4.6	4.8	100.0	28
No. of discharges	91,946	58.3	13.1	20.7	4.0	3.8	100.0	26

Continued. See notes at end of table.

Table 12.6c. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Living arrangements								
Homeless	29,040	51.2	14.7	24.5	5.2	4.4	100.0	26
Dependent living	21,065	50.0	19.6	19.4	4.8	6.3	100.0	28
Independent living	64,201	56.9	14.6	20.9	4.0	3.5	100.0	24
No. of discharges	114,306	54.2	15.6	21.6	4.5	4.2	100.0	26
Primary substance								
Alcohol	48,715	62.5	13.8	17.4	3.1	3.3	100.0	23
Opiates	26,382	48.5	15.9	24.3	5.8	5.5	100.0	25
Marijuana/hashish	4,402	51.0	16.9	20.9	6.2	5.1	100.0	28
Cocaine	11,839	51.4	14.4	24.9	5.2	4.2	100.0	27
Stimulants	20,754	43.2	19.9	26.5	5.4	5.0	100.0	28
Other/none specified[2]	5,049	52.8	16.0	20.3	3.7	7.2	100.0	25
No. of discharges	117,141	54.0	15.6	21.6	4.5	4.4	100.0	26
Secondary or tertiary substance								
Alcohol	6,338	52.6	14.5	23.1	4.8	5.0	100.0	27
Opiates	7,431	49.0	18.3	23.0	5.1	4.6	100.0	26
Marijuana/hashish	21,836	49.2	17.5	24.0	5.2	4.1	100.0	27
Cocaine	19,218	54.9	12.1	24.6	4.9	3.6	100.0	21
Stimulants	12,640	43.6	21.6	23.6	5.9	5.3	100.0	28
Other/none specified[2]	49,678	59.3	14.3	18.4	3.5	4.5	100.0	25
No. of discharges	117,141	54.0	15.6	21.6	4.5	4.4	100.0	26

Continued. See notes at end of table.

Table 12.6c. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Employment status[1]								
Employed	16,726	67.8	10.4	15.3	2.9	3.6	100.0	21
Full-time	13,113	70.5	8.6	14.7	2.7	3.6	100.0	21
Part-time	3,613	58.0	16.9	17.7	3.7	3.6	100.0	25
Unemployed	52,795	48.7	19.4	21.2	5.2	5.5	100.0	28
Not in labor force	44,993	55.9	13.3	23.9	4.2	2.6	100.0	24
No. of discharges	114,514	54.3	15.7	21.4	4.5	4.1	100.0	26
Detailed not in labor force[1]								
Homemaker	659	56.4	21.1	15.5	3.8	3.2	100.0	20
Student	344	58.4	13.7	18.9	5.2	3.8	100.0	28
Retired	1,486	69.8	9.4	14.9	2.4	3.5	100.0	21
Disabled	9,726	48.4	16.5	25.2	5.9	4.1	100.0	25
Inmate of institution	2,130	59.3	19.3	12.2	6.4	2.9	100.0	30
Other	30,019	57.3	11.9	25.1	3.7	2.0	100.0	23
No. of discharges	44,364	55.8	13.3	24.0	4.3	2.6	100.0	24

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.7a. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All short-term residential treatment discharges	117,141	63,225	18,282	25,264	5,215	5,155	26
Living arrangements							
Homeless	20,755	9,121	3,402	5,770	1,323	1,139	24
Dependent living	30,387	18,449	4,997	4,277	1,101	1,563	28
Independent living	60,565	34,289	9,142	12,677	2,383	2,074	23
No. of discharges	111,707	61,859	17,541	22,724	4,807	4,776	26
Primary substance							
Alcohol	44,425	26,965	6,592	7,903	1,432	1,533	25
Opiates	22,880	10,297	4,104	5,606	1,456	1,417	27
Marijuana/hashish	4,066	2,090	681	822	256	217	28
Cocaine	11,228	5,699	1,673	2,777	588	491	27
Stimulants	20,077	8,820	4,071	5,065	1,110	1,011	28
Other/none specified[1]	14,465	9,354	1,161	3,091	373	486	17
No. of discharges	117,141	63,225	18,282	25,264	5,215	5,155	26
Secondary or tertiary substance							
Alcohol	5,869	3,045	914	1,315	286	309	28
Opiates	6,701	3,147	1,332	1,509	374	339	27
Marijuana/hashish	20,641	10,131	3,754	4,792	1,095	869	28
Cocaine	17,606	9,455	2,263	4,321	886	681	22
Stimulants	11,631	5,151	2,478	2,653	691	658	28
Other/none specified[1]	54,693	32,296	7,541	10,674	1,883	2,299	24
No. of discharges	117,141	63,225	18,282	25,264	5,215	5,155	26

Continued. See notes at end of table.

Table 12.7a. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	15,455	10,565	1,642	2,212	457	579	21
Full-time	12,172	8,676	1,069	1,661	320	446	21
Part-time	3,283	1,889	573	551	137	133	25
Unemployed	52,727	26,692	10,272	10,314	2,615	2,834	27
Not in labor force	43,817	24,538	5,905	10,319	1,832	1,223	24
No. of discharges	111,999	61,795	17,819	22,845	4,904	4,636	26
Detailed not in labor force[2]							
Homemaker	572	312	149	66	20	25	24
Student	274	152	41	51	17	13	28
Retired	1,377	990	124	176	28	59	22
Disabled	8,284	3,911	1,580	1,955	439	399	24
Inmate of institution	1,922	1,217	296	234	96	79	29
Other	30,881	17,676	3,632	7,736	1,222	615	23
No. of discharges	43,310	24,258	5,822	10,218	1,822	1,190	24

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.7b. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All short-term residential treatment discharges	117,141						26
Living arrangements							
Homeless	20,755	14.7	19.4	25.4	27.5	23.8	24
Dependent living	30,387	29.8	28.5	18.8	22.9	32.7	28
Independent living	60,565	55.4	52.1	55.8	49.6	43.4	23
No. of discharges	111,707	100.0	100.0	100.0	100.0	100.0	26
Primary substance							
Alcohol	44,425	42.6	36.1	31.3	27.5	29.7	25
Opiates	22,880	16.3	22.4	22.2	27.9	27.5	27
Marijuana/hashish	4,066	3.3	3.7	3.3	4.9	4.2	28
Cocaine	11,228	9.0	9.2	11.0	11.3	9.5	27
Stimulants	20,077	14.0	22.3	20.0	21.3	19.6	28
Other/none specified[1]	14,465	14.8	6.4	12.2	7.2	9.4	17
No. of discharges	117,141	100.0	100.0	100.0	100.0	100.0	26
Secondary or tertiary substance							
Alcohol	5,869	4.8	5.0	5.2	5.5	6.0	28
Opiates	6,701	5.0	7.3	6.0	7.2	6.6	27
Marijuana/hashish	20,641	16.0	20.5	19.0	21.0	16.9	28
Cocaine	17,606	15.0	12.4	17.1	17.0	13.2	22
Stimulants	11,631	8.1	13.6	10.5	13.3	12.8	28
Other/none specified[1]	54,693	51.1	41.2	42.2	36.1	44.6	24
No. of discharges	117,141	100.0	100.0	100.0	100.0	100.0	26

Continued. See notes at end of table.

Table 12.7b. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	15,455	17.1	9.2	9.7	9.3	12.5	21
Full-time	12,172	14.0	6.0	7.3	6.5	9.6	21
Part-time	3,283	3.1	3.2	2.4	2.8	2.9	25
Unemployed	52,727	43.2	57.6	45.1	53.3	61.1	27
Not in labor force	43,817	39.7	33.1	45.2	37.4	26.4	24
No. of discharges	111,999	100.0	100.0	100.0	100.0	100.0	26
Detailed not in labor force[2]							
Homemaker	572	1.3	2.6	0.6	1.1	2.1	24
Student	274	0.6	0.7	0.5	0.9	1.1	28
Retired	1,377	4.1	2.1	1.7	1.5	5.0	22
Disabled	8,284	16.1	27.1	19.1	24.1	33.5	24
Inmate of institution	1,922	5.0	5.1	2.3	5.3	6.6	29
Other	30,881	72.9	62.4	75.7	67.1	51.7	23
No. of discharges	43,310	100.0	100.0	100.0	100.0	100.0	24

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 12.7c. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All short-term residential treatment discharges	117,141							26
Living arrangements								
Homeless	20,755	43.9	16.4	27.8	6.4	5.5	100.0	24
Dependent living	30,387	60.7	16.4	14.1	3.6	5.1	100.0	28
Independent living	60,565	56.6	15.1	20.9	3.9	3.4	100.0	23
No. of discharges	111,707	55.4	15.7	20.3	4.3	4.3	100.0	26
Primary substance								
Alcohol	44,425	60.7	14.8	17.8	3.2	3.5	100.0	25
Opiates	22,880	45.0	17.9	24.5	6.4	6.2	100.0	27
Marijuana/hashish	4,066	51.4	16.7	20.2	6.3	5.3	100.0	28
Cocaine	11,228	50.8	14.9	24.7	5.2	4.4	100.0	27
Stimulants	20,077	43.9	20.3	25.2	5.5	5.0	100.0	28
Other/none specified[1]	14,465	64.7	8.0	21.4	2.6	3.4	100.0	17
No. of discharges	117,141	54.0	15.6	21.6	4.5	4.4	100.0	26
Secondary or tertiary substance								
Alcohol	5,869	51.9	15.6	22.4	4.9	5.3	100.0	28
Opiates	6,701	47.0	19.9	22.5	5.6	5.1	100.0	27
Marijuana/hashish	20,641	49.1	18.2	23.2	5.3	4.2	100.0	28
Cocaine	17,606	53.7	12.9	24.5	5.0	3.9	100.0	22
Stimulants	11,631	44.3	21.3	22.8	5.9	5.7	100.0	28
Other/none specified[1]	54,693	59.0	13.8	19.5	3.4	4.2	100.0	24
No. of discharges	117,141	54.0	15.6	21.6	4.5	4.4	100.0	26

Continued. See notes at end of table.

Table 12.7c. Short-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Employment status[2]								
Employed	15,455	68.4	10.6	14.3	3.0	3.7	100.0	21
Full-time	12,172	71.3	8.8	13.6	2.6	3.7	100.0	21
Part-time	3,283	57.5	17.5	16.8	4.2	4.1	100.0	25
Unemployed	52,727	50.6	19.5	19.6	5.0	5.4	100.0	27
Not in labor force	43,817	56.0	13.5	23.6	4.2	2.8	100.0	24
No. of discharges	111,999	55.2	15.9	20.4	4.4	4.1	100.0	26
Detailed not in labor force[2]								
Homemaker	572	54.5	26.0	11.5	3.5	4.4	100.0	24
Student	274	55.5	15.0	18.6	6.2	4.7	100.0	28
Retired	1,377	71.9	9.0	12.8	2.0	4.3	100.0	22
Disabled	8,284	47.2	19.1	23.6	5.3	4.8	100.0	24
Inmate of institution	1,922	63.3	15.4	12.2	5.0	4.1	100.0	29
Other	30,881	57.2	11.8	25.1	4.0	2.0	100.0	23
No. of discharges	43,310	56.0	13.4	23.6	4.2	2.7	100.0	24

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 40 states and jurisdictions that offered short-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.1. Long-term residential treatment discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Reason for discharge (number)						Reason for discharge (row percent distribution)					
	All long-term residential treatment discharges	Completed	Transferred	Dropped out	Terminated	Other	Total	Completed	Transferred	Dropped out	Terminated	Other
Total	88,423	35,983	19,089	25,246	5,235	2,870	100.0	40.7	21.6	28.6	5.9	3.2
Alabama	1,541	608	138	349	403	43	100.0	39.5	9.0	22.6	26.2	2.8
Alaska	714	325	85	182	80	42	100.0	45.5	11.9	25.5	11.2	5.9
Arkansas	67	36	2	23	6	- -	100.0	53.7	3.0	34.3	9.0	- -
California	23,294	8,217	6,074	8,941	10	52	100.0	35.3	26.1	38.4	*	0.2
Colorado	1,711	1,150	87	312	109	53	100.0	67.2	5.1	18.2	6.4	3.1
Connecticut	3,243	2,282	191	471	172	127	100.0	70.4	5.9	14.5	5.3	3.9
Delaware	351	192	11	99	36	13	100.0	54.7	3.1	28.2	10.3	3.7
District of Columbia	227	132	22	- -	15	58	100.0	58.1	9.7	- -	6.6	25.6
Florida	1,620	1,001	92	373	71	83	100.0	61.8	5.7	23.0	4.4	5.1
Georgia	1,381	168	16	1,108	67	22	100.0	12.2	1.2	80.2	4.9	1.6
Hawaii	1,675	321	831	348	134	41	100.0	19.2	49.6	20.8	8.0	2.4
Illinois	592	229	133	133	89	8	100.0	38.7	22.5	22.5	15.0	1.4
Indiana	893	322	50	435	57	29	100.0	36.1	5.6	48.7	6.4	3.2
Iowa	577	271	26	176	44	60	100.0	47.0	4.5	30.5	7.6	10.4
Kansas	161	96	18	35	10	2	87.6	59.6	- -	21.7	6.2	- -
Kentucky	2,348	75	2,212	36	6	19	100.0	3.2	94.2	1.5	0.3	0.8
Louisiana	659	108	210	336	- -	5	100.0	16.4	31.9	51.0	- -	0.8
Maine	243	106	21	73	36	7	100.0	43.6	8.6	30.0	14.8	2.9
Massachusetts	4,290	1,482	111	1,893	572	232	100.0	34.5	2.6	44.1	13.3	5.4
Michigan	2,889	1,195	583	835	184	92	100.0	41.4	20.2	28.9	6.4	3.2
Minnesota	6,185	3,127	435	1,862	495	266	100.0	50.6	7.0	30.1	8.0	4.3
Mississippi	703	309	136	12	98	148	78.9	44.0	19.3	1.7	13.9	- -
Montana	158	34	59	54	4	7	100.0	21.5	37.3	34.2	2.5	4.4
Nebraska	525	185	13	186	88	53	100.0	35.2	2.5	35.4	16.8	10.1
Nevada	486	222	27	185	41	11	100.0	45.7	5.6	38.1	8.4	2.3
New Hampshire	202	102	13	21	40	26	100.0	50.5	6.4	10.4	19.8	12.9
New Jersey	5,945	3,683	102	1,495	366	299	100.0	62.0	1.7	25.1	6.2	5.0
New York	10,493	5,485	526	3,179	1,123	180	100.0	52.3	5.0	30.3	10.7	1.7
North Carolina	7,150	1,049	6,080	8	5	8	100.0	14.7	85.0	0.1	0.1	0.1
North Dakota	204	43	63	94	- -	4	100.0	21.1	30.9	46.1	- -	2.0
Ohio	1,073	334	128	416	103	92	100.0	31.1	11.9	38.8	9.6	8.6
Oklahoma	2,220	1,052	185	717	151	115	100.0	47.4	8.3	32.3	6.8	5.2
Pennsylvania	842	269	19	137	38	379	100.0	31.9	2.3	16.3	4.5	45.0
Puerto Rico	83	39	18	13	10	3	100.0	47.0	21.7	15.7	12.0	3.6
Rhode Island	166	83	23	43	17	- -	100.0	50.0	13.9	25.9	10.2	- -
South Carolina	124	40	18	42	13	11	100.0	32.3	14.5	33.9	10.5	8.9
South Dakota	783	307	165	189	74	48	100.0	39.2	21.1	24.1	9.5	6.1
Tennessee	1,004	455	10	186	322	31	100.0	45.3	1.0	18.5	32.1	3.1
Texas	298	254	12	19	5	8	100.0	85.2	4.0	6.4	1.7	2.7
Vermont	17	8	- -	5	4	- -	76.5	47.1	- -	29.4	- -	- -
Virginia	154	54	4	3	56	37	100.0	35.1	2.6	1.9	36.4	24.0
Washington	169	80	2	35	2	50	100.0	47.3	1.2	20.7	1.2	29.6
Wisconsin	145	88	12	14	24	7	100.0	60.7	8.3	9.7	16.6	4.8
Wyoming	818	365	126	173	55	99	100.0	44.6	15.4	21.1	6.7	12.1

- - Quantity is zero; * Less than 0.05 percent.

NOTES: Based on linked admission and discharge data reported to TEDS by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. Comparisons among states should be made with caution. Percentages may not add to 100 percent due to rounding. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Admissions for which values were not collected or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.2a. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All long-term residential treatment discharges	88,423	35,983	19,089	25,246	5,235	2,870	78
Gender							
Male	56,096	23,684	11,255	15,553	3,718	1,886	78
Female	32,163	12,276	7,826	9,573	1,509	979	79
No. of discharges	88,259	35,960	19,081	25,126	5,227	2,865	78
Age at admission							
12 years	14	6	2	4	2	- -	70
13 years	75	23	13	20	15	4	63
14 years	207	86	37	54	20	10	86
15 years	480	213	87	105	57	18	90
16 years	626	282	116	124	71	33	83
17 years	695	316	109	158	85	27	68
18 years	474	162	83	178	33	18	76
19 years	632	235	93	214	65	25	58
20 years	870	341	134	285	77	33	60
21 to 24 years	6,405	2,349	1,227	2,147	457	225	74
25 to 29 years	14,735	5,409	3,187	4,695	934	510	80
30 to 34 years	16,392	6,272	3,800	4,861	985	474	84
35 to 39 years	13,331	5,405	2,851	3,861	771	443	78
40 to 44 years	9,548	3,954	2,055	2,659	567	313	76
45 to 49 years	7,557	3,206	1,799	1,940	392	220	79
50 to 54 years	7,305	3,322	1,681	1,773	317	212	81
55 to 59 years	5,856	2,746	1,280	1,385	260	185	77
60 to 64 years	2,472	1,256	443	593	100	80	62
65 to 69 years	567	303	67	150	20	27	61
70 to 74 years	147	80	22	29	5	11	43
75 years and older	35	17	3	11	2	2	34
No. of discharges	88,423	35,983	19,089	25,246	5,235	2,870	78

Continued. See notes at end of table.

Table 13.2a. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	2,962	1,230	449	969	208	106	56
Asian[1]	823	282	243	239	45	14	68
Black or African American	16,161	6,048	3,728	4,796	1,106	483	89
White	55,247	23,441	11,647	14,887	3,266	2,006	72
Other	11,362	4,354	2,464	3,903	475	166	88
Native Hawaiian or Other Pacific Islander	1,200	306	491	282	86	35	71
No. of discharges	87,755	35,661	19,022	25,076	5,186	2,810	78
Ethnicity							
Not of Hispanic or Latino origin	15,985	5,979	2,795	6,174	744	293	89
Hispanic or Latino origin	71,703	29,715	16,182	18,875	4,431	2,500	74
No. of discharges	87,688	35,694	18,977	25,049	5,175	2,793	78
Marital status							
Never married	43,221	17,786	8,687	11,176	3,720	1,852	81
Now married	5,871	3,097	786	1,379	355	254	35
Separated	3,636	1,487	872	891	254	132	76
Divorced	9,171	3,960	2,224	2,031	586	370	71
Widowed	1,057	490	198	251	70	48	67
No. of discharges	62,956	26,820	12,767	15,728	4,985	2,656	72
Pregnant (female only)							
Yes	1,663	603	356	590	56	58	90
No	29,526	11,467	7,286	8,456	1,433	884	77
No. of discharges	31,189	12,070	7,642	9,046	1,489	942	79
No. of prior treatment episodes							
None	39,547	14,826	11,399	11,604	1,044	674	77
1 or more	47,030	20,318	7,542	13,159	4,001	2,010	81
No. of discharges	86,577	35,144	18,941	24,763	5,045	2,684	79

Continued. See notes at end of table.

Table 13.2a. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Treatment referral source							
Self or individual	33,081	12,988	8,355	9,717	1,296	725	55
Criminal justice/DUI	19,070	8,727	3,115	4,828	1,522	878	90
Other community referral	11,440	4,299	2,871	3,572	446	252	79
Substance use care provider	17,173	7,350	2,351	5,224	1,528	720	90
Other health care provider	6,582	2,126	2,308	1,611	340	197	54
School (educational)	64	38	5	14	6	1	85
Employer/EAP	94	75	4	10	1	4	28
No. of discharges	87,504	35,603	19,009	24,976	5,139	2,777	78
Usual route of administration							
Oral	33,349	15,458	6,890	8,327	1,675	999	64
Smoking	26,606	9,689	5,725	9,035	1,471	686	82
Inhalation	8,730	3,698	1,705	2,395	650	282	89
Injection	17,583	6,401	4,083	5,064	1,338	697	88
Other	471	116	123	120	24	88	86
No. of discharges	86,739	35,362	18,526	24,941	5,158	2,752	78
Expected or actual source of payment[2]							
Self-pay	914	436	90	219	107	62	78
Private insurance	2,708	1,998	140	387	77	106	24
Medicare	96	48	9	24	7	8	86
Medicaid	8,408	2,803	2,573	2,078	574	380	86
Other government payments	7,387	3,015	1,355	1,581	767	669	97
Workers' compensation	1	- -	1	- -	- -	- -	- -
No charge	487	197	105	138	27	20	322
Other	2,051	1,059	209	403	175	205	76
No. of discharges	22,052	9,556	4,482	4,830	1,734	1,450	70
Type of health insurance							
Private insurance	3,339	2,328	196	551	132	132	25
Medicare	450	184	29	155	51	31	87
Medicaid	16,542	6,302	3,021	5,055	1,388	776	90
HMO	504	294	13	125	51	21	51
Other	1,120	446	156	306	69	143	76
None	8,814	3,207	1,341	2,504	1,113	649	90
No. of discharges	30,769	12,761	4,756	8,696	2,804	1,752	77

Continued. See notes at end of table.

Table 13.2a. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Arrests in past 30 days							
None	79,951	32,152	17,752	22,992	4,633	2,422	80
Once	6,532	3,015	1,099	1,677	446	295	64
2 or more times	1,114	514	159	335	70	36	74
No. of discharges	87,597	35,681	19,010	25,004	5,149	2,753	78
Frequency of use							
No use in the past month	24,116	10,446	4,717	6,224	1,822	907	90
Some use	29,397	11,803	6,686	9,139	1,155	614	62
Daily use	33,649	13,365	7,174	9,635	2,196	1,279	65
No. of discharges	87,162	35,614	18,577	24,998	5,173	2,800	78
Self-help programs attended in past 30 days							
No attendance in the past month	55,462	20,579	13,995	16,285	2,979	1,624	67
At least 1 time in the past month	28,904	13,412	4,759	7,980	1,863	890	88
1–3 times in the past month	5,182	2,368	811	1,470	306	227	71
4–7 times in the past month	4,615	1,984	973	1,285	255	118	82
8–30 times in the past month	13,406	5,979	2,538	3,809	705	375	88
Some attendance, but frequency unknown	5,701	3,081	437	1,416	597	170	120
No. of discharges	84,366	33,991	18,754	24,265	4,842	2,514	78

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.2b. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All long-term residential treatment discharges	88,423						78
Gender							
Male	56,096	65.9	59.0	61.9	71.1	65.8	78
Female	32,163	34.1	41.0	38.1	28.9	34.2	79
No. of discharges	88,259	100.0	100.0	100.0	100.0	100.0	78
Age at admission							
12 years	14	*	- -	*	- -	- -	70
13 years	75	0.1	0.1	0.1	0.3	0.1	63
14 years	207	0.2	0.2	0.2	0.4	0.3	86
15 years	480	0.6	0.5	0.4	1.1	0.6	90
16 years	626	0.8	0.6	0.5	1.4	1.1	83
17 years	695	0.9	0.6	0.6	1.6	0.9	68
18 years	474	0.5	0.4	0.7	0.6	0.6	76
19 years	632	0.7	0.5	0.8	1.2	0.9	58
20 years	870	0.9	0.7	1.1	1.5	1.1	60
21 to 24 years	6,405	6.5	6.4	8.5	8.7	7.8	74
25 to 29 years	14,735	15.0	16.7	18.6	17.8	17.8	80
30 to 34 years	16,392	17.4	19.9	19.3	18.8	16.5	84
35 to 39 years	13,331	15.0	14.9	15.3	14.7	15.4	78
40 to 44 years	9,548	11.0	10.8	10.5	10.8	10.9	76
45 to 49 years	7,557	8.9	9.4	7.7	7.5	7.7	79
50 to 54 years	7,305	9.2	8.8	7.0	6.1	7.4	81
55 to 59 years	5,856	7.6	6.7	5.5	5.0	6.4	77
60 to 64 years	2,472	3.5	2.3	2.3	1.9	2.8	62
65 to 69 years	567	0.8	0.4	0.6	0.4	0.9	61
70 to 74 years	147	0.2	0.1	0.1	0.1	0.4	43
75 years and older	35	*	*	*	*	0.1	34
No. of discharges	88,423	100.0	100.0	100.0	100.0	100.0	78

Continued. See notes at end of table.

Table 13.2b. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	2,962	3.4	2.4	3.9	4.0	3.8	56
Asian[1]	823	0.8	1.3	1.0	0.9	0.5	68
Black or African American	16,161	17.0	19.6	19.1	21.3	17.2	89
White	55,247	65.7	61.2	59.4	63.0	71.4	72
Other	11,362	12.2	13.0	15.6	9.2	5.9	88
Native Hawaiian or Other Pacific Islander	1,200	0.9	2.6	1.1	1.7	1.2	71
No. of discharges	87,755	100.0	100.0	100.0	100.0	100.0	78
Ethnicity							
Not of Hispanic or Latino origin	15,985	16.8	14.7	24.6	14.4	10.5	89
Hispanic or Latino origin	71,703	83.2	85.3	75.4	85.6	89.5	74
No. of discharges	87,688	100.0	100.0	100.0	100.0	100.0	78
Marital status							
Never married	43,221	66.3	68.0	71.1	74.6	69.7	81
Now married	5,871	11.5	6.2	8.8	7.1	9.6	35
Separated	3,636	5.5	6.8	5.7	5.1	5.0	76
Divorced	9,171	14.8	17.4	12.9	11.8	13.9	71
Widowed	1,057	1.8	1.6	1.6	1.4	1.8	67
No. of discharges	62,956	100.0	100.0	100.0	100.0	100.0	72
Pregnant (female only)							
Yes	1,663	5.0	4.7	6.5	3.8	6.2	90
No	29,526	95.0	95.3	93.5	96.2	93.8	77
No. of discharges	31,189	100.0	100.0	100.0	100.0	100.0	79
No. of prior treatment episodes							
None	39,547	42.2	60.2	46.9	20.7	25.1	77
1 or more	47,030	57.8	39.8	53.1	79.3	74.9	81
No. of discharges	86,577	100.0	100.0	100.0	100.0	100.0	79

Continued. See notes at end of table.

Table 13.2b. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Treatment referral source							
Self or individual	33,081	36.5	44.0	38.9	25.2	26.1	55
Criminal justice/DUI	19,070	24.5	16.4	19.3	29.6	31.6	90
Other community referral	11,440	12.1	15.1	14.3	8.7	9.1	79
Substance use care provider	17,173	20.6	12.4	20.9	29.7	25.9	90
Other health care provider	6,582	6.0	12.1	6.5	6.6	7.1	54
School (educational)	64	0.1	*	0.1	0.1	*	85
Employer/EAP	94	0.2	*	*	*	0.1	28
No. of discharges	87,504	100.0	100.0	100.0	100.0	100.0	78
Usual route of administration							
Oral	33,349	43.7	37.2	33.4	32.5	36.3	64
Smoking	26,606	27.4	30.9	36.2	28.5	24.9	82
Inhalation	8,730	10.5	9.2	9.6	12.6	10.2	89
Injection	17,583	18.1	22.0	20.3	25.9	25.3	88
Other	471	0.3	0.7	0.5	0.5	3.2	86
No. of discharges	86,739	100.0	100.0	100.0	100.0	100.0	78
Expected or actual source of payment[2]							
Self-pay	914	4.6	2.0	4.5	6.2	4.3	78
Private insurance	2,708	20.9	3.1	8.0	4.4	7.3	24
Medicare	96	0.5	0.2	0.5	0.4	0.6	86
Medicaid	8,408	29.3	57.4	43.0	33.1	26.2	86
Other government payments	7,387	31.6	30.2	32.7	44.2	46.1	97
Workers' compensation	1	- -	*	- -	- -	- -	- -
No charge	487	2.1	2.3	2.9	1.6	1.4	322
Other	2,051	11.1	4.7	8.3	10.1	14.1	76
No. of discharges	22,052	100.0	100.0	100.0	100.0	100.0	70
Type of health insurance							
Private insurance	3,339	18.2	4.1	6.3	4.7	7.5	25
Medicare	450	1.4	0.6	1.8	1.8	1.8	87
Medicaid	16,542	49.4	63.5	58.1	49.5	44.3	90
HMO	504	2.3	0.3	1.4	1.8	1.2	51
Other	1,120	3.5	3.3	3.5	2.5	8.2	76
None	8,814	25.1	28.2	28.8	39.7	37.0	90
No. of discharges	30,769	100.0	100.0	100.0	100.0	100.0	77

Continued. See notes at end of table.

Table 13.2b. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Arrests in past 30 days							
None	79,951	90.1	93.4	92.0	90.0	88.0	80
Once	6,532	8.4	5.8	6.7	8.7	10.7	64
2 or more times	1,114	1.4	0.8	1.3	1.4	1.3	74
No. of discharges	87,597	100.0	100.0	100.0	100.0	100.0	78
Frequency of use							
No use in the past month	24,116	29.3	25.4	24.9	35.2	32.4	90
Some use	29,397	33.1	36.0	36.6	22.3	21.9	62
Daily use	33,649	37.5	38.6	38.5	42.5	45.7	65
No. of discharges	87,162	100.0	100.0	100.0	100.0	100.0	78
Self-help programs attended in past 30 days							
No attendance in the past month	55,462	60.5	74.6	67.1	61.5	64.6	67
At least 1 time in the past month	28,904	39.5	25.4	32.9	38.5	35.4	88
1–3 times in the past month	5,182	7.0	4.3	6.1	6.3	9.0	71
4–7 times in the past month	4,615	5.8	5.2	5.3	5.3	4.7	82
8–30 times in the past month	13,406	17.6	13.5	15.7	14.6	14.9	88
Some attendance, but frequency unknown	5,701	9.1	2.3	5.8	12.3	6.8	120
No. of discharges	84,366	100.0	100.0	100.0	100.0	100.0	78

- - Quantity is zero; * Less than 0.05 percent.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.2c. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All long-term residential treatment discharges	88,423							78
Gender								
Male	56,096	42.2	20.1	27.7	6.6	3.4	100.0	78
Female	32,163	38.2	24.3	29.8	4.7	3.0	100.0	79
No. of discharges	88,259	40.7	21.6	28.5	5.9	3.2	100.0	78
Age at admission								
12 years	14	42.9	14.3	28.6	14.3	- -	100.0	70
13 years	75	30.7	17.3	26.7	20.0	5.3	100.0	63
14 years	207	41.5	17.9	26.1	9.7	4.8	100.0	86
15 years	480	44.4	18.1	21.9	11.9	3.8	100.0	90
16 years	626	45.0	18.5	19.8	11.3	5.3	100.0	83
17 years	695	45.5	15.7	22.7	12.2	3.9	100.0	68
18 years	474	34.2	17.5	37.6	7.0	3.8	100.0	76
19 years	632	37.2	14.7	33.9	10.3	4.0	100.0	58
20 years	870	39.2	15.4	32.8	8.9	3.8	100.0	60
21 to 24 years	6,405	36.7	19.2	33.5	7.1	3.5	100.0	74
25 to 29 years	14,735	36.7	21.6	31.9	6.3	3.5	100.0	80
30 to 34 years	16,392	38.3	23.2	29.7	6.0	2.9	100.0	84
35 to 39 years	13,331	40.5	21.4	29.0	5.8	3.3	100.0	78
40 to 44 years	9,548	41.4	21.5	27.8	5.9	3.3	100.0	76
45 to 49 years	7,557	42.4	23.8	25.7	5.2	2.9	100.0	79
50 to 54 years	7,305	45.5	23.0	24.3	4.3	2.9	100.0	81
55 to 59 years	5,856	46.9	21.9	23.7	4.4	3.2	100.0	77
60 to 64 years	2,472	50.8	17.9	24.0	4.0	3.2	100.0	62
65 to 69 years	567	53.4	11.8	26.5	3.5	4.8	100.0	61
70 to 74 years	147	54.4	15.0	19.7	3.4	7.5	100.0	43
75 years and older	35	48.6	8.6	31.4	5.7	5.7	100.0	34
No. of discharges	88,423	40.7	21.6	28.6	5.9	3.2	100.0	78

Continued. See notes at end of table.

Table 13.2c. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Race								
American Indian or Alaska Native	2,962	41.5	15.2	32.7	7.0	3.6	100.0	56
Asian[1]	823	34.3	29.5	29.0	5.5	1.7	100.0	68
Black or African American	16,161	37.4	23.1	29.7	6.8	3.0	100.0	89
White	55,247	42.4	21.1	26.9	5.9	3.6	100.0	72
Other	11,362	38.3	21.7	34.4	4.2	1.5	100.0	88
Native Hawaiian or Other Pacific Islander	1,200	25.5	40.9	23.5	7.2	2.9	100.0	71
No. of discharges	87,755	40.6	21.7	28.6	5.9	3.2	100.0	78
Ethnicity								
Not of Hispanic or Latino origin	15,985	37.4	17.5	38.6	4.7	1.8	100.0	89
Hispanic or Latino origin	71,703	41.4	22.6	26.3	6.2	3.5	100.0	74
No. of discharges	87,688	40.7	21.6	28.6	5.9	3.2	100.0	78
Marital status								
Never married	43,221	41.2	20.1	25.9	8.6	4.3	100.0	81
Now married	5,871	52.8	13.4	23.5	6.0	4.3	100.0	35
Separated	3,636	40.9	24.0	24.5	7.0	3.6	100.0	76
Divorced	9,171	43.2	24.3	22.1	6.4	4.0	100.0	71
Widowed	1,057	46.4	18.7	23.7	6.6	4.5	100.0	67
No. of discharges	62,956	42.6	20.3	25.0	7.9	4.2	100.0	72
Pregnant (female only)								
Yes	1,663	36.3	21.4	35.5	3.4	3.5	100.0	90
No	29,526	38.8	24.7	28.6	4.9	3.0	100.0	77
No. of discharges	31,189	38.7	24.5	29.0	4.8	3.0	100.0	79
No. of prior treatment episodes								
None	39,547	37.5	28.8	29.3	2.6	1.7	100.0	77
1 or more	47,030	43.2	16.0	28.0	8.5	4.3	100.0	81
No. of discharges	86,577	40.6	21.9	28.6	5.8	3.1	100.0	79

Continued. See notes at end of table.

Table 13.2c. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Treatment referral source								
Self or individual	33,081	39.3	25.3	29.4	3.9	2.2	100.0	55
Criminal justice/DUI	19,070	45.8	16.3	25.3	8.0	4.6	100.0	90
Other community referral	11,440	37.6	25.1	31.2	3.9	2.2	100.0	79
Substance use care provider	17,173	42.8	13.7	30.4	8.9	4.2	100.0	90
Other health care provider	6,582	32.3	35.1	24.5	5.2	3.0	100.0	54
School (educational)	64	59.4	7.8	21.9	9.4	1.6	100.0	85
Employer/EAP	94	79.8	4.3	10.6	1.1	4.3	100.0	28
No. of discharges	87,504	40.7	21.7	28.5	5.9	3.2	100.0	78
Usual route of administration								
Oral	33,349	46.4	20.7	25.0	5.0	3.0	100.0	64
Smoking	26,606	36.4	21.5	34.0	5.5	2.6	100.0	82
Inhalation	8,730	42.4	19.5	27.4	7.4	3.2	100.0	89
Injection	17,583	36.4	23.2	28.8	7.6	4.0	100.0	88
Other	471	24.6	26.1	25.5	5.1	18.7	100.0	86
No. of discharges	86,739	40.8	21.4	28.8	5.9	3.2	100.0	78
Expected or actual source of payment[2]								
Self-pay	914	47.7	9.8	24.0	11.7	6.8	100.0	78
Private insurance	2,708	73.8	5.2	14.3	2.8	3.9	100.0	24
Medicare	96	50.0	9.4	25.0	7.3	8.3	100.0	86
Medicaid	8,408	33.3	30.6	24.7	6.8	4.5	100.0	86
Other government payments	7,387	40.8	18.3	21.4	10.4	9.1	100.0	97
Workers' compensation	1	- -	100.0	- -	- -	- -	100.0	- -
No charge	487	40.5	21.6	28.3	5.5	4.1	100.0	322
Other	2,051	51.6	10.2	19.6	8.5	10.0	100.0	76
No. of discharges	22,052	43.3	20.3	21.9	7.9	6.6	100.0	70
Type of health insurance								
Private insurance	3,339	69.7	5.9	16.5	4.0	4.0	100.0	25
Medicare	450	40.9	6.4	34.4	11.3	6.9	100.0	87
Medicaid	16,542	38.1	18.3	30.6	8.4	4.7	100.0	90
HMO	504	58.3	2.6	24.8	10.1	4.2	100.0	51
Other	1,120	39.8	13.9	27.3	6.2	12.8	100.0	76
None	8,814	36.4	15.2	28.4	12.6	7.4	100.0	90
No. of discharges	30,769	41.5	15.5	28.3	9.1	5.7	100.0	77

Continued. See notes at end of table.

Table 13.2c. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Arrests in past 30 days								
None	79,951	40.2	22.2	28.8	5.8	3.0	100.0	80
Once	6,532	46.2	16.8	25.7	6.8	4.5	100.0	64
2 or more times	1,114	46.1	14.3	30.1	6.3	3.2	100.0	74
No. of discharges	87,597	40.7	21.7	28.5	5.9	3.1	100.0	78
Frequency of use								
No use in the past month	24,116	43.3	19.6	25.8	7.6	3.8	100.0	90
Some use	29,397	40.2	22.7	31.1	3.9	2.1	100.0	62
Daily use	33,649	39.7	21.3	28.6	6.5	3.8	100.0	65
No. of discharges	87,162	40.9	21.3	28.7	5.9	3.2	100.0	78
Self-help programs attended in past 30 days								
No attendance in the past month	55,462	37.1	25.2	29.4	5.4	2.9	100.0	67
At least 1 time in the past month	28,904	46.4	16.5	27.6	6.4	3.1	100.0	88
1–3 times in the past month	5,182	45.7	15.7	28.4	5.9	4.4	100.0	71
4–7 times in the past month	4,615	43.0	21.1	27.8	5.5	2.6	100.0	82
8–30 times in the past month	13,406	44.6	18.9	28.4	5.3	2.8	100.0	88
Some attendance, but frequency unknown	5,701	54.0	7.7	24.8	10.5	3.0	100.0	120
No. of discharges	84,366	40.3	22.2	28.8	5.7	3.0	100.0	78

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.3a. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All long-term residential treatment discharges	88,423	35,983	19,089	25,246	5,235	2,870	78
Arrests in past 30 days							
None	74,301	34,752	18,443	14,135	4,616	2,355	79
Once	2,227	697	473	524	250	283	45
2 or more times	505	201	79	153	48	24	45
No. of discharges	77,033	35,650	18,995	14,812	4,914	2,662	78
Frequency of use							
No use in the past month	43,881	23,946	7,490	8,106	2,978	1,361	86
Some use	12,240	2,670	4,523	3,386	1,162	499	29
Daily use	11,054	2,844	4,776	2,395	500	539	44
No. of discharges	67,175	29,460	16,789	13,887	4,640	2,399	77
Self-help programs attended in past 30 days							
No attendance in the past month	27,967	9,009	9,852	6,279	1,726	1,101	64
At least 1 time in the past month	46,938	25,927	8,904	7,854	2,882	1,371	83
1–3 times in the past month	5,153	1,899	1,145	1,391	435	283	78
4–7 times in the past month	4,823	2,005	1,180	1,070	354	214	63
8–30 times in the past month	29,188	17,073	6,087	3,869	1,481	678	81
Some attendance, but frequency unknown	7,774	4,950	492	1,524	612	196	97
No. of discharges	74,905	34,936	18,756	14,133	4,608	2,472	78

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.3b. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All long-term residential treatment discharges	88,423						78
Arrests in past 30 days							
None	74,301	97.5	97.1	95.4	93.9	88.5	79
Once	2,227	2.0	2.5	3.5	5.1	10.6	45
2 or more times	505	0.6	0.4	1.0	1.0	0.9	45
No. of discharges	77,033	100.0	100.0	100.0	100.0	100.0	78
Frequency of use							
No use in the past month	43,881	81.3	44.6	58.4	64.2	56.7	86
Some use	12,240	9.1	26.9	24.4	25.0	20.8	29
Daily use	11,054	9.7	28.4	17.2	10.8	22.5	44
No. of discharges	67,175	100.0	100.0	100.0	100.0	100.0	77
Self-help programs attended in past 30 days							
No attendance in the past month	27,967	25.8	52.5	44.4	37.5	44.5	64
At least 1 time in the past month	46,938	74.2	47.5	55.6	62.5	55.5	83
1–3 times in the past month	5,153	5.4	6.1	9.8	9.4	11.4	78
4–7 times in the past month	4,823	5.7	6.3	7.6	7.7	8.7	63
8–30 times in the past month	29,188	48.9	32.5	27.4	32.1	27.4	81
Some attendance, but frequency unknown	7,774	14.2	2.6	10.8	13.3	7.9	97
No. of discharges	74,905	100.0	100.0	100.0	100.0	100.0	78

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.3c. Long-term residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All long-term residential treatment discharges	88,423							78
Arrests in past 30 days								
None	74,301	46.8	24.8	19.0	6.2	3.2	100.0	79
Once	2,227	31.3	21.2	23.5	11.2	12.7	100.0	45
2 or more times	505	39.8	15.6	30.3	9.5	4.8	100.0	45
No. of discharges	77,033	46.3	24.7	19.2	6.4	3.5	100.0	78
Frequency of use								
No use in the past month	43,881	54.6	17.1	18.5	6.8	3.1	100.0	86
Some use	12,240	21.8	37.0	27.7	9.5	4.1	100.0	29
Daily use	11,054	25.7	43.2	21.7	4.5	4.9	100.0	44
No. of discharges	67,175	43.9	25.0	20.7	6.9	3.6	100.0	77
Self-help programs attended in past 30 days								
No attendance in the past month	27,967	32.2	35.2	22.5	6.2	3.9	100.0	64
At least 1 time in the past month	46,938	55.2	19.0	16.7	6.1	2.9	100.0	83
1–3 times in the past month	5,153	36.9	22.2	27.0	8.4	5.5	100.0	78
4–7 times in the past month	4,823	41.6	24.5	22.2	7.3	4.4	100.0	63
8–30 times in the past month	29,188	58.5	20.9	13.3	5.1	2.3	100.0	81
Some attendance, but frequency unknown	7,774	63.7	6.3	19.6	7.9	2.5	100.0	97
No. of discharges	74,905	46.6	25.0	18.9	6.2	3.3	100.0	78

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.4a. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All long-term residential treatment discharges	2,097	926	364	465	250	92	82
Marital status							
Never married	1,807	770	292	427	230	88	87
Now married	18	15	- -	1	2	- -	47
Separated	11	10	- -	- -	1	- -	49
Divorced	3	2	- -	- -	- -	1	64
Widowed	2	2	- -	- -	- -	- -	49
No. of discharges	1,841	799	292	428	233	89	83
Pregnant (female only)							
Yes	7	6	- -	1	- -	- -	70
No	638	286	113	146	57	36	84
No. of discharges	645	292	113	147	57	36	83
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	632	201	158	168	78	27	90
Grades 9 to 11	1,333	653	193	273	152	62	82
Grade 12 (or GED) or more	115	65	13	20	14	3	55
No. of discharges	2,080	919	364	461	244	92	82

Continued. See notes at end of table.

Table 13.4a. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	18	7	3	5	3	- -	58
Dependent living	1,344	558	293	293	131	69	60
Independent living	700	340	60	164	114	22	109
No. of discharges	2,062	905	356	462	248	91	83
Primary substance							
Alcohol	231	115	33	44	29	10	56
Opiates	90	32	20	27	9	2	89
Marijuana/hashish	1,403	632	238	308	166	59	89
Cocaine	39	15	10	6	5	3	81
Stimulants	189	79	29	50	23	8	62
Other/none specified[1]	145	53	34	30	18	10	113
No. of discharges	2,097	926	364	465	250	92	82
Secondary or tertiary substance							
Alcohol	467	214	69	106	60	18	90
Opiates	95	28	25	24	14	4	85
Marijuana/hashish	388	160	69	88	54	17	69
Cocaine	91	38	10	25	11	7	88
Stimulants	206	74	59	49	16	8	59
Other/none specified[1]	850	412	132	173	95	38	85
No. of discharges	2,097	926	364	465	250	92	82

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.4b. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All long-term residential treatment discharges	2,097						82
Marital status							
Never married	1,807	96.4	100.0	99.8	98.7	98.9	87
Now married	18	1.9	- -	0.2	0.9	- -	47
Separated	11	1.3	- -	- -	0.4	- -	49
Divorced	3	0.3	- -	- -	- -	1.1	64
Widowed	2	0.3	- -	- -	- -	- -	49
No. of discharges	1,841	100.0	100.0	100.0	100.0	100.0	83
Pregnant (female only)							
Yes	7	2.1	- -	0.7	- -	- -	70
No	638	97.9	100.0	99.3	100.0	100.0	84
No. of discharges	645	100.0	100.0	100.0	100.0	100.0	83
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	632	21.9	43.4	36.4	32.0	29.3	90
Grades 9 to 11	1,333	71.1	53.0	59.2	62.3	67.4	82
Grade 12 (or GED) or more	115	7.1	3.6	4.3	5.7	3.3	55
No. of discharges	2,080	100.0	100.0	100.0	100.0	100.0	82

Continued. See notes at end of table.

Table 13.4b. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Living arrangements							
Homeless	18	0.8	0.8	1.1	1.2	- -	58
Dependent living	1,344	61.7	82.3	63.4	52.8	75.8	60
Independent living	700	37.6	16.9	35.5	46.0	24.2	109
No. of discharges	2,062	100.0	100.0	100.0	100.0	100.0	83
Primary substance							
Alcohol	231	12.4	9.1	9.5	11.6	10.9	56
Opiates	90	3.5	5.5	5.8	3.6	2.2	89
Marijuana/hashish	1,403	68.3	65.4	66.2	66.4	64.1	89
Cocaine	39	1.6	2.7	1.3	2.0	3.3	81
Stimulants	189	8.5	8.0	10.8	9.2	8.7	62
Other/none specified[1]	145	5.7	9.3	6.5	7.2	10.9	113
No. of discharges	2,097	100.0	100.0	100.0	100.0	100.0	82
Secondary or tertiary substance							
Alcohol	467	23.1	19.0	22.8	24.0	19.6	90
Opiates	95	3.0	6.9	5.2	5.6	4.3	85
Marijuana/hashish	388	17.3	19.0	18.9	21.6	18.5	69
Cocaine	91	4.1	2.7	5.4	4.4	7.6	88
Stimulants	206	8.0	16.2	10.5	6.4	8.7	59
Other/none specified[1]	850	44.5	36.3	37.2	38.0	41.3	85
No. of discharges	2,097	100.0	100.0	100.0	100.0	100.0	82

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.4c. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All long-term residential treatment discharges	2,097							82
Marital status								
Never married	1,807	42.6	16.2	23.6	12.7	4.9	100.0	87
Now married	18	83.3	- -	5.6	11.1	- -	100.0	47
Separated	11	90.9	- -	- -	9.1	- -	100.0	49
Divorced	3	66.7	- -	- -	- -	33.3	100.0	64
Widowed	2	100.0	- -	- -	- -	- -	100.0	49
No. of discharges	1,841	43.4	15.9	23.2	12.7	4.8	100.0	83
Pregnant (female only)								
Yes	7	85.7	- -	14.3	- -	- -	100.0	70
No	638	44.8	17.7	22.9	8.9	5.6	100.0	84
No. of discharges	645	45.3	17.5	22.8	8.8	5.6	100.0	83
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	632	31.8	25.0	26.6	12.3	4.3	100.0	90
Grades 9 to 11	1,333	49.0	14.5	20.5	11.4	4.7	100.0	82
Grade 12 (or GED) or more	115	56.5	11.3	17.4	12.2	2.6	100.0	55
No. of discharges	2,080	44.2	17.5	22.2	11.7	4.4	100.0	82

Continued. See notes at end of table.

Table 13.4c. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Living arrangements								
Homeless	18	38.9	16.7	27.8	16.7	- -	100.0	58
Dependent living	1,344	41.5	21.8	21.8	9.7	5.1	100.0	60
Independent living	700	48.6	8.6	23.4	16.3	3.1	100.0	109
No. of discharges	2,062	43.9	17.3	22.4	12.0	4.4	100.0	83
Primary substance								
Alcohol	231	49.8	14.3	19.0	12.6	4.3	100.0	56
Opiates	90	35.6	22.2	30.0	10.0	2.2	100.0	89
Marijuana/hashish	1,403	45.0	17.0	22.0	11.8	4.2	100.0	89
Cocaine	39	38.5	25.6	15.4	12.8	7.7	100.0	81
Stimulants	189	41.8	15.3	26.5	12.2	4.2	100.0	62
Other/none specified[1]	145	36.6	23.4	20.7	12.4	6.9	100.0	113
No. of discharges	2,097	44.2	17.4	22.2	11.9	4.4	100.0	82
Secondary or tertiary substance								
Alcohol	467	45.8	14.8	22.7	12.8	3.9	100.0	90
Opiates	95	29.5	26.3	25.3	14.7	4.2	100.0	85
Marijuana/hashish	388	41.2	17.8	22.7	13.9	4.4	100.0	69
Cocaine	91	41.8	11.0	27.5	12.1	7.7	100.0	88
Stimulants	206	35.9	28.6	23.8	7.8	3.9	100.0	59
Other/none specified[1]	850	48.5	15.5	20.4	11.2	4.5	100.0	85
No. of discharges	2,097	44.2	17.4	22.2	11.9	4.4	100.0	82

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.5a. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All long-term residential treatment discharges	2,097	926	364	465	250	92	82
Living arrangements							
Homeless	27	12	3	6	5	1	47
Dependent living	1,254	552	297	213	122	70	60
Independent living	707	351	59	169	113	15	104
No. of discharges	1,988	915	359	388	240	86	82
Primary substance							
Alcohol	245	119	33	52	31	10	56
Opiates	92	31	20	27	10	4	88
Marijuana/hashish	1,318	602	224	277	158	57	90
Cocaine	38	15	10	4	6	3	81
Stimulants	195	84	30	47	27	7	68
Other/none specified[1]	209	75	47	58	18	11	90
No. of discharges	2,097	926	364	465	250	92	82
Secondary or tertiary substance							
Alcohol	447	211	69	85	62	20	90
Opiates	97	36	16	27	14	4	83
Marijuana/hashish	378	154	70	82	52	20	60
Cocaine	95	39	16	22	13	5	66
Stimulants	193	73	54	47	12	7	59
Other/none specified[1]	887	413	139	202	97	36	88
No. of discharges	2,097	926	364	465	250	92	82

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.5b. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All long-term residential treatment discharges	2,097						82
Living arrangements							
Homeless	27	1.3	0.8	1.5	2.1	1.2	47
Dependent living	1,254	60.3	82.7	54.9	50.8	81.4	60
Independent living	707	38.4	16.4	43.6	47.1	17.4	104
No. of discharges	1,988	100.0	100.0	100.0	100.0	100.0	82
Primary substance							
Alcohol	245	12.9	9.1	11.2	12.4	10.9	56
Opiates	92	3.3	5.5	5.8	4.0	4.3	88
Marijuana/hashish	1,318	65.0	61.5	59.6	63.2	62.0	90
Cocaine	38	1.6	2.7	0.9	2.4	3.3	81
Stimulants	195	9.1	8.2	10.1	10.8	7.6	68
Other/none specified[1]	209	8.1	12.9	12.5	7.2	12.0	90
No. of discharges	2,097	100.0	100.0	100.0	100.0	100.0	82
Secondary or tertiary substance							
Alcohol	447	22.8	19.0	18.3	24.8	21.7	90
Opiates	97	3.9	4.4	5.8	5.6	4.3	83
Marijuana/hashish	378	16.6	19.2	17.6	20.8	21.7	60
Cocaine	95	4.2	4.4	4.7	5.2	5.4	66
Stimulants	193	7.9	14.8	10.1	4.8	7.6	59
Other/none specified[1]	887	44.6	38.2	43.4	38.8	39.1	88
No. of discharges	2,097	100.0	100.0	100.0	100.0	100.0	82

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.5c. Long-term residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All long-term residential treatment discharges	2,097							82
Living arrangements								
Homeless	27	44.4	11.1	22.2	18.5	3.7	100.0	47
Dependent living	1,254	44.0	23.7	17.0	9.7	5.6	100.0	60
Independent living	707	49.6	8.3	23.9	16.0	2.1	100.0	104
No. of discharges	1,988	46.0	18.1	19.5	12.1	4.3	100.0	82
Primary substance								
Alcohol	245	48.6	13.5	21.2	12.7	4.1	100.0	56
Opiates	92	33.7	21.7	29.3	10.9	4.3	100.0	88
Marijuana/hashish	1,318	45.7	17.0	21.0	12.0	4.3	100.0	90
Cocaine	38	39.5	26.3	10.5	15.8	7.9	100.0	81
Stimulants	195	43.1	15.4	24.1	13.8	3.6	100.0	68
Other/none specified[1]	209	35.9	22.5	27.8	8.6	5.3	100.0	90
No. of discharges	2,097	44.2	17.4	22.2	11.9	4.4	100.0	82
Secondary or tertiary substance								
Alcohol	447	47.2	15.4	19.0	13.9	4.5	100.0	90
Opiates	97	37.1	16.5	27.8	14.4	4.1	100.0	83
Marijuana/hashish	378	40.7	18.5	21.7	13.8	5.3	100.0	60
Cocaine	95	41.1	16.8	23.2	13.7	5.3	100.0	66
Stimulants	193	37.8	28.0	24.4	6.2	3.6	100.0	59
Other/none specified[1]	887	46.6	15.7	22.8	10.9	4.1	100.0	88
No. of discharges	2,097	44.2	17.4	22.2	11.9	4.4	100.0	82

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged, because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.6a. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All long-term residential treatment discharges	86,326	35,057	18,725	24,781	4,985	2,778	78
Marital status							
Never married	41,414	17,016	8,395	10,749	3,490	1,764	80
Now married	5,853	3,082	786	1,378	353	254	34
Separated	3,625	1,477	872	891	253	132	76
Divorced	9,168	3,958	2,224	2,031	586	369	71
Widowed	1,055	488	198	251	70	48	69
No. of discharges	61,115	26,021	12,475	15,300	4,752	2,567	72
Pregnant (female only)							
Yes	1,656	597	356	589	56	58	90
No	28,888	11,181	7,173	8,310	1,376	848	77
No. of discharges	30,544	11,778	7,529	8,899	1,432	906	79
Veteran[1]							
Yes	2,636	1,286	448	663	151	88	90
No	82,295	33,123	18,168	23,813	4,695	2,496	78
No. of discharges	84,931	34,409	18,616	24,476	4,846	2,584	79

Continued. See notes at end of table.

Table 13.6a. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	4,103	1,282	670	1,691	308	152	90
Grades 9 to 11	17,360	6,265	3,995	5,542	1,090	468	86
Grade 12 (or GED)	40,850	16,838	8,823	11,453	2,341	1,395	80
1–3 years of college, university, or vocational school	17,281	7,490	3,766	4,565	980	480	75
4 years of college, university, or BA/BS	4,108	2,069	854	875	178	132	50
Some postgraduate study or more	1,444	731	348	288	37	40	42
No. of discharges	85,146	34,675	18,456	24,414	4,934	2,667	78
Source of income support[1]							
Wages/salary	6,747	3,952	611	1,374	486	324	30
Public assistance	5,209	2,380	619	1,476	529	205	99
Retirement/pension	383	247	32	69	17	18	30
Disability	2,606	1,055	345	808	227	171	71
Other	5,445	2,755	492	1,578	418	202	62
None	24,710	10,829	3,319	6,803	2,580	1,179	91
No. of discharges	45,100	21,218	5,418	12,108	4,257	2,099	80

Continued. See notes at end of table.

Table 13.6a. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Living arrangements							
Homeless	28,079	10,110	6,393	9,651	1,263	662	89
Dependent living	22,554	9,826	3,859	6,111	1,836	922	89
Independent living	34,523	14,674	8,235	8,735	1,787	1,092	53
No. of discharges	85,156	34,610	18,487	24,497	4,886	2,676	78
Primary substance							
Alcohol	29,015	13,878	5,810	7,096	1,381	850	64
Opiates	19,732	7,709	4,811	4,965	1,468	779	89
Marijuana/hashish	4,209	1,531	900	1,299	330	149	88
Cocaine	7,728	3,124	1,377	2,381	587	259	90
Stimulants	22,368	7,725	4,927	8,053	1,051	612	72
Other/none specified[2]	3,274	1,090	900	987	168	129	80
No. of discharges	86,326	35,057	18,725	24,781	4,985	2,778	78
Secondary or tertiary substance							
Alcohol	6,686	2,565	1,335	2,281	342	163	86
Opiates	5,444	2,056	1,199	1,555	429	205	85
Marijuana/hashish	16,688	6,553	3,477	5,102	1,024	532	77
Cocaine	11,267	4,644	2,237	3,049	915	422	93
Stimulants	12,004	4,278	3,058	3,572	709	387	76
Other/none specified[2]	34,237	14,961	7,419	9,222	1,566	1,069	69
No. of discharges	86,326	35,057	18,725	24,781	4,985	2,778	78

Continued. See notes at end of table.

Table 13.6a. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	7,070	3,943	1,299	1,322	280	226	30
Full-time	5,158	3,118	751	907	199	183	29
Part-time	1,912	825	548	415	81	43	55
Unemployed	38,854	14,155	10,518	10,482	2,331	1,368	66
Not in labor force	38,718	16,434	6,760	12,253	2,280	991	90
No. of discharges	84,642	34,532	18,577	24,057	4,891	2,585	78
Detailed not in labor force[1]							
Homemaker	360	121	161	49	15	14	63
Student	308	107	112	44	31	14	121
Retired	474	309	42	78	20	25	29
Disabled	3,165	1,311	474	890	316	174	58
Inmate of institution	3,055	1,477	332	707	338	201	119
Other	14,998	7,254	1,203	4,482	1,543	516	118
No. of discharges	22,360	10,579	2,324	6,250	2,263	944	103

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.6b. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All long-term residential treatment discharges	86,326						78
Marital status							
Never married	41,414	65.4	67.3	70.3	73.4	68.7	80
Now married	5,853	11.8	6.3	9.0	7.4	9.9	34
Separated	3,625	5.7	7.0	5.8	5.3	5.1	76
Divorced	9,168	15.2	17.8	13.3	12.3	14.4	71
Widowed	1,055	1.9	1.6	1.6	1.5	1.9	69
No. of discharges	61,115	100.0	100.0	100.0	100.0	100.0	72
Pregnant (female only)							
Yes	1,656	5.1	4.7	6.6	3.9	6.4	90
No	28,888	94.9	95.3	93.4	96.1	93.6	77
No. of discharges	30,544	100.0	100.0	100.0	100.0	100.0	79
Veteran[1]							
Yes	2,636	3.7	2.4	2.7	3.1	3.4	90
No	82,295	96.3	97.6	97.3	96.9	96.6	78
No. of discharges	84,931	100.0	100.0	100.0	100.0	100.0	79

Continued. See notes at end of table.

Table 13.6b. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	4,103	3.7	3.6	6.9	6.2	5.7	90
Grades 9 to 11	17,360	18.1	21.6	22.7	22.1	17.5	86
Grade 12 (or GED)	40,850	48.6	47.8	46.9	47.4	52.3	80
1–3 years of college, university, or vocational school	17,281	21.6	20.4	18.7	19.9	18.0	75
4 years of college, university, or BA/BS	4,108	6.0	4.6	3.6	3.6	4.9	50
Some postgraduate study or more	1,444	2.1	1.9	1.2	0.7	1.5	42
No. of discharges	85,146	100.0	100.0	100.0	100.0	100.0	78
Source of income support[1]							
Wages/salary	6,747	18.6	11.3	11.3	11.4	15.4	30
Public assistance	5,209	11.2	11.4	12.2	12.4	9.8	99
Retirement/pension	383	1.2	0.6	0.6	0.4	0.9	30
Disability	2,606	5.0	6.4	6.7	5.3	8.1	71
Other	5,445	13.0	9.1	13.0	9.8	9.6	62
None	24,710	51.0	61.3	56.2	60.6	56.2	91
No. of discharges	45,100	100.0	100.0	100.0	100.0	100.0	80

Continued. See notes at end of table.

Table 13.6b. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	28,079	29.2	34.6	39.4	25.8	24.7	89
Dependent living	22,554	28.4	20.9	24.9	37.6	34.5	89
Independent living	34,523	42.4	44.5	35.7	36.6	40.8	53
No. of discharges	85,156	100.0	100.0	100.0	100.0	100.0	78
Primary substance							
Alcohol	29,015	39.6	31.0	28.6	27.7	30.6	64
Opiates	19,732	22.0	25.7	20.0	29.4	28.0	89
Marijuana/hashish	4,209	4.4	4.8	5.2	6.6	5.4	88
Cocaine	7,728	8.9	7.4	9.6	11.8	9.3	90
Stimulants	22,368	22.0	26.3	32.5	21.1	22.0	72
Other/none specified[2]	3,274	3.1	4.8	4.0	3.4	4.6	80
No. of discharges	86,326	100.0	100.0	100.0	100.0	100.0	78
Secondary or tertiary substance							
Alcohol	6,686	7.3	7.1	9.2	6.9	5.9	86
Opiates	5,444	5.9	6.4	6.3	8.6	7.4	85
Marijuana/hashish	16,688	18.7	18.6	20.6	20.5	19.2	77
Cocaine	11,267	13.2	11.9	12.3	18.4	15.2	93
Stimulants	12,004	12.2	16.3	14.4	14.2	13.9	76
Other/none specified[2]	34,237	42.7	39.6	37.2	31.4	38.5	69
No. of discharges	86,326	100.0	100.0	100.0	100.0	100.0	78

Continued. See notes at end of table.

Table 13.6b. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	7,070	11.4	7.0	5.5	5.7	8.7	30
Full-time	5,158	9.0	4.0	3.8	4.1	7.1	29
Part-time	1,912	2.4	2.9	1.7	1.7	1.7	55
Unemployed	38,854	41.0	56.6	43.6	47.7	52.9	66
Not in labor force	38,718	47.6	36.4	50.9	46.6	38.3	90
No. of discharges	84,642	100.0	100.0	100.0	100.0	100.0	78
Detailed not in labor force[1]							
Homemaker	360	1.1	6.9	0.8	0.7	1.5	63
Student	308	1.0	4.8	0.7	1.4	1.5	121
Retired	474	2.9	1.8	1.2	0.9	2.6	29
Disabled	3,165	12.4	20.4	14.2	14.0	18.4	58
Inmate of institution	3,055	14.0	14.3	11.3	14.9	21.3	119
Other	14,998	68.6	51.8	71.7	68.2	54.7	118
No. of discharges	22,360	100.0	100.0	100.0	100.0	100.0	103

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.6c. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All long-term residential treatment discharges	86,326							78
Marital status								
Never married	41,414	41.1	20.3	26.0	8.4	4.3	100.0	80
Now married	5,853	52.7	13.4	23.5	6.0	4.3	100.0	34
Separated	3,625	40.7	24.1	24.6	7.0	3.6	100.0	76
Divorced	9,168	43.2	24.3	22.2	6.4	4.0	100.0	71
Widowed	1,055	46.3	18.8	23.8	6.6	4.5	100.0	69
No. of discharges	61,115	42.6	20.4	25.0	7.8	4.2	100.0	72
Pregnant (female only)								
Yes	1,656	36.1	21.5	35.6	3.4	3.5	100.0	90
No	28,888	38.7	24.8	28.8	4.8	2.9	100.0	77
No. of discharges	30,544	38.6	24.6	29.1	4.7	3.0	100.0	79
Veteran[1]								
Yes	2,636	48.8	17.0	25.2	5.7	3.3	100.0	90
No	82,295	40.2	22.1	28.9	5.7	3.0	100.0	78
No. of discharges	84,931	40.5	21.9	28.8	5.7	3.0	100.0	79

Continued. See notes at end of table.

Table 13.6c. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	4,103	31.2	16.3	41.2	7.5	3.7	100.0	90
Grades 9 to 11	17,360	36.1	23.0	31.9	6.3	2.7	100.0	86
Grade 12 (or GED)	40,850	41.2	21.6	28.0	5.7	3.4	100.0	80
1–3 years of college, university, or vocational school	17,281	43.3	21.8	26.4	5.7	2.8	100.0	75
4 years of college, university, or BA/BS	4,108	50.4	20.8	21.3	4.3	3.2	100.0	50
Some postgraduate study or more	1,444	50.6	24.1	19.9	2.6	2.8	100.0	42
No. of discharges	85,146	40.7	21.7	28.7	5.8	3.1	100.0	78
Source of income support[1]								
Wages/salary	6,747	58.6	9.1	20.4	7.2	4.8	100.0	30
Public assistance	5,209	45.7	11.9	28.3	10.2	3.9	100.0	99
Retirement/pension	383	64.5	8.4	18.0	4.4	4.7	100.0	30
Disability	2,606	40.5	13.2	31.0	8.7	6.6	100.0	71
Other	5,445	50.6	9.0	29.0	7.7	3.7	100.0	62
None	24,710	43.8	13.4	27.5	10.4	4.8	100.0	91
No. of discharges	45,100	47.0	12.0	26.8	9.4	4.7	100.0	80

Continued. See notes at end of table.

Table 13.6c. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Living arrangements								
Homeless	28,079	36.0	22.8	34.4	4.5	2.4	100.0	89
Dependent living	22,554	43.6	17.1	27.1	8.1	4.1	100.0	89
Independent living	34,523	42.5	23.9	25.3	5.2	3.2	100.0	53
No. of discharges	85,156	40.6	21.7	28.8	5.7	3.1	100.0	78
Primary substance								
Alcohol	29,015	47.8	20.0	24.5	4.8	2.9	100.0	64
Opiates	19,732	39.1	24.4	25.2	7.4	3.9	100.0	89
Marijuana/hashish	4,209	36.4	21.4	30.9	7.8	3.5	100.0	88
Cocaine	7,728	40.4	17.8	30.8	7.6	3.4	100.0	90
Stimulants	22,368	34.5	22.0	36.0	4.7	2.7	100.0	72
Other/none specified[2]	3,274	33.3	27.5	30.1	5.1	3.9	100.0	80
No. of discharges	86,326	40.6	21.7	28.7	5.8	3.2	100.0	78
Secondary or tertiary substance								
Alcohol	6,686	38.4	20.0	34.1	5.1	2.4	100.0	86
Opiates	5,444	37.8	22.0	28.6	7.9	3.8	100.0	85
Marijuana/hashish	16,688	39.3	20.8	30.6	6.1	3.2	100.0	77
Cocaine	11,267	41.2	19.9	27.1	8.1	3.7	100.0	93
Stimulants	12,004	35.6	25.5	29.8	5.9	3.2	100.0	76
Other/none specified[2]	34,237	43.7	21.7	26.9	4.6	3.1	100.0	69
No. of discharges	86,326	40.6	21.7	28.7	5.8	3.2	100.0	78

Continued. See notes at end of table.

Table 13.6c. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Employment status[1]								
Employed	7,070	55.8	18.4	18.7	4.0	3.2	100.0	30
Full-time	5,158	60.4	14.6	17.6	3.9	3.5	100.0	29
Part-time	1,912	43.1	28.7	21.7	4.2	2.2	100.0	55
Unemployed	38,854	36.4	27.1	27.0	6.0	3.5	100.0	66
Not in labor force	38,718	42.4	17.5	31.6	5.9	2.6	100.0	90
No. of discharges	84,642	40.8	21.9	28.4	5.8	3.1	100.0	78
Detailed not in labor force[1]								
Homemaker	360	33.6	44.7	13.6	4.2	3.9	100.0	63
Student	308	34.7	36.4	14.3	10.1	4.5	100.0	121
Retired	474	65.2	8.9	16.5	4.2	5.3	100.0	29
Disabled	3,165	41.4	15.0	28.1	10.0	5.5	100.0	58
Inmate of institution	3,055	48.3	10.9	23.1	11.1	6.6	100.0	119
Other	14,998	48.4	8.0	29.9	10.3	3.4	100.0	118
No. of discharges	22,360	47.3	10.4	28.0	10.1	4.2	100.0	103

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.7a. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All long-term residential treatment discharges	86,326	35,057	18,725	24,781	4,985	2,778	78
Living arrangements							
Homeless	14,918	4,300	5,677	3,523	968	450	76
Dependent living	23,145	11,825	4,242	4,283	1,701	1,094	82
Independent living	36,846	18,427	8,504	7,032	1,886	997	77
No. of discharges	74,909	34,552	18,423	14,838	4,555	2,541	78
Primary substance							
Alcohol	25,188	11,453	5,265	6,415	1,298	757	68
Opiates	16,618	6,025	4,573	4,098	1,264	658	88
Marijuana/hashish	3,639	1,296	807	1,109	300	127	87
Cocaine	7,042	2,759	1,295	2,213	542	233	89
Stimulants	20,501	6,705	4,212	7,946	1,040	598	71
Other/none specified[1]	13,338	6,819	2,573	3,000	541	405	84
No. of discharges	86,326	35,057	18,725	24,781	4,985	2,778	78
Secondary or tertiary substance							
Alcohol	5,068	2,372	1,319	946	300	131	85
Opiates	4,602	1,846	1,225	976	376	179	84
Marijuana/hashish	14,293	6,038	3,883	2,974	938	460	74
Cocaine	9,751	3,906	2,533	2,209	745	358	90
Stimulants	10,009	4,059	2,988	1,922	688	352	73
Other/none specified[1]	42,603	16,836	6,777	15,754	1,938	1,298	74
No. of discharges	86,326	35,057	18,725	24,781	4,985	2,778	78

Continued. See notes at end of table.

Table 13.7a. Long-term residential treatment discharges aged 18 and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	12,650	8,215	1,454	1,900	718	363	87
Full-time	9,468	6,400	867	1,416	508	277	85
Part-time	3,182	1,815	587	484	210	86	89
Unemployed	35,196	14,810	10,530	6,700	1,920	1,236	69
Not in labor force	27,118	11,521	6,591	6,107	1,993	906	85
No. of discharges	74,964	34,546	18,575	14,707	4,631	2,505	78
Detailed not in labor force[2]							
Homemaker	369	146	157	41	9	16	42
Student	399	180	110	59	34	16	175
Retired	478	319	43	75	18	23	29
Disabled	3,330	1,503	476	894	269	188	63
Inmate of institution	1,801	739	231	422	207	202	119
Other	12,513	4,730	1,345	4,546	1,443	449	91
No. of discharges	18,890	7,617	2,362	6,037	1,980	894	89

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.7b. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All long-term residential treatment discharges	86,326						78
Living arrangements							
Homeless	14,918	12.4	30.8	23.7	21.3	17.7	76
Dependent living	23,145	34.2	23.0	28.9	37.3	43.1	82
Independent living	36,846	53.3	46.2	47.4	41.4	39.2	77
No. of discharges	74,909	100.0	100.0	100.0	100.0	100.0	78
Primary substance							
Alcohol	25,188	32.7	28.1	25.9	26.0	27.2	68
Opiates	16,618	17.2	24.4	16.5	25.4	23.7	88
Marijuana/hashish	3,639	3.7	4.3	4.5	6.0	4.6	87
Cocaine	7,042	7.9	6.9	8.9	10.9	8.4	89
Stimulants	20,501	19.1	22.5	32.1	20.9	21.5	71
Other/none specified[1]	13,338	19.5	13.7	12.1	10.9	14.6	84
No. of discharges	86,326	100.0	100.0	100.0	100.0	100.0	78
Secondary or tertiary substance							
Alcohol	5,068	6.8	7.0	3.8	6.0	4.7	85
Opiates	4,602	5.3	6.5	3.9	7.5	6.4	84
Marijuana/hashish	14,293	17.2	20.7	12.0	18.8	16.6	74
Cocaine	9,751	11.1	13.5	8.9	14.9	12.9	90
Stimulants	10,009	11.6	16.0	7.8	13.8	12.7	73
Other/none specified[1]	42,603	48.0	36.2	63.6	38.9	46.7	74
No. of discharges	86,326	100.0	100.0	100.0	100.0	100.0	78

Continued. See notes at end of table.

Table 13.7b. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	12,650	23.8	7.8	12.9	15.5	14.5	87
Full-time	9,468	18.5	4.7	9.6	11.0	11.1	85
Part-time	3,182	5.3	3.2	3.3	4.5	3.4	89
Unemployed	35,196	42.9	56.7	45.6	41.5	49.3	69
Not in labor force	27,118	33.3	35.5	41.5	43.0	36.2	85
No. of discharges	74,964	100.0	100.0	100.0	100.0	100.0	78
Detailed not in labor force[2]							
Homemaker	369	1.9	6.6	0.7	0.5	1.8	42
Student	399	2.4	4.7	1.0	1.7	1.8	175
Retired	478	4.2	1.8	1.2	0.9	2.6	29
Disabled	3,330	19.7	20.2	14.8	13.6	21.0	63
Inmate of institution	1,801	9.7	9.8	7.0	10.5	22.6	119
Other	12,513	62.1	56.9	75.3	72.9	50.2	91
No. of discharges	18,890	100.0	100.0	100.0	100.0	100.0	89

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 13.7c. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All long-term residential treatment discharges	86,326							78
Living arrangements								
Homeless	14,918	28.8	38.1	23.6	6.5	3.0	100.0	76
Dependent living	23,145	51.1	18.3	18.5	7.3	4.7	100.0	82
Independent living	36,846	50.0	23.1	19.1	5.1	2.7	100.0	77
No. of discharges	74,909	46.1	24.6	19.8	6.1	3.4	100.0	78
Primary substance								
Alcohol	25,188	45.5	20.9	25.5	5.2	3.0	100.0	68
Opiates	16,618	36.3	27.5	24.7	7.6	4.0	100.0	88
Marijuana/hashish	3,639	35.6	22.2	30.5	8.2	3.5	100.0	87
Cocaine	7,042	39.2	18.4	31.4	7.7	3.3	100.0	89
Stimulants	20,501	32.7	20.5	38.8	5.1	2.9	100.0	71
Other/none specified[1]	13,338	51.1	19.3	22.5	4.1	3.0	100.0	84
No. of discharges	86,326	40.6	21.7	28.7	5.8	3.2	100.0	78
Secondary or tertiary substance								
Alcohol	5,068	46.8	26.0	18.7	5.9	2.6	100.0	85
Opiates	4,602	40.1	26.6	21.2	8.2	3.9	100.0	84
Marijuana/hashish	14,293	42.2	27.2	20.8	6.6	3.2	100.0	74
Cocaine	9,751	40.1	26.0	22.7	7.6	3.7	100.0	90
Stimulants	10,009	40.6	29.9	19.2	6.9	3.5	100.0	73
Other/none specified[1]	42,603	39.5	15.9	37.0	4.5	3.0	100.0	74
No. of discharges	86,326	40.6	21.7	28.7	5.8	3.2	100.0	78

Continued. See notes at end of table.

Table 13.7c. Long-term residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Employment status[2]								
Employed	12,650	64.9	11.5	15.0	5.7	2.9	100.0	87
Full-time	9,468	67.6	9.2	15.0	5.4	2.9	100.0	85
Part-time	3,182	57.0	18.4	15.2	6.6	2.7	100.0	89
Unemployed	35,196	42.1	29.9	19.0	5.5	3.5	100.0	69
Not in labor force	27,118	42.5	24.3	22.5	7.3	3.3	100.0	85
No. of discharges	74,964	46.1	24.8	19.6	6.2	3.3	100.0	78
Detailed not in labor force[2]								
Homemaker	369	39.6	42.5	11.1	2.4	4.3	100.0	42
Student	399	45.1	27.6	14.8	8.5	4.0	100.0	175
Retired	478	66.7	9.0	15.7	3.8	4.8	100.0	29
Disabled	3,330	45.1	14.3	26.8	8.1	5.6	100.0	63
Inmate of institution	1,801	41.0	12.8	23.4	11.5	11.2	100.0	119
Other	12,513	37.8	10.7	36.3	11.5	3.6	100.0	91
No. of discharges	18,890	40.3	12.5	32.0	10.5	4.7	100.0	89

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 44 states and jurisdictions that offered long-term residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.1. Hospital residential treatment discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Reason for discharge (number)						Reason for discharge (row percent distribution)					
	All hospital residential treatment discharges	Completed	Transferred	Dropped out	Terminated	Other	Total	Completed	Transferred	Dropped out	Terminated	Other
Total	3,374	2,383	379	419	97	96	100.0	70.6	11.2	12.4	2.9	2.8
Arizona	680	678	- -	- -	- -	2	100.0	99.7	- -	- -	- -	0.3
Colorado	142	130	5	5	- -	2	100.0	91.5	3.5	3.5	- -	1.4
Connecticut	568	498	3	56	1	10	100.0	87.7	0.5	9.9	0.2	1.8
Florida	6	1	5	- -	- -	- -	100.0	16.7	83.3	- -	- -	- -
Indiana	70	9	34	11	4	12	100.0	12.9	48.6	15.7	5.7	17.1
Iowa	854	462	179	139	41	33	100.0	54.1	21.0	16.3	4.8	3.9
Kansas	2	- -	1	1	- -	- -	100.0	- -	50.0	50.0	- -	- -
Minnesota	386	278	50	46	2	10	100.0	72.0	13.0	11.9	0.5	2.6
Mississippi	9	5	- -	- -	1	3	100.0	55.6	- -	- -	11.1	33.3
Nevada	14	11	1	- -	2	- -	100.0	78.6	7.1	- -	14.3	- -
New Jersey	6	3	1	- -	- -	2	100.0	50.0	16.7	- -	- -	33.3
North Carolina	127	71	56	- -	- -	- -	100.0	55.9	44.1	- -	- -	- -
Ohio	210	58	26	113	3	10	100.0	27.6	12.4	53.8	1.4	4.8
Pennsylvania	27	18	- -	2	- -	7	100.0	66.7	- -	7.4	- -	25.9
Puerto Rico	30	29	- -	1	- -	- -	100.0	96.7	- -	3.3	- -	- -
Rhode Island	4	3	- -	1	- -	- -	100.0	75.0	- -	25.0	- -	- -
Washington	186	112	4	30	40	- -	100.0	60.2	2.2	16.1	21.5	- -
Wisconsin	49	17	14	12	3	3	100.0	34.7	28.6	24.5	6.1	6.1
Wyoming	4	- -	- -	2	- -	2	100.0	- -	- -	50.0	- -	50.0

- - Quantity is zero.

NOTES: Based on linked admission and discharge data reported to TEDS by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. Comparisons among states should be made with caution. Percentages may not add to 100 percent due to rounding. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Admissions for which values were not collected or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.2a. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All hospital residential treatment discharges	3,374	2,383	379	419	97	96	14
Gender							
Male	2,303	1,659	243	263	73	65	14
Female	1,070	723	136	156	24	31	14
No. of discharges	3,373	2,382	379	419	97	96	14
Age at admission							
12 years	- -	- -	- -	- -	- -	- -	- -
13 years	2	- -	2	- -	- -	- -	- -
14 years	- -	- -	- -	- -	- -	- -	- -
15 years	- -	- -	- -	- -	- -	- -	- -
16 years	4	- -	3	- -	1	- -	- -
17 years	4	2	2	- -	- -	- -	3
18 years	17	13	1	- -	2	1	8
19 years	23	13	6	2	1	1	6
20 years	50	35	5	3	6	1	21
21 to 24 years	234	171	23	23	13	4	7
25 to 29 years	466	318	58	58	18	14	11
30 to 34 years	539	373	47	86	17	16	12
35 to 39 years	508	356	62	66	17	7	14
40 to 44 years	365	249	36	54	15	11	18
45 to 49 years	307	218	36	43	1	9	16
50 to 54 years	306	225	37	30	1	13	18
55 to 59 years	289	210	40	27	3	9	15
60 to 64 years	162	124	10	19	2	7	14
65 to 69 years	72	56	8	7	- -	1	16
70 to 74 years	18	13	3	1	- -	1	15
75 years and older	8	7	- -	- -	- -	1	21
No. of discharges	3,374	2,383	379	419	97	96	14

Continued. See notes at end of table.

Table 14.2a. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	283	190	15	38	39	1	43
Asian[1]	9	6	2	1	- -	- -	25
Black or African American	390	255	47	60	11	17	22
White	2,274	1,567	297	299	42	69	12
Other	175	146	9	14	1	5	27
Native Hawaiian or Other Pacific Islander	9	5	- -	2	- -	2	14
No. of discharges	3,140	2,169	370	414	93	94	15
Ethnicity							
Not of Hispanic or Latino origin	217	185	4	19	1	8	23
Hispanic or Latino origin	2,848	1,986	319	381	82	80	14
No. of discharges	3,065	2,171	323	400	83	88	15
Marital status							
Never married	1,744	1,158	209	250	69	58	20
Now married	437	306	45	59	16	11	14
Separated	106	56	24	20	2	4	20
Divorced	477	307	81	69	6	14	20
Widowed	44	31	3	6	1	3	27
No. of discharges	2,808	1,858	362	404	94	90	19
Pregnant (female only)							
Yes	9	4	1	2	- -	2	21
No	824	532	134	118	12	28	7
No. of discharges	833	536	135	120	12	30	7
No. of prior treatment episodes							
None	1,132	847	120	123	14	28	7
1 or more	1,630	1,084	236	217	38	55	11
No. of discharges	2,762	1,931	356	340	52	83	8

Continued. See notes at end of table.

Table 14.2a. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Treatment referral source							
Self or individual	1,488	1,067	139	226	13	43	16
Criminal justice/DUI	372	197	100	28	24	23	26
Other community referral	88	52	19	9	3	5	18
Substance use care provider	108	75	12	14	2	5	27
Other health care provider	382	196	96	62	14	14	15
School (educational)	2	1	- -	- -	1	- -	587
Employer/EAP	4	3	- -	1	- -	- -	12
No. of discharges	2,444	1,591	366	340	57	90	17
Usual route of administration							
Oral	1,542	1,089	198	179	34	42	18
Smoking	465	260	78	73	31	23	25
Inhalation	208	132	18	46	3	9	27
Injection	403	202	52	109	25	15	26
Other	5	1	- -	2	1	1	43
No. of discharges	2,623	1,684	346	409	94	90	21
Expected or actual source of payment[2]							
Self-pay	17	9	3	3	- -	2	7
Private insurance	238	178	32	18	4	6	5
Medicare	134	92	23	12	3	4	7
Medicaid	1,356	959	147	184	36	30	6
Other government payments	163	108	4	33	3	15	24
Workers' compensation	- -	- -	- -	- -	- -	- -	‡
No charge	2	1	- -	- -	- -	1	7
Other	36	26	1	6	1	2	13
No. of discharges	1,946	1,373	210	256	47	60	6
Type of health insurance							
Private insurance	206	166	19	14	2	5	6
Medicare	150	103	19	18	3	7	9
Medicaid	1,576	1,105	168	221	40	42	6
HMO	16	4	9	3	- -	- -	12
Other	105	87	6	8	1	3	28
None	150	89	22	16	5	18	7
No. of discharges	2,203	1,554	243	280	51	75	6

Continued. See notes at end of table.

Table 14.2a. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Arrests in past 30 days							
None	2,104	1,319	333	329	48	75	14
Once	152	75	36	20	8	13	18
2 or more times	38	24	5	7	1	1	19
No. of discharges	2,294	1,418	374	356	57	89	14
Frequency of use							
No use in the past month	185	112	35	18	12	8	35
Some use	746	514	98	89	28	17	21
Daily use	1,716	1,075	214	306	54	67	17
No. of discharges	2,647	1,701	347	413	94	92	21
Self-help programs attended in past 30 days							
No attendance in the past month	1,709	997	324	272	49	67	10
At least 1 time in the past month	512	367	41	79	5	20	29
1–3 times in the past month	357	281	14	49	2	11	30
4–7 times in the past month	47	27	6	13	- -	1	27
8–30 times in the past month	65	30	14	12	2	7	15
Some attendance, but frequency unknown	43	29	7	5	1	1	19
No. of discharges	2,221	1,364	365	351	54	87	14

- - Quantity is zero; ‡ No discharges were reported.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.2b. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All hospital residential treatment discharges	3,374						14
Gender							
Male	2,303	69.6	64.1	62.8	75.3	67.7	14
Female	1,070	30.4	35.9	37.2	24.7	32.3	14
No. of discharges	3,373	100.0	100.0	100.0	100.0	100.0	14
Age at admission							
12 years	- -	- -	- -	- -	- -	- -	- -
13 years	2	- -	0.5	- -	- -	- -	- -
14 years	- -	- -	- -	- -	- -	- -	- -
15 years	- -	- -	- -	- -	- -	- -	- -
16 years	4	- -	0.8	- -	1.0	- -	- -
17 years	4	0.1	0.5	- -	- -	- -	3
18 years	17	0.5	0.3	- -	2.1	1.0	8
19 years	23	0.5	1.6	0.5	1.0	1.0	6
20 years	50	1.5	1.3	0.7	6.2	1.0	21
21 to 24 years	234	7.2	6.1	5.5	13.4	4.2	7
25 to 29 years	466	13.3	15.3	13.8	18.6	14.6	11
30 to 34 years	539	15.7	12.4	20.5	17.5	16.7	12
35 to 39 years	508	14.9	16.4	15.8	17.5	7.3	14
40 to 44 years	365	10.4	9.5	12.9	15.5	11.5	18
45 to 49 years	307	9.1	9.5	10.3	1.0	9.4	16
50 to 54 years	306	9.4	9.8	7.2	1.0	13.5	18
55 to 59 years	289	8.8	10.6	6.4	3.1	9.4	15
60 to 64 years	162	5.2	2.6	4.5	2.1	7.3	14
65 to 69 years	72	2.3	2.1	1.7	- -	1.0	16
70 to 74 years	18	0.5	0.8	0.2	- -	1.0	15
75 years and older	8	0.3	- -	- -	- -	1.0	21
No. of discharges	3,374	100.0	100.0	100.0	100.0	100.0	14

Continued. See notes at end of table.

Table 14.2b. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	283	8.8	4.1	9.2	41.9	1.1	43
Asian[1]	9	0.3	0.5	0.2	- -	- -	25
Black or African American	390	11.8	12.7	14.5	11.8	18.1	22
White	2,274	72.2	80.3	72.2	45.2	73.4	12
Other	175	6.7	2.4	3.4	1.1	5.3	27
Native Hawaiian or Other Pacific Islander	9	0.2	- -	0.5	- -	2.1	14
No. of discharges	3,140	100.0	100.0	100.0	100.0	100.0	15
Ethnicity							
Not of Hispanic or Latino origin	217	8.5	1.2	4.8	1.2	9.1	23
Hispanic or Latino origin	2,848	91.5	98.8	95.3	98.8	90.9	14
No. of discharges	3,065	100.0	100.0	100.0	100.0	100.0	15
Marital status							
Never married	1,744	62.3	57.7	61.9	73.4	64.4	20
Now married	437	16.5	12.4	14.6	17.0	12.2	14
Separated	106	3.0	6.6	5.0	2.1	4.4	20
Divorced	477	16.5	22.4	17.1	6.4	15.6	20
Widowed	44	1.7	0.8	1.5	1.1	3.3	27
No. of discharges	2,808	100.0	100.0	100.0	100.0	100.0	19
Pregnant (female only)							
Yes	9	0.7	0.7	1.7	- -	6.7	21
No	824	99.3	99.3	98.3	100.0	93.3	7
No. of discharges	833	100.0	100.0	100.0	100.0	100.0	7
No. of prior treatment episodes							
None	1,132	43.9	33.7	36.2	26.9	33.7	7
1 or more	1,630	56.1	66.3	63.8	73.1	66.3	11
No. of discharges	2,762	100.0	100.0	100.0	100.0	100.0	8

Continued. See notes at end of table.

Table 14.2b. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Treatment referral source							
Self or individual	1,488	67.1	38.0	66.5	22.8	47.8	16
Criminal justice/DUI	372	12.4	27.3	8.2	42.1	25.6	26
Other community referral	88	3.3	5.2	2.6	5.3	5.6	18
Substance use care provider	108	4.7	3.3	4.1	3.5	5.6	27
Other health care provider	382	12.3	26.2	18.2	24.6	15.6	15
School (educational)	2	0.1	- -	- -	1.8	- -	587
Employer/EAP	4	0.2	- -	0.3	- -	- -	12
No. of discharges	2,444	100.0	100.0	100.0	100.0	100.0	17
Usual route of administration							
Oral	1,542	64.7	57.2	43.8	36.2	46.7	18
Smoking	465	15.4	22.5	17.8	33.0	25.6	25
Inhalation	208	7.8	5.2	11.2	3.2	10.0	27
Injection	403	12.0	15.0	26.7	26.6	16.7	26
Other	5	0.1	- -	0.5	1.1	1.1	43
No. of discharges	2,623	100.0	100.0	100.0	100.0	100.0	21
Expected or actual source of payment[2]							
Self-pay	17	0.7	1.4	1.2	- -	3.3	7
Private insurance	238	13.0	15.2	7.0	8.5	10.0	5
Medicare	134	6.7	11.0	4.7	6.4	6.7	7
Medicaid	1,356	69.8	70.0	71.9	76.6	50.0	6
Other government payments	163	7.9	1.9	12.9	6.4	25.0	24
Workers' compensation	- -	- -	- -	- -	- -	- -	‡
No charge	2	0.1	- -	- -	- -	1.7	7
Other	36	1.9	0.5	2.3	2.1	3.3	13
No. of discharges	1,946	100.0	100.0	100.0	100.0	100.0	6
Type of health insurance							
Private insurance	206	10.7	7.8	5.0	3.9	6.7	6
Medicare	150	6.6	7.8	6.4	5.9	9.3	9
Medicaid	1,576	71.1	69.1	78.9	78.4	56.0	6
HMO	16	0.3	3.7	1.1	- -	- -	12
Other	105	5.6	2.5	2.9	2.0	4.0	28
None	150	5.7	9.1	5.7	9.8	24.0	7
No. of discharges	2,203	100.0	100.0	100.0	100.0	100.0	6

Continued. See notes at end of table.

Table 14.2b. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Arrests in past 30 days							
None	2,104	93.0	89.0	92.4	84.2	84.3	14
Once	152	5.3	9.6	5.6	14.0	14.6	18
2 or more times	38	1.7	1.3	2.0	1.8	1.1	19
No. of discharges	2,294	100.0	100.0	100.0	100.0	100.0	14
Frequency of use							
No use in the past month	185	6.6	10.1	4.4	12.8	8.7	35
Some use	746	30.2	28.2	21.5	29.8	18.5	21
Daily use	1,716	63.2	61.7	74.1	57.4	72.8	17
No. of discharges	2,647	100.0	100.0	100.0	100.0	100.0	21
Self-help programs attended in past 30 days							
No attendance in the past month	1,709	73.1	88.8	77.5	90.7	77.0	10
At least 1 time in the past month	512	26.9	11.2	22.5	9.3	23.0	29
1–3 times in the past month	357	20.6	3.8	14.0	3.7	12.6	30
4–7 times in the past month	47	2.0	1.6	3.7	- -	1.1	27
8–30 times in the past month	65	2.2	3.8	3.4	3.7	8.0	15
Some attendance, but frequency unknown	43	2.1	1.9	1.4	1.9	1.1	19
No. of discharges	2,221	100.0	100.0	100.0	100.0	100.0	14

- - Quantity is zero; ‡ No discharges were reported.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.2c. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All hospital residential treatment discharges	3,374							14
Gender								
Male	2,303	72.0	10.6	11.4	3.2	2.8	100.0	14
Female	1,070	67.6	12.7	14.6	2.2	2.9	100.0	14
No. of discharges	3,373	70.6	11.2	12.4	2.9	2.8	100.0	14
Age at admission								
12 years	- -	- -	- -	- -	- -	- -	- -	- -
13 years	2	- -	100	- -	- -	- -	100	- -
14 years	- -	- -	- -	- -	- -	- -	- -	- -
15 years	- -	- -	- -	- -	- -	- -	- -	- -
16 years	4	- -	75	- -	25	- -	100	- -
17 years	4	50	50	- -	- -	- -	100	3
18 years	17	76	6	- -	12	6	100.0	8
19 years	23	57	26	9	4	4	100.0	6
20 years	50	70	10	6	12	2.0	100.0	21
21 to 24 years	234	73.1	9.8	9.8	5.6	1.7	100.0	7
25 to 29 years	466	68.2	12.4	12.4	3.9	3.0	100.0	11
30 to 34 years	539	69.2	8.7	16.0	3.2	3.0	100.0	12
35 to 39 years	508	70.1	12.2	13.0	3.3	1.4	100.0	14
40 to 44 years	365	68.2	9.9	14.8	4.1	3.0	100.0	18
45 to 49 years	307	71.0	11.7	14.0	0.3	2.9	100.0	16
50 to 54 years	306	73.5	12.1	9.8	0.3	4.2	100.0	18
55 to 59 years	289	72.7	13.8	9.3	1.0	3.1	100.0	15
60 to 64 years	162	76.5	6.2	11.7	1.2	4.3	100.0	14
65 to 69 years	72	77.8	11.1	9.7	- -	1.4	100.0	16
70 to 74 years	18	72.2	16.7	5.6	- -	5.6	100.0	15
75 years and older	8	87.5	- -	- -	- -	12.5	100.0	21
No. of discharges	3,374	70.6	11.2	12.4	2.9	2.8	100.0	14

Continued. See notes at end of table.

Table 14.2c. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Race								
American Indian or Alaska Native	283	67.1	5.3	13.4	13.8	0.4	100.0	43
Asian[1]	9	66.7	22.2	11.1	- -	- -	100.0	25
Black or African American	390	65.4	12.1	15.4	2.8	4.4	100.0	22
White	2,274	68.9	13.1	13.1	1.8	3.0	100.0	12
Other	175	83.4	5.1	8.0	0.6	2.9	100.0	27
Native Hawaiian or Other Pacific Islander	9	55.6	- -	22.2	- -	22.2	100.0	14
No. of discharges	3,140	69.1	11.8	13.2	3.0	3.0	100.0	15
Ethnicity								
Not of Hispanic or Latino origin	217	85.3	1.8	8.8	0.5	3.7	100.0	23
Hispanic or Latino origin	2,848	69.7	11.2	13.4	2.9	2.8	100.0	14
No. of discharges	3,065	70.8	10.5	13.1	2.7	2.9	100.0	15
Marital status								
Never married	1,744	66.4	12.0	14.3	4.0	3.3	100.0	20
Now married	437	70.0	10.3	13.5	3.7	2.5	100.0	14
Separated	106	52.8	22.6	18.9	1.9	3.8	100.0	20
Divorced	477	64.4	17.0	14.5	1.3	2.9	100.0	20
Widowed	44	70.5	6.8	13.6	2.3	6.8	100.0	27
No. of discharges	2,808	66.2	12.9	14.4	3.3	3.2	100.0	19
Pregnant (female only)								
Yes	9	44.4	11.1	22.2	- -	22.2	100.0	21
No	824	64.6	16.3	14.3	1.5	3.4	100.0	7
No. of discharges	833	64.3	16.2	14.4	1.4	3.6	100.0	7
No. of prior treatment episodes								
None	1,132	74.8	10.6	10.9	1.2	2.5	100.0	7
1 or more	1,630	66.5	14.5	13.3	2.3	3.4	100.0	11
No. of discharges	2,762	69.9	12.9	12.3	1.9	3.0	100.0	8

Continued. See notes at end of table.

Table 14.2c. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Treatment referral source								
Self or individual	1,488	71.7	9.3	15.2	0.9	2.9	100.0	16
Criminal justice/DUI	372	53.0	26.9	7.5	6.5	6.2	100.0	26
Other community referral	88	59.1	21.6	10.2	3.4	5.7	100.0	18
Substance use care provider	108	69.4	11.1	13.0	1.9	4.6	100.0	27
Other health care provider	382	51.3	25.1	16.2	3.7	3.7	100.0	15
School (educational)	2	50.0	- -	- -	50.0	- -	100.0	587
Employer/EAP	4	75.0	- -	25.0	- -	- -	100.0	12
No. of discharges	2,444	65.1	15.0	13.9	2.3	3.7	100.0	17
Usual route of administration								
Oral	1,542	70.6	12.8	11.6	2.2	2.7	100.0	18
Smoking	465	55.9	16.8	15.7	6.7	4.9	100.0	25
Inhalation	208	63.5	8.7	22.1	1.4	4.3	100.0	27
Injection	403	50.1	12.9	27.0	6.2	3.7	100.0	26
Other	5	20.0	- -	40.0	20.0	20.0	100.0	43
No. of discharges	2,623	64.2	13.2	15.6	3.6	3.4	100.0	21
Expected or actual source of payment[2]								
Self-pay	17	52.9	17.6	17.6	- -	11.8	100.0	7
Private insurance	238	74.8	13.4	7.6	1.7	2.5	100.0	5
Medicare	134	68.7	17.2	9.0	2.2	3.0	100.0	7
Medicaid	1,356	70.7	10.8	13.6	2.7	2.2	100.0	6
Other government payments	163	66.3	2.5	20.2	1.8	9.2	100.0	24
Workers' compensation	- -	- -	- -	- -	- -	- -	- -	‡
No charge	2	50.0	- -	- -	- -	50.0	100.0	7
Other	36	72.2	2.8	16.7	2.8	5.6	100.0	13
No. of discharges	1,946	70.6	10.8	13.2	2.4	3.1	100.0	6
Type of health insurance								
Private insurance	206	80.6	9.2	6.8	1.0	2.4	100.0	6
Medicare	150	68.7	12.7	12.0	2.0	4.7	100.0	9
Medicaid	1,576	70.1	10.7	14.0	2.5	2.7	100.0	6
HMO	16	25.0	56.3	18.8	- -	- -	100.0	12
Other	105	82.9	5.7	7.6	1.0	2.9	100.0	28
None	150	59.3	14.7	10.7	3.3	12.0	100.0	7
No. of discharges	2,203	70.5	11.0	12.7	2.3	3.4	100.0	6

Continued. See notes at end of table.

Table 14.2c. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Arrests in past 30 days								
None	2,104	62.7	15.8	15.6	2.3	3.6	100.0	14
Once	152	49.3	23.7	13.2	5.3	8.6	100.0	18
2 or more times	38	63.2	13.2	18.4	2.6	2.6	100.0	19
No. of discharges	2,294	61.8	16.3	15.5	2.5	3.9	100.0	14
Frequency of use								
No use in the past month	185	60.5	18.9	9.7	6.5	4.3	100.0	35
Some use	746	68.9	13.1	11.9	3.8	2.3	100.0	21
Daily use	1,716	62.6	12.5	17.8	3.1	3.9	100.0	17
No. of discharges	2,647	64.3	13.1	15.6	3.6	3.5	100.0	21
Self-help programs attended in past 30 days								
No attendance in the past month	1,709	58.3	19.0	15.9	2.9	3.9	100.0	10
At least 1 time in the past month	512	71.7	8.0	15.4	1.0	3.9	100.0	29
1–3 times in the past month	357	78.7	3.9	13.7	0.6	3.1	100.0	30
4–7 times in the past month	47	57.4	12.8	27.7	- -	2.1	100.0	27
8–30 times in the past month	65	46.2	21.5	18.5	3.1	10.8	100.0	15
Some attendance, but frequency unknown	43	67.4	16.3	11.6	2.3	2.3	100.0	19
No. of discharges	2,221	61.4	16.4	15.8	2.4	3.9	100.0	14

- - Quantity is zero; ‡ No discharges were reported.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.3a. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All hospital residential treatment discharges	3,374	2,383	379	419	97	96	14
Arrests in past 30 days							
None	1,950	1,277	334	223	47	69	10
Once	123	65	25	10	8	15	7
2 or more times	44	40	- -	3	1	- -	5
No. of discharges	2,117	1,382	359	236	56	84	9
Frequency of use							
No use in the past month	732	526	56	112	18	20	29
Some use	765	539	90	99	26	11	14
Daily use	1,238	758	190	179	52	59	10
No. of discharges	2,735	1,823	336	390	96	90	20
Self-help programs attended in past 30 days							
No attendance in the past month	1,525	925	259	239	43	59	6
At least 1 time in the past month	1,174	911	93	135	9	26	27
1–3 times in the past month	618	526	9	70	1	12	30
4–7 times in the past month	103	67	7	24	4	1	27
8–30 times in the past month	145	88	32	14	3	8	28
Some attendance, but frequency unknown	308	230	45	27	1	5	18
No. of discharges	2,699	1,836	352	374	52	85	16

- - Quantity is zero.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.3b. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All hospital residential treatment discharges	3,374						14
Arrests in past 30 days							
None	1,950	92.4	93.0	94.5	83.9	82.1	10
Once	123	4.7	7.0	4.2	14.3	17.9	7
2 or more times	44	2.9	- -	1.3	1.8	- -	5
No. of discharges	2,117	100.0	100.0	100.0	100.0	100.0	9
Frequency of use							
No use in the past month	732	28.9	16.7	28.7	18.8	22.2	29
Some use	765	29.6	26.8	25.4	27.1	12.2	14
Daily use	1,238	41.6	56.5	45.9	54.2	65.6	10
No. of discharges	2,735	100.0	100.0	100.0	100.0	100.0	20
Self-help programs attended in past 30 days							
No attendance in the past month	1,525	50.4	73.6	63.9	82.7	69.4	6
At least 1 time in the past month	1,174	49.6	26.4	36.1	17.3	30.6	27
1–3 times in the past month	618	28.6	2.6	18.7	1.9	14.1	30
4–7 times in the past month	103	3.6	2.0	6.4	7.7	1.2	27
8–30 times in the past month	145	4.8	9.1	3.7	5.8	9.4	28
Some attendance, but frequency unknown	308	12.5	12.8	7.2	1.9	5.9	18
No. of discharges	2,699	100.0	100.0	100.0	100.0	100.0	16

- - Quantity is zero.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.3c. Hospital residential treatment discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All hospital residential treatment discharges	3,374							14
Arrests in past 30 days								
None	1,950	65.5	17.1	11.4	2.4	3.5	100.0	10
Once	123	52.8	20.3	8.1	6.5	12.2	100.0	7
2 or more times	44	90.9	- -	6.8	2.3	- -	100.0	5
No. of discharges	2,117	65.3	17.0	11.1	2.6	4.0	100.0	9
Frequency of use								
No use in the past month	732	71.9	7.7	15.3	2.5	2.7	100.0	29
Some use	765	70.5	11.8	12.9	3.4	1.4	100.0	14
Daily use	1,238	61.2	15.3	14.5	4.2	4.8	100.0	10
No. of discharges	2,735	66.7	12.3	14.3	3.5	3.3	100.0	20
Self-help programs attended in past 30 days								
No attendance in the past month	1,525	60.7	17.0	15.7	2.8	3.9	100.0	6
At least 1 time in the past month	1,174	77.6	7.9	11.5	0.8	2.2	100.0	27
1–3 times in the past month	618	85.1	1.5	11.3	0.2	1.9	100.0	30
4–7 times in the past month	103	65.0	6.8	23.3	3.9	1.0	100.0	27
8–30 times in the past month	145	60.7	22.1	9.7	2.1	5.5	100.0	28
Some attendance, but frequency unknown	308	74.7	14.6	8.8	0.3	1.6	100.0	18
No. of discharges	2,699	68.0	13.0	13.9	1.9	3.1	100.0	16

- - Quantity is zero.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.4a. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All hospital residential treatment discharges	10	2	7	- -	1	- -	3
Marital status							
Never married	9	2	6	- -	1	- -	3
Now married	- -	- -	- -	- -	- -	- -	- -
Separated	- -	- -	- -	- -	- -	- -	- -
Divorced	- -	- -	- -	- -	- -	- -	- -
Widowed	- -	- -	- -	- -	- -	- -	- -
No. of discharges	9	2	6	- -	1	- -	3
Pregnant (female only)							
Yes	- -	- -	- -	- -	- -	- -	- -
No	4	- -	3	- -	1		- -
No. of discharges	4	- -	3	- -	1	- -	- -
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	3	- -	3	- -	- -	- -	- -
Grades 9 to 11	6	2	3	- -	1	- -	3
Grade 12 (or GED) or more	1	- -	1	- -	- -	- -	- -
No. of discharges	10	2	7	- -	1	- -	3

Continued. See notes at end of table.

Table 14.4a. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	1	1	- -	- -	- -	- -	2
Dependent living	7	1	5	- -	1	- -	3
Independent living	2	- -	2	- -	- -	- -	- -
No. of discharges	10	2	7	- -	1	- -	3
Primary substance							
Alcohol	3	1	2	- -	- -	- -	3
Opiates	- -	- -	- -	- -	- -	- -	- -
Marijuana/hashish	7	1	5	- -	1	- -	2
Cocaine	- -	- -	- -	- -	- -	- -	- -
Stimulants	- -	- -	- -	- -	- -	- -	- -
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -
No. of discharges	10	2	7	- -	1	- -	3
Secondary or tertiary substance							
Alcohol	- -	- -	- -	- -	- -	- -	- -
Opiates	1	- -	- -	- -	1	- -	- -
Marijuana/hashish	1	- -	1	- -	- -	- -	- -
Cocaine	1	- -	1	- -	- -	- -	- -
Stimulants	- -	- -	- -	- -	- -	- -	- -
Other/none specified[1]	7	2	5	- -	- -	- -	3
No. of discharges	10	2	7	- -	1	- -	3

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.4b. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All hospital residential treatment discharges	10						3
Marital status							
Never married	9	100.0	100.0	- -	100.0	- -	3
Now married	- -	- -	- -	- -	- -	- -	‡
Separated	- -	- -	- -	- -	- -	- -	‡
Divorced	- -	- -	- -	- -	- -	- -	‡
Widowed	- -	- -	- -	- -	- -	- -	‡
No. of discharges	9	100.0	100.0	- -	100.0	- -	3
Pregnant (female only)							
Yes	- -	- -	- -	- -	- -	- -	- -
No	4	- -	100.0	- -	100.0	- -	- -
No. of discharges	4	- -	100.0	- -	100.0	- -	- -
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	3	- -	42.9	- -	- -	- -	- -
Grades 9 to 11	6	- -	42.9	- -	100.0	- -	3
Grade 12 (or GED) or more	1	- -	14.3	- -	- -	- -	- -
No. of discharges	10	- -	100.0	- -	100.0	- -	3

Continued. See notes at end of table.

Table 14.4b. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Living arrangements							
Homeless	1	- -	- -	- -	- -	- -	2
Dependent living	7	- -	71.4	- -	100.0	- -	3
Independent living	2	- -	28.6	- -	- -	- -	- -
No. of discharges	10	- -	100.0	- -	100.0	- -	3
Primary substance							
Alcohol	3	- -	- -	- -	- -	- -	3
Opiates	- -	- -	- -	- -	- -	- -	- -
Marijuana/hashish	7	50.0	71.4	- -	100.0	- -	2
Cocaine	- -	- -	- -	- -	- -	- -	- -
Stimulants	- -	- -	- -	- -	- -	- -	- -
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -
No. of discharges	10	50.0	71.4	- -	100.0	- -	3
Secondary or tertiary substance							
Alcohol	- -	- -	- -	- -	- -	- -	- -
Opiates	1	- -	- -	- -	100.0	- -	- -
Marijuana/hashish	1	- -	- -	- -	- -	- -	- -
Cocaine	1	- -	- -	- -	- -	- -	- -
Stimulants	- -	- -	- -	- -	- -	- -	- -
Other/none specified[1]	7	100.0	71.4	- -	- -	- -	3
No. of discharges	10	100.0	71.4	- -	100.0	- -	3

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.4c. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All hospital residential treatment discharges	10							3
Marital status								
Never married	9	22.2	66.7	- -	11.1	- -	100.0	3
Now married	- -	- -	- -	- -	- -	- -	- -	‡
Separated	- -	- -	- -	- -	- -	- -	- -	‡
Divorced	- -	- -	- -	- -	- -	- -	- -	‡
Widowed	- -	- -	- -	- -	- -	- -	- -	‡
No. of discharges	9	22.2	66.7	- -	11.1	- -	100.0	3
Pregnant (female only)								
Yes	- -	- -	- -	- -	- -	- -	- -	- -
No	4	- -	75.0	- -	25.0	- -	100.0	- -
No. of discharges	4	- -	75.0	- -	25.0	- -	100.0	- -
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	3	- -	100.0	- -	- -	- -	100.0	- -
Grades 9 to 11	6	33.3	50.0	- -	16.7	- -	100.0	3
Grade 12 (or GED) or more	1	- -	100.0	- -	- -	- -	100.0	- -
No. of discharges	10	20.0	70.0	- -	10.0	- -	100.0	3

Continued. See notes at end of table.

Table 14.4c. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Living arrangements								
Homeless	1	100.0	- -	- -	- -	- -	100.0	2
Dependent living	7	14.3	71.4	- -	14.3	- -	100.0	3
Independent living	2	- -	- -	- -	- -	- -	- -	- -
No. of discharges	10	20.0	70.0	- -	10.0	- -	100.0	3
Primary substance								
Alcohol	3	- -	- -	- -	- -	- -	- -	3
Opiates	- -	- -	- -	- -	- -	- -	- -	- -
Marijuana/hashish	7	14.3	71.4	- -	14.3	- -	100.0	2
Cocaine	- -	- -	- -	- -	- -	- -	- -	- -
Stimulants	- -	- -	- -	- -	- -	- -	- -	- -
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -	- -
No. of discharges	10	20.0	70.0	- -	10.0	- -	100.0	3
Secondary or tertiary substance								
Alcohol	- -	- -	- -	- -	- -	- -	- -	- -
Opiates	1	- -	- -	- -	- -	- -	- -	- -
Marijuana/hashish	1	- -	- -	- -	- -	- -	- -	- -
Cocaine	1	- -	- -	- -	- -	- -	- -	- -
Stimulants	- -	- -	- -	- -	- -	- -	- -	- -
Other/none specified[1]	7	28.6	71.4	- -	- -	- -	100.0	3
No. of discharges	10	20.0	70.0	- -	10.0	- -	100.0	3

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.5a. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All hospital residential treatment discharges	10	2	7	- -	1	- -	3
Living arrangements							
Homeless	1	1	- -	- -	- -	- -	2
Dependent living	7	1	5	- -	1	- -	3
Independent living	1	- -	1	- -	- -	- -	- -
No. of discharges	9	2	6	- -	1	- -	3
Primary substance							
Alcohol	3	1	2	- -	- -	- -	3
Opiates	- -	- -	- -	- -	- -	- -	- -
Marijuana/hashish	7	1	5	- -	1	- -	2
Cocaine	- -	- -	- -	- -	- -	- -	- -
Stimulants	- -	- -	- -	- -	- -	- -	- -
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -
No. of discharges	10	2	7	- -	1	- -	3
Secondary or tertiary substance							
Alcohol	- -	- -	- -	- -	- -	- -	- -
Opiates	1	- -	- -	- -	1	- -	- -
Marijuana/hashish	1	- -	1	- -	- -	- -	- -
Cocaine	1	- -	1	- -	- -	- -	- -
Stimulants	- -	- -	- -	- -	- -	- -	- -
Other/none specified[1]	7	2	5	- -	- -	- -	3
No. of discharges	10	2	7	- -	1	- -	3

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.5b. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All hospital residential treatment discharges	10						3
Living arrangements							
Homeless	1	50.0	- -	- -	- -	- -	2
Dependent living	7	50.0	83.3	- -	100.0	- -	3
Independent living	1	- -	16.7	- -	- -	- -	- -
No. of discharges	9	100.0	100.0	- -	100.0	- -	3
Primary substance							
Alcohol	3	- -	- -	- -	- -	- -	3
Opiates	- -	- -	- -	- -	- -	- -	- -
Marijuana/hashish	7	50.0	71.4	- -	100.0	- -	2
Cocaine	- -	- -	- -	- -	- -	- -	- -
Stimulants	- -	- -	- -	- -	- -	- -	- -
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -
No. of discharges	10	50.0	71.4	- -	100.0	- -	3
Secondary or tertiary substance							
Alcohol	- -	- -	- -	- -	- -	- -	- -
Opiates	1	- -	- -	- -	100.0	- -	- -
Marijuana/hashish	1	- -	- -	- -	- -	- -	- -
Cocaine	1	- -	- -	- -	- -	- -	- -
Stimulants	- -	- -	- -	- -	- -	- -	- -
Other/none specified[1]	7	100.0	71.4	- -	- -	- -	3
No. of discharges	10	100.0	71.4	- -	100.0	- -	3

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.5c. Hospital residential treatment discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All hospital residential treatment discharges	10							3
Living arrangements								
Homeless	1	- -	- -	- -	- -	- -	- -	2
Dependent living	7	14.3	71.4	- -	14.3	- -	100.0	3
Independent living	1	- -	- -	- -	- -	- -	- -	- -
No. of discharges	9	22.2	66.7	- -	11.1	- -	100.0	3
Primary substance								
Alcohol	3	- -	- -	- -	- -	- -	- -	3
Opiates	- -	- -	- -	- -	- -	- -	- -	- -
Marijuana/hashish	7	14.3	71.4	- -	14.3	- -	100.0	2
Cocaine	- -	- -	- -	- -	- -	- -	- -	- -
Stimulants	- -	- -	- -	- -	- -	- -	- -	- -
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -	- -
No. of discharges	10	20.0	70.0	- -	10.0	- -	100.0	3
Secondary or tertiary substance								
Alcohol	- -	- -	- -	- -	- -	- -	- -	- -
Opiates	1	- -	- -	- -	- -	- -	- -	- -
Marijuana/hashish	1	- -	- -	- -	- -	- -	- -	- -
Cocaine	1	- -	- -	- -	- -	- -	- -	- -
Stimulants	- -	- -	- -	- -	- -	- -	- -	- -
Other/none specified[1]	7	28.6	71.4	- -	- -	- -	100.0	3
No. of discharges	10	20.0	70.0	- -	10.0	- -	100.0	3

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.6a. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All hospital residential treatment discharges	3,364	2,381	372	419	96	96	14
Marital status							
Never married	1,735	1,156	203	250	68	58	20
Now married	437	306	45	59	16	11	14
Separated	106	56	24	20	2	4	20
Divorced	477	307	81	69	6	14	20
Widowed	44	31	3	6	1	3	27
No. of discharges	2,799	1,856	356	404	93	90	19
Pregnant (female only)							
Yes	9	4	1	2	- -	2	21
No	820	532	131	118	11	28	7
No. of discharges	829	536	132	120	11	30	7
Veteran[1]							
Yes	129	102	14	11	- -	2	27
No	2,560	1,650	344	389	92	85	20
No. of discharges	2,689	1,752	358	400	92	87	20

Continued. See notes at end of table.

Table 14.6a. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	96	53	8	19	14	2	44
Grades 9 to 11	316	166	62	60	13	15	21
Grade 12 (or GED)	1,175	711	183	189	50	42	14
1–3 years of college, university, or vocational school	529	318	78	94	16	23	17
4 years of college, university, or BA/BS	179	130	24	21	2	2	14
Some postgraduate study or more	54	33	7	9	1	4	21
No. of discharges	2,349	1,411	362	392	96	88	16
Source of income support[1]							
Wages/salary	834	669	72	67	7	19	6
Public assistance	132	111	5	12	2	2	9
Retirement/pension	81	59	9	10	- -	3	17
Disability	285	162	46	51	11	15	13
Other	309	206	34	56	5	8	6
None	392	185	71	91	22	23	9
No. of discharges	2,033	1,392	237	287	47	70	7

Continued. See notes at end of table.

Table 14.6a. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	457	244	77	88	30	18	19
Dependent living	313	166	63	41	16	27	11
Independent living	1,497	976	218	210	50	43	19
No. of discharges	2,267	1,386	358	339	96	88	18
Primary substance							
Alcohol	1,455	1,040	181	166	26	42	18
Opiates	511	288	57	121	23	22	29
Marijuana/hashish	82	54	16	4	6	2	23
Cocaine	184	124	19	32	3	6	29
Stimulants	370	162	65	90	35	18	10
Other/none specified[2]	762	713	34	6	3	6	6
No. of discharges	3,364	2,381	372	419	96	96	14
Secondary or tertiary substance							
Alcohol	93	57	13	17	3	3	23
Opiates	124	85	12	17	3	7	28
Marijuana/hashish	539	303	90	100	30	16	21
Cocaine	297	217	19	51	3	7	29
Stimulants	300	170	38	51	27	14	20
Other/none specified[2]	2,011	1,549	200	183	30	49	8
No. of discharges	3,364	2,381	372	419	96	96	14

Continued. See notes at end of table.

Table 14.6a. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	549	364	82	76	9	18	8
Full-time	421	287	61	51	8	14	7
Part-time	128	77	21	25	1	4	20
Unemployed	869	530	145	119	44	31	16
Not in labor force	938	570	138	152	43	35	25
No. of discharges	2,356	1,464	365	347	96	84	17
Detailed not in labor force[1]							
Homemaker	20	19	- -	1	- -	- -	6
Student	7	4	2	1	- -	- -	5
Retired	89	61	14	10	- -	4	19
Disabled	265	146	44	54	10	11	18
Inmate of institution	110	71	20	3	7	9	33
Other	445	268	57	83	26	11	29
No. of discharges	936	569	137	152	43	35	25

- - Quantity is zero.

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.6b. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All hospital residential treatment discharges	3,364						14
Marital status							
Never married	1,735	62.3	57.0	61.9	73.1	64.4	20
Now married	437	16.5	12.6	14.6	17.2	12.2	14
Separated	106	3.0	6.7	5.0	2.2	4.4	20
Divorced	477	16.5	22.8	17.1	6.5	15.6	20
Widowed	44	1.7	0.8	1.5	1.1	3.3	27
No. of discharges	2,799	100.0	100.0	100.0	100.0	100.0	19
Pregnant (female only)							
Yes	9	0.7	0.8	1.7	- -	6.7	21
No	820	99.3	99.2	98.3	100.0	93.3	7
No. of discharges	829	100.0	100.0	100.0	100.0	100.0	7
Veteran[1]							
Yes	129	5.8	3.9	2.8	- -	2.3	27
No	2,560	94.2	96.1	97.3	100.0	97.7	20
No. of discharges	2,689	100.0	100.0	100.0	100.0	100.0	20

Continued. See notes at end of table.

Table 14.6b. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	96	3.8	2.2	4.8	14.6	2.3	44
Grades 9 to 11	316	11.8	17.1	15.3	13.5	17.0	21
Grade 12 (or GED)	1,175	50.4	50.6	48.2	52.1	47.7	14
1–3 years of college, university, or vocational school	529	22.5	21.5	24.0	16.7	26.1	17
4 years of college, university, or BA/BS	179	9.2	6.6	5.4	2.1	2.3	14
Some postgraduate study or more	54	2.3	1.9	2.3	1.0	4.5	21
No. of discharges	2,349	100.0	100.0	100.0	100.0	100.0	16
Source of income support[1]							
Wages/salary	834	48.1	30.4	23.3	14.9	27.1	6
Public assistance	132	8.0	2.1	4.2	4.3	2.9	9
Retirement/pension	81	4.2	3.8	3.5	- -	4.3	17
Disability	285	11.6	19.4	17.8	23.4	21.4	13
Other	309	14.8	14.3	19.5	10.6	11.4	6
None	392	13.3	30.0	31.7	46.8	32.9	9
No. of discharges	2,033	100.0	100.0	100.0	100.0	100.0	7

Continued. See notes at end of table.

Table 14.6b. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	457	17.6	21.5	26.0	31.3	20.5	19
Dependent living	313	12.0	17.6	12.1	16.7	30.7	11
Independent living	1,497	70.4	60.9	61.9	52.1	48.9	19
No. of discharges	2,267	100.0	100.0	100.0	100.0	100.0	18
Primary substance							
Alcohol	1,455	43.7	48.7	39.6	27.1	43.8	18
Opiates	511	12.1	15.3	28.9	24.0	22.9	29
Marijuana/hashish	82	2.3	4.3	1.0	6.3	2.1	23
Cocaine	184	5.2	5.1	7.6	3.1	6.3	29
Stimulants	370	6.8	17.5	21.5	36.5	18.8	10
Other/none specified[2]	762	29.9	9.1	1.4	3.1	6.3	6
No. of discharges	3,364	100.0	100.0	100.0	100.0	100.0	14
Secondary or tertiary substance							
Alcohol	93	2.4	3.5	4.1	3.1	3.1	23
Opiates	124	3.6	3.2	4.1	3.1	7.3	28
Marijuana/hashish	539	12.7	24.2	23.9	31.3	16.7	21
Cocaine	297	9.1	5.1	12.2	3.1	7.3	29
Stimulants	300	7.1	10.2	12.2	28.1	14.6	20
Other/none specified[2]	2,011	65.1	53.8	43.7	31.3	51.0	8
No. of discharges	3,364	100.0	100.0	100.0	100.0	100.0	14

Continued. See notes at end of table.

Table 14.6b. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	549	24.9	22.5	21.9	9.4	21.4	8
Full-time	421	19.6	16.7	14.7	8.3	16.7	7
Part-time	128	5.3	5.8	7.2	1.0	4.8	20
Unemployed	869	36.2	39.7	34.3	45.8	36.9	16
Not in labor force	938	38.9	37.8	43.8	44.8	41.7	25
No. of discharges	2,356	100.0	100.0	100.0	100.0	100.0	17
Detailed not in labor force[1]							
Homemaker	20	3.3	- -	0.7	- -	- -	6
Student	7	0.7	1.5	0.7	- -	- -	5
Retired	89	10.7	10.2	6.6	- -	11.4	19
Disabled	265	25.7	32.1	35.5	23.3	31.4	18
Inmate of institution	110	12.5	14.6	2.0	16.3	25.7	33
Other	445	47.1	41.6	54.6	60.5	31.4	29
No. of discharges	936	100.0	100.0	100.0	100.0	100.0	25

- - Quantity is zero.

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.6c. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All hospital residential treatment discharges	3,364							14
Marital status								
Never married	1,735	66.6	11.7	14.4	3.9	3.3	100.0	20
Now married	437	70.0	10.3	13.5	3.7	2.5	100.0	14
Separated	106	52.8	22.6	18.9	1.9	3.8	100.0	20
Divorced	477	64.4	17.0	14.5	1.3	2.9	100.0	20
Widowed	44	70.5	6.8	13.6	2.3	6.8	100.0	27
No. of discharges	2,799	66.3	12.7	14.4	3.3	3.2	100.0	19
Pregnant (female only)								
Yes	9	44.4	11.1	22.2	- -	22.2	100.0	21
No	820	64.9	16.0	14.4	1.3	3.4	100.0	7
No. of discharges	829	64.7	15.9	14.5	1.3	3.6	100.0	7
Veteran[1]								
Yes	129	79.1	10.9	8.5	- -	1.6	100.0	27
No	2,560	64.5	13.4	15.2	3.6	3.3	100.0	20
No. of discharges	2,689	65.2	13.3	14.9	3.4	3.2	100.0	20

Continued. See notes at end of table.

Table 14.6c. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	96	55.2	8.3	19.8	14.6	2.1	100.0	44
Grades 9 to 11	316	52.5	19.6	19.0	4.1	4.7	100.0	21
Grade 12 (or GED)	1,175	60.5	15.6	16.1	4.3	3.6	100.0	14
1–3 years of college, university, or vocational school	529	60.1	14.7	17.8	3.0	4.3	100.0	17
4 years of college, university, or BA/BS	179	72.6	13.4	11.7	1.1	1.1	100.0	14
Some postgraduate study or more	54	61.1	13.0	16.7	1.9	7.4	100.0	21
No. of discharges	2,349	60.1	15.4	16.7	4.1	3.7	100.0	16
Source of income support[1]								
Wages/salary	834	80.2	8.6	8.0	0.8	2.3	100.0	6
Public assistance	132	84.1	3.8	9.1	1.5	1.5	100.0	9
Retirement/pension	81	72.8	11.1	12.3	- -	3.7	100.0	17
Disability	285	56.8	16.1	17.9	3.9	5.3	100.0	13
Other	309	66.7	11.0	18.1	1.6	2.6	100.0	6
None	392	47.2	18.1	23.2	5.6	5.9	100.0	9
No. of discharges	2,033	68.5	11.7	14.1	2.3	3.4	100.0	7

Continued. See notes at end of table.

Table 14.6c. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Living arrangements								
Homeless	457	53.4	16.8	19.3	6.6	3.9	100.0	19
Dependent living	313	53.0	20.1	13.1	5.1	8.6	100.0	11
Independent living	1,497	65.2	14.6	14.0	3.3	2.9	100.0	19
No. of discharges	2,267	61.1	15.8	15.0	4.2	3.9	100.0	18
Primary substance								
Alcohol	1,455	71.5	12.4	11.4	1.8	2.9	100.0	18
Opiates	511	56.4	11.2	23.7	4.5	4.3	100.0	29
Marijuana/hashish	82	65.9	19.5	4.9	7.3	2.4	100.0	23
Cocaine	184	67.4	10.3	17.4	1.6	3.3	100.0	29
Stimulants	370	43.8	17.6	24.3	9.5	4.9	100.0	10
Other/none specified[2]	762	93.6	4.5	0.8	0.4	0.8	100.0	6
No. of discharges	3,364	70.8	11.1	12.5	2.9	2.9	100.0	14
Secondary or tertiary substance								
Alcohol	93	61.3	14.0	18.3	3.2	3.2	100.0	23
Opiates	124	68.5	9.7	13.7	2.4	5.6	100.0	28
Marijuana/hashish	539	56.2	16.7	18.6	5.6	3.0	100.0	21
Cocaine	297	73.1	6.4	17.2	1.0	2.4	100.0	29
Stimulants	300	56.7	12.7	17.0	9.0	4.7	100.0	20
Other/none specified[2]	2,011	77.0	9.9	9.1	1.5	2.4	100.0	8
No. of discharges	3,364	70.8	11.1	12.5	2.9	2.9	100.0	14

Continued. See notes at end of table.

Table 14.6c. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Employment status[1]								
Employed	549	66.3	14.9	13.8	1.6	3.3	100.0	8
Full-time	421	68.2	14.5	12.1	1.9	3.3	100.0	7
Part-time	128	60.2	16.4	19.5	0.8	3.1	100.0	20
Unemployed	869	61.0	16.7	13.7	5.1	3.6	100.0	16
Not in labor force	938	60.8	14.7	16.2	4.6	3.7	100.0	25
No. of discharges	2,356	62.1	15.5	14.7	4.1	3.6	100.0	17
Detailed not in labor force[1]								
Homemaker	20	95.0	- -	5.0	- -	- -	100.0	6
Student	7	57.1	28.6	14.3	- -	- -	100.0	5
Retired	89	68.5	15.7	11.2	- -	4.5	100.0	19
Disabled	265	55.1	16.6	20.4	3.8	4.2	100.0	18
Inmate of institution	110	64.5	18.2	2.7	6.4	8.2	100.0	33
Other	445	60.2	12.8	18.7	5.8	2.5	100.0	29
No. of discharges	936	60.8	14.6	16.2	4.6	3.7	100.0	25

- - Quantity is zero.

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.7a. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All hospital residential treatment discharges	3,364	2,381	372	419	96	96	14
Living arrangements							
Homeless	384	211	70	58	33	12	21
Dependent living	476	296	111	25	14	30	21
Independent living	1,562	1,130	163	177	49	43	21
No. of discharges	2,422	1,637	344	260	96	85	21
Primary substance							
Alcohol	1,511	1,106	181	156	26	42	17
Opiates	545	323	56	119	25	22	28
Marijuana/hashish	111	84	15	4	6	2	15
Cocaine	189	131	19	30	3	6	29
Stimulants	408	205	66	83	35	19	8
Other/none specified[1]	600	532	35	27	1	5	5
No. of discharges	3,364	2,381	372	419	96	96	14
Secondary or tertiary substance							
Alcohol	100	66	11	16	3	4	21
Opiates	127	93	13	12	3	6	28
Marijuana/hashish	550	333	88	84	31	14	20
Cocaine	304	232	20	42	3	7	29
Stimulants	326	210	39	35	29	13	18
Other/none specified[1]	1,957	1,447	201	230	27	52	8
No. of discharges	3,364	2,381	372	419	96	96	14

Continued. See notes at end of table.

Table 14.7a. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	510	367	76	43	8	16	7
Full-time	390	282	59	28	8	13	7
Part-time	120	85	17	15	- -	3	11
Unemployed	992	652	160	104	48	28	19
Not in labor force	1,211	891	114	125	40	41	24
No. of discharges	2,713	1,910	350	272	96	85	19
Detailed not in labor force[2]							
Homemaker	21	20	1	- -	- -	- -	6
Student	10	9	- -	1	- -	- -	5
Retired	76	53	12	7	- -	4	18
Disabled	282	176	43	39	12	12	21
Inmate of institution	34	17	1	3	2	11	28
Other	785	614	56	75	26	14	28
No. of discharges	1,208	889	113	125	40	41	24

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.7b. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All hospital residential treatment discharges	3,364						14
Living arrangements							
Homeless	384	12.9	20.3	22.3	34.4	14.1	21
Dependent living	476	18.1	32.3	9.6	14.6	35.3	21
Independent living	1,562	69.0	47.4	68.1	51.0	50.6	21
No. of discharges	2,422	100.0	100.0	100.0	100.0	100.0	21
Primary substance							
Alcohol	1,511	46.5	48.7	37.2	27.1	43.8	17
Opiates	545	13.6	15.1	28.4	26.0	22.9	28
Marijuana/hashish	111	3.5	4.0	1.0	6.3	2.1	15
Cocaine	189	5.5	5.1	7.2	3.1	6.3	29
Stimulants	408	8.6	17.7	19.8	36.5	19.8	8
Other/none specified[1]	600	22.3	9.4	6.4	1.0	5.2	5
No. of discharges	3,364	100.0	100.0	100.0	100.0	100.0	14
Secondary or tertiary substance							
Alcohol	100	2.8	3.0	3.8	3.1	4.2	21
Opiates	127	3.9	3.5	2.9	3.1	6.3	28
Marijuana/hashish	550	14.0	23.7	20.0	32.3	14.6	20
Cocaine	304	9.7	5.4	10.0	3.1	7.3	29
Stimulants	326	8.8	10.5	8.4	30.2	13.5	18
Other/none specified[1]	1,957	60.8	54.0	54.9	28.1	54.2	8
No. of discharges	3,364	100.0	100.0	100.0	100.0	100.0	14

Continued. See notes at end of table.

Table 14.7b. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	510	19.2	21.7	15.8	8.3	18.8	7
Full-time	390	14.8	16.9	10.3	8.3	15.3	7
Part-time	120	4.5	4.9	5.5	- -	3.5	11
Unemployed	992	34.1	45.7	38.2	50.0	32.9	19
Not in labor force	1,211	46.6	32.6	46.0	41.7	48.2	24
No. of discharges	2,713	100.0	100.0	100.0	100.0	100.0	19
Detailed not in labor force[2]							
Homemaker	21	2.2	0.9	- -	- -	- -	6
Student	10	1.0	- -	0.8	- -	- -	5
Retired	76	6.0	10.6	5.6	- -	9.8	18
Disabled	282	19.8	38.1	31.2	30.0	29.3	21
Inmate of institution	34	1.9	0.9	2.4	5.0	26.8	28
Other	785	69.1	49.6	60.0	65.0	34.1	28
No. of discharges	1,208	100.0	100.0	100.0	100.0	100.0	24

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 14.7c. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All hospital residential treatment discharges	3,364							14
Living arrangements								
Homeless	384	54.9	18.2	15.1	8.6	3.1	100.0	21
Dependent living	476	62.2	23.3	5.3	2.9	6.3	100.0	21
Independent living	1,562	72.3	10.4	11.3	3.1	2.8	100.0	21
No. of discharges	2,422	67.6	14.2	10.7	4.0	3.5	100.0	21
Primary substance								
Alcohol	1,511	73.2	12.0	10.3	1.7	2.8	100.0	17
Opiates	545	59.3	10.3	21.8	4.6	4.0	100.0	28
Marijuana/hashish	111	75.7	13.5	3.6	5.4	1.8	100.0	15
Cocaine	189	69.3	10.1	15.9	1.6	3.2	100.0	29
Stimulants	408	50.2	16.2	20.3	8.6	4.7	100.0	8
Other/none specified[1]	600	88.7	5.8	4.5	0.2	0.8	100.0	5
No. of discharges	3,364	70.8	11.1	12.5	2.9	2.9	100.0	14
Secondary or tertiary substance								
Alcohol	100	66.0	11.0	16.0	3.0	4.0	100.0	21
Opiates	127	73.2	10.2	9.4	2.4	4.7	100.0	28
Marijuana/hashish	550	60.5	16.0	15.3	5.6	2.5	100.0	20
Cocaine	304	76.3	6.6	13.8	1.0	2.3	100.0	29
Stimulants	326	64.4	12.0	10.7	8.9	4.0	100.0	18
Other/none specified[1]	1,957	73.9	10.3	11.8	1.4	2.7	100.0	8
No. of discharges	3,364	70.8	11.1	12.5	2.9	2.9	100.0	14

Continued. See notes at end of table.

Table 14.7c. Hospital residential treatment discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Employment status[2]								
Employed	510	72.0	14.9	8.4	1.6	3.1	100.0	7
Full-time	390	72.3	15.1	7.2	2.1	3.3	100.0	7
Part-time	120	70.8	14.2	12.5	- -	2.5	100.0	11
Unemployed	992	65.7	16.1	10.5	4.8	2.8	100.0	19
Not in labor force	1,211	73.6	9.4	10.3	3.3	3.4	100.0	24
No. of discharges	2,713	70.4	12.9	10.0	3.5	3.1	100.0	19
Detailed not in labor force[2]								
Homemaker	21	95.2	4.8	- -	- -	- -	100.0	6
Student	10	90.0	- -	10.0	- -	- -	100.0	5
Retired	76	69.7	15.8	9.2	- -	5.3	100.0	18
Disabled	282	62.4	15.2	13.8	4.3	4.3	100.0	21
Inmate of institution	34	50.0	2.9	8.8	5.9	32.4	100.0	28
Other	785	78.2	7.1	9.6	3.3	1.8	100.0	28
No. of discharges	1,208	73.6	9.4	10.3	3.3	3.4	100.0	24

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 19 states and jurisdictions that offered hospital residential substance use treatment and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.1. Detoxification discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Reason for discharge (number)						Reason for discharge (row percent distribution)					
	All detoxification discharges	Com-pleted	Trans-ferred	Dropped out	Termi-nated	Other	Total	Com-pleted	Trans-ferred	Dropped out	Termi-nated	Other
Total	212,044	130,951	32,025	40,816	3,108	5,144	100.0	61.8	15.1	19.2	1.5	2.4
Alabama	860	276	215	342	22	5	100.0	32.1	25.0	39.8	2.6	0.6
Alaska	1,341	993	43	277	10	18	100.0	74.0	3.2	20.7	0.7	1.3
Arizona	2,658	2,625	8	15	4	6	100.0	98.8	0.3	0.6	0.2	0.2
Arkansas	322	116	48	140	15	3	100.0	36.0	14.9	43.5	4.7	0.9
California	10,837	2,257	7,142	1,431	1	6	100.0	20.8	65.9	13.2	*	0.1
Colorado	25,689	24,068	934	495	28	164	100.0	93.7	3.6	1.9	0.1	0.6
Connecticut	11,425	5,935	1,662	2,748	88	992	100.0	51.9	14.5	24.1	0.8	8.7
Delaware	2,914	1,668	657	506	73	10	100.0	57.2	22.5	17.4	2.5	0.3
District of Columbia	271	215	22	1	1	32	100.0	79.3	8.1	0.4	0.4	11.8
Florida	3,361	1,874	35	766	7	679	100.0	55.8	1.0	22.8	0.2	20.2
Georgia	7,163	6,291	219	364	65	224	100.0	87.8	3.1	5.1	0.9	3.1
Hawaii	642	258	251	120	6	7	100.0	40.2	39.1	18.7	0.9	1.1
Illinois	3,930	1,118	1,976	788	46	2	100.0	28.4	50.3	20.1	1.2	0.1
Indiana	399	160	9	151	73	6	100.0	40.1	2.3	37.8	18.3	1.5
Iowa	481	316	12	122	18	13	100.0	65.7	2.5	25.4	3.7	2.7
Kansas	1,098	662	196	222	11	7	100.0	60.3	17.9	20.2	1.0	0.6
Kentucky	390	36	332	12	3	7	100.0	9.2	85.1	3.1	0.8	1.8
Louisiana	316	24	172	119	- -	1	100.0	7.6	54.4	37.7	- -	0.3
Maine	737	432	10	279	14	2	100.0	58.6	1.4	37.9	1.9	0.3
Massachusetts	31,286	16,307	461	12,282	947	1,289	100.0	52.1	1.5	39.3	3.0	4.1
Michigan	8,142	2,120	4,015	1,627	83	297	100.0	26.0	49.3	20.0	1.0	3.6
Mississippi	53	5	16	20	- -	12	100.0	9.4	30.2	37.7	- -	22.6
Missouri	3,735	822	2,290	542	46	35	100.0	22.0	61.3	14.5	1.2	0.9
Montana	47	19	7	12	2	7	100.0	40.4	14.9	25.5	4.3	14.9
Nebraska	1,117	940	100	56	3	18	100.0	84.2	9.0	5.0	0.3	1.6
Nevada	1,944	1,461	84	372	14	13	100.0	75.2	4.3	19.1	0.7	0.7
New Hampshire	17	8	6	- -	- -	3	100.0	47.1	35.3	- -	- -	17.6
New Jersey	9,948	7,564	224	1,952	109	99	100.0	76.0	2.3	19.6	1.1	1.0
New York	50,604	36,966	726	11,836	802	274	100.0	73.0	1.4	23.4	1.6	0.5
North Carolina	11,028	2,824	8,187	8	2	7	100.0	25.6	74.2	0.1	*	0.1
North Dakota	53	13	13	23	- -	4	100.0	24.5	24.5	43.4	- -	7.5
Ohio	880	255	148	350	45	82	100.0	29.0	16.8	39.8	5.1	9.3
Oklahoma	1,367	594	297	407	47	22	100.0	43.5	21.7	29.8	3.4	1.6
Pennsylvania	3,056	2,105	45	464	32	410	100.0	68.9	1.5	15.2	1.0	13.4
Puerto Rico	98	77	1	20	- -	- -	100.0	78.6	1.0	20.4	- -	- -
Rhode Island	2,504	1,460	618	377	49	- -	100.0	58.3	24.7	15.1	2.0	- -
South Carolina	1,546	882	84	512	52	16	100.0	57.1	5.4	33.1	3.4	1.0
South Dakota	5,389	5,022	264	13	6	84	100.0	93.2	4.9	0.2	0.1	1.6
Tennessee	2,295	1,186	14	814	234	47	100.0	51.7	0.6	35.5	10.2	2.0
Texas	396	284	23	76	5	8	100.0	71.7	5.8	19.2	1.3	2.0
Vermont	579	81	376	95	17	10	100.0	14.0	64.9	16.4	2.9	1.7
Virginia	311	115	4	3	121	68	100.0	37.0	1.3	1.0	38.9	21.9
Washington	462	265	23	22	3	149	100.0	57.4	5.0	4.8	0.6	32.3
Wisconsin	324	233	53	31	2	5	100.0	71.9	16.4	9.6	0.6	1.5
Wyoming	29	19	3	4	2	1	100.0	65.5	10.3	13.8	6.9	3.4

- - Quantity is zero; * Less than 0.05 percent.

NOTES: Based on linked admission and discharge data reported to TEDS by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. Comparisons among states should be made with caution. Percentages may not add to 100 percent due to rounding. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Admissions for which values were not collected or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.2a. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
All detoxification discharges	212,044	130,951	32,025	40,816	3,108	5,144	5
Gender							
Male	157,192	97,994	22,771	30,503	2,307	3,617	4
Female	54,766	32,917	9,246	10,285	800	1,518	5
No. of discharges	211,958	130,911	32,017	40,788	3,107	5,135	5
Age at admission							
12 years	5	1	- -	- -	1	3	2
13 years	21	13	1	- -	1	6	8
14 years	42	23	- -	1	2	16	13
15 years	78	53	- -	2	6	17	11
16 years	123	85	2	11	4	21	12
17 years	149	102	3	12	6	26	9
18 years	486	325	60	83	5	13	4
19 years	781	492	104	152	8	25	4
20 years	1,097	688	167	199	18	25	4
21 to 24 years	9,545	5,545	1,613	1,936	192	259	4
25 to 29 years	28,686	15,676	4,823	6,977	539	671	5
30 to 34 years	35,198	19,687	5,742	8,273	654	842	5
35 to 39 years	31,418	18,628	4,889	6,644	527	730	5
40 to 44 years	24,773	15,126	3,870	4,849	355	573	5
45 to 49 years	21,808	13,931	3,257	3,853	258	509	5
50 to 54 years	23,997	16,315	3,101	3,804	258	519	4
55 to 59 years	19,751	13,886	2,662	2,544	166	493	4
60 to 64 years	10,036	7,236	1,330	1,108	79	283	4
65 to 69 years	2,797	2,104	295	286	24	88	4
70 to 74 years	888	703	90	69	5	21	4
75 years and older	365	332	16	13	- -	4	5
No. of discharges	212,044	130,951	32,025	40,816	3,108	5,144	5

Continued. See notes at end of table.

Table 15.2a. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	8,473	7,421	524	396	25	107	2
Asian[1]	1,119	684	171	221	22	21	5
Black or African American	37,810	24,099	6,054	6,357	587	713	5
White	133,899	80,050	21,683	26,640	1,941	3,585	5
Other	22,427	12,253	3,109	6,130	444	491	5
Native Hawaiian or Other Pacific Islander	848	484	181	164	11	8	5
No. of discharges	204,576	124,991	31,722	39,908	3,030	4,925	5
Ethnicity							
Not of Hispanic or Latino origin	34,882	22,606	3,457	7,460	494	865	4
Hispanic or Latino origin	173,363	105,808	28,355	32,584	2,518	4,098	5
No. of discharges	208,245	128,414	31,812	40,044	3,012	4,963	4
Marital status							
Never married	96,767	57,896	15,071	19,263	1,579	2,958	4
Now married	13,644	8,240	2,418	2,358	166	462	5
Separated	6,149	3,564	1,275	1,031	80	199	4
Divorced	20,684	13,105	3,861	2,870	202	646	4
Widowed	2,869	1,872	495	363	36	103	3
No. of discharges	140,113	84,677	23,120	25,885	2,063	4,368	4
Pregnant (female only)							
Yes	606	289	141	137	13	26	4
No	40,094	22,084	8,655	7,476	604	1,275	5
No. of discharges	40,700	22,373	8,796	7,613	617	1,301	5
No. of prior treatment episodes							
None	42,856	20,920	13,860	6,402	485	1,189	4
1 or more	104,809	63,496	15,845	21,001	1,652	2,815	4
No. of discharges	147,665	84,416	29,705	27,403	2,137	4,004	4

Continued. See notes at end of table.

Table 15.2a. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Treatment referral source							
Self or individual	139,760	78,757	22,764	32,736	2,172	3,331	5
Criminal justice/DUI	11,456	9,071	1,458	617	105	205	2
Other community referral	13,275	10,089	1,747	1,105	101	233	2
Substance use care provider	21,151	13,310	3,042	3,810	412	577	5
Other health care provider	17,886	12,992	2,659	1,690	227	318	4
School (educational)	90	44	32	12	1	1	5
Employer/EAP	289	239	28	20	2	- -	7
No. of discharges	203,907	124,502	31,730	39,990	3,020	4,665	4
Usual route of administration							
Oral	117,620	80,631	15,892	17,079	1,232	2,786	4
Smoking	17,731	9,353	5,316	2,420	224	418	4
Inhalation	24,933	13,715	3,487	6,543	583	605	5
Injection	42,599	20,510	6,279	13,801	987	1,022	5
Other	1,331	780	178	244	22	107	5
No. of discharges	204,214	124,989	31,152	40,087	3,048	4,938	5
Expected or actual source of payment[2]							
Self-pay	8,288	7,041	746	413	30	58	1
Private insurance	5,715	4,122	874	603	36	80	6
Medicare	682	568	64	42	1	7	2
Medicaid	35,842	27,348	4,137	3,766	316	275	3
Other government payments	14,555	10,581	1,424	1,825	141	584	3
Workers' compensation	10	4	4	2	- -	- -	4
No charge	2,007	693	947	334	25	8	3
Other	2,845	1,870	367	542	33	33	3
No. of discharges	69,944	52,227	8,563	7,527	582	1,045	3
Type of health insurance							
Private insurance	8,807	6,734	1,066	773	47	187	4
Medicare	1,960	1,344	108	408	38	62	5
Medicaid	69,465	44,865	5,458	16,103	1,191	1,848	5
HMO	406	254	21	107	3	21	7
Other	5,996	4,503	258	942	81	212	3
None	29,654	20,401	3,256	4,662	559	776	4
No. of discharges	116,288	78,101	10,167	22,995	1,919	3,106	4

Continued. See notes at end of table.

Table 15.2a. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Arrests in past 30 days							
None	147,515	85,173	29,135	27,013	2,140	4,054	4
Once	5,950	3,529	1,317	855	85	164	4
2 or more times	1,562	860	429	222	22	29	5
No. of discharges	155,027	89,562	30,881	28,090	2,247	4,247	4
Frequency of use							
No use in the past month	3,067	1,606	852	453	83	73	5
Some use	38,967	26,168	8,691	3,158	220	730	2
Daily use	162,112	97,243	21,497	36,509	2,732	4,131	5
No. of discharges	204,146	125,017	31,040	40,120	3,035	4,934	5
Self-help programs attended in past 30 days							
No attendance in the past month	121,904	69,338	25,851	21,991	1,732	2,992	4
At least 1 time in the past month	17,140	8,897	3,924	3,379	285	655	5
1–3 times in the past month	5,949	3,225	1,361	1,166	98	99	5
4–7 times in the past month	2,911	1,573	702	510	56	70	6
8–30 times in the past month	6,037	2,946	1,694	1,138	116	143	6
Some attendance, but frequency unknown	2,243	1,153	167	565	15	343	5
No. of discharges	139,044	78,235	29,775	25,370	2,017	3,647	4

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.2b. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All detoxification discharges	212,044						5
Gender							
Male	157,192	74.9	71.1	74.8	74.3	70.4	4
Female	54,766	25.1	28.9	25.2	25.7	29.6	5
No. of discharges	211,958	100.0	100.0	100.0	100.0	100.0	5
Age at admission							
12 years	5	- -	- -	- -	*	0.1	2
13 years	21	*	*	- -	*	0.1	8
14 years	42	*	- -	*	0.1	0.3	13
15 years	78	*	- -	*	0.2	0.3	11
16 years	123	0.1	*	*	0.1	0.4	12
17 years	149	0.1	*	*	0.2	0.5	9
18 years	486	0.2	0.2	0.2	0.2	0.3	4
19 years	781	0.4	0.3	0.4	0.3	0.5	4
20 years	1,097	0.5	0.5	0.5	0.6	0.5	4
21 to 24 years	9,545	4.2	5.0	4.7	6.2	5.0	4
25 to 29 years	28,686	12.0	15.1	17.1	17.3	13.0	5
30 to 34 years	35,198	15.0	17.9	20.3	21.0	16.4	5
35 to 39 years	31,418	14.2	15.3	16.3	17.0	14.2	5
40 to 44 years	24,773	11.6	12.1	11.9	11.4	11.1	5
45 to 49 years	21,808	10.6	10.2	9.4	8.3	9.9	5
50 to 54 years	23,997	12.5	9.7	9.3	8.3	10.1	4
55 to 59 years	19,751	10.6	8.3	6.2	5.3	9.6	4
60 to 64 years	10,036	5.5	4.2	2.7	2.5	5.5	4
65 to 69 years	2,797	1.6	0.9	0.7	0.8	1.7	4
70 to 74 years	888	0.5	0.3	0.2	0.2	0.4	4
75 years and older	365	0.3	*	*	- -	0.1	5
No. of discharges	212,044	100.0	100.0	100.0	100.0	100.0	5

Continued. See notes at end of table.

Table 15.2b. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	8,473	5.9	1.7	1.0	0.8	2.2	2
Asian[1]	1,119	0.5	0.5	0.6	0.7	0.4	5
Black or African American	37,810	19.3	19.1	15.9	19.4	14.5	5
White	133,899	64.0	68.4	66.8	64.1	72.8	5
Other	22,427	9.8	9.8	15.4	14.7	10.0	5
Native Hawaiian or Other Pacific Islander	848	0.4	0.6	0.4	0.4	0.2	5
No. of discharges	204,576	100.0	100.0	100.0	100.0	100.0	5
Ethnicity							
Not of Hispanic or Latino origin	34,882	17.6	10.9	18.6	16.4	17.4	4
Hispanic or Latino origin	173,363	82.4	89.1	81.4	83.6	82.6	5
No. of discharges	208,245	100.0	100.0	100.0	100.0	100.0	4
Marital status							
Never married		68.4	65.2	74.4	76.5	67.7	4
Now married	13,644	9.7	10.5	9.1	8.0	10.6	5
Separated	6,149	4.2	5.5	4.0	3.9	4.6	4
Divorced	20,684	15.5	16.7	11.1	9.8	14.8	4
Widowed	2,869	2.2	2.1	1.4	1.7	2.4	3
No. of discharges	140,113	100.0	100.0	100.0	100.0	100.0	4
Pregnant (female only)							
Yes	606	1.3	1.6	1.8	2.1	2.0	4
No	40,094	98.7	98.4	98.2	97.9	98.0	5
No. of discharges	40,700	100.0	100.0	100.0	100.0	100.0	5
No. of prior treatment episodes							
None	42,856	24.8	46.7	23.4	22.7	29.7	4
1 or more	104,809	75.2	53.3	76.6	77.3	70.3	4
No. of discharges	147,665	100.0	100.0	100.0	100.0	100.0	4

Continued. See notes at end of table.

Table 15.2b. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Treatment referral source							
Self or individual	139,760	63.3	71.7	81.9	71.9	71.4	5
Criminal justice/DUI	11,456	7.3	4.6	1.5	3.5	4.4	2
Other community referral	13,275	8.1	5.5	2.8	3.3	5.0	2
Substance use care provider	21,151	10.7	9.6	9.5	13.6	12.4	5
Other health care provider	17,886	10.4	8.4	4.2	7.5	6.8	4
School (educational)	90	*	0.1	*	*	*	5
Employer/EAP	289	0.2	0.1	0.1	0.1	- -	7
No. of discharges	203,907	100.0	100.0	100.0	100.0	100.0	4
Usual route of administration							
Oral	117,620	64.5	51.0	42.6	40.4	56.4	4
Smoking	17,731	7.5	17.1	6.0	7.3	8.5	4
Inhalation	24,933	11.0	11.2	16.3	19.1	12.3	5
Injection	42,599	16.4	20.2	34.4	32.4	20.7	5
Other	1,331	0.6	0.6	0.6	0.7	2.2	5
No. of discharges	204,214	100.0	100.0	100.0	100.0	100.0	5
Expected or actual source of payment[2]							
Self-pay	8,288	13.5	8.7	5.5	5.2	5.6	1
Private insurance	5,715	7.9	10.2	8.0	6.2	7.7	6
Medicare	682	1.1	0.7	0.6	0.2	0.7	2
Medicaid	35,842	52.4	48.3	50.0	54.3	26.3	3
Other government payments	14,555	20.3	16.6	24.2	24.2	55.9	3
Workers' compensation	10	*	*	*	- -	- -	4
No charge	2,007	1.3	11.1	4.4	4.3	0.8	3
Other	2,845	3.6	4.3	7.2	5.7	3.2	3
No. of discharges	69,944	100.0	100.0	100.0	100.0	100.0	3
Type of health insurance							
Private insurance	8,807	8.6	10.5	3.4	2.4	6.0	4
Medicare	1,960	1.7	1.1	1.8	2.0	2.0	5
Medicaid	69,465	57.4	53.7	70.0	62.1	59.5	5
HMO	406	0.3	0.2	0.5	0.2	0.7	7
Other	5,996	5.8	2.5	4.1	4.2	6.8	3
None	29,654	26.1	32.0	20.3	29.1	25.0	4
No. of discharges	116,288	100.0	100.0	100.0	100.0	100.0	4

Continued. See notes at end of table.

Table 15.2b. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Arrests in past 30 days							
None	147,515	95.1	94.3	96.2	95.2	95.5	4
Once	5,950	3.9	4.3	3.0	3.8	3.9	4
2 or more times	1,562	1.0	1.4	0.8	1.0	0.7	5
No. of discharges	155,027	100.0	100.0	100.0	100.0	100.0	4
Frequency of use							
No use in the past month	3,067	1.3	2.7	1.1	2.7	1.5	5
Some use	38,967	20.9	28.0	7.9	7.2	14.8	2
Daily use	162,112	77.8	69.3	91.0	90.0	83.7	5
No. of discharges	204,146	100.0	100.0	100.0	100.0	100.0	5
Self-help programs attended in past 30 days							
No attendance in the past month	121,904	88.6	86.8	86.7	85.9	82.0	4
At least 1 time in the past month	17,140	11.4	13.2	13.3	14.1	18.0	5
1–3 times in the past month	5,949	4.1	4.6	4.6	4.9	2.7	5
4–7 times in the past month	2,911	2.0	2.4	2.0	2.8	1.9	6
8–30 times in the past month	6,037	3.8	5.7	4.5	5.8	3.9	6
Some attendance, but frequency unknown	2,243	1.5	0.6	2.2	0.7	9.4	5
No. of discharges	139,044	100.0	100.0	100.0	100.0	100.0	4

- - Quantity is zero; * Less than 0.05 percent; ‡ No discharges were reported.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.2c. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All detoxification discharges	212,044							5
Gender								
Male	157,192	62.3	14.5	19.4	1.5	2.3	100.0	4
Female	54,766	60.1	16.9	18.8	1.5	2.8	100.0	5
No. of discharges	211,958	61.8	15.1	19.2	1.5	2.4	100.0	5
Age at admission								
12 years	5	20.0	- -	- -	20.0	60.0	100.0	2
13 years	21	61.9	4.8	- -	4.8	28.6	100.0	8
14 years	42	54.8	- -	2.4	4.8	38.1	100.0	13
15 years	78	67.9	- -	2.6	7.7	21.8	100.0	11
16 years	123	69.1	1.6	8.9	3.3	17.1	100.0	12
17 years	149	68.5	2.0	8.1	4.0	17.4	100.0	9
18 years	486	66.9	12.3	17.1	1.0	2.7	100.0	4
19 years	781	63.0	13.3	19.5	1.0	3.2	100.0	4
20 years	1,097	62.7	15.2	18.1	1.6	2.3	100.0	4
21 to 24 years	9,545	58.1	16.9	20.3	2.0	2.7	100.0	4
25 to 29 years	28,686	54.6	16.8	24.3	1.9	2.3	100.0	5
30 to 34 years	35,198	55.9	16.3	23.5	1.9	2.4	100.0	5
35 to 39 years	31,418	59.3	15.6	21.1	1.7	2.3	100.0	5
40 to 44 years	24,773	61.1	15.6	19.6	1.4	2.3	100.0	5
45 to 49 years	21,808	63.9	14.9	17.7	1.2	2.3	100.0	5
50 to 54 years	23,997	68.0	12.9	15.9	1.1	2.2	100.0	4
55 to 59 years	19,751	70.3	13.5	12.9	0.8	2.5	100.0	4
60 to 64 years	10,036	72.1	13.3	11.0	0.8	2.8	100.0	4
65 to 69 years	2,797	75.2	10.5	10.2	0.9	3.1	100.0	4
70 to 74 years	888	79.2	10.1	7.8	0.6	2.4	100.0	4
75 years and older	365	91.0	4.4	3.6	- -	1.1	100.0	5
No. of discharges	212,044	61.8	15.1	19.2	1.5	2.4	100.0	5

Continued. See notes at end of table.

Table 15.2c. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Race								
American Indian or Alaska Native	8,473	87.6	6.2	4.7	0.3	1.3	100.0	2
Asian[1]	1,119	61.1	15.3	19.7	2.0	1.9	100.0	5
Black or African American	37,810	63.7	16.0	16.8	1.6	1.9	100.0	5
White	133,899	59.8	16.2	19.9	1.4	2.7	100.0	5
Other	22,427	54.6	13.9	27.3	2.0	2.2	100.0	5
Native Hawaiian or Other Pacific Islander	848	57.1	21.3	19.3	1.3	0.9	100.0	5
No. of discharges	204,576	61.1	15.5	19.5	1.5	2.4	100.0	5
Ethnicity								
Not of Hispanic or Latino origin	34,882	64.8	9.9	21.4	1.4	2.5	100.0	4
Hispanic or Latino origin	173,363	61.0	16.4	18.8	1.5	2.4	100.0	5
No. of discharges	208,245	61.7	15.3	19.2	1.4	2.4	100.0	4
Marital status								
Never married	96,767	59.8	15.6	19.9	1.6	3.1	100.0	4
Now married	13,644	60.4	17.7	17.3	1.2	3.4	100.0	5
Separated	6,149	58.0	20.7	16.8	1.3	3.2	100.0	4
Divorced	20,684	63.4	18.7	13.9	1.0	3.1	100.0	4
Widowed	2,869	65.2	17.3	12.7	1.3	3.6	100.0	3
No. of discharges	140,113	60.4	16.5	18.5	1.5	3.1	100.0	4
Pregnant (female only)								
Yes	606	47.7	23.3	22.6	2.1	4.3	100.0	4
No	40,094	55.1	21.6	18.6	1.5	3.2	100.0	5
No. of discharges	40,700	55.0	21.6	18.7	1.5	3.2	100.0	5
No. of prior treatment episodes								
None	42,856	48.8	32.3	14.9	1.1	2.8	100.0	4
1 or more	104,809	60.6	15.1	20.0	1.6	2.7	100.0	4
No. of discharges	147,665	57.2	20.1	18.6	1.4	2.7	100.0	4

Continued. See notes at end of table.

Table 15.2c. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Treatment referral source								
Self or individual	139,760	56.4	16.3	23.4	1.6	2.4	100.0	5
Criminal justice/DUI	11,456	79.2	12.7	5.4	0.9	1.8	100.0	2
Other community referral	13,275	76.0	13.2	8.3	0.8	1.8	100.0	2
Substance use care provider	21,151	62.9	14.4	18.0	1.9	2.7	100.0	5
Other health care provider	17,886	72.6	14.9	9.4	1.3	1.8	100.0	4
School (educational)	90	48.9	35.6	13.3	1.1	1.1	100.0	5
Employer/EAP	289	82.7	9.7	6.9	0.7	- -	100.0	7
No. of discharges	203,907	61.1	15.6	19.6	1.5	2.3	100.0	4
Usual route of administration								
Oral	117,620	68.6	13.5	14.5	1.0	2.4	100.0	4
Smoking	17,731	52.7	30.0	13.6	1.3	2.4	100.0	4
Inhalation	24,933	55.0	14.0	26.2	2.3	2.4	100.0	5
Injection	42,599	48.1	14.7	32.4	2.3	2.4	100.0	5
Other	1,331	58.6	13.4	18.3	1.7	8.0	100.0	5
No. of discharges	204,214	61.2	15.3	19.6	1.5	2.4	100.0	5
Expected or actual source of payment[2]								
Self-pay	8,288	85.0	9.0	5.0	0.4	0.7	100.0	1
Private insurance	5,715	72.1	15.3	10.6	0.6	1.4	100.0	6
Medicare	682	83.3	9.4	6.2	0.1	1.0	100.0	2
Medicaid	35,842	76.3	11.5	10.5	0.9	0.8	100.0	3
Other government payments	14,555	72.7	9.8	12.5	1.0	4.0	100.0	3
Workers' compensation	10	40.0	40.0	20.0	- -	- -	100.0	4
No charge	2,007	34.5	47.2	16.6	1.2	0.4	100.0	3
Other	2,845	65.7	12.9	19.1	1.2	1.2	100.0	3
No. of discharges	69,944	74.7	12.2	10.8	0.8	1.5	100.0	3
Type of health insurance								
Private insurance	8,807	76.5	12.1	8.8	0.5	2.1	100.0	4
Medicare	1,960	68.6	5.5	20.8	1.9	3.2	100.0	5
Medicaid	69,465	64.6	7.9	23.2	1.7	2.7	100.0	5
HMO	406	62.6	5.2	26.4	0.7	5.2	100.0	7
Other	5,996	75.1	4.3	15.7	1.4	3.5	100.0	3
None	29,654	68.8	11.0	15.7	1.9	2.6	100.0	4
No. of discharges	116,288	67.2	8.7	19.8	1.7	2.7	100.0	4

Continued. See notes at end of table.

Table 15.2c. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Arrests in past 30 days								
None	147,515	57.7	19.8	18.3	1.5	2.7	100.0	4
Once	5,950	59.3	22.1	14.4	1.4	2.8	100.0	4
2 or more times	1,562	55.1	27.5	14.2	1.4	1.9	100.0	5
No. of discharges	155,027	57.8	19.9	18.1	1.4	2.7	100.0	4
Frequency of use								
No use in the past month	3,067	52.4	27.8	14.8	2.7	2.4	100.0	5
Some use	38,967	67.2	22.3	8.1	0.6	1.9	100.0	2
Daily use	162,112	60.0	13.3	22.5	1.7	2.5	100.0	5
No. of discharges	204,146	61.2	15.2	19.7	1.5	2.4	100.0	5
Self-help programs attended in past 30 days								
No attendance in the past month	121,904	56.9	21.2	18.0	1.4	2.5	100.0	4
At least 1 time in the past month	17,140	51.9	22.9	19.7	1.7	3.8	100.0	5
1–3 times in the past month	5,949	54.2	22.9	19.6	1.6	1.7	100.0	5
4–7 times in the past month	2,911	54.0	24.1	17.5	1.9	2.4	100.0	6
8–30 times in the past month	6,037	48.8	28.1	18.9	1.9	2.4	100.0	6
Some attendance, but frequency unknown	2,243	51.4	7.4	25.2	0.7	15.3	100.0	5
No. of discharges	139,044	56.3	21.4	18.2	1.5	2.6	100.0	4

- - Quantity is zero; ‡ No discharges were reported.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.3a. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All detoxification discharges	212,044	130,951	32,025	40,816	3,108	5,144	5
Arrests in past 30 days							
None	144,079	84,236	29,095	24,764	1,973	4,011	4
Once	4,732	2,944	1,166	465	41	116	3
2 or more times	3,084	2,294	500	236	17	37	3
No. of discharges	151,895	89,474	30,761	25,465	2,031	4,164	4
Frequency of use							
No use in the past month	43,196	22,335	4,438	13,652	1,088	1,683	7
Some use	41,165	26,514	10,335	3,286	284	746	3
Daily use	54,849	31,610	12,663	7,745	691	2,140	4
No. of discharges	139,210	80,459	27,436	24,683	2,063	4,569	4
Self-help programs attended in past 30 days							
No attendance in the past month	139,030	86,961	21,181	26,485	1,825	2,578	4
At least 1 time in the past month	54,220	33,933	9,273	8,915	785	1,314	5
1–3 times in the past month	14,656	7,362	3,803	2,831	234	426	5
4–7 times in the past month	7,937	4,582	1,968	1,113	134	140	6
8–30 times in the past month	15,649	9,900	3,194	2,030	230	295	8
Some attendance, but frequency unknown	15,978	12,089	308	2,941	187	453	5
No. of discharges	193,250	120,894	30,454	35,400	2,610	3,892	4

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.3b. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All detoxification discharges	212,044						5
Arrests in past 30 days							
None	144,079	94.1	94.6	97.2	97.1	96.3	4
Once	4,732	3.3	3.8	1.8	2.0	2.8	3
2 or more times	3,084	2.6	1.6	0.9	0.8	0.9	3
No. of discharges	151,895	100.0	100.0	100.0	100.0	100.0	4
Frequency of use							
No use in the past month	43,196	27.8	16.2	55.3	52.7	36.8	7
Some use	41,165	33.0	37.7	13.3	13.8	16.3	3
Daily use	54,849	39.3	46.2	31.4	33.5	46.8	4
No. of discharges	139,210	100.0	100.0	100.0	100.0	100.0	4
Self-help programs attended in past 30 days							
No attendance in the past month	139,030	71.9	69.6	74.8	69.9	66.2	4
At least 1 time in the past month	54,220	28.1	30.4	25.2	30.1	33.8	5
1–3 times in the past month	14,656	6.1	12.5	8.0	9.0	10.9	5
4–7 times in the past month	7,937	3.8	6.5	3.1	5.1	3.6	6
8–30 times in the past month	15,649	8.2	10.5	5.7	8.8	7.6	8
Some attendance, but frequency unknown	15,978	10.0	1.0	8.3	7.2	11.6	5
No. of discharges	193,250	100.0	100.0	100.0	100.0	100.0	4

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.3c. Detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All detoxification discharges	212,044							5
Arrests in past 30 days								
None	144,079	58.5	20.2	17.2	1.4	2.8	100.0	4
Once	4,732	62.2	24.6	9.8	0.9	2.5	100.0	3
2 or more times	3,084	74.4	16.2	7.7	0.6	1.2	100.0	3
No. of discharges	151,895	58.9	20.3	16.8	1.3	2.7	100.0	4
Frequency of use								
No use in the past month	43,196	51.7	10.3	31.6	2.5	3.9	100.0	7
Some use	41,165	64.4	25.1	8.0	0.7	1.8	100.0	3
Daily use	54,849	57.6	23.1	14.1	1.3	3.9	100.0	4
No. of discharges	139,210	57.8	19.7	17.7	1.5	3.3	100.0	4
Self-help programs attended in past 30 days								
No attendance in the past month	139,030	62.5	15.2	19.0	1.3	1.9	100.0	4
At least 1 time in the past month	54,220	62.6	17.1	16.4	1.4	2.4	100.0	5
1–3 times in the past month	14,656	50.2	25.9	19.3	1.6	2.9	100.0	5
4–7 times in the past month	7,937	57.7	24.8	14.0	1.7	1.8	100.0	6
8–30 times in the past month	15,649	63.3	20.4	13.0	1.5	1.9	100.0	8
Some attendance, but frequency unknown	15,978	75.7	1.9	18.4	1.2	2.8	100.0	5
No. of discharges	193,250	62.6	15.8	18.3	1.4	2.0	100.0	4

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.4a. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
All detoxification discharges	418	277	6	26	20	89	11
Marital status							
Never married	386	247	5	25	20	89	11
Now married	6	6	- -	- -	- -	- -	13
Separated	- -	- -	- -	- -	- -	- -	- -
Divorced	- -	- -	- -	- -	- -	- -	‡
Widowed	- -	- -	- -	- -	- -	- -	‡
No. of discharges	392	253	5	25	20	89	11
Pregnant (female only)							
Yes	1	1	- -	- -	- -	- -	10
No	121	76	2	8	- -	35	11
No. of discharges	122	77	2	8	- -	35	10
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	257	180	1	23	19	34	14
Grades 9 to 11	110	56	4	2	- -	48	3
Grade 12 (or GED) or more	18	10	1	- -	- -	7	6
No. of discharges	385	246	6	25	19	89	12

Continued. See notes at end of table.

Table 15.4a. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	4	4	- -	- -	- -	- -	6
Dependent living	117	36	4	3	3	71	5
Independent living	258	209	2	22	17	8	13
No. of discharges	379	249	6	25	20	79	12
Primary substance							
Alcohol	56	45	1	4	4	2	9
Opiates	21	16	1	3	1		4
Marijuana/hashish	276	170	2	17	11	76	11
Cocaine	10	9	- -	- -	- -	1	15
Stimulants	18	14	1	1	- -	2	4
Other/none specified[1]	37	23	1	1	4	8	12
No. of discharges	418	277	6	26	20	89	11
Secondary or tertiary substance							
Alcohol	71	58	- -	7	5	1	14
Opiates	12	8	- -	3	1	- -	13
Marijuana/hashish	65	49	1	5	4	6	13
Cocaine	14	8	2	2	2	- -	12
Stimulants	7	6	- -	1	- -	- -	5
Other/none specified[1]	249	148	3	8	8	82	7
No. of discharges	418	277	6	26	20	89	11

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.4b. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
All detoxification discharges	418						11
Marital status							
Never married	386	97.6	100.0	100.0	100.0	100.0	11
Now married	6	2.4	- -	- -	- -	- -	13
Separated	- -	- -	- -	- -	- -	- -	- -
Divorced	- -	- -	- -	- -	- -	- -	‡
Widowed	- -	- -	- -	- -	- -	- -	‡
No. of discharges	392	100.0	100.0	100.0	100.0	100.0	11
Pregnant (female only)							
Yes	1	- -	- -	- -	- -	- -	10
No	121	98.7	100.0	100.0		100.0	11
No. of discharges	122	98.7	100.0	100.0		100.0	10
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	257	73.2	16.7	92.0	100.0	38.2	14
Grades 9 to 11	110	22.8	66.7	8.0	- -	53.9	3
Grade 12 (or GED) or more	18	4.1	16.7	- -	- -	7.9	6
No. of discharges	385	100.0	100.0	100.0	100.0	100.0	12

Continued. See notes at end of table.

Table 15.4b. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	4	1.6	- -	- -	- -	- -	6
Dependent living	117	14.5	66.7	12.0	15.0	89.9	5
Independent living	258	83.9	33.3	88.0	85.0	10.1	13
No. of discharges	379	100.0	100.0	100.0	100.0	100.0	12
Primary substance							
Alcohol	56	16.2	16.7	15.4	20.0	2.2	9
Opiates	21	5.8	16.7	11.5	5.0	- -	4
Marijuana/hashish	276	61.4	33.3	65.4	55.0	85.4	11
Cocaine	10	3.2	- -	- -	- -	1.1	15
Stimulants	18	5.1	16.7	3.8	- -	2.2	4
Other/none specified[1]	37	8.3	16.7	3.8	20.0	9.0	12
No. of discharges	418	100.0	100.0	100.0	100.0	100.0	11
Secondary or tertiary substance							
Alcohol	71	20.9	- -	26.9	25.0	1.1	14
Opiates	12	2.9	- -	11.5	5.0	- -	13
Marijuana/hashish	65	17.7	16.7	19.2	20.0	6.7	13
Cocaine	14	2.9	33.3	7.7	10.0	- -	12
Stimulants	7	2.2	- -	3.8	- -	- -	5
Other/none specified[1]	249	53.4	50.0	30.8	40.0	92.1	7
No. of discharges	418	100.0	100.0	100.0	100.0	100.0	11

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.4c. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All detoxification discharges	418							11
Marital status								
Never married	386	64.0	1.3	6.5	5.2	23.1	100.0	11
Now married	6	100.0	- -	- -	- -	- -	100.0	13
Separated	- -			- -	- -			- -
Divorced	- -			- -	- -			‡
Widowed	- -	- -	- -	- -	- -	- -	- -	‡
No. of discharges	392	64.5	1.3	6.4	5.1	22.7	100.0	11
Pregnant (female only)								
Yes	1	- -	- -	- -	- -	- -	- -	10
No	121	62.8	1.7	6.6	- -	28.9	100.0	11
No. of discharges	122	63.1	1.6	6.6	- -	28.7	100.0	10
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	257	70.0	0.4	8.9	7.4	13.2	100.0	14
Grades 9 to 11	110	50.9	3.6	1.8	- -	43.6	100.0	3
Grade 12 (or GED) or more	18	55.6	5.6	- -	- -	38.9	100.0	6
No. of discharges	385	63.9	1.6	6.5	4.9	23.1	100.0	12

Continued. See notes at end of table.

Table 15.4c. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Living arrangements								
Homeless	4	100.0	- -	- -	- -	- -	100.0	6
Dependent living	117	30.8	3.4	2.6	2.6	60.7	100.0	5
Independent living	258	81.0	0.8	8.5	6.6	3.1	100.0	13
No. of discharges	379	65.7	1.6	6.6	5.3	20.8	100.0	12
Primary substance								
Alcohol	56	80.4	1.8	7.1	7.1	3.6	100.0	9
Opiates	21	76.2	4.8	14.3	4.8	- -	100.0	4
Marijuana/hashish	276	61.6	0.7	6.2	4.0	27.5	100.0	11
Cocaine	10	90.0	- -	- -	- -	10.0	100.0	15
Stimulants	18	77.8	5.6	5.6	- -	11.1	100.0	4
Other/none specified[1]	37	62.2	2.7	2.7	10.8	21.6	100.0	12
No. of discharges	418	66.3	1.4	6.2	4.8	21.3	100.0	11
Secondary or tertiary substance								
Alcohol	71	81.7	- -	9.9	7.0	1.4	100.0	14
Opiates	12	66.7	- -	25.0	8.3	- -	100.0	13
Marijuana/hashish	65	75.4	1.5	7.7	6.2	9.2	100.0	13
Cocaine	14	57.1	14.3	14.3	14.3	- -	100.0	12
Stimulants	7	85.7	- -	14.3	- -	- -	100.0	5
Other/none specified[1]	249	59.4	1.2	3.2	3.2	32.9	100.0	7
No. of discharges	418	66.3	1.4	6.2	4.8	21.3	100.0	11

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.5a. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All detoxification discharges	418	277	6	26	20	89	11
Living arrangements							
Homeless	8	5	- -	3	- -	- -	7
Dependent living	176	94	4	2	5	71	10
Independent living	213	169	1	20	15	8	11
No. of discharges	397	268	5	25	20	79	11
Primary substance							
Alcohol	49	39	1	3	4	2	9
Opiates	17	13	1	3	- -	- -	11
Marijuana/hashish	275	170	2	16	11	76	11
Cocaine	9	8	- -	- -	- -	1	15
Stimulants	17	13	1	1	- -	2	3
Other/none specified[1]	51	34	1	3	5	8	10
No. of discharges	418	277	6	26	20	89	11
Secondary or tertiary substance							
Alcohol	71	59	- -	6	5	1	14
Opiates	9	6	- -	2	1	- -	14
Marijuana/hashish	61	47	1	4	3	6	13
Cocaine	16	10	2	2	2	- -	13
Stimulants	7	6	- -	1	- -	- -	5
Other/none specified[1]	254	149	3	11	9	82	7
No. of discharges	418	277	6	26	20	89	11

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.5b. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All detoxification discharges	418						11
Living arrangements							
Homeless	8	1.9	- -	12.0	- -	- -	7
Dependent living	176	35.1	80.0	8.0	25.0	89.9	10
Independent living	213	63.1	20.0	80.0	75.0	10.1	11
No. of discharges	397	100.0	100.0	100.0	100.0	100.0	11
Primary substance							
Alcohol	49	14.1	16.7	11.5	20.0	2.2	9
Opiates	17	4.7	16.7	11.5	- -	- -	11
Marijuana/hashish	275	61.4	33.3	61.5	55.0	85.4	11
Cocaine	9	2.9	- -	- -	- -	1.1	15
Stimulants	17	4.7	16.7	3.8	- -	2.2	3
Other/none specified[1]	51	12.3	16.7	11.5	25.0	9.0	10
No. of discharges	418	100.0	100.0	100.0	100.0	100.0	11
Secondary or tertiary substance							
Alcohol	71	21.3	- -	23.1	25.0	1.1	14
Opiates	9	2.2	- -	7.7	5.0	- -	14
Marijuana/hashish	61	17.0	16.7	15.4	15.0	6.7	13
Cocaine	16	3.6	33.3	7.7	10.0	- -	13
Stimulants	7	2.2	- -	3.8	- -	- -	5
Other/none specified[1]	254	53.8	50.0	42.3	45.0	92.1	7
No. of discharges	418	100.0	100.0	100.0	100.0	100.0	11

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.5c. Detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All detoxification discharges	418							11
Living arrangements								
Homeless	8	62.5	- -	37.5	- -	- -	100.0	7
Dependent living	176	53.4	2.3	1.1	2.8	40.3	100.0	10
Independent living	213	79.3	0.5	9.4	7.0	3.8	100.0	11
No. of discharges	397	67.5	1.3	6.3	5.0	19.9	100.0	11
Primary substance								
Alcohol	49	79.6	2.0	6.1	8.2	4.1	100.0	9
Opiates	17	76.5	5.9	17.6	- -	- -	100.0	11
Marijuana/hashish	275	61.8	0.7	5.8	4.0	27.6	100.0	11
Cocaine	9	88.9	- -	- -	- -	11.1	100.0	15
Stimulants	17	76.5	5.9	5.9	- -	11.8	100.0	3
Other/none specified[1]	51	66.7	2.0	5.9	9.8	15.7	100.0	10
No. of discharges	418	66.3	1.4	6.2	4.8	21.3	100.0	11
Secondary or tertiary substance								
Alcohol	71	83.1	- -	8.5	7.0	1.4	100.0	14
Opiates	9	66.7	- -	22.2	11.1	- -	100.0	14
Marijuana/hashish	61	77.0	1.6	6.6	4.9	9.8	100.0	13
Cocaine	16	62.5	12.5	12.5	12.5	- -	100.0	13
Stimulants	7	85.7	- -	14.3	- -	- -	100.0	5
Other/none specified[1]	254	58.7	1.2	4.3	3.5	32.3	100.0	7
No. of discharges	418	66.3	1.4	6.2	4.8	21.3	100.0	11

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.6a. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
All detoxification discharges	211,626	130,674	32,019	40,790	3,088	5,055	5
Marital status							
Never married	96,381	57,649	15,066	19,238	1,559	2,869	4
Now married	13,638	8,234	2,418	2,358	166	462	5
Separated	6,149	3,564	1,275	1,031	80	199	4
Divorced	20,684	13,105	3,861	2,870	202	646	4
Widowed	2,869	1,872	495	363	36	103	3
No. of discharges	139,721	84,424	23,115	25,860	2,043	4,279	4
Pregnant (female only)							
Yes	605	288	141	137	13	26	4
No	39,973	22,008	8,653	7,468	604	1,240	5
No. of discharges	40,578	22,296	8,794	7,605	617	1,266	5
Veteran[1]							
Yes	6,022	4,239	810	767	58	148	4
No	196,229	119,639	30,398	38,921	2,805	4,466	5
No. of discharges	202,251	123,878	31,208	39,688	2,863	4,614	4

Continued. See notes at end of table.

Table 15.6a. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	15,141	8,735	1,233	4,326	372	475	5
Grades 9 to 11	30,370	18,443	5,455	5,551	423	498	4
Grade 12 (or GED)	101,189	61,050	15,929	20,480	1,507	2,223	4
1–3 years of college, university, or vocational school	39,054	23,742	6,600	7,389	548	775	4
4 years of college, university, or BA/BS	10,036	6,615	1,542	1,544	97	238	5
Some postgraduate study or more	2,710	1,877	437	339	24	33	4
No. of discharges	198,500	120,462	31,196	39,629	2,971	4,242	4
Source of income support[1]							
Wages/salary	26,996	19,675	2,085	4,427	308	501	4
Public assistance	13,495	9,062	966	3,037	252	178	5
Retirement/pension	1,351	1,092	98	116	5	40	3
Disability	8,917	5,705	620	2,032	173	387	5
Other	29,015	20,791	946	6,518	407	353	5
None	76,516	48,832	6,078	18,171	1,446	1,989	4
No. of discharges	156,290	105,157	10,793	34,301	2,591	3,448	4

Continued. See notes at end of table.

Table 15.6a. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	65,514	40,821	10,206	12,211	1,023	1,253	4
Dependent living	14,603	7,522	3,786	2,475	169	651	5
Independent living	118,391	72,518	17,066	24,750	1,754	2,303	5
No. of discharges	198,508	120,861	31,058	39,436	2,946	4,207	4
Primary substance							
Alcohol	107,659	74,661	14,139	15,296	1,026	2,537	4
Opiates	69,842	35,567	9,635	21,296	1,632	1,712	5
Marijuana/hashish	1,973	1,079	582	185	33	94	5
Cocaine	6,131	3,299	1,581	904	108	239	5
Stimulants	14,713	8,140	4,608	1,619	153	193	3
Other/none specified[2]	11,308	7,928	1,474	1,490	136	280	5
No. of discharges	211,626	130,674	32,019	40,790	3,088	5,055	5
Secondary or tertiary substance							
Alcohol	10,384	5,257	1,859	2,845	218	205	5
Opiates	13,291	7,514	1,826	3,306	299	346	5
Marijuana/hashish	19,708	11,445	4,201	3,394	305	363	4
Cocaine	37,854	22,804	3,907	9,709	758	676	5
Stimulants	13,271	6,534	3,819	2,386	283	249	4
Other/none specified[2]	117,118	77,120	16,407	19,150	1,225	3,216	4
No. of discharges	211,626	130,674	32,019	40,790	3,088	5,055	5

Continued. See notes at end of table.

Table 15.6a. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	29,485	19,388	4,431	4,780	314	572	4
Full-time	22,053	14,780	3,038	3,598	237	400	4
Part-time	7,432	4,608	1,393	1,182	77	172	4
Unemployed	84,820	51,193	16,635	13,856	1,110	2,026	4
Not in labor force	83,294	49,117	10,539	20,370	1,494	1,774	5
No. of discharges	197,599	119,698	31,605	39,006	2,918	4,372	4
Detailed not in labor force[1]							
Homemaker	840	593	94	135	8	10	2
Student	454	258	102	77	1	16	4
Retired	2,605	2,113	182	231	15	64	5
Disabled	14,117	9,587	1,243	2,646	288	353	4
Inmate of institution	271	154	33	48	7	29	5
Other	56,791	34,456	3,603	16,275	1,167	1,290	5
No. of discharges	75,078	47,161	5,257	19,412	1,486	1,762	5

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.6b. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All detoxification discharges	211,626						5
Marital status							
Never married	96,381	68.3	65.2	74.4	76.3	67.0	4
Now married	13,638	9.8	10.5	9.1	8.1	10.8	5
Separated	6,149	4.2	5.5	4.0	3.9	4.7	4
Divorced	20,684	15.5	16.7	11.1	9.9	15.1	4
Widowed	2,869	2.2	2.1	1.4	1.8	2.4	3
No. of discharges	139,721	100.0	100.0	100.0	100.0	100.0	4
Pregnant (female only)							
Yes	605	1.3	1.6	1.8	2.1	2.1	4
No	39,973	98.7	98.4	98.2	97.9	97.9	5
No. of discharges	40,578	100.0	100.0	100.0	100.0	100.0	5
Veteran[1]							
Yes	6,022	3.4	2.6	1.9	2.0	3.2	4
No	196,229	96.6	97.4	98.1	98.0	96.8	5
No. of discharges	202,251	100.0	100.0	100.0	100.0	100.0	4

Continued. See notes at end of table.

Table 15.6b. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	15,141	7.3	4.0	10.9	12.5	11.2	5
Grades 9 to 11	30,370	15.3	17.5	14.0	14.2	11.7	4
Grade 12 (or GED)	101,189	50.7	51.1	51.7	50.7	52.4	4
1–3 years of college, university, or vocational school	39,054	19.7	21.2	18.6	18.4	18.3	4
4 years of college, university, or BA/BS	10,036	5.5	4.9	3.9	3.3	5.6	5
Some postgraduate study or more	2,710	1.6	1.4	0.9	0.8	0.8	4
No. of discharges	198,500	100.0	100.0	100.0	100.0	100.0	4
Source of income support[1]							
Wages/salary	26,996	18.7	19.3	12.9	11.9	14.5	4
Public assistance	13,495	8.6	9.0	8.9	9.7	5.2	5
Retirement/pension	1,351	1.0	0.9	0.3	0.2	1.2	3
Disability	8,917	5.4	5.7	5.9	6.7	11.2	5
Other	29,015	19.8	8.8	19.0	15.7	10.2	5
None	76,516	46.4	56.3	53.0	55.8	57.7	4
No. of discharges	156,290	100.0	100.0	100.0	100.0	100.0	4

Continued. See notes at end of table.

Table 15.6b. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	65,514	33.8	32.9	31.0	34.7	29.8	4
Dependent living	14,603	6.2	12.2	6.3	5.7	15.5	5
Independent living	118,391	60.0	54.9	62.8	59.5	54.7	5
No. of discharges	198,508	100.0	100.0	100.0	100.0	100.0	4
Primary substance							
Alcohol	107,659	57.1	44.2	37.5	33.2	50.2	4
Opiates	69,842	27.2	30.1	52.2	52.8	33.9	5
Marijuana/hashish	1,973	0.8	1.8	0.5	1.1	1.9	5
Cocaine	6,131	2.5	4.9	2.2	3.5	4.7	5
Stimulants	14,713	6.2	14.4	4.0	5.0	3.8	3
Other/none specified[2]	11,308	6.1	4.6	3.7	4.4	5.5	5
No. of discharges	211,626	100.0	100.0	100.0	100.0	100.0	5
Secondary or tertiary substance							
Alcohol	10,384	4.0	5.8	7.0	7.1	4.1	5
Opiates	13,291	5.8	5.7	8.1	9.7	6.8	5
Marijuana/hashish	19,708	8.8	13.1	8.3	9.9	7.2	4
Cocaine	37,854	17.5	12.2	23.8	24.5	13.4	5
Stimulants	13,271	5.0	11.9	5.8	9.2	4.9	4
Other/none specified[2]	117,118	59.0	51.2	46.9	39.7	63.6	4
No. of discharges	211,626	100.0	100.0	100.0	100.0	100.0	5

Continued. See notes at end of table.

Table 15.6b. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	29,485	16.2	14.0	12.3	10.8	13.1	4
Full-time	22,053	12.3	9.6	9.2	8.1	9.1	4
Part-time	7,432	3.8	4.4	3.0	2.6	3.9	4
Unemployed	84,820	42.8	52.6	35.5	38.0	46.3	4
Not in labor force	83,294	41.0	33.3	52.2	51.2	40.6	5
No. of discharges	197,599	100.0	100.0	100.0	100.0	100.0	4
Detailed not in labor force[1]							
Homemaker	840	1.3	1.8	0.7	0.5	0.6	2
Student	454	0.5	1.9	0.4	0.1	0.9	4
Retired	2,605	4.5	3.5	1.2	1.0	3.6	5
Disabled	14,117	20.3	23.6	13.6	19.4	20.0	4
Inmate of institution	271	0.3	0.6	0.2	0.5	1.6	5
Other	56,791	73.1	68.5	83.8	78.5	73.2	5
No. of discharges	75,078	100.0	100.0	100.0	100.0	100.0	5

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.6c. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All detoxification discharges	211,626							5
Marital status								
Never married	96,381	59.8	15.6	20.0	1.6	3.0	100.0	4
Now married	13,638	60.4	17.7	17.3	1.2	3.4	100.0	5
Separated	6,149	58.0	20.7	16.8	1.3	3.2	100.0	4
Divorced	20,684	63.4	18.7	13.9	1.0	3.1	100.0	4
Widowed	2,869	65.2	17.3	12.7	1.3	3.6	100.0	3
No. of discharges	139,721	60.4	16.5	18.5	1.5	3.1	100.0	4
Pregnant (female only)								
Yes	605	47.6	23.3	22.6	2.1	4.3	100.0	4
No	39,973	55.1	21.6	18.7	1.5	3.1	100.0	5
No. of discharges	40,578	54.9	21.7	18.7	1.5	3.1	100.0	5
Veteran[1]								
Yes	6,022	70.4	13.5	12.7	1.0	2.5	100.0	4
No	196,229	61.0	15.5	19.8	1.4	2.3	100.0	5
No. of discharges	202,251	61.2	15.4	19.6	1.4	2.3	100.0	4

Continued. See notes at end of table.

Table 15.6c. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	15,141	57.7	8.1	28.6	2.5	3.1	100.0	5
Grades 9 to 11	30,370	60.7	18.0	18.3	1.4	1.6	100.0	4
Grade 12 (or GED)	101,189	60.3	15.7	20.2	1.5	2.2	100.0	4
1–3 years of college, university, or vocational school	39,054	60.8	16.9	18.9	1.4	2.0	100.0	4
4 years of college, university, or BA/BS	10,036	65.9	15.4	15.4	1.0	2.4	100.0	5
Some postgraduate study or more	2,710	69.3	16.1	12.5	0.9	1.2	100.0	4
No. of discharges	198,500	60.7	15.7	20.0	1.5	2.1	100.0	4
Source of income support[1]								
Wages/salary	26,996	72.9	7.7	16.4	1.1	1.9	100.0	4
Public assistance	13,495	67.2	7.2	22.5	1.9	1.3	100.0	5
Retirement/pension	1,351	80.8	7.3	8.6	0.4	3.0	100.0	3
Disability	8,917	64.0	7.0	22.8	1.9	4.3	100.0	5
Other	29,015	71.7	3.3	22.5	1.4	1.2	100.0	5
None	76,516	63.8	7.9	23.7	1.9	2.6	100.0	4
No. of discharges	156,290	67.3	6.9	21.9	1.7	2.2	100.0	4

Continued. See notes at end of table.

Table 15.6c. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Living arrangements								
Homeless	65,514	62.3	15.6	18.6	1.6	1.9	100.0	4
Dependent living	14,603	51.5	25.9	16.9	1.2	4.5	100.0	5
Independent living	118,391	61.3	14.4	20.9	1.5	1.9	100.0	5
No. of discharges	198,508	60.9	15.6	19.9	1.5	2.1	100.0	4
Primary substance								
Alcohol	107,659	69.3	13.1	14.2	1.0	2.4	100.0	4
Opiates	69,842	50.9	13.8	30.5	2.3	2.5	100.0	5
Marijuana/hashish	1,973	54.7	29.5	9.4	1.7	4.8	100.0	5
Cocaine	6,131	53.8	25.8	14.7	1.8	3.9	100.0	5
Stimulants	14,713	55.3	31.3	11.0	1.0	1.3	100.0	3
Other/none specified[2]	11,308	70.1	13.0	13.2	1.2	2.5	100.0	5
No. of discharges	211,626	61.7	15.1	19.3	1.5	2.4	100.0	5
Secondary or tertiary substance								
Alcohol	10,384	50.6	17.9	27.4	2.1	2.0	100.0	5
Opiates	13,291	56.5	13.7	24.9	2.2	2.6	100.0	5
Marijuana/hashish	19,708	58.1	21.3	17.2	1.5	1.8	100.0	4
Cocaine	37,854	60.2	10.3	25.6	2.0	1.8	100.0	5
Stimulants	13,271	49.2	28.8	18.0	2.1	1.9	100.0	4
Other/none specified[2]	117,118	65.8	14.0	16.4	1.0	2.7	100.0	4
No. of discharges	211,626	61.7	15.1	19.3	1.5	2.4	100.0	5

Continued. See notes at end of table.

Table 15.6c. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Employment status[1]								
Employed	29,485	65.8	15.0	16.2	1.1	1.9	100.0	4
Full-time	22,053	67.0	13.8	16.3	1.1	1.8	100.0	4
Part-time	7,432	62.0	18.7	15.9	1.0	2.3	100.0	4
Unemployed	84,820	60.4	19.6	16.3	1.3	2.4	100.0	4
Not in labor force	83,294	59.0	12.7	24.5	1.8	2.1	100.0	5
No. of discharges	197,599	60.6	16.0	19.7	1.5	2.2	100.0	4
Detailed not in labor force[1]								
Homemaker	840	70.6	11.2	16.1	1.0	1.2	100.0	2
Student	454	56.8	22.5	17.0	0.2	3.5	100.0	4
Retired	2,605	81.1	7.0	8.9	0.6	2.5	100.0	5
Disabled	14,117	67.9	8.8	18.7	2.0	2.5	100.0	4
Inmate of institution	271	56.8	12.2	17.7	2.6	10.7	100.0	5
Other	56,791	60.7	6.3	28.7	2.1	2.3	100.0	5
No. of discharges	75,078	62.8	7.0	25.9	2.0	2.3	100.0	5

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.7a. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
All detoxification discharges	211,626	130,674	32,019	40,790	3,088	5,055	5
Living arrangements							
Homeless	43,601	25,884	9,042	7,058	654	963	3
Dependent living	28,536	19,489	5,395	2,347	210	1,095	6
Independent living	79,763	44,268	16,102	16,258	1,113	2,022	5
No. of discharges	151,900	89,641	30,539	25,663	1,977	4,080	4
Primary substance							
Alcohol	73,286	48,699	12,422	9,163	659	2,343	3
Opiates	46,564	20,463	8,960	14,422	1,133	1,586	6
Marijuana/hashish	1,841	1,036	561	130	24	90	5
Cocaine	4,758	2,323	1,478	650	82	225	5
Stimulants	13,422	7,912	3,665	1,495	151	199	3
Other/none specified[1]	71,755	50,241	4,933	14,930	1,039	612	5
No. of discharges	211,626	130,674	32,019	40,790	3,088	5,055	5
Secondary or tertiary substance							
Alcohol	7,344	3,422	1,556	2,022	166	178	6
Opiates	8,802	4,334	1,835	2,084	227	322	6
Marijuana/hashish	16,412	8,094	6,115	1,696	189	318	4
Cocaine	18,286	8,946	4,249	4,132	364	595	6
Stimulants	11,669	5,768	3,849	1,625	240	187	4
Other/none specified[1]	149,113	100,110	14,415	29,231	1,902	3,455	4
No. of discharges	211,626	130,674	32,019	40,790	3,088	5,055	5

Continued. See notes at end of table.

Table 15.7a. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	21,633	13,694	4,232	2,997	203	507	4
Full-time	15,871	10,242	2,914	2,220	138	357	4
Part-time	5,762	3,452	1,318	777	65	150	3
Unemployed	74,881	45,638	16,659	9,797	809	1,978	3
Not in labor force	52,706	27,849	10,050	12,324	891	1,592	6
No. of discharges	149,220	87,181	30,941	25,118	1,903	4,077	4
Detailed not in labor force[2]							
Homemaker	628	440	91	83	4	10	2
Student	375	219	98	46	- -	12	2
Retired	1,405	1,054	170	122	7	52	3
Disabled	8,588	5,475	1,132	1,489	130	362	4
Inmate of institution	1,257	1,016	37	178	15	11	5
Other	33,332	17,810	3,308	10,346	732	1,136	6
No. of discharges	45,585	26,014	4,836	12,264	888	1,583	6

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.7b. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All detoxification discharges	211,626						5
Living arrangements							
Homeless	43,601	28.9	29.6	27.5	33.1	23.6	3
Dependent living	28,536	21.7	17.7	9.1	10.6	26.8	6
Independent living	79,763	49.4	52.7	63.4	56.3	49.6	5
No. of discharges	151,900	100.0	100.0	100.0	100.0	100.0	4
Primary substance							
Alcohol	73,286	37.3	38.8	22.5	21.3	46.4	3
Opiates	46,564	15.7	28.0	35.4	36.7	31.4	6
Marijuana/hashish	1,841	0.8	1.8	0.3	0.8	1.8	5
Cocaine	4,758	1.8	4.6	1.6	2.7	4.5	5
Stimulants	13,422	6.1	11.4	3.7	4.9	3.9	3
Other/none specified[1]	71,755	38.4	15.4	36.6	33.6	12.1	5
No. of discharges	211,626	100.0	100.0	100.0	100.0	100.0	5
Secondary or tertiary substance							
Alcohol	7,344	2.6	4.9	5.0	5.4	3.5	6
Opiates	8,802	3.3	5.7	5.1	7.4	6.4	6
Marijuana/hashish	16,412	6.2	19.1	4.2	6.1	6.3	4
Cocaine	18,286	6.8	13.3	10.1	11.8	11.8	6
Stimulants	11,669	4.4	12.0	4.0	7.8	3.7	4
Other/none specified[1]	149,113	76.6	45.0	71.7	61.6	68.3	4
No. of discharges	211,626	100.0	100.0	100.0	100.0	100.0	5

Continued. See notes at end of table.

Table 15.7b. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	21,633	15.7	13.7	11.9	10.7	12.4	4
Full-time	15,871	11.7	9.4	8.8	7.3	8.8	4
Part-time	5,762	4.0	4.3	3.1	3.4	3.7	3
Unemployed	74,881	52.3	53.8	39.0	42.5	48.5	3
Not in labor force	52,706	31.9	32.5	49.1	46.8	39.0	6
No. of discharges	149,220	100.0	100.0	100.0	100.0	100.0	4
Detailed not in labor force[2]							
Homemaker	628	1.7	1.9	0.7	0.5	0.6	2
Student	375	0.8	2.0	0.4	- -	0.8	2
Retired	1,405	4.1	3.5	1.0	0.8	3.3	3
Disabled	8,588	21.0	23.4	12.1	14.6	22.9	4
Inmate of institution	1,257	3.9	0.8	1.5	1.7	0.7	5
Other	33,332	68.5	68.4	84.4	82.4	71.8	6
No. of discharges	45,585	100.0	100.0	100.0	100.0	100.0	6

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 15.7c. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All detoxification discharges	211,626							5
Living arrangements								
Homeless	43,601	59.4	20.7	16.2	1.5	2.2	100.0	3
Dependent living	28,536	68.3	18.9	8.2	0.7	3.8	100.0	6
Independent living	79,763	55.5	20.2	20.4	1.4	2.5	100.0	5
No. of discharges	151,900	59.0	20.1	16.9	1.3	2.7	100.0	4
Primary substance								
Alcohol	73,286	66.5	17.0	12.5	0.9	3.2	100.0	3
Opiates	46,564	43.9	19.2	31.0	2.4	3.4	100.0	6
Marijuana/hashish	1,841	56.3	30.5	7.1	1.3	4.9	100.0	5
Cocaine	4,758	48.8	31.1	13.7	1.7	4.7	100.0	5
Stimulants	13,422	58.9	27.3	11.1	1.1	1.5	100.0	3
Other/none specified[1]	71,755	70.0	6.9	20.8	1.4	0.9	100.0	5
No. of discharges	211,626	61.7	15.1	19.3	1.5	2.4	100.0	5
Secondary or tertiary substance								
Alcohol	7,344	46.6	21.2	27.5	2.3	2.4	100.0	6
Opiates	8,802	49.2	20.8	23.7	2.6	3.7	100.0	6
Marijuana/hashish	16,412	49.3	37.3	10.3	1.2	1.9	100.0	4
Cocaine	18,286	48.9	23.2	22.6	2.0	3.3	100.0	6
Stimulants	11,669	49.4	33.0	13.9	2.1	1.6	100.0	4
Other/none specified[1]	149,113	67.1	9.7	19.6	1.3	2.3	100.0	4
No. of discharges	211,626	61.7	15.1	19.3	1.5	2.4	100.0	5

Continued. See notes at end of table.

Table 15.7c. Detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Employment status[2]								
Employed	21,633	63.3	19.6	13.9	0.9	2.3	100.0	4
Full-time	15,871	64.5	18.4	14.0	0.9	2.2	100.0	4
Part-time	5,762	59.9	22.9	13.5	1.1	2.6	100.0	3
Unemployed	74,881	60.9	22.2	13.1	1.1	2.6	100.0	3
Not in labor force	52,706	52.8	19.1	23.4	1.7	3.0	100.0	6
No. of discharges	149,220	58.4	20.7	16.8	1.3	2.7	100.0	4
Detailed not in labor force[2]								
Homemaker	628	70.1	14.5	13.2	0.6	1.6	100.0	2
Student	375	58.4	26.1	12.3	- -	3.2	100.0	2
Retired	1,405	75.0	12.1	8.7	0.5	3.7	100.0	3
Disabled	8,588	63.8	13.2	17.3	1.5	4.2	100.0	4
Inmate of institution	1,257	80.8	2.9	14.2	1.2	0.9	100.0	5
Other	33,332	53.4	9.9	31.0	2.2	3.4	100.0	6
No. of discharges	45,585	57.1	10.6	26.9	1.9	3.5	100.0	6

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 45 states and jurisdictions that offered detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.1. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Reason for discharge (number)						Reason for discharge (row percent distribution)					
	All outpatient medication-assisted opioid therapy discharges	Com-pleted	Trans-ferred	Dropped out	Termi-nated	Other	Total	Com-pleted	Trans-ferred	Dropped out	Termi-nated	Other
Total	142,540	25,741	46,953	48,333	8,435	13,078	100.0	18.1	32.9	33.9	5.9	9.2
Alabama	866	42	158	356	30	280	100.0	4.8	18.2	41.1	3.5	32.3
Alaska	730	109	97	164	253	107	100.0	14.9	13.3	22.5	34.7	14.7
Arizona	9,725	9,582	7	22	7	107	100.0	98.5	0.1	0.2	0.1	1.1
Arkansas	514	111	66	255	59	23	100.0	21.6	12.8	49.6	11.5	4.5
California	18,214	1,405	5,896	10,431	10	472	100.0	7.7	32.4	57.3	0.1	2.6
Colorado	3,080	256	735	1,648	282	159	100.0	8.3	23.9	53.5	9.2	5.2
Connecticut	5,821	1,525	1,816	1,681	314	485	100.0	26.2	31.2	28.9	5.4	8.3
Delaware	1,858	230	278	121	1,102	127	100.0	12.4	15.0	6.5	59.3	6.8
District of Columbia	110	27	43	1	6	33	100.0	24.5	39.1	0.9	5.5	30.0
Georgia	553	44	14	407	36	52	100.0	8.0	2.5	73.6	6.5	9.4
Hawaii	45	1	31	9	3	1	100.0	2.2	68.9	20.0	6.7	2.2
Illinois	405	21	107	210	54	13	100.0	5.2	26.4	51.9	13.3	3.2
Indiana	1,189	74	126	750	60	179	100.0	6.2	10.6	63.1	5.0	15.1
Iowa	679	81	27	326	45	200	100.0	11.9	4.0	48.0	6.6	29.5
Kansas	55	24	15	13	- -	3	100.0	43.6	27.3	23.6	- -	5.5
Kentucky	11,190	526	9,385	311	381	587	100.0	4.7	83.9	2.8	3.4	5.2
Louisiana	80	4	4	69	1	2	100.0	5.0	5.0	86.3	1.3	2.5
Maine	623	116	96	246	97	68	100.0	18.6	15.4	39.5	15.6	10.9
Massachusetts	3,316	336	526	1,671	146	637	100.0	10.1	15.9	50.4	4.4	19.2
Michigan	7,376	503	1,422	4,085	524	842	100.0	6.8	19.3	55.4	7.1	11.4
Minnesota	2,171	204	373	1,286	97	211	100.0	9.4	17.2	59.2	4.5	9.7
Mississippi	171	23	91	8	22	27	100.0	13.5	53.2	4.7	12.9	15.8
Missouri	1,189	137	431	513	66	42	100.0	11.5	36.2	43.1	5.6	3.5
Nebraska	125	74	9	25	5	12	100.0	59.2	7.2	20.0	4.0	9.6
Nevada	41	14	3	21	- -	3	100.0	34.1	7.3	51.2	- -	7.3
New Hampshire	273	80	50	85	9	49	100.0	29.3	18.3	31.1	3.3	17.9
New Jersey	13,812	3,613	117	6,107	706	3,269	100.0	26.2	0.8	44.2	5.1	23.7
New York	25,455	3,626	3,916	13,208	2,227	2,478	100.0	14.2	15.4	51.9	8.7	9.7
North Carolina	20,165	1,659	18,442	23	11	30	100.0	8.2	91.5	0.1	0.1	0.1
North Dakota	73	20	8	38	- -	7	100.0	27.4	11.0	52.1	- -	9.6
Ohio	979	100	89	367	229	194	100.0	10.2	9.1	37.5	23.4	19.8
Oklahoma	47	10	3	31	2	1	100.0	21.3	6.4	66.0	4.3	2.1
Pennsylvania	2,394	375	166	1,095	174	584	100.0	15.7	6.9	45.7	7.3	24.4
Puerto Rico	205	11	14	152	12	16	100.0	5.4	6.8	74.1	5.9	7.8
Rhode Island	2,997	100	1,534	726	551	86	100.0	3.3	51.2	24.2	18.4	2.9
South Carolina	1,426	240	82	682	340	82	100.0	16.8	5.8	47.8	23.8	5.8
South Dakota	116	38	28	25	10	15	100.0	32.8	24.1	21.6	8.6	12.9
Tennessee	27	10	- -	7	7	3	100.0	37.0	- -	25.9	25.9	11.1
Texas	2,462	80	318	368	469	1,227	100.0	3.2	12.9	14.9	19.0	49.8
Vermont	1,389	145	342	658	80	164	100.0	10.4	24.6	47.4	5.8	11.8
Washington	526	140	78	114	6	188	100.0	26.6	14.8	21.7	1.1	35.7
Wisconsin	39	13	5	10	2	9	100.0	33.3	12.8	25.6	5.1	23.1
Wyoming	29	12	5	8	- -	4	100.0	41.4	17.2	27.6	- -	13.8

- - Quantity is zero; * Less than 0.05 percent.

NOTES: Based on linked admission and discharge data reported to TEDS by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. Comparisons among states should be made with caution. Percentages may not add to 100 percent due to rounding. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Admissions for which values were not collected or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.2a. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient medication-assisted opioid therapy discharges	142,540	25,741	46,953	48,333	8,435	13,078	151
Gender							
Male	84,564	15,242	26,408	29,676	5,174	8,064	147
Female	57,941	10,493	20,538	18,640	3,260	5,010	161
No. of discharges	142,505	25,735	46,946	48,316	8,434	13,074	151
Age at admission							
12 years	- -	- -	- -	- -	- -	- -	- -
13 years	3	1	- -	- -	1	1	243
14 years	2	- -	- -	- -	2	- -	- -
15 years	15	1	9	5	- -	- -	104
16 years	21	2	10	3	1	5	148
17 years	49	4	14	18	9	4	71
18 years	215	55	29	94	26	11	96
19 years	526	115	180	162	38	31	84
20 years	881	173	279	319	56	54	87
21 to 24 years	7,719	1,694	2,142	2,794	495	594	138
25 to 29 years	24,481	4,855	7,682	8,400	1,564	1,980	150
30 to 34 years	29,904	5,283	10,321	9,882	1,872	2,546	138
35 to 39 years	24,427	4,282	8,964	7,559	1,443	2,179	143
40 to 44 years	16,078	2,615	6,001	5,107	961	1,394	139
45 to 49 years	11,677	1,856	4,130	3,858	702	1,131	177
50 to 54 years	10,431	1,793	3,129	3,898	551	1,060	165
55 to 59 years	8,029	1,378	2,074	3,151	425	1,001	200
60 to 64 years	5,087	964	1,330	1,930	182	681	229
65 to 69 years	2,234	511	501	848	82	292	227
70 to 74 years	630	129	145	242	20	94	163
75 years and older	131	30	13	63	5	20	318
No. of discharges	142,540	25,741	46,953	48,333	8,435	13,078	151

Continued. See notes at end of table.

Table 16.2a. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	1,860	433	446	701	108	172	115
Asian[1]	629	107	147	303	36	36	127
Black or African American	15,641	2,024	4,178	6,564	1,073	1,802	171
White	103,237	18,586	36,191	32,961	6,055	9,444	157
Other	16,273	1,480	5,522	6,960	938	1,373	166
Native Hawaiian or Other Pacific Islander	355	80	53	175	24	23	146
No. of discharges	137,995	22,710	46,537	47,664	8,234	12,850	158
Ethnicity							
Not of Hispanic or Latino origin	19,268	2,283	4,008	9,673	1,218	2,086	182
Hispanic or Latino origin	119,222	20,592	42,703	38,164	7,044	10,719	155
No. of discharges	138,490	22,875	46,711	47,837	8,262	12,805	158
Marital status							
Never married	74,197	12,093	24,718	24,302	5,440	7,644	159
Now married	16,048	2,473	5,606	5,026	1,246	1,697	225
Separated	7,113	728	3,120	2,003	481	781	188
Divorced	13,283	1,567	5,540	3,956	871	1,349	188
Widowed	2,517	299	880	838	180	320	215
No. of discharges	113,158	17,160	39,864	36,125	8,218	11,791	172
Pregnant (female only)							
Yes	2,773	379	837	1,101	184	272	233
No	54,436	10,035	19,508	17,232	3,029	4,632	157
No. of discharges	57,209	10,414	20,345	18,333	3,213	4,904	160
No. of prior treatment episodes							
None	48,828	9,037	19,934	15,978	1,389	2,490	194
1 or more	88,976	15,870	26,064	31,415	5,618	10,009	133
No. of discharges	137,804	24,907	45,998	47,393	7,007	12,499	151

Continued. See notes at end of table.

Table 16.2a. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Treatment referral source							
Self or individual	88,471	10,335	30,420	34,842	5,103	7,771	220
Criminal justice/DUI	15,959	3,689	5,805	3,448	1,045	1,972	140
Other community referral	9,044	1,245	3,510	2,691	593	1,005	169
Substance use care provider	11,368	1,776	2,701	4,534	981	1,376	182
Other health care provider	8,621	955	4,189	2,405	537	535	273
School (educational)	35	6	5	18	2	4	217
Employer/EAP	143	49	30	41	15	8	129
No. of discharges	133,641	18,055	46,660	47,979	8,276	12,671	189
Usual route of administration							
Oral	26,252	4,098	10,397	7,970	1,520	2,267	199
Smoking	12,013	1,618	4,302	4,635	701	757	182
Inhalation	33,260	4,226	10,160	12,856	2,440	3,578	200
Injection	59,038	7,173	20,656	21,811	3,441	5,957	197
Other	1,256	129	398	506	73	150	183
No. of discharges	131,819	17,244	45,913	47,778	8,175	12,709	197
Expected or actual source of payment[2]							
Self-pay	3,222	444	510	1,544	355	369	306
Private insurance	3,579	553	2,097	490	244	195	87
Medicare	1,405	869	202	182	83	69	129
Medicaid	35,709	12,242	8,414	8,593	2,800	3,660	107
Other government payments	7,321	1,168	1,319	1,732	854	2,248	116
Workers' compensation	4	- -	1	3	- -	- -	‡
No charge	617	75	179	301	35	27	74
Other	2,117	243	868	536	220	250	127
No. of discharges	53,974	15,594	13,590	13,381	4,591	6,818	112
Type of health insurance							
Private insurance	4,350	630	2,147	980	275	318	103
Medicare	1,930	962	246	412	110	200	134
Medicaid	39,528	12,965	8,999	10,254	2,899	4,411	105
HMO	328	37	123	122	16	30	125
Other	3,130	348	1,571	621	200	390	102
None	9,550	1,323	1,277	3,499	1,214	2,237	136
No. of discharges	58,816	16,265	14,363	15,888	4,714	7,586	108

Continued. See notes at end of table.

Table 16.2a. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Arrests in past 30 days							
None	127,099	16,834	44,526	45,879	7,876	11,984	195
Once	5,309	850	1,760	1,692	369	638	142
2 or more times	994	293	221	326	61	93	155
No. of discharges	133,402	17,977	46,507	47,897	8,306	12,715	191
Frequency of use							
No use in the past month	37,255	6,898	13,791	10,430	2,129	4,007	194
Some use	25,385	3,286	9,607	8,734	1,662	2,096	177
Daily use	69,344	7,166	22,425	28,675	4,476	6,602	217
No. of discharges	131,984	17,350	45,823	47,839	8,267	12,705	197
Self-help programs attended in past 30 days							
No attendance in the past month	97,842	11,762	36,272	35,179	6,268	8,361	197
At least 1 time in the past month	27,828	4,610	9,243	9,462	1,656	2,857	182
1–3 times in the past month	6,928	1,050	2,522	2,012	378	966	158
4–7 times in the past month	3,937	612	1,367	1,283	237	438	136
8–30 times in the past month	9,406	1,360	4,084	2,786	401	775	113
Some attendance, but frequency unknown	7,557	1,588	1,270	3,381	640	678	259
No. of discharges	125,670	16,372	45,515	44,641	7,924	11,218	192

- - Quantity is zero; ‡ No discharges were reported.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.2b. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient medication-assisted opioid therapy discharges	142,540						151
Gender							
Male	84,564	59.2	56.3	61.4	61.3	61.7	147
Female	57,941	40.8	43.7	38.6	38.7	38.3	161
No. of discharges	142,505	100.0	100.0	100.0	100.0	100.0	151
Age at admission							
12 years	- -	- -	- -	- -	- -	- -	‡
13 years	3	*	- -	- -	*	- -	243
14 years	2	- -	- -	- -	*	- -	- -
15 years	15	*	*	*	- -	- -	104
16 years	21	*	*	*	*	*	148
17 years	49	*	*	*	0.1	*	71
18 years	215	0.2	0.1	0.2	0.3	0.1	96
19 years	526	0.4	0.4	0.3	0.5	0.2	84
20 years	881	0.7	0.6	0.7	0.7	0.4	87
21 to 24 years	7,719	6.6	4.6	5.8	5.9	4.5	138
25 to 29 years	24,481	18.9	16.4	17.4	18.5	15.1	150
30 to 34 years	29,904	20.5	22.0	20.4	22.2	19.5	138
35 to 39 years	24,427	16.6	19.1	15.6	17.1	16.7	143
40 to 44 years	16,078	10.2	12.8	10.6	11.4	10.7	139
45 to 49 years	11,677	7.2	8.8	8.0	8.3	8.6	177
50 to 54 years	10,431	7.0	6.7	8.1	6.5	8.1	165
55 to 59 years	8,029	5.4	4.4	6.5	5.0	7.7	200
60 to 64 years	5,087	3.7	2.8	4.0	2.2	5.2	229
65 to 69 years	2,234	2.0	1.1	1.8	1.0	2.2	227
70 to 74 years	630	0.5	0.3	0.5	0.2	0.7	163
75 years and older	131	0.1	*	0.1	0.1	0.2	318
No. of discharges	142,540	100.0	100.0	100.0	100.0	100.0	151

Continued. See notes at end of table.

Table 16.2b. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	1,860	1.9	1.0	1.5	1.3	1.3	115
Asian[1]	629	0.5	0.3	0.6	0.4	0.3	127
Black or African American	15,641	8.9	9.0	13.8	13.0	14.0	171
White	103,237	81.8	77.8	69.2	73.5	73.5	157
Other	16,273	6.5	11.9	14.6	11.4	10.7	166
Native Hawaiian or Other Pacific Islander	355	0.4	0.1	0.4	0.3	0.2	146
No. of discharges	137,995	100.0	100.0	100.0	100.0	100.0	158
Ethnicity							
Not of Hispanic or Latino origin	19,268	10.0	8.6	20.2	14.7	16.3	182
Hispanic or Latino origin	119,222	90.0	91.4	79.8	85.3	83.7	155
No. of discharges	138,490	100.0	100.0	100.0	100.0	100.0	158
Marital status							
Never married	74,197	70.5	62.0	67.3	66.2	64.8	159
Now married	16,048	14.4	14.1	13.9	15.2	14.4	225
Separated	7,113	4.2	7.8	5.5	5.9	6.6	188
Divorced	13,283	9.1	13.9	11.0	10.6	11.4	188
Widowed	2,517	1.7	2.2	2.3	2.2	2.7	215
No. of discharges	113,158	100.0	100.0	100.0	100.0	100.0	172
Pregnant (female only)							
Yes	2,773	3.6	4.1	6.0	5.7	5.5	233
No	54,436	96.4	95.9	94.0	94.3	94.5	157
No. of discharges	57,209	100.0	100.0	100.0	100.0	100.0	160
No. of prior treatment episodes							
None	48,828	36.3	43.3	33.7	19.8	19.9	194
1 or more	88,976	63.7	56.7	66.3	80.2	80.1	133
No. of discharges	137,804	100.0	100.0	100.0	100.0	100.0	151

Continued. See notes at end of table.

Table 16.2b. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Treatment referral source							
Self or individual	88,471	57.2	65.2	72.6	61.7	61.3	220
Criminal justice/DUI	15,959	20.4	12.4	7.2	12.6	15.6	140
Other community referral	9,044	6.9	7.5	5.6	7.2	7.9	169
Substance use care provider	11,368	9.8	5.8	9.4	11.9	10.9	182
Other health care provider	8,621	5.3	9.0	5.0	6.5	4.2	273
School (educational)	35	*	*	*	*	*	217
Employer/EAP	143	0.3	0.1	0.1	0.2	0.1	129
No. of discharges	133,641	100.0	100.0	100.0	100.0	100.0	189
Usual route of administration							
Oral	26,252	23.8	22.6	16.7	18.6	17.8	199
Smoking	12,013	9.4	9.4	9.7	8.6	6.0	182
Inhalation	33,260	24.5	22.1	26.9	29.8	28.2	200
Injection	59,038	41.6	45.0	45.7	42.1	46.9	197
Other	1,256	0.7	0.9	1.1	0.9	1.2	183
No. of discharges	131,819	100.0	100.0	100.0	100.0	100.0	197
Expected or actual source of payment[2]							
Self-pay	3,222	2.8	3.8	11.5	7.7	5.4	306
Private insurance	3,579	3.5	15.4	3.7	5.3	2.9	87
Medicare	1,405	5.6	1.5	1.4	1.8	1.0	129
Medicaid	35,709	78.5	61.9	64.2	61.0	53.7	107
Other government payments	7,321	7.5	9.7	12.9	18.6	33.0	116
Workers' compensation	4	- -	*	- -	- -	- -	‡
No charge	617	0.5	1.3	2.2	0.8	0.4	74
Other	2,117	1.6	6.4	4.0	4.8	3.7	127
No. of discharges	53,974	100.0	100.0	100.0	100.0	100.0	112
Type of health insurance							
Private insurance	4,350	3.9	14.9	6.2	5.8	4.2	103
Medicare	1,930	5.9	1.7	2.6	2.3	2.6	134
Medicaid	39,528	79.7	62.7	64.5	61.5	58.1	105
HMO	328	0.2	0.9	0.8	0.3	0.4	125
Other	3,130	2.1	10.9	3.9	4.2	5.1	102
None	9,550	8.1	8.9	22.0	25.8	29.5	136
No. of discharges	58,816	100.0	100.0	100.0	100.0	100.0	108

Continued. See notes at end of table.

Table 16.2b. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Arrests in past 30 days							
None	127,099	93.6	95.7	95.8	94.8	94.3	195
Once	5,309	4.7	3.8	3.5	4.4	5.0	142
2 or more times	994	1.6	0.5	0.7	0.7	0.7	155
No. of discharges	133,402	100.0	100.0	100.0	100.0	100.0	191
Frequency of use							
No use in the past month	37,255	39.8	30.1	21.8	25.8	31.5	194
Some use	25,385	18.9	21.0	18.3	20.1	16.5	177
Daily use	69,344	41.3	48.9	59.9	54.1	52.0	217
No. of discharges	131,984	100.0	100.0	100.0	100.0	100.0	197
Self-help programs attended in past 30 days							
No attendance in the past month	97,842	71.8	79.7	78.8	79.1	74.5	197
At least 1 time in the past month	27,828	28.2	20.3	21.2	20.9	25.5	182
1–3 times in the past month	6,928	6.4	5.5	4.5	4.8	8.6	158
4–7 times in the past month	3,937	3.7	3.0	2.9	3.0	3.9	136
8–30 times in the past month	9,406	8.3	9.0	6.2	5.1	6.9	113
Some attendance, but frequency unknown	7,557	9.7	2.8	7.6	8.1	6.0	259
No. of discharges	125,670	100.0	100.0	100.0	100.0	100.0	192

- - Quantity is zero; * Less than 0.05 percent; ‡ No discharges were reported.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.2c. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All outpatient medication-assisted opioid therapy discharges	142,540							151
Gender								
Male	84,564	18.0	31.2	35.1	6.1	9.5	100.0	147
Female	57,941	18.1	35.4	32.2	5.6	8.6	100.0	161
No. of discharges	142,505	18.1	32.9	33.9	5.9	9.2	100.0	151
Age at admission								
12 years	- -	- -	- -	- -	- -	- -	- -	- -
13 years	3	33.3	- -	- -	33.3	33.3	100.0	243
14 years	2	- -	- -	- -	100.0	- -	100.0	- -
15 years	15	6.7	60.0	33.3	- -	- -	100.0	104
16 years	21	9.5	47.6	14.3	4.8	23.8	100.0	148
17 years	49	8.2	28.6	36.7	18.4	8.2	100.0	71
18 years	215	25.6	13.5	43.7	12.1	5.1	100.0	96
19 years	526	21.9	34.2	30.8	7.2	5.9	100.0	84
20 years	881	19.6	31.7	36.2	6.4	6.1	100.0	87
21 to 24 years	7,719	21.9	27.7	36.2	6.4	7.7	100.0	138
25 to 29 years	24,481	19.8	31.4	34.3	6.4	8.1	100.0	150
30 to 34 years	29,904	17.7	34.5	33.0	6.3	8.5	100.0	138
35 to 39 years	24,427	17.5	36.7	30.9	5.9	8.9	100.0	143
40 to 44 years	16,078	16.3	37.3	31.8	6.0	8.7	100.0	139
45 to 49 years	11,677	15.9	35.4	33.0	6.0	9.7	100.0	177
50 to 54 years	10,431	17.2	30.0	37.4	5.3	10.2	100.0	165
55 to 59 years	8,029	17.2	25.8	39.2	5.3	12.5	100.0	200
60 to 64 years	5,087	19.0	26.1	37.9	3.6	13.4	100.0	229
65 to 69 years	2,234	22.9	22.4	38.0	3.7	13.1	100.0	227
70 to 74 years	630	20.5	23.0	38.4	3.2	14.9	100.0	163
75 years and older	131	22.9	9.9	48.1	3.8	15.3	100.0	318
No. of discharges	142,540	18.1	32.9	33.9	5.9	9.2	100.0	151

Continued. See notes at end of table.

Table 16.2c. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Race								
American Indian or Alaska Native	1,860	23.3	24.0	37.7	5.8	9.2	100.0	115
Asian[1]	629	17.0	23.4	48.2	5.7	5.7	100.0	127
Black or African American	15,641	12.9	26.7	42.0	6.9	11.5	100.0	171
White	103,237	18.0	35.1	31.9	5.9	9.1	100.0	157
Other	16,273	9.1	33.9	42.8	5.8	8.4	100.0	166
Native Hawaiian or Other Pacific Islander	355	22.5	14.9	49.3	6.8	6.5	100.0	146
No. of discharges	137,995	16.5	33.7	34.5	6.0	9.3	100.0	158
Ethnicity								
Not of Hispanic or Latino origin	19,268	11.8	20.8	50.2	6.3	10.8	100.0	182
Hispanic or Latino origin	119,222	17.3	35.8	32.0	5.9	9.0	100.0	155
No. of discharges	138,490	16.5	33.7	34.5	6.0	9.2	100.0	158
Marital status								
Never married	74,197	16.3	33.3	32.8	7.3	10.3	100.0	159
Now married	16,048	15.4	34.9	31.3	7.8	10.6	100.0	225
Separated	7,113	10.2	43.9	28.2	6.8	11.0	100.0	188
Divorced	13,283	11.8	41.7	29.8	6.6	10.2	100.0	188
Widowed	2,517	11.9	35.0	33.3	7.2	12.7	100.0	215
No. of discharges	113,158	15.2	35.2	31.9	7.3	10.4	100.0	172
Pregnant (female only)								
Yes	2,773	13.7	30.2	39.7	6.6	9.8	100.0	233
No	54,436	18.4	35.8	31.7	5.6	8.5	100.0	157
No. of discharges	57,209	18.2	35.6	32.0	5.6	8.6	100.0	160
No. of prior treatment episodes								
None	48,828	18.5	40.8	32.7	2.8	5.1	100.0	194
1 or more	88,976	17.8	29.3	35.3	6.3	11.2	100.0	133
No. of discharges	137,804	18.1	33.4	34.4	5.1	9.1	100.0	151

Continued. See notes at end of table.

Table 16.2c. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Treatment referral source								
Self or individual	88,471	11.7	34.4	39.4	5.8	8.8	100.0	220
Criminal justice/DUI	15,959	23.1	36.4	21.6	6.5	12.4	100.0	140
Other community referral	9,044	13.8	38.8	29.8	6.6	11.1	100.0	169
Substance use care provider	11,368	15.6	23.8	39.9	8.6	12.1	100.0	182
Other health care provider	8,621	11.1	48.6	27.9	6.2	6.2	100.0	273
School (educational)	35	17.1	14.3	51.4	5.7	11.4	100.0	217
Employer/EAP	143	34.3	21.0	28.7	10.5	5.6	100.0	129
No. of discharges	133,641	13.5	34.9	35.9	6.2	9.5	100.0	189
Usual route of administration								
Oral	26,252	15.6	39.6	30.4	5.8	8.6	100.0	199
Smoking	12,013	13.5	35.8	38.6	5.8	6.3	100.0	182
Inhalation	33,260	12.7	30.5	38.7	7.3	10.8	100.0	200
Injection	59,038	12.1	35.0	36.9	5.8	10.1	100.0	197
Other	1,256	10.3	31.7	40.3	5.8	11.9	100.0	183
No. of discharges	131,819	13.1	34.8	36.2	6.2	9.6	100.0	197
Expected or actual source of payment[2]								
Self-pay	3,222	13.8	15.8	47.9	11.0	11.5	100.0	306
Private insurance	3,579	15.5	58.6	13.7	6.8	5.4	100.0	87
Medicare	1,405	61.9	14.4	13.0	5.9	4.9	100.0	129
Medicaid	35,709	34.3	23.6	24.1	7.8	10.2	100.0	107
Other government payments	7,321	16.0	18.0	23.7	11.7	30.7	100.0	116
Workers' compensation	4	- -	25.0	75.0	- -	- -	100.0	‡
No charge	617	12.2	29.0	48.8	5.7	4.4	100.0	74
Other	2,117	11.5	41.0	25.3	10.4	11.8	100.0	127
No. of discharges	53,974	28.9	25.2	24.8	8.5	12.6	100.0	112
Type of health insurance								
Private insurance	4,350	14.5	49.4	22.5	6.3	7.3	100.0	103
Medicare	1,930	49.8	12.7	21.3	5.7	10.4	100.0	134
Medicaid	39,528	32.8	22.8	25.9	7.3	11.2	100.0	105
HMO	328	11.3	37.5	37.2	4.9	9.1	100.0	125
Other	3,130	11.1	50.2	19.8	6.4	12.5	100.0	102
None	9,550	13.9	13.4	36.6	12.7	23.4	100.0	136
No. of discharges	58,816	27.7	24.4	27.0	8.0	12.9	100.0	108

Continued. See notes at end of table.

Table 16.2c. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Arrests in past 30 days								
None	127,099	13.2	35.0	36.1	6.2	9.4	100.0	195
Once	5,309	16.0	33.2	31.9	7.0	12.0	100.0	142
2 or more times	994	29.5	22.2	32.8	6.1	9.4	100.0	155
No. of discharges	133,402	13.5	34.9	35.9	6.2	9.5	100.0	191
Frequency of use								
No use in the past month	37,255	18.5	37.0	28.0	5.7	10.8	100.0	194
Some use	25,385	12.9	37.8	34.4	6.5	8.3	100.0	177
Daily use	69,344	10.3	32.3	41.4	6.5	9.5	100.0	217
No. of discharges	131,984	13.1	34.7	36.2	6.3	9.6	100.0	197
Self-help programs attended in past 30 days								
No attendance in the past month	97,842	12.0	37.1	36.0	6.4	8.5	100.0	197
At least 1 time in the past month	27,828	16.6	33.2	34.0	6.0	10.3	100.0	182
1–3 times in the past month	6,928	15.2	36.4	29.0	5.5	13.9	100.0	158
4–7 times in the past month	3,937	15.5	34.7	32.6	6.0	11.1	100.0	136
8–30 times in the past month	9,406	14.5	43.4	29.6	4.3	8.2	100.0	113
Some attendance, but frequency unknown	7,557	21.0	16.8	44.7	8.5	9.0	100.0	259
No. of discharges	125,670	13.0	36.2	35.5	6.3	8.9	100.0	192

- - Quantity is zero; ‡ No discharges were reported.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.3a. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient medication-assisted opioid therapy discharges	142,540	25,741	46,953	48,333	8,435	13,078	151
Arrests in past 30 days							
None	114,084	17,640	44,571	33,684	7,636	10,553	162
Once	4,420	490	1,435	848	262	1,385	87
2 or more times	1,294	443	255	408	69	119	72
No. of discharges	119,798	18,573	46,261	34,940	7,967	12,057	156
Frequency of use							
No use in the past month	44,377	7,930	16,395	12,953	2,602	4,497	239
Some use	24,583	2,103	9,602	8,308	1,888	2,682	118
Daily use	37,207	3,555	17,216	10,550	2,761	3,125	117
No. of discharges	106,167	13,588	43,213	31,811	7,251	10,304	185
Self-help programs attended in past 30 days							
No attendance in the past month	93,494	12,224	36,503	28,925	6,601	9,241	168
At least 1 time in the past month	21,219	5,329	9,140	3,985	1,082	1,683	143
1–3 times in the past month	6,444	1,288	2,902	1,318	346	590	121
4–7 times in the past month	3,211	808	1,320	575	171	337	125
8–30 times in the past month	7,371	1,731	4,053	838	302	447	103
Some attendance, but frequency unknown	4,193	1,502	865	1,254	263	309	232
No. of discharges	114,713	17,553	45,643	32,910	7,683	10,924	159

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.3b. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient medication-assisted opioid therapy discharges	142,540						151
Arrests in past 30 days							
None	114,084	95.0	96.3	96.4	95.8	87.5	162
Once	4,420	2.6	3.1	2.4	3.3	11.5	87
2 or more times	1,294	2.4	0.6	1.2	0.9	1.0	72
No. of discharges	119,798	100.0	100.0	100.0	100.0	100.0	156
Frequency of use							
No use in the past month	44,377	58.4	37.9	40.7	35.9	43.6	239
Some use	24,583	15.5	22.2	26.1	26.0	26.0	118
Daily use	37,207	26.2	39.8	33.2	38.1	30.3	117
No. of discharges	106,167	100.0	100.0	100.0	100.0	100.0	185
Self-help programs attended in past 30 days							
No attendance in the past month	93,494	69.6	80.0	87.9	85.9	84.6	168
At least 1 time in the past month	21,219	30.4	20.0	12.1	14.1	15.4	143
1–3 times in the past month	6,444	7.3	6.4	4.0	4.5	5.4	121
4–7 times in the past month	3,211	4.6	2.9	1.7	2.2	3.1	125
8–30 times in the past month	7,371	9.9	8.9	2.5	3.9	4.1	103
Some attendance, but frequency unknown	4,193	8.6	1.9	3.8	3.4	2.8	232
No. of discharges	114,713	100.0	100.0	100.0	100.0	100.0	159

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.3c. Outpatient medication-assisted opioid therapy discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All outpatient medication-assisted opioid therapy discharges	142,540							151
Arrests in past 30 days								
None	114,084	15.5	39.1	29.5	6.7	9.3	100.0	162
Once	4,420	11.1	32.5	19.2	5.9	31.3	100.0	87
2 or more times	1,294	34.2	19.7	31.5	5.3	9.2	100.0	72
No. of discharges	119,798	15.5	38.6	29.2	6.7	10.1	100.0	156
Frequency of use								
No use in the past month	44,377	17.9	36.9	29.2	5.9	10.1	100.0	239
Some use	24,583	8.6	39.1	33.8	7.7	10.9	100.0	118
Daily use	37,207	9.6	46.3	28.4	7.4	8.4	100.0	117
No. of discharges	106,167	12.8	40.7	30.0	6.8	9.7	100.0	185
Self-help programs attended in past 30 days								
No attendance in the past month	93,494	13.1	39.0	30.9	7.1	9.9	100.0	168
At least 1 time in the past month	21,219	25.1	43.1	18.8	5.1	7.9	100.0	143
1–3 times in the past month	6,444	20.0	45.0	20.5	5.4	9.2	100.0	121
4–7 times in the past month	3,211	25.2	41.1	17.9	5.3	10.5	100.0	125
8–30 times in the past month	7,371	23.5	55.0	11.4	4.1	6.1	100.0	103
Some attendance, but frequency unknown	4,193	35.8	20.6	29.9	6.3	7.4	100.0	232
No. of discharges	114,713	15.3	39.8	28.7	6.7	9.5	100.0	159

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.4a. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient medication-assisted opioid therapy discharges	90	8	33	26	13	10	113
Marital status							
Never married	80	5	29	23	13	10	104
Now married	- -	- -	- -	- -	- -	- -	- -
Separated	- -	- -	- -	- -	- -	- -	‡
Divorced	- -	- -	- -	- -	- -	- -	- -
Widowed	- -	- -	- -	- -	- -	- -	- -
No. of discharges	80	5	29	23	13	10	104
Pregnant (female only)							
Yes	1	- -	- -	1	- -	- -	‡
No	25	3	6	12	2	2	211
No. of discharges	26	3	6	13	2	2	211
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	15	1	12	- -	1	1	243
Grades 9 to 11	65	5	16	26	10	8	104
Grade 12 (or GED) or more	10	2	5	- -	2	1	117
No. of discharges	90	8	33	26	13	10	113

Continued. See notes at end of table.

Table 16.4a. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	1	- -	- -	1	- -	- -	‡
Dependent living	54	5	26	8	7	8	121
Independent living	35	3	7	17	6	2	41
No. of discharges	90	8	33	26	13	10	113
Primary substance							
Alcohol	6	1	3	1	1	- -	243
Opiates	20	2	3	12	2	1	117
Marijuana/hashish	58	5	25	11	9	8	104
Cocaine	1	- -	- -	1	- -	- -	‡
Stimulants	5	- -	2	1	1	1	‡
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -
No. of discharges	90	8	33	26	13	10	113
Secondary or tertiary substance							
Alcohol	11	1	4	4	- -	2	41
Opiates	3	- -	1	1	- -	1	- -
Marijuana/hashish	14	- -	3	8	2	1	- -
Cocaine	5	- -	2	2	1	- -	‡
Stimulants	11	1	4	1	1	4	121
Other/none specified[1]	46	6	19	10	9	2	140
No. of discharges	90	8	33	26	13	10	113

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.4b. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient medication-assisted opioid therapy discharges	90						113
Marital status							
Never married	80	100.0	100.0	100.0	100.0	100.0	104
Now married	- -	- -	- -	- -	- -	- -	- -
Separated	- -	- -	- -	- -	- -	- -	‡
Divorced	- -	- -	- -	- -	- -	- -	- -
Widowed	- -	- -	- -	- -	- -	- -	- -
No. of discharges	80	100.0	100.0	100.0	100.0	100.0	104
Pregnant (female only)							
Yes	1	- -	- -	- -	- -	- -	‡
No	25	100.0	100.0	92.3	100.0	100.0	211
No. of discharges	26	100.0	100.0	92.3	100.0	100.0	211
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	15	12.5	36.4	- -	7.7	10.0	243
Grades 9 to 11	65	62.5	48.5	100.0	76.9	80.0	104
Grade 12 (or GED) or more	10	25.0	15.2	- -	15.4	10.0	117
No. of discharges	90	100.0	100.0	100.0	100.0	100.0	113

Continued. See notes at end of table.

Table 16.4b. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	1	- -	- -	3.8	- -	- -	‡
Dependent living	54	62.5	78.8	30.8	53.8	80.0	121
Independent living	35	37.5	21.2	65.4	46.2	20.0	41
No. of discharges	90	100.0	100.0	100.0	100.0	100.0	113
Primary substance							
Alcohol	6	12.5	9.1	3.8	7.7	- -	243
Opiates	20	25.0	9.1	46.2	15.4	10.0	117
Marijuana/hashish	58	62.5	75.8	42.3	69.2	80.0	104
Cocaine	1	- -	- -	3.8	- -	- -	‡
Stimulants	5	- -	6.1	3.8	7.7	10.0	‡
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -
No. of discharges	90	100.0	100.0	100.0	100.0	100.0	113
Secondary or tertiary substance							
Alcohol	11	12.5	12.1	15.4	- -	20.0	41
Opiates	3	- -	3.0	3.8	- -	10.0	- -
Marijuana/hashish	14	- -	9.1	30.8	15.4	10.0	- -
Cocaine	5	- -	6.1	7.7	7.7	- -	‡
Stimulants	11	12.5	12.1	3.8	7.7	40.0	121
Other/none specified[1]	46	75.0	57.6	38.5	69.2	20.0	140
No. of discharges	90	100.0	100.0	100.0	100.0	100.0	113

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.4c. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All outpatient medication-assisted opioid therapy discharges	90							113
Marital status								
Never married	80	6.3	36.3	28.8	16.3	12.5	100.0	104
Now married	- -	- -	- -	- -		- -		- -
Separated	- -	- -	- -	- -	- -	- -	- -	‡
Divorced	- -	- -	- -	- -	- -	- -	- -	- -
Widowed	- -	- -	- -	- -	- -	- -	- -	- -
No. of discharges	80	6.3	36.3	28.8	16.3	12.5	100.0	104
Pregnant (female only)								
Yes	1	- -	- -	- -	- -	- -	- -	‡
No	25	12.0	24.0	48.0	8.0	8.0	100.0	211
No. of discharges	26	11.5	23.1	50.0	7.7	7.7	100.0	211
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	15	6.7	80.0	- -	6.7	6.7	100.0	243
Grades 9 to 11	65	7.7	24.6	40.0	15.4	12.3	100.0	104
Grade 12 (or GED) or more	10	20.0	50.0	- -	20.0	10.0	100.0	117
No. of discharges	90	8.9	36.7	28.9	14.4	11.1	100.0	113

Continued. See notes at end of table.

Table 16.4c. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Living arrangements								
Homeless	1	- -	- -	- -	- -	- -	- -	‡
Dependent living	54	9.3	48.1	14.8	13.0	14.8	100.0	121
Independent living	35	8.6	20.0	48.6	17.1	5.7	100.0	41
No. of discharges	90	8.9	36.7	28.9	14.4	11.1	100.0	113
Primary substance								
Alcohol	6	16.7	50.0	16.7	16.7	- -	100.0	243
Opiates	20	10.0	15.0	60.0	10.0	5.0	100.0	117
Marijuana/hashish	58	8.6	43.1	19.0	15.5	13.8	100.0	104
Cocaine	1	- -	- -	100.0	- -	- -	100.0	‡
Stimulants	5	- -	40.0	20.0	20.0	20.0	100.0	‡
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -	- -
No. of discharges	90	8.9	36.7	28.9	14.4	11.1	100.0	113
Secondary or tertiary substance								
Alcohol	11	9.1	36.4	36.4	- -	18.2	100.0	41
Opiates	3	- -	33.3	33.3	- -	33.3	100.0	- -
Marijuana/hashish	14	- -	21.4	57.1	14.3	7.1	100.0	- -
Cocaine	5	- -	40.0	40.0	20.0	- -	100.0	‡
Stimulants	11	9.1	36.4	9.1	9.1	36.4	100.0	121
Other/none specified[1]	46	13.0	41.3	21.7	19.6	4.3	100.0	140
No. of discharges	90	8.9	36.7	28.9	14.4	11.1	100.0	113

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.5a. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient medication-assisted opioid therapy discharges	90	8	33	26	13	10	113
Living arrangements							
Homeless	1	- -	- -	1	- -	- -	‡
Dependent living	42	5	20	6	4	7	104
Independent living	44	3	13	16	9	3	211
No. of discharges	87	8	33	23	13	10	113
Primary substance							
Alcohol	7	1	3	2	1	- -	243
Opiates	19	1	3	12	2	1	22
Marijuana/hashish	57	5	25	10	9	8	104
Cocaine	1	- -	- -	1	- -	- -	‡
Stimulants	5	- -	2	1	1	1	‡
Other/none specified[1]	1	1	- -	- -	- -	- -	211
No. of discharges	90	8	33	26	13	10	113
Secondary or tertiary substance							
Alcohol	10	1	4	3	- -	2	41
Opiates	3	- -	1	1	- -	1	‡
Marijuana/hashish	15	- -	3	9	2	1	- -
Cocaine	5	- -	2	2	1	- -	‡
Stimulants	11	1	4	1	1	4	121
Other/none specified[1]	46	6	19	10	9	2	140
No. of discharges	90	8	33	26	13	10	113

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.5b. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient medication-assisted opioid therapy discharges	90						113
Living arrangements							
Homeless	1	- -	- -	4.3	- -	- -	‡
Dependent living	42	62.5	60.6	26.1	30.8	70.0	104
Independent living	44	37.5	39.4	69.6	69.2	30.0	211
No. of discharges	87	100.0	100.0	100.0	100.0	100.0	113
Primary substance							
Alcohol	7	12.5	9.1	7.7	7.7	- -	243
Opiates	19	12.5	9.1	46.2	15.4	10.0	22
Marijuana/hashish	57	62.5	75.8	38.5	69.2	80.0	104
Cocaine	1	- -	- -	3.8	- -	- -	‡
Stimulants	5	- -	6.1	3.8	7.7	10.0	‡
Other/none specified[1]	1	12.5	- -	- -	- -	- -	211
No. of discharges	90	100.0	100.0	100.0	100.0	100.0	113
Secondary or tertiary substance							
Alcohol	10	12.5	12.1	11.5	- -	20.0	41
Opiates	3	- -	3.0	3.8	- -	10.0	‡
Marijuana/hashish	15	- -	9.1	34.6	15.4	10.0	- -
Cocaine	5	- -	6.1	7.7	7.7	- -	‡
Stimulants	11	12.5	12.1	3.8	7.7	40.0	121
Other/none specified[1]	46	75.0	57.6	38.5	69.2	20.0	140
No. of discharges	90	100.0	100.0	100.0	100.0	100.0	113

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.5c. Outpatient medication-assisted opioid therapy discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All outpatient medication-assisted opioid therapy discharges	90							113
Living arrangements								
Homeless	1	- -	- -	- -	- -	- -	- -	‡
Dependent living	42	11.9	47.6	14.3	9.5	16.7	100.0	104
Independent living	44	6.8	29.5	36.4	20.5	6.8	100.0	211
No. of discharges	87	9.2	37.9	26.4	14.9	11.5	100.0	113
Primary substance								
Alcohol	7	14.3	42.9	28.6	14.3	- -	100.0	243
Opiates	19	5.3	15.8	63.2	10.5	5.3	100.0	22
Marijuana/hashish	57	8.8	43.9	17.5	15.8	14.0	100.0	104
Cocaine	1	- -	- -	100.0	- -	- -	100.0	‡
Stimulants	5	- -	40.0	20.0	20.0	20.0	100.0	‡
Other/none specified[1]	1	100.0	- -	- -	- -	- -	100.0	211
No. of discharges	90	8.9	36.7	28.9	14.4	11.1	100.0	113
Secondary or tertiary substance								
Alcohol	10	10.0	40.0	30.0	- -	20.0	100.0	41
Opiates	3	- -	33.3	33.3	- -	33.3	100.0	‡
Marijuana/hashish	15	- -	20.0	60.0	13.3	6.7	100.0	- -
Cocaine	5	- -	40.0	40.0	20.0	- -	100.0	‡
Stimulants	11	9.1	36.4	9.1	9.1	36.4	100.0	121
Other/none specified[1]	46	13.0	41.3	21.7	19.6	4.3	100.0	140
No. of discharges	90	8.9	36.7	28.9	14.4	11.1	100.0	113

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.6a. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient medication-assisted opioid therapy discharges	142,450	25,733	46,920	48,307	8,422	13,068	151
Marital status							
Never married	74,117	12,088	24,689	24,279	5,427	7,634	159
Now married	16,048	2,473	5,606	5,026	1,246	1,697	225
Separated	7,113	728	3,120	2,003	481	781	188
Divorced	13,283	1,567	5,540	3,956	871	1,349	188
Widowed	2,517	299	880	838	180	320	215
No. of discharges	113,078	17,155	39,835	36,102	8,205	11,781	172
Pregnant (female only)							
Yes	2,772	379	837	1,100	184	272	233
No	54,411	10,032	19,502	17,220	3,027	4,630	157
No. of discharges	57,183	10,411	20,339	18,320	3,211	4,902	160
Veteran[1]							
Yes	2,842	392	878	1,065	172	335	211
No	128,082	16,612	45,215	46,048	8,051	12,156	177
No. of discharges	130,924	17,004	46,093	47,113	8,223	12,491	178

Continued. See notes at end of table.

Table 16.6a. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	5,979	485	2,037	2,324	410	723	192
Grades 9 to 11	25,328	2,588	8,512	9,843	1,817	2,568	187
Grade 12 (or GED)	66,147	8,414	23,204	23,918	4,040	6,571	162
1–3 years of college, university, or vocational school	26,114	3,236	9,684	9,443	1,589	2,162	227
4 years of college, university, or BA/BS	4,509	651	1,469	1,618	308	463	198
Some postgraduate study or more	1,345	200	532	436	78	99	213
No. of discharges	129,422	15,574	45,438	47,582	8,242	12,586	183
Source of income support[1]							
Wages/salary	22,385	6,535	4,368	7,026	2,068	2,388	109
Public assistance	10,105	1,403	2,552	4,115	955	1,080	161
Retirement/pension	589	173	98	159	65	94	100
Disability	6,130	1,105	1,593	1,977	445	1,010	127
Other	17,219	2,774	3,320	7,196	1,602	2,327	184
None	24,309	3,220	6,640	9,050	2,058	3,341	125
No. of discharges	80,737	15,210	18,571	29,523	7,193	10,240	129

Continued. See notes at end of table.

Table 16.6a. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	12,432	992	4,363	5,246	769	1,062	134
Dependent living	17,243	2,117	5,697	6,434	1,097	1,898	148
Independent living	101,000	12,489	36,335	36,091	6,432	9,653	192
No. of discharges	130,675	15,598	46,395	47,771	8,298	12,613	183
Primary substance							
Alcohol	6,892	1,438	2,259	2,049	566	580	149
Opiates	113,444	14,377	37,759	43,143	6,915	11,250	216
Marijuana/hashish	2,589	386	1,286	477	229	211	148
Cocaine	2,887	464	886	986	259	292	144
Stimulants	4,706	493	2,854	764	262	333	128
Other/none specified[2]	11,932	8,575	1,876	888	191	402	78
No. of discharges	142,450	25,733	46,920	48,307	8,422	13,068	151
Secondary or tertiary substance							
Alcohol	5,282	782	2,065	1,656	282	497	206
Opiates	13,206	1,892	5,177	3,979	846	1,312	209
Marijuana/hashish	15,823	2,079	5,770	5,288	1,277	1,409	221
Cocaine	26,248	3,369	7,401	10,340	2,109	3,029	184
Stimulants	18,064	1,747	6,956	7,008	1,075	1,278	179
Other/none specified[2]	63,827	15,864	19,551	20,036	2,833	5,543	124
No. of discharges	142,450	25,733	46,920	48,307	8,422	13,068	151

Continued. See notes at end of table.

Table 16.6a. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	31,017	5,110	9,983	10,857	2,237	2,830	198
Full-time	20,477	3,568	6,180	7,316	1,518	1,895	197
Part-time	10,540	1,542	3,803	3,541	719	935	200
Unemployed	58,723	5,812	26,002	18,600	3,514	4,795	149
Not in labor force	42,251	6,022	10,555	18,177	2,513	4,984	188
No. of discharges	131,991	16,944	46,540	47,634	8,264	12,609	179
Detailed not in labor force[1]							
Homemaker	1,792	158	1,106	309	79	140	220
Student	594	65	343	124	24	38	260
Retired	973	148	310	280	60	175	242
Disabled	9,588	1,147	2,415	3,691	821	1,514	247
Inmate of institution	2,025	328	930	286	130	351	93
Other	18,398	3,660	2,932	8,112	1,350	2,344	182
No. of discharges	33,370	5,506	8,036	12,802	2,464	4,562	185

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.6b. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient medication-assisted opioid therapy discharges	142,450						151
Marital status							
Never married	74,117	70.5	62.0	67.3	66.1	64.8	159
Now married	16,048	14.4	14.1	13.9	15.2	14.4	225
Separated	7,113	4.2	7.8	5.5	5.9	6.6	188
Divorced	13,283	9.1	13.9	11.0	10.6	11.5	188
Widowed	2,517	1.7	2.2	2.3	2.2	2.7	215
No. of discharges	113,078	100.0	100.0	100.0	100.0	100.0	172
Pregnant (female only)							
Yes	2,772	3.6	4.1	6.0	5.7	5.5	233
No	54,411	96.4	95.9	94.0	94.3	94.5	157
No. of discharges	57,183	100.0	100.0	100.0	100.0	100.0	160
Veteran[1]							
Yes	2,842	2.3	1.9	2.3	2.1	2.7	211
No	128,082	97.7	98.1	97.7	97.9	97.3	177
No. of discharges	130,924	100.0	100.0	100.0	100.0	100.0	178

Continued. See notes at end of table.

Table 16.6b. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	5,979	3.1	4.5	4.9	5.0	5.7	192
Grades 9 to 11	25,328	16.6	18.7	20.7	22.0	20.4	187
Grade 12 (or GED)	66,147	54.0	51.1	50.3	49.0	52.2	162
1–3 years of college, university, or vocational school	26,114	20.8	21.3	19.8	19.3	17.2	227
4 years of college, university, or BA/BS	4,509	4.2	3.2	3.4	3.7	3.7	198
Some postgraduate study or more	1,345	1.3	1.2	0.9	0.9	0.8	213
No. of discharges	129,422	100.0	100.0	100.0	100.0	100.0	183
Source of income support[1]							
Wages/salary	22,385	43.0	23.5	23.8	28.8	23.3	109
Public assistance	10,105	9.2	13.7	13.9	13.3	10.5	161
Retirement/pension	589	1.1	0.5	0.5	0.9	0.9	100
Disability	6,130	7.3	8.6	6.7	6.2	9.9	127
Other	17,219	18.2	17.9	24.4	22.3	22.7	184
None	24,309	21.2	35.8	30.7	28.6	32.6	125
No. of discharges	80,737	100.0	100.0	100.0	100.0	100.0	129

Continued. See notes at end of table.

Table 16.6b. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	12,432	6.4	9.4	11.0	9.3	8.4	134
Dependent living	17,243	13.6	12.3	13.5	13.2	15.0	148
Independent living	101,000	80.1	78.3	75.6	77.5	76.5	192
No. of discharges	130,675	100.0	100.0	100.0	100.0	100.0	183
Primary substance							
Alcohol	6,892	5.6	4.8	4.2	6.7	4.4	149
Opiates	113,444	55.9	80.5	89.3	82.1	86.1	216
Marijuana/hashish	2,589	1.5	2.7	1.0	2.7	1.6	148
Cocaine	2,887	1.8	1.9	2.0	3.1	2.2	144
Stimulants	4,706	1.9	6.1	1.6	3.1	2.5	128
Other/none specified[2]	11,932	33.3	4.0	1.8	2.3	3.1	78
No. of discharges	142,450	100.0	100.0	100.0	100.0	100.0	151
Secondary or tertiary substance							
Alcohol	5,282	3.0	4.4	3.4	3.3	3.8	206
Opiates	13,206	7.4	11.0	8.2	10.0	10.0	209
Marijuana/hashish	15,823	8.1	12.3	10.9	15.2	10.8	221
Cocaine	26,248	13.1	15.8	21.4	25.0	23.2	184
Stimulants	18,064	6.8	14.8	14.5	12.8	9.8	179
Other/none specified[2]	63,827	61.6	41.7	41.5	33.6	42.4	124
No. of discharges	142,450	100.0	100.0	100.0	100.0	100.0	151

Continued. See notes at end of table.

Table 16.6b. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	31,017	30.2	21.5	22.8	27.1	22.4	198
Full-time	20,477	21.1	13.3	15.4	18.4	15.0	197
Part-time	10,540	9.1	8.2	7.4	8.7	7.4	200
Unemployed	58,723	34.3	55.9	39.0	42.5	38.0	149
Not in labor force	42,251	35.5	22.7	38.2	30.4	39.5	188
No. of discharges	131,991	100.0	100.0	100.0	100.0	100.0	179
Detailed not in labor force[1]							
Homemaker	1,792	2.9	13.8	2.4	3.2	3.1	220
Student	594	1.2	4.3	1.0	1.0	0.8	260
Retired	973	2.7	3.9	2.2	2.4	3.8	242
Disabled	9,588	20.8	30.1	28.8	33.3	33.2	247
Inmate of institution	2,025	6.0	11.6	2.2	5.3	7.7	93
Other	18,398	66.5	36.5	63.4	54.8	51.4	182
No. of discharges	33,370	100.0	100.0	100.0	100.0	100.0	185

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.6c. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All outpatient medication-assisted opioid therapy discharges	142,450							151
Marital status								
Never married	74,117	16.3	33.3	32.8	7.3	10.3	100.0	159
Now married	16,048	15.4	34.9	31.3	7.8	10.6	100.0	225
Separated	7,113	10.2	43.9	28.2	6.8	11.0	100.0	188
Divorced	13,283	11.8	41.7	29.8	6.6	10.2	100.0	188
Widowed	2,517	11.9	35.0	33.3	7.2	12.7	100.0	215
No. of discharges	113,078	15.2	35.2	31.9	7.3	10.4	100.0	172
Pregnant (female only)								
Yes	2,772	13.7	30.2	39.7	6.6	9.8	100.0	233
No	54,411	18.4	35.8	31.6	5.6	8.5	100.0	157
No. of discharges	57,183	18.2	35.6	32.0	5.6	8.6	100.0	160
Veteran[1]								
Yes	2,842	13.8	30.9	37.5	6.1	11.8	100.0	211
No	128,082	13.0	35.3	36.0	6.3	9.5	100.0	177
No. of discharges	130,924	13.0	35.2	36.0	6.3	9.5	100.0	178

Continued. See notes at end of table.

Table 16.6c. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	5,979	8.1	34.1	38.9	6.9	12.1	100.0	192
Grades 9 to 11	25,328	10.2	33.6	38.9	7.2	10.1	100.0	187
Grade 12 (or GED)	66,147	12.7	35.1	36.2	6.1	9.9	100.0	162
1–3 years of college, university, or vocational school	26,114	12.4	37.1	36.2	6.1	8.3	100.0	227
4 years of college, university, or BA/BS	4,509	14.4	32.6	35.9	6.8	10.3	100.0	198
Some postgraduate study or more	1,345	14.9	39.6	32.4	5.8	7.4	100.0	213
No. of discharges	129,422	12.0	35.1	36.8	6.4	9.7	100.0	183
Source of income support[1]								
Wages/salary	22,385	29.2	19.5	31.4	9.2	10.7	100.0	109
Public assistance	10,105	13.9	25.3	40.7	9.5	10.7	100.0	161
Retirement/pension	589	29.4	16.6	27.0	11.0	16.0	100.0	100
Disability	6,130	18.0	26.0	32.3	7.3	16.5	100.0	127
Other	17,219	16.1	19.3	41.8	9.3	13.5	100.0	184
None	24,309	13.2	27.3	37.2	8.5	13.7	100.0	125
No. of discharges	80,737	18.8	23.0	36.6	8.9	12.7	100.0	129

Continued. See notes at end of table.

Table 16.6c. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Living arrangements								
Homeless	12,432	8.0	35.1	42.2	6.2	8.5	100.0	134
Dependent living	17,243	12.3	33.0	37.3	6.4	11.0	100.0	148
Independent living	101,000	12.4	36.0	35.7	6.4	9.6	100.0	192
No. of discharges	130,675	11.9	35.5	36.6	6.4	9.7	100.0	183
Primary substance								
Alcohol	6,892	20.9	32.8	29.7	8.2	8.4	100.0	149
Opiates	113,444	12.7	33.3	38.0	6.1	9.9	100.0	216
Marijuana/hashish	2,589	14.9	49.7	18.4	8.8	8.1	100.0	148
Cocaine	2,887	16.1	30.7	34.2	9.0	10.1	100.0	144
Stimulants	4,706	10.5	60.6	16.2	5.6	7.1	100.0	128
Other/none specified[2]	11,932	71.9	15.7	7.4	1.6	3.4	100.0	78
No. of discharges	142,450	18.1	32.9	33.9	5.9	9.2	100.0	151
Secondary or tertiary substance								
Alcohol	5,282	14.8	39.1	31.4	5.3	9.4	100.0	206
Opiates	13,206	14.3	39.2	30.1	6.4	9.9	100.0	209
Marijuana/hashish	15,823	13.1	36.5	33.4	8.1	8.9	100.0	221
Cocaine	26,248	12.8	28.2	39.4	8.0	11.5	100.0	184
Stimulants	18,064	9.7	38.5	38.8	6.0	7.1	100.0	179
Other/none specified[2]	63,827	24.9	30.6	31.4	4.4	8.7	100.0	124
No. of discharges	142,450	18.1	32.9	33.9	5.9	9.2	100.0	151

Continued. See notes at end of table.

Table 16.6c. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Employment status[1]								
Employed	31,017	16.5	32.2	35.0	7.2	9.1	100.0	198
Full-time	20,477	17.4	30.2	35.7	7.4	9.3	100.0	197
Part-time	10,540	14.6	36.1	33.6	6.8	8.9	100.0	200
Unemployed	58,723	9.9	44.3	31.7	6.0	8.2	100.0	149
Not in labor force	42,251	14.3	25.0	43.0	5.9	11.8	100.0	188
No. of discharges	131,991	12.8	35.3	36.1	6.3	9.6	100.0	179
Detailed not in labor force[1]								
Homemaker	1,792	8.8	61.7	17.2	4.4	7.8	100.0	220
Student	594	10.9	57.7	20.9	4.0	6.4	100.0	260
Retired	973	15.2	31.9	28.8	6.2	18.0	100.0	242
Disabled	9,588	12.0	25.2	38.5	8.6	15.8	100.0	247
Inmate of institution	2,025	16.2	45.9	14.1	6.4	17.3	100.0	93
Other	18,398	19.9	15.9	44.1	7.3	12.7	100.0	182
No. of discharges	33,370	16.5	24.1	38.4	7.4	13.7	100.0	185

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.7a. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient medication-assisted opioid therapy discharges	142,450	25,733	46,920	48,307	8,422	13,068	151
Living arrangements							
Homeless	10,233	663	4,293	3,758	742	777	112
Dependent living	13,504	1,839	5,708	3,195	935	1,827	114
Independent living	93,506	13,231	36,233	29,207	6,315	8,520	198
No. of discharges	117,243	15,733	46,234	36,160	7,992	11,124	184
Primary substance							
Alcohol	6,664	1,341	2,237	1,971	552	563	154
Opiates	102,913	11,686	35,654	39,506	6,521	9,546	189
Marijuana/hashish	2,717	451	1,284	507	224	251	123
Cocaine	3,332	464	908	1,240	296	424	181
Stimulants	4,930	594	2,812	874	280	370	101
Other/none specified[1]	21,894	11,197	4,025	4,209	549	1,914	120
No. of discharges	142,450	25,733	46,920	48,307	8,422	13,068	151
Secondary or tertiary substance							
Alcohol	5,561	879	2,657	1,307	280	438	156
Opiates	12,267	1,674	5,446	3,227	785	1,135	184
Marijuana/hashish	14,587	1,832	5,897	4,434	1,215	1,209	204
Cocaine	24,303	2,708	7,599	9,285	2,124	2,587	205
Stimulants	15,237	1,916	7,004	4,099	1,081	1,137	108
Other/none specified[1]	70,495	16,724	18,317	25,955	2,937	6,562	141
No. of discharges	142,450	25,733	46,920	48,307	8,422	13,068	151

Continued. See notes at end of table.

Table 16.7a. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	31,626	7,079	10,137	9,157	2,383	2,870	200
Full-time	21,180	5,122	6,286	6,287	1,612	1,873	211
Part-time	10,446	1,957	3,851	2,870	771	997	182
Unemployed	50,684	5,080	25,365	13,304	3,207	3,728	127
Not in labor force	37,683	6,341	10,859	12,667	2,453	5,363	135
No. of discharges	119,993	18,500	46,361	35,128	8,043	11,961	158
Detailed not in labor force[2]							
Homemaker	1,961	228	1,120	367	81	165	252
Student	629	134	340	103	20	32	162
Retired	983	179	315	263	62	164	329
Disabled	9,360	1,170	2,500	3,380	735	1,575	256
Inmate of institution	2,335	289	958	192	108	788	100
Other	18,927	3,869	2,984	8,123	1,418	2,533	100
No. of discharges	34,195	5,869	8,217	12,428	2,424	5,257	131

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.7b. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All outpatient medication-assisted opioid therapy discharges	142,450						151
Living arrangements							
Homeless	10,233	4.2	9.3	10.4	9.3	7.0	112
Dependent living	13,504	11.7	12.3	8.8	11.7	16.4	114
Independent living	93,506	84.1	78.4	80.8	79.0	76.6	198
No. of discharges	117,243	100.0	100.0	100.0	100.0	100.0	184
Primary substance							
Alcohol	6,664	5.2	4.8	4.1	6.6	4.3	154
Opiates	102,913	45.4	76.0	81.8	77.4	73.0	189
Marijuana/hashish	2,717	1.8	2.7	1.0	2.7	1.9	123
Cocaine	3,332	1.8	1.9	2.6	3.5	3.2	181
Stimulants	4,930	2.3	6.0	1.8	3.3	2.8	101
Other/none specified[1]	21,894	43.5	8.6	8.7	6.5	14.6	120
No. of discharges	142,450	100.0	100.0	100.0	100.0	100.0	151
Secondary or tertiary substance							
Alcohol	5,561	3.4	5.7	2.7	3.3	3.4	156
Opiates	12,267	6.5	11.6	6.7	9.3	8.7	184
Marijuana/hashish	14,587	7.1	12.6	9.2	14.4	9.3	204
Cocaine	24,303	10.5	16.2	19.2	25.2	19.8	205
Stimulants	15,237	7.4	14.9	8.5	12.8	8.7	108
Other/none specified[1]	70,495	65.0	39.0	53.7	34.9	50.2	141
No. of discharges	142,450	100.0	100.0	100.0	100.0	100.0	151

Continued. See notes at end of table.

Table 16.7b. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	31,626	38.3	21.9	26.1	29.6	24.0	200
Full-time	21,180	27.7	13.6	17.9	20.0	15.7	211
Part-time	10,446	10.6	8.3	8.2	9.6	8.3	182
Unemployed	50,684	27.5	54.7	37.9	39.9	31.2	127
Not in labor force	37,683	34.3	23.4	36.1	30.5	44.8	135
No. of discharges	119,993	100.0	100.0	100.0	100.0	100.0	158
Detailed not in labor force[2]							
Homemaker	1,961	3.9	13.6	3.0	3.3	3.1	252
Student	629	2.3	4.1	0.8	0.8	0.6	162
Retired	983	3.0	3.8	2.1	2.6	3.1	329
Disabled	9,360	19.9	30.4	27.2	30.3	30.0	256
Inmate of institution	2,335	4.9	11.7	1.5	4.5	15.0	100
Other	18,927	65.9	36.3	65.4	58.5	48.2	100
No. of discharges	34,195	100.0	100.0	100.0	100.0	100.0	131

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 16.7c. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All outpatient medication-assisted opioid therapy discharges	142,450							151
Living arrangements								
Homeless	10,233	6.5	42.0	36.7	7.3	7.6	100.0	112
Dependent living	13,504	13.6	42.3	23.7	6.9	13.5	100.0	114
Independent living	93,506	14.1	38.7	31.2	6.8	9.1	100.0	198
No. of discharges	117,243	13.4	39.4	30.8	6.8	9.5	100.0	184
Primary substance								
Alcohol	6,664	20.1	33.6	29.6	8.3	8.4	100.0	154
Opiates	102,913	11.4	34.6	38.4	6.3	9.3	100.0	189
Marijuana/hashish	2,717	16.6	47.3	18.7	8.2	9.2	100.0	123
Cocaine	3,332	13.9	27.3	37.2	8.9	12.7	100.0	181
Stimulants	4,930	12.0	57.0	17.7	5.7	7.5	100.0	101
Other/none specified[1]	21,894	51.1	18.4	19.2	2.5	8.7	100.0	120
No. of discharges	142,450	18.1	32.9	33.9	5.9	9.2	100.0	151
Secondary or tertiary substance								
Alcohol	5,561	15.8	47.8	23.5	5.0	7.9	100.0	156
Opiates	12,267	13.6	44.4	26.3	6.4	9.3	100.0	184
Marijuana/hashish	14,587	12.6	40.4	30.4	8.3	8.3	100.0	204
Cocaine	24,303	11.1	31.3	38.2	8.7	10.6	100.0	205
Stimulants	15,237	12.6	46.0	26.9	7.1	7.5	100.0	108
Other/none specified[1]	70,495	23.7	26.0	36.8	4.2	9.3	100.0	141
No. of discharges	142,450	18.1	32.9	33.9	5.9	9.2	100.0	151

Continued. See notes at end of table.

Table 16.7c. Outpatient medication-assisted opioid therapy discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Employment status[2]								
Employed	31,626	22.4	32.1	29.0	7.5	9.1	100.0	200
Full-time	21,180	24.2	29.7	29.7	7.6	8.8	100.0	211
Part-time	10,446	18.7	36.9	27.5	7.4	9.5	100.0	182
Unemployed	50,684	10.0	50.0	26.2	6.3	7.4	100.0	127
Not in labor force	37,683	16.8	28.8	33.6	6.5	14.2	100.0	135
No. of discharges	119,993	15.4	38.6	29.3	6.7	10.0	100.0	158
Detailed not in labor force[2]								
Homemaker	1,961	11.6	57.1	18.7	4.1	8.4	100.0	252
Student	629	21.3	54.1	16.4	3.2	5.1	100.0	162
Retired	983	18.2	32.0	26.8	6.3	16.7	100.0	329
Disabled	9,360	12.5	26.7	36.1	7.9	16.8	100.0	256
Inmate of institution	2,335	12.4	41.0	8.2	4.6	33.7	100.0	100
Other	18,927	20.4	15.8	42.9	7.5	13.4	100.0	100
No. of discharges	34,195	17.2	24.0	36.3	7.1	15.4	100.0	131

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 43 states and jurisdictions that offered outpatient medication-assisted opioid therapy and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.1. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge and state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Reason for discharge (number)						Reason for discharge (row percent distribution)					
	All medication-assisted opioid detoxification discharges	Com-pleted	Trans-ferred	Dropped out	Termi-nated	Other	Total	Com-pleted	Trans-ferred	Dropped out	Termi-nated	Other
Total	15,014	6,638	3,465	4,099	400	412	100.0	44.2	23.1	27.3	2.7	2.7
Alabama	2	1	1	- -	- -	- -	100.0	50.0	50.0	- -	- -	- -
Alaska	35	19	1	11	3	1	100.0	54.3	2.9	31.4	8.6	2.9
Arizona	127	126	1	- -	- -	- -	100.0	99.2	0.8	- -	- -	- -
Arkansas	3	- -	1	2	- -	- -	100.0	- -	33.3	66.7	- -	- -
California	410	91	168	147	1	3	100.0	22.2	41.0	35.9	0.2	0.7
Colorado	16	3	3	5	3	2	100.0	18.8	18.8	31.3	18.8	12.5
Connecticut	20	4	4	7	1	4	100.0	20.0	20.0	35.0	5.0	20.0
Delaware	2	1	- -	1	- -	- -	100.0	50.0	- -	50.0	- -	- -
District of Columbia	23	14	6	- -	- -	3	100.0	60.9	26.1	- -	- -	13.0
Georgia	260	21	5	197	20	17	100.0	8.1	1.9	75.8	7.7	6.5
Hawaii	1	- -	- -	- -	1	- -	100.0	- -	- -	- -	100.0	- -
Illinois	65	17	44	2	2	- -	100.0	26.2	67.7	3.1	3.1	- -
Indiana	14	4	- -	8	1	1	100.0	28.6	- -	57.1	7.1	7.1
Iowa	22	14	- -	5	- -	3	100.0	63.6	- -	22.7	- -	13.6
Kansas	16	15	- -	1	- -	- -	100.0	93.8	- -	6.3	- -	- -
Kentucky	46	4	28	11	1	2	100.0	8.7	60.9	23.9	2.2	4.3
Louisiana	3	1	1	1	- -	- -	100.0	33.3	33.3	33.3	- -	- -
Maine	212	143	4	62	3	- -	100.0	67.5	1.9	29.2	1.4	- -
Massachusetts	4,786	3,047	99	1,317	165	158	100.0	63.7	2.1	27.5	3.4	3.3
Michigan	4,466	501	2,505	1,312	79	69	100.0	11.2	56.1	29.4	1.8	1.5
Mississippi	4	1	2	- -	1	- -	100.0	25.0	50.0	- -	25.0	- -
Missouri	471	53	367	45	3	3	100.0	11.3	77.9	9.6	0.6	0.6
Nebraska	57	11	13	27	- -	6	100.0	19.3	22.8	47.4	- -	10.5
Nevada	6	- -	3	3	- -	- -	100.0	- -	50.0	50.0	- -	- -
New Jersey	2,732	2,019	44	563	71	35	100.0	73.9	1.6	20.6	2.6	1.3
New York	74	20	20	18	7	9	100.0	27.0	27.0	24.3	9.5	12.2
North Carolina	46	16	8	10	3	9	100.0	34.8	17.4	21.7	6.5	19.6
North Dakota	3	1	- -	2	- -	- -	100.0	33.3	- -	66.7	- -	- -
Ohio	198	35	19	123	8	13	100.0	17.7	9.6	62.1	4.0	6.6
Pennsylvania	499	327	5	94	6	67	100.0	65.5	1.0	18.8	1.2	13.4
Puerto Rico	1	- -	- -	1	- -	- -	100.0	- -	- -	100.0	- -	- -
Rhode Island	61	- -	33	24	2	2	100.0	- -	54.1	39.3	3.3	3.3
South Carolina	198	101	4	77	12	4	100.0	51.0	2.0	38.9	6.1	2.0
South Dakota	5	2	3	- -	- -	- -	100.0	40.0	60.0	- -	- -	- -
Tennessee	2	- -	- -	2	- -	- -	100.0	- -	- -	100.0	- -	- -
Texas	8	2	2	2	2	- -	100.0	25.0	25.0	25.0	25.0	- -
Vermont	119	23	71	19	5	1	100.0	19.3	59.7	16.0	4.2	0.8
Wyoming	1	1	- -	- -	- -	- -	100.0	100.0	- -	- -	- -	- -

- - Quantity is zero.

NOTES: Based on linked admission and discharge data reported to TEDS by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. Comparisons among states should be made with caution. Percentages may not add to 100 percent due to rounding. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Admissions for which values were not collected or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.2a. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All medication-assisted opioid detoxification discharges	15,014	6,638	3,465	4,099	400	412	7
Gender							
Male	10,661	4,874	2,307	2,905	284	291	7
Female	4,342	1,757	1,158	1,190	116	121	7
No. of discharges	15,003	6,631	3,465	4,095	400	412	7
Age at admission							
12 years	1	1	- -	- -	- -	- -	14
13 years	- -	- -	- -	- -	- -	- -	‡
14 years	- -	- -	- -	- -	- -	- -	‡
15 years	- -	- -	- -	- -	- -	- -	‡
16 years	1	- -	- -	1	- -	- -	‡
17 years	5	4	- -	1	- -	- -	19
18 years	21	12	5	3	- -	1	9
19 years	50	27	6	12	3	2	7
20 years	70	41	6	16	4	3	9
21 to 24 years	854	385	171	247	37	14	7
25 to 29 years	2,682	1,157	564	816	66	79	7
30 to 34 years	3,336	1,411	781	965	95	84	7
35 to 39 years	2,690	1,178	588	769	73	82	7
40 to 44 years	1,714	758	421	444	46	45	7
45 to 49 years	1,167	592	221	297	28	29	7
50 to 54 years	1,023	508	237	218	29	31	7
55 to 59 years	745	318	217	182	9	19	7
60 to 64 years	465	176	168	98	9	14	6
65 to 69 years	156	56	67	25	1	7	5
70 to 74 years	30	11	12	5	- -	2	4
75 years and older	4	3	1	- -	- -	- -	7
No. of discharges	15,014	6,638	3,465	4,099	400	412	7

Continued. See notes at end of table.

Table 17.2a. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	67	34	17	12	4	- -	7
Asian[1]	66	36	13	15	1	1	7
Black or African American	2,025	755	708	475	46	41	6
White	11,501	5,163	2,507	3,194	311	326	7
Other	1,127	508	208	344	30	37	9
Native Hawaiian or Other Pacific Islander	29	12	8	9	- -	- -	8
No. of discharges	14,815	6,508	3,461	4,049	392	405	7
Ethnicity							
Not of Hispanic or Latino origin	1,367	699	168	416	42	42	8
Hispanic or Latino origin	13,384	5,824	3,260	3,583	353	364	7
No. of discharges	14,751	6,523	3,428	3,999	395	406	7
Marital status							
Never married	10,632	4,820	2,265	2,944	303	300	7
Now married	1,269	570	255	360	45	39	6
Separated	599	247	177	142	12	21	6
Divorced	1,405	590	396	359	20	40	7
Widowed	296	118	97	66	7	8	7
No. of discharges	14,201	6,345	3,190	3,871	387	408	7
Pregnant (female only)							
Yes	114	20	44	43	4	3	9
No	4,176	1,723	1,104	1,122	110	117	7
No. of discharges	4,290	1,743	1,148	1,165	114	120	7
No. of prior treatment episodes							
None	2,003	830	514	535	43	81	6
1 or more	12,333	5,762	2,636	3,280	342	313	7
No. of discharges	14,336	6,592	3,150	3,815	385	394	7

Continued. See notes at end of table.

Table 17.2a. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Treatment referral source							
Self or individual	11,278	4,362	3,085	3,271	279	281	7
Criminal justice/DUI	187	116	32	26	9	4	5
Other community referral	631	410	63	132	11	15	6
Substance use care provider	2,021	1,203	194	478	70	76	13
Other health care provider	693	396	78	158	28	33	7
School (educational)	5	1	2	2	- -	- -	17
Employer/EAP	5	1	2	2	- -	- -	32
No. of discharges	14,820	6,489	3,456	4,069	397	409	7
Usual route of administration							
Oral	3,858	2,004	662	946	120	126	7
Smoking	627	293	137	160	21	16	10
Inhalation	3,686	1,574	1,095	868	80	69	7
Injection	6,504	2,523	1,550	2,073	175	183	7
Other	183	113	18	33	3	16	5
No. of discharges	14,858	6,507	3,462	4,080	399	410	26
Expected or actual source of payment[2]							
Self-pay	174	104	8	51	6	5	6
Private insurance	821	657	31	95	25	13	6
Medicare	21	11	8	2	- -	- -	6
Medicaid	2,207	1,350	243	537	50	27	5
Other government payments	825	517	33	200	9	66	5
Workers' compensation	- -	- -	- -	- -	- -	- -	‡
No charge	300	42	229	25	4	- -	5
Other	71	37	9	19	2	4	7
No. of discharges	4,419	2,718	561	929	96	115	28
Type of health insurance							
Private insurance	930	720	30	127	31	22	6
Medicare	188	110	7	61	5	5	7
Medicaid	6,434	4,065	264	1,729	208	168	8
HMO	36	22	- -	13	- -	1	8
Other	281	174	13	71	7	16	7
None	1,473	761	258	347	34	73	5
No. of discharges	9,342	5,852	572	2,348	285	285	28

Continued. See notes at end of table.

Table 17.2a. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Arrests in past 30 days							
None	14,262	6,213	3,314	3,962	378	395	7
Once	555	276	132	113	19	15	8
2 or more times	72	39	18	12	3	- -	12
No. of discharges	14,889	6,528	3,464	4,087	400	410	26
Frequency of use							
No use in the past month	265	86	46	96	15	22	12
Some use	1,063	343	378	276	34	32	8
Daily use	13,481	6,047	3,037	3,695	349	353	7
No. of discharges	14,809	6,476	3,461	4,067	398	407	26
Self-help programs attended in past 30 days							
No attendance in the past month	11,752	4,723	3,169	3,256	312	292	7
At least 1 time in the past month	1,576	853	270	354	51	48	10
1–3 times in the past month	421	184	92	115	16	14	9
4–7 times in the past month	323	163	80	74	5	1	11
8–30 times in the past month	624	360	98	124	25	17	14
Some attendance, but frequency unknown	208	146	- -	41	5	16	6
No. of discharges	13,328	5,576	3,439	3,610	363	340	27

- - Quantity is zero; ‡ No discharges were reported.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.2b. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All medication-assisted opioid detoxification discharges	15,014						7
Gender							
Male	10,661	73.5	66.6	70.9	71.0	70.6	7
Female	4,342	26.5	33.4	29.1	29.0	29.4	7
No. of discharges	15,003	100.0	100.0	100.0	100.0	100.0	7
Age at admission							
12 years	1	- -	- -	- -	- -	- -	14
13 years	- -	- -	- -	- -	- -	- -	‡
14 years	- -	- -	- -	- -	- -	- -	‡
15 years	- -	- -	- -	- -	- -	- -	‡
16 years	1	- -	- -	- -	- -	- -	‡
17 years	5	0.1	- -	*	- -	- -	19
18 years	21	0.2	0.1	0.1	- -	0.2	9
19 years	50	0.4	0.2	0.3	0.8	0.5	7
20 years	70	0.6	0.2	0.4	1.0	0.7	9
21 to 24 years	854	5.8	4.9	6.0	9.3	3.4	7
25 to 29 years	2,682	17.4	16.3	19.9	16.5	19.2	7
30 to 34 years	3,336	21.3	22.5	23.5	23.8	20.4	7
35 to 39 years	2,690	17.7	17.0	18.8	18.3	19.9	7
40 to 44 years	1,714	11.4	12.2	10.8	11.5	10.9	7
45 to 49 years	1,167	8.9	6.4	7.2	7.0	7.0	7
50 to 54 years	1,023	7.7	6.8	5.3	7.3	7.5	7
55 to 59 years	745	4.8	6.3	4.4	2.3	4.6	7
60 to 64 years	465	2.7	4.8	2.4	2.3	3.4	6
65 to 69 years	156	0.8	1.9	0.6	0.3	1.7	5
70 to 74 years	30	0.2	0.3	0.1	- -	0.5	4
75 years and older	4	*	*	- -	- -	- -	7
No. of discharges	15,014	100.0	100.0	100.0	100.0	100.0	7

Continued. See notes at end of table.

Table 17.2b. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Race							
American Indian or Alaska Native	67	0.5	0.5	0.3	1.0	- -	7
Asian[1]	66	0.6	0.4	0.4	0.3	0.2	7
Black or African American	2,025	11.6	20.5	11.7	11.7	10.1	6
White	11,501	79.3	72.4	78.9	79.3	80.5	7
Other	1,127	7.8	6.0	8.5	7.7	9.1	9
Native Hawaiian or Other Pacific Islander	29	0.2	0.2	0.2	- -	- -	8
No. of discharges	14,815	100.0	100.0	100.0	100.0	100.0	7
Ethnicity							
Not of Hispanic or Latino origin	1,367	10.7	4.9	10.4	10.6	10.3	8
Hispanic or Latino origin	13,384	89.3	95.1	89.6	89.4	89.7	7
No. of discharges	14,751	100.0	100.0	100.0	100.0	100.0	7
Marital status							
Never married	10,632	76.0	71.0	76.1	78.3	73.5	7
Now married	1,269	9.0	8.0	9.3	11.6	9.6	6
Separated	599	3.9	5.5	3.7	3.1	5.1	6
Divorced	1,405	9.3	12.4	9.3	5.2	9.8	7
Widowed	296	1.9	3.0	1.7	1.8	2.0	7
No. of discharges	14,201	100.0	100.0	100.0	100.0	100.0	7
Pregnant (female only)							
Yes	114	1.1	3.8	3.7	3.5	2.5	9
No	4,176	98.9	96.2	96.3	96.5	97.5	7
No. of discharges	4,290	100.0	100.0	100.0	100.0	100.0	7
No. of prior treatment episodes							
None	2,003	12.6	16.3	14.0	11.2	20.6	6
1 or more	12,333	87.4	83.7	86.0	88.8	79.4	7
No. of discharges	14,336	100.0	100.0	100.0	100.0	100.0	7

Continued. See notes at end of table.

Table 17.2b. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Treatment referral source							
Self or individual	11,278	67.2	89.3	80.4	70.3	68.7	7
Criminal justice/DUI	187	1.8	0.9	0.6	2.3	1.0	5
Other community referral	631	6.3	1.8	3.2	2.8	3.7	6
Substance use care provider	2,021	18.5	5.6	11.7	17.6	18.6	13
Other health care provider	693	6.1	2.3	3.9	7.1	8.1	7
School (educational)	5	*	- -	*	- -	- -	17
Employer/EAP	5	*	0.1	*	- -	- -	32
No. of discharges	14,820	100.0	99.9	100.0	100.0	100.0	7
Usual route of administration							
Oral	3,858	30.8	19.1	23.2	30.1	30.7	7
Smoking	627	4.5	4.0	3.9	5.3	3.9	10
Inhalation	3,686	24.2	31.6	21.3	20.1	16.8	7
Injection	6,504	38.8	44.8	50.8	43.9	44.6	7
Other	183	1.7	0.5	0.8	0.8	3.9	5
No. of discharges	14,858	100.0	100.0	100.0	100.0	100.0	26
Expected or actual source of payment[2]							
Self-pay	174	3.8	1.4	5.5	6.3	4.3	6
Private insurance	821	24.2	5.5	10.2	26.0	11.3	6
Medicare	21	0.4	1.4	0.2	- -	- -	6
Medicaid	2,207	49.7	43.3	57.8	52.1	23.5	5
Other government payments	825	19.0	5.9	21.5	9.4	57.4	5
Workers' compensation	- -	- -	- -	- -	- -	- -	‡
No charge	300	1.5	40.8	2.7	4.2	- -	5
Other	71	1.4	1.6	2.0	2.1	3.5	7
No. of discharges	4,419	100.0	100.0	100.0	100.0	100.0	28
Type of health insurance							
Private insurance	930	12.3	5.2	5.4	10.9	7.7	6
Medicare	188	1.9	1.2	2.6	1.8	1.8	7
Medicaid	6,434	69.5	46.2	73.6	73.0	58.9	8
HMO	36	0.4	- -	0.6	- -	0.4	8
Other	281	3.0	2.3	3.0	2.5	5.6	7
None	1,473	13.0	45.1	14.8	11.9	25.6	5
No. of discharges	9,342	100.0	100.0	100.0	100.0	100.0	28

Continued. See notes at end of table.

Table 17.2b. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Arrests in past 30 days							
None	14,262	95.2	95.7	96.9	94.5	96.3	7
Once	555	4.2	3.8	2.8	4.8	3.7	8
2 or more times	72	0.6	0.5	0.3	0.8	- -	12
No. of discharges	14,889	100.0	100.0	100.0	100.0	100.0	26
Frequency of use							
No use in the past month	265	1.3	1.3	2.4	3.8	5.4	12
Some use	1,063	5.3	10.9	6.8	8.5	7.9	8
Daily use	13,481	93.4	87.7	90.9	87.7	86.7	7
No. of discharges	14,809	100.0	100.0	100.0	100.0	100.0	26
Self-help programs attended in past 30 days							
No attendance in the past month	11,752	84.7	92.1	90.2	86.0	85.9	7
At least 1 time in the past month	1,576	15.3	7.9	9.8	14.0	14.1	10
1–3 times in the past month	421	3.3	2.7	3.2	4.4	4.1	9
4–7 times in the past month	323	2.9	2.3	2.0	1.4	0.3	11
8–30 times in the past month	624	6.5	2.8	3.4	6.9	5.0	14
Some attendance, but frequency unknown	208	2.6	- -	1.1	1.4	4.7	6
No. of discharges	13,328	100.0	100.0	100.0	100.0	100.0	27

- - Quantity is zero; * Less than 0.05 percent; ‡ No discharges were reported.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.2c. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All medication-assisted opioid detoxification discharges	15,014							7
Gender								
Male	10,661	45.7	21.6	27.2	2.7	2.7	100.0	7
Female	4,342	40.5	26.7	27.4	2.7	2.8	100.0	7
No. of discharges	15,003	44.2	23.1	27.3	2.7	2.7	100.0	7
Age at admission								
12 years	1	100.0	- -	- -	- -	- -	100.0	14
13 years	- -	- -	- -	- -	- -	- -	- -	‡
14 years	- -	- -	- -	- -	- -	- -	- -	‡
15 years	- -	- -	- -	- -	- -	- -	- -	‡
16 years	1	- -	- -	- -	- -	- -	- -	‡
17 years	5	80.0	- -	20.0	- -	- -	100.0	19
18 years	21	57.1	23.8	14.3	- -	4.8	100.0	9
19 years	50	54.0	12.0	24.0	6.0	4.0	100.0	7
20 years	70	58.6	8.6	22.9	5.7	4.3	100.0	9
21 to 24 years	854	45.1	20.0	28.9	4.3	1.6	100.0	7
25 to 29 years	2,682	43.1	21.0	30.4	2.5	2.9	100.0	7
30 to 34 years	3,336	42.3	23.4	28.9	2.8	2.5	100.0	7
35 to 39 years	2,690	43.8	21.9	28.6	2.7	3.0	100.0	7
40 to 44 years	1,714	44.2	24.6	25.9	2.7	2.6	100.0	7
45 to 49 years	1,167	50.7	18.9	25.4	2.4	2.5	100.0	7
50 to 54 years	1,023	49.7	23.2	21.3	2.8	3.0	100.0	7
55 to 59 years	745	42.7	29.1	24.4	1.2	2.6	100.0	7
60 to 64 years	465	37.8	36.1	21.1	1.9	3.0	100.0	6
65 to 69 years	156	35.9	42.9	16.0	0.6	4.5	100.0	5
70 to 74 years	30	36.7	40.0	16.7	- -	6.7	100.0	4
75 years and older	4	75.0	25.0	- -	- -	- -	100.0	7
No. of discharges	15,014	44.2	23.1	27.3	2.7	2.7	100.0	7

Continued. See notes at end of table.

Table 17.2c. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Race								
American Indian or Alaska Native	67	50.7	25.4	17.9	6.0	- -	100.0	7
Asian[1]	66	54.5	19.7	22.7	1.5	1.5	100.0	7
Black or African American	2,025	37.3	35.0	23.5	2.3	2.0	100.0	6
White	11,501	44.9	21.8	27.8	2.7	2.8	100.0	7
Other	1,127	45.1	18.5	30.5	2.7	3.3	100.0	9
Native Hawaiian or Other Pacific Islander	29	41.4	27.6	31.0	- -	- -	100.0	8
No. of discharges	14,815	43.9	23.4	27.3	2.6	2.7	100.0	7
Ethnicity								
Not of Hispanic or Latino origin	1,367	51.1	12.3	30.4	3.1	3.1	100.0	8
Hispanic or Latino origin	13,384	43.5	24.4	26.8	2.6	2.7	100.0	7
No. of discharges	14,751	44.2	23.2	27.1	2.7	2.8	100.0	7
Marital status								
Never married	10,632	45.3	21.3	27.7	2.8	2.8	100.0	7
Now married	1,269	44.9	20.1	28.4	3.5	3.1	100.0	6
Separated	599	41.2	29.5	23.7	2.0	3.5	100.0	6
Divorced	1,405	42.0	28.2	25.6	1.4	2.8	100.0	7
Widowed	296	39.9	32.8	22.3	2.4	2.7	100.0	7
No. of discharges	14,201	44.7	22.5	27.3	2.7	2.9	100.0	7
Pregnant (female only)								
Yes	114	17.5	38.6	37.7	3.5	2.6	100.0	9
No	4,176	41.3	26.4	26.9	2.6	2.8	100.0	7
No. of discharges	4,290	40.6	26.8	27.2	2.7	2.8	100.0	7
No. of prior treatment episodes								
None	2,003	41.4	25.7	26.7	2.1	4.0	100.0	6
1 or more	12,333	46.7	21.4	26.6	2.8	2.5	100.0	7
No. of discharges	14,336	46.0	22.0	26.6	2.7	2.7	100.0	7

Continued. See notes at end of table.

Table 17.2c. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Treatment referral source								
Self or individual	11,278	38.7	27.4	29.0	2.5	2.5	100.0	7
Criminal justice/DUI	187	62.0	17.1	13.9	4.8	2.1	100.0	5
Other community referral	631	65.0	10.0	20.9	1.7	2.4	100.0	6
Substance use care provider	2,021	59.5	9.6	23.7	3.5	3.8	100.0	13
Other health care provider	693	57.1	11.3	22.8	4.0	4.8	100.0	7
School (educational)	5	20.0	40.0	40.0	- -	- -	100.0	17
Employer/EAP	5	20.0	40.0	40.0	- -	- -	100.0	32
No. of discharges	14,820	43.8	23.3	27.5	2.7	2.8	100.0	7
Usual route of administration								
Oral	3,858	51.9	17.2	24.5	3.1	3.3	100.0	7
Smoking	627	46.7	21.9	25.5	3.3	2.6	100.0	10
Inhalation	3,686	42.7	29.7	23.5	2.2	1.9	100.0	7
Injection	6,504	38.8	23.8	31.9	2.7	2.8	100.0	7
Other	183	61.7	9.8	18.0	1.6	8.7	100.0	5
No. of discharges	14,858	43.8	23.3	27.5	2.7	2.8	100.0	26
Expected or actual source of payment[2]								
Self-pay	174	59.8	4.6	29.3	3.4	2.9	100.0	6
Private insurance	821	80.0	3.8	11.6	3.0	1.6	100.0	6
Medicare	21	52.4	38.1	9.5	- -	- -	100.0	6
Medicaid	2,207	61.2	11.0	24.3	2.3	1.2	100.0	5
Other government payments	825	62.7	4.0	24.2	1.1	8.0	100.0	5
Workers' compensation	- -	- -	- -	- -	- -	- -	- -	‡
No charge	300	14.0	76.3	8.3	1.3	- -	100.0	5
Other	71	52.1	12.7	26.8	2.8	5.6	100.0	7
No. of discharges	4,419	61.5	12.7	21.0	2.2	2.6	100.0	28
Type of health insurance								
Private insurance	930	77.4	3.2	13.7	3.3	2.4	100.0	6
Medicare	188	58.5	3.7	32.4	2.7	2.7	100.0	7
Medicaid	6,434	63.2	4.1	26.9	3.2	2.6	100.0	8
HMO	36	61.1	- -	36.1	- -	2.8	100.0	8
Other	281	61.9	4.6	25.3	2.5	5.7	100.0	7
None	1,473	51.7	17.5	23.6	2.3	5.0	100.0	5
No. of discharges	9,342	62.6	6.1	25.1	3.1	3.1	100.0	28

Continued. See notes at end of table.

Table 17.2c. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Arrests in past 30 days								
None	14,262	43.6	23.2	27.8	2.7	2.8	100.0	7
Once	555	49.7	23.8	20.4	3.4	2.7	100.0	8
2 or more times	72	54.2	25.0	16.7	4.2	- -	100.0	12
No. of discharges	14,889	43.8	23.3	27.4	2.7	2.8	100.0	26
Frequency of use								
No use in the past month	265	32.5	17.4	36.2	5.7	8.3	100.0	12
Some use	1,063	32.3	35.6	26.0	3.2	3.0	100.0	8
Daily use	13,481	44.9	22.5	27.4	2.6	2.6	100.0	7
No. of discharges	14,809	43.7	23.4	27.5	2.7	2.7	100.0	26
Self-help programs attended in past 30 days								
No attendance in the past month	11,752	40.2	27.0	27.7	2.7	2.5	100.0	7
At least 1 time in the past month	1,576	54.1	17.1	22.5	3.2	3.0	100.0	10
1–3 times in the past month	421	43.7	21.9	27.3	3.8	3.3	100.0	9
4–7 times in the past month	323	50.5	24.8	22.9	1.5	0.3	100.0	11
8–30 times in the past month	624	57.7	15.7	19.9	4.0	2.7	100.0	14
Some attendance, but frequency unknown	208	70.2	- -	19.7	2.4	7.7	100.0	6
No. of discharges	13,328	41.8	25.8	27.1	2.7	2.6	100.0	27

- - Quantity is zero; ‡ No discharges were reported.

[1] For some states, "Asian" includes "Pacific Islanders."

[2] This information is collected at admission and may not correspond to the actual source of payment.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.3a. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All medication-assisted opioid detoxification discharges	15,014	6,638	3,465	4,099	400	412	7
Arrests in past 30 days							
None	14,054	6,320	3,370	3,590	381	393	7
Once	275	132	80	48	3	12	6
2 or more times	42	21	13	6	- -	2	6
No. of discharges	14,371	6,473	3,463	3,644	384	407	7
Frequency of use							
No use in the past month	8,676	3,392	2,369	2,439	234	242	10
Some use	818	264	287	215	28	24	5
Daily use	2,116	723	684	586	38	85	5
No. of discharges	11,610	4,379	3,340	3,240	300	351	8
Self-help programs attended in past 30 days							
No attendance in the past month	7,091	2,697	1,969	2,005	189	231	7
At least 1 time in the past month	6,303	3,183	1,459	1,385	164	112	7
1–3 times in the past month	2,253	715	747	696	56	39	5
4–7 times in the past month	919	641	63	177	25	13	7
8–30 times in the past month	2,600	1,461	644	382	72	41	11
Some attendance, but frequency unknown	531	366	5	130	11	19	7
No. of discharges	13,394	5,880	3,428	3,390	353	343	7

- - Quantity is zero.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.3b. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All medication-assisted opioid detoxification discharges	15,014						7
Arrests in past 30 days							
None	14,054	97.6	97.3	98.5	99.2	96.6	7
Once	275	2.0	2.3	1.3	0.8	2.9	6
2 or more times	42	0.3	0.4	0.2	- -	0.5	6
No. of discharges	14,371	100.0	100.0	100.0	100.0	100.0	7
Frequency of use							
No use in the past month	8,676	77.5	70.9	75.3	78.0	68.9	10
Some use	818	6.0	8.6	6.6	9.3	6.8	5
Daily use	2,116	16.5	20.5	18.1	12.7	24.2	5
No. of discharges	11,610	100.0	100.0	100.0	100.0	100.0	8
Self-help programs attended in past 30 days							
No attendance in the past month	7,091	45.9	57.4	59.1	53.5	67.3	7
At least 1 time in the past month	6,303	54.1	42.6	40.9	46.5	32.7	7
1–3 times in the past month	2,253	12.2	21.8	20.5	15.9	11.4	5
4–7 times in the past month	919	10.9	1.8	5.2	7.1	3.8	7
8–30 times in the past month	2,600	24.8	18.8	11.3	20.4	12.0	11
Some attendance, but frequency unknown	531	6.2	0.1	3.8	3.1	5.5	7
No. of discharges	13,394	100.0	100.0	100.0	100.0	100.0	7

- - Quantity is zero.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.3c. Medication-assisted opioid detoxification discharges aged 12 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All medication-assisted opioid detoxification discharges	15,014							7
Arrests in past 30 days								
None	14,054	45.0	24.0	25.5	2.7	2.8	100.0	7
Once	275	48.0	29.1	17.5	1.1	4.4	100.0	6
2 or more times	42	50.0	31.0	14.3	- -	4.8	100.0	6
No. of discharges	14,371	45.0	24.1	25.4	2.7	2.8	100.0	7
Frequency of use								
No use in the past month	8,676	39.1	27.3	28.1	2.7	2.8	100.0	10
Some use	818	32.3	35.1	26.3	3.4	2.9	100.0	5
Daily use	2,116	34.2	32.3	27.7	1.8	4.0	100.0	5
No. of discharges	11,610	37.7	28.8	27.9	2.6	3.0	100.0	8
Self-help programs attended in past 30 days								
No attendance in the past month	7,091	38.0	27.8	28.3	2.7	3.3	100.0	7
At least 1 time in the past month	6,303	50.5	23.1	22.0	2.6	1.8	100.0	7
1–3 times in the past month	2,253	31.7	33.2	30.9	2.5	1.7	100.0	5
4–7 times in the past month	919	69.7	6.9	19.3	2.7	1.4	100.0	7
8–30 times in the past month	2,600	56.2	24.8	14.7	2.8	1.6	100.0	11
Some attendance, but frequency unknown	531	68.9	0.9	24.5	2.1	3.6	100.0	7
No. of discharges	13,394	43.9	25.6	25.3	2.6	2.6	100.0	7

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.4a. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All medication-assisted opioid detoxification discharges	7	5	- -	2	- -	- -	19
Marital status							
Never married	6	4	- -	2	- -	- -	19
Now married	- -	- -	- -	- -	- -	- -	‡
Separated	- -	- -	- -	- -	- -	- -	‡
Divorced	- -	- -	- -	- -	- -	- -	‡
Widowed	- -	- -	- -	- -	- -	- -	‡
No. of discharges	6	4	- -	2	- -	- -	19
Pregnant (female only)							
Yes	- -	- -	- -	- -	- -	- -	‡
No	4	3	- -	1	- -	- -	19
No. of discharges	4	3	- -	1	- -	- -	19
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	6	4	- -	2	- -	- -	19
Grades 9 to 11	1	1	- -	- -	- -	- -	34
Grade 12 (or GED) or more	- -	- -	- -	- -	- -	- -	‡
No. of discharges	7	5	- -	2	- -	- -	19

Continued. See notes at end of table.

Table 17.4a. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	- -	- -	- -	- -	- -	- -	‡
Dependent living	1	1	- -	- -	- -	- -	34
Independent living	6	4	- -	2	- -	- -	19
No. of discharges	7	5	- -	2	- -	- -	19
Primary substance							
Alcohol	- -	- -	- -	- -	- -	- -	‡
Opiates	5	3	- -	2	- -	- -	18
Marijuana/hashish	- -	- -	- -	- -	- -	- -	‡
Cocaine	1	1	- -	- -	- -	- -	34
Stimulants	1	1	- -	- -	- -	- -	19
Other/none specified[1]	- -	- -	- -	- -	- -	- -	‡
No. of discharges	7	5	- -	2	- -	- -	19
Secondary or tertiary substance							
Alcohol	1	1	- -	- -	- -	- -	14
Opiates	2	2	- -	- -	- -	- -	27
Marijuana/hashish	1	- -	- -	1	- -	- -	- -
Cocaine	3	2	- -	1	- -	- -	19
Stimulants	- -	- -	- -	- -	- -	- -	‡
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -
No. of discharges	7	5	- -	2	- -	- -	19

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.4b. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All medication-assisted opioid detoxification discharges	7						19
Marital status							
Never married	6	100.0	- -	100.0	- -	- -	19
Now married	- -	- -	- -	- -	- -	- -	‡
Separated	- -	- -	- -	- -	- -	- -	‡
Divorced	- -	- -	- -	- -	- -	- -	‡
Widowed	- -	- -	- -	- -	- -	- -	‡
No. of discharges	6	100.0	- -	100.0	- -	- -	19
Pregnant (female only)							
Yes	- -	- -	- -	- -	- -	- -	‡
No	4	100.0	- -	100.0	- -	- -	19
No. of discharges	4	100.0	- -	100.0	- -	- -	19
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	6	80.0	- -	100.0	- -	- -	19
Grades 9 to 11	1	- -	- -	- -	- -	- -	34
Grade 12 (or GED) or more	- -	- -	- -	- -	- -	- -	‡
No. of discharges	7	80.0	- -	100.0	- -	- -	19

Continued. See notes at end of table.

Table 17.4b. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	- -	- -	- -	- -	- -	- -	‡
Dependent living	1	20.0	- -	- -	- -	- -	34
Independent living	6	80.0	- -	100.0	- -	- -	19
No. of discharges	7	100.0	- -	100.0	- -	- -	19
Primary substance							
Alcohol	- -	- -	- -	- -	- -	- -	‡
Opiates	5	60.0	- -	100.0	- -	- -	18
Marijuana/hashish	- -	- -	- -	- -	- -	- -	‡
Cocaine	1	20.0	- -	- -	- -	- -	34
Stimulants	1	20.0	- -	- -	- -	- -	19
Other/none specified[1]	- -	- -	- -	- -	- -	- -	‡
No. of discharges	7	100.0	- -	100.0	- -	- -	19
Secondary or tertiary substance							
Alcohol	1	20.0	- -	- -	- -	- -	14
Opiates	2	40.0	- -	- -	- -	- -	27
Marijuana/hashish	1	- -	- -	50.0	- -	- -	- -
Cocaine	3	40.0	- -	50.0	- -	- -	19
Stimulants	- -	- -	- -	- -	- -	- -	‡
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -
No. of discharges	7	100.0	- -	100.0	- -	- -	19

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.4c. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All medication-assisted opioid detoxification discharges	7							19
Marital status								
Never married	6	66.7	- -	33.3	- -	- -	100.0	19
Now married	- -	- -	- -	- -	- -	- -	- -	‡
Separated	- -	- -	- -	- -	- -	- -	- -	‡
Divorced	- -	- -	- -	- -	- -	- -	- -	‡
Widowed	- -	- -	- -	- -	- -	- -	- -	‡
No. of discharges	6	66.7	- -	33.3	- -	- -	100.0	19
Pregnant (female only)								
Yes	- -	- -	- -	- -	- -	- -	- -	‡
No	4	75.0	- -	25.0	- -	- -	100.0	19
No. of discharges	4	75.0	- -	25.0	- -	- -	100.0	19
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	6	66.7	- -	33.3	- -	- -	100.0	19
Grades 9 to 11	1	100.0	- -	- -	- -	- -	100.0	34
Grade 12 (or GED) or more	- -	- -	- -	- -	- -	- -	- -	‡
No. of discharges	7	71.4	- -	28.6	- -	- -	100.0	19

Continued. See notes at end of table.

Table 17.4c. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Living arrangements								
Homeless	- -	- -	- -	- -	- -	- -	- -	‡
Dependent living	1	100.0	- -	- -	- -	- -	100.0	34
Independent living	6	66.7	- -	33.3	- -	- -	100.0	19
No. of discharges	7	71.4	- -	28.6	- -	- -	100.0	19
Primary substance								
Alcohol	- -	- -	- -	- -	- -	- -	- -	‡
Opiates	5	60.0	- -	40.0	- -	- -	100.0	18
Marijuana/hashish	- -	- -	- -	- -	- -	- -	- -	‡
Cocaine	1	100.0	- -	- -	- -	- -	100.0	34
Stimulants	1	100.0	- -	- -	- -	- -	100.0	19
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -	‡
No. of discharges	7	71.4	- -	28.6	- -	- -	100.0	19
Secondary or tertiary substance								
Alcohol	1	100.0	- -	- -	- -	- -	100.0	14
Opiates	2	- -	- -	- -	- -	- -	- -	27
Marijuana/hashish	1	- -	- -	100.0	- -	- -	100.0	- -
Cocaine	3	66.7	- -	33.3	- -	- -	100.0	19
Stimulants	- -	- -	- -	- -	- -	- -	- -	‡
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -	- -
No. of discharges	7	71.4	- -	28.6	- -	- -	100.0	19

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.5a. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All medication-assisted opioid detoxification discharges	7	5	- -	2	- -	- -	19
Living arrangements							
Homeless	- -	- -	- -	- -	- -	- -	‡
Dependent living	4	4	- -	- -	- -	- -	19
Independent living	3	1	- -	2	- -	- -	19
No. of discharges	7	5	- -	2	- -	- -	19
Primary substance							
Alcohol	- -	- -	- -	- -	- -	- -	‡
Opiates	5	3	- -	2	- -	- -	18
Marijuana/hashish	- -	- -	- -	- -	- -	- -	‡
Cocaine	1	1	- -	- -	- -	- -	34
Stimulants	1	1	- -	- -	- -	- -	19
Other/none specified[1]	- -	- -	- -	- -	- -	- -	‡
No. of discharges	7	5	- -	2	- -	- -	19
Secondary or tertiary substance							
Alcohol	1	1	- -	- -	- -	- -	14
Opiates	2	2	- -	- -	- -	- -	27
Marijuana/hashish	1	- -	- -	1	- -	- -	- -
Cocaine	3	2	- -	1	- -	- -	19
Stimulants	- -	- -	- -	- -	- -	- -	‡
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -
No. of discharges	7	5	- -	2	- -	- -	19

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.5b. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All medication-assisted opioid detoxification discharges	7						19
Living arrangements							
Homeless	- -	- -	- -	- -	- -	- -	‡
Dependent living	4	80.0	- -	- -	- -	- -	19
Independent living	3	20.0	- -	100.0	- -	- -	19
No. of discharges	7	100.0	- -	100.0	- -	- -	19
Primary substance							
Alcohol	- -	- -	- -	- -	- -	- -	‡
Opiates	5	60.0	- -	100.0	- -	- -	18
Marijuana/hashish	- -	- -	- -	- -	- -	- -	‡
Cocaine	1	20.0	- -	- -	- -	- -	34
Stimulants	1	20.0	- -	- -	- -	- -	19
Other/none specified[1]	- -	- -	- -	- -	- -	- -	‡
No. of discharges	7	100.0	- -	100.0	- -	- -	19
Secondary or tertiary substance							
Alcohol	1	20.0	- -	- -	- -	- -	14
Opiates	2	40.0	- -	- -	- -	- -	27
Marijuana/hashish	1	- -	- -	50.0	- -	- -	- -
Cocaine	3	40.0	- -	50.0	- -	- -	19
Stimulants	- -	- -	- -	- -	- -	- -	‡
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -
No. of discharges	7	100.0	- -	100.0	- -	- -	19

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.5c. Medication-assisted opioid detoxification discharges aged 12 to 17 years, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All medication-assisted opioid detoxification discharges	7							19
Living arrangements								
Homeless	- -	- -	- -	- -	- -	- -	- -	‡
Dependent living	4	100.0	- -	- -	- -	- -	100.0	19
Independent living	3	33.3	- -	66.7	- -	- -	100.0	19
No. of discharges	7	71.4	- -	28.6	- -	- -	100.0	19
Primary substance								
Alcohol	- -	- -	- -	- -	- -	- -	- -	‡
Opiates	5	60.0	- -	40.0	- -	- -	100.0	18
Marijuana/hashish	- -	- -	- -	- -	- -	- -	- -	‡
Cocaine	1	100.0	- -	- -	- -	- -	100.0	34
Stimulants	1	100.0	- -	- -	- -	- -	100.0	19
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -	‡
No. of discharges	7	71.4	- -	28.6	- -	- -	100.0	19
Secondary or tertiary substance								
Alcohol	1	100.0	- -	- -	- -	- -	100.0	14
Opiates	2	100.0	- -	- -	- -	- -	100.0	27
Marijuana/hashish	1	- -	- -	100.0	- -	- -	100.0	- -
Cocaine	3	66.7	- -	33.3	- -	- -	100.0	19
Stimulants	- -	- -	- -	- -	- -	- -	- -	‡
Other/none specified[1]	- -	- -	- -	- -	- -	- -	- -	- -
No. of discharges	7	71.4	- -	28.6	- -	- -	100.0	19

- - Quantity is zero; ‡ No discharges were reported.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.6a. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All medication-assisted opioid detoxification discharges	15,007	6,633	3,465	4,097	400	412	7
Marital status							
Never married	10,626	4,816	2,265	2,942	303	300	7
Now married	1,269	570	255	360	45	39	6
Separated	599	247	177	142	12	21	6
Divorced	1,405	590	396	359	20	40	7
Widowed	296	118	97	66	7	8	7
No. of discharges	14,195	6,341	3,190	3,869	387	408	7
Pregnant (female only)							
Yes	114	20	44	43	4	3	9
No	4,172	1,720	1,104	1,121	110	117	7
No. of discharges	4,286	1,740	1,148	1,164	114	120	7
Veteran[1]							
Yes	285	137	63	68	9	8	7
No	14,343	6,325	3,317	3,923	384	394	7
No. of discharges	14,628	6,462	3,380	3,991	393	402	7

Continued. See notes at end of table.

Table 17.6a. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	1,547	860	159	428	48	52	9
Grades 9 to 11	1,717	441	722	499	22	33	5
Grade 12 (or GED)	7,920	3,608	1,662	2,209	221	220	7
1–3 years of college, university, or vocational school	2,819	1,146	791	727	75	80	7
4 years of college, university, or BA/BS	532	291	93	120	16	12	7
Some postgraduate study or more	109	49	30	24	1	5	5
No. of discharges	14,644	6,395	3,457	4,007	383	402	7
Source of income support[1]							
Wages/salary	1,544	1,061	84	324	36	39	7
Public assistance	596	359	40	165	13	19	9
Retirement/pension	45	32	5	5	1	2	7
Disability	964	581	55	262	32	34	8
Other	1,116	746	31	287	32	20	7
None	4,750	2,859	371	1,197	163	160	7
No. of discharges	9,015	5,638	586	2,240	277	274	7

Continued. See notes at end of table.

Table 17.6a. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	4,068	1,756	1,075	1,014	111	112	7
Dependent living	1,538	672	394	361	42	69	6
Independent living	9,114	4,017	1,970	2,664	240	223	7
No. of discharges	14,720	6,445	3,439	4,039	393	404	7
Primary substance							
Alcohol	2,447	1,434	306	555	71	81	7
Opiates	11,425	4,509	3,024	3,303	288	301	7
Marijuana/hashish	47	29	3	9	5	1	14
Cocaine	409	233	63	81	19	13	14
Stimulants	136	59	28	42	4	3	11
Other/none specified[2]	543	369	41	107	13	13	7
No. of discharges	15,007	6,633	3,465	4,097	400	412	7
Secondary or tertiary substance							
Alcohol	1,230	505	325	330	39	31	8
Opiates	1,696	891	286	414	52	53	7
Marijuana/hashish	895	331	296	222	23	23	6
Cocaine	3,401	1,372	903	938	111	77	7
Stimulants	991	346	321	277	21	26	6
Other/none specified[2]	6,794	3,188	1,334	1,916	154	202	7
No. of discharges	15,007	6,633	3,465	4,097	400	412	7

Continued. See notes at end of table.

Table 17.6a. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Number, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	1,867	992	316	471	41	47	6
Full-time	1,354	768	190	337	24	35	6
Part-time	513	224	126	134	17	12	7
Unemployed	5,906	1,794	2,027	1,769	150	166	6
Not in labor force	6,743	3,621	1,114	1,639	196	173	7
No. of discharges	14,516	6,407	3,457	3,879	387	386	7
Detailed not in labor force[1]							
Homemaker	9	4	3	1	- -	1	7
Student	14	10	1	3	- -	- -	8
Retired	72	42	21	7	- -	2	6
Disabled	1,057	394	389	213	26	35	7
Inmate of institution	70	51	4	13	1	1	7
Other	5,286	3,053	615	1,322	165	131	8
No. of discharges	6,508	3,554	1,033	1,559	192	170	7

- - Quantity is zero.

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.6b. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All medication-assisted opioid detoxification discharges	15,007						7
Marital status							
Never married	10,626	76.0	71.0	76.0	78.3	73.5	7
Now married	1,269	9.0	8.0	9.3	11.6	9.6	6
Separated	599	3.9	5.5	3.7	3.1	5.1	6
Divorced	1,405	9.3	12.4	9.3	5.2	9.8	7
Widowed	296	1.9	3.0	1.7	1.8	2.0	7
No. of discharges	14,195	100.0	100.0	100.0	100.0	100.0	7
Pregnant (female only)							
Yes	114	1.1	3.8	3.7	3.5	2.5	9
No	4,172	98.9	96.2	96.3	96.5	97.5	7
No. of discharges	4,286	100.0	100.0	100.0	100.0	100.0	7
Veteran[1]							
Yes	285	2.1	1.9	1.7	2.3	2.0	7
No	14,343	97.9	98.1	98.3	97.7	98.0	7
No. of discharges	14,628	100.0	100.0	100.0	100.0	100.0	7

Continued. See notes at end of table.

Table 17.6b. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Education							
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	1,547	13.4	4.6	10.7	12.5	12.9	9
Grades 9 to 11	1,717	6.9	20.9	12.5	5.7	8.2	5
Grade 12 (or GED)	7,920	56.4	48.1	55.1	57.7	54.7	7
1–3 years of college, university, or vocational school	2,819	17.9	22.9	18.1	19.6	19.9	7
4 years of college, university, or BA/BS	532	4.6	2.7	3.0	4.2	3.0	7
Some postgraduate study or more	109	0.8	0.9	0.6	0.3	1.2	5
No. of discharges	14,644	100.0	100.0	100.0	100.0	100.0	7
Source of income support[1]							
Wages/salary	1,544	18.8	14.3	14.5	13.0	14.2	7
Public assistance	596	6.4	6.8	7.4	4.7	6.9	9
Retirement/pension	45	0.6	0.9	0.2	0.4	0.7	7
Disability	964	10.3	9.4	11.7	11.6	12.4	8
Other	1,116	13.2	5.3	12.8	11.6	7.3	7
None	4,750	50.7	63.3	53.4	58.8	58.4	7
No. of discharges	9,015	100.0	100.0	100.0	100.0	100.0	7

Continued. See notes at end of table.

Table 17.6b. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Living arrangements							
Homeless	4,068	27.2	31.3	25.1	28.2	27.7	7
Dependent living	1,538	10.4	11.5	8.9	10.7	17.1	6
Independent living	9,114	62.3	57.3	66.0	61.1	55.2	7
No. of discharges	14,720	100.0	100.0	100.0	100.0	100.0	7
Primary substance							
Alcohol	2,447	21.6	8.8	13.5	17.8	19.7	7
Opiates	11,425	68.0	87.3	80.6	72.0	73.1	7
Marijuana/hashish	47	0.4	0.1	0.2	1.3	0.2	14
Cocaine	409	3.5	1.8	2.0	4.8	3.2	14
Stimulants	136	0.9	0.8	1.0	1.0	0.7	11
Other/none specified[2]	543	5.6	1.2	2.6	3.3	3.2	7
No. of discharges	15,007	100.0	100.0	100.0	100.0	100.0	7
Secondary or tertiary substance							
Alcohol	1,230	7.6	9.4	8.1	9.8	7.5	8
Opiates	1,696	13.4	8.3	10.1	13.0	12.9	7
Marijuana/hashish	895	5.0	8.5	5.4	5.8	5.6	6
Cocaine	3,401	20.7	26.1	22.9	27.8	18.7	7
Stimulants	991	5.2	9.3	6.8	5.3	6.3	6
Other/none specified[2]	6,794	48.1	38.5	46.8	38.5	49.0	7
No. of discharges	15,007	100.0	100.0	100.0	100.0	100.0	7

Continued. See notes at end of table.

Table 17.6b. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Column percent distribution, 2020 (continued)

Characteristics at admission	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[1]							
Employed	1,867	15.5	9.1	12.1	10.6	12.2	6
Full-time	1,354	12.0	5.5	8.7	6.2	9.1	6
Part-time	513	3.5	3.6	3.5	4.4	3.1	7
Unemployed	5,906	28.0	58.6	45.6	38.8	43.0	6
Not in labor force	6,743	56.5	32.2	42.3	50.6	44.8	7
No. of discharges	14,516	100.0	100.0	100.0	100.0	100.0	7
Detailed not in labor force[1]							
Homemaker	9	0.1	0.3	0.1	- -	0.6	7
Student	14	0.3	0.1	0.2	- -	- -	8
Retired	72	1.2	2.0	0.4	- -	1.2	6
Disabled	1,057	11.1	37.7	13.7	13.5	20.6	7
Inmate of institution	70	1.4	0.4	0.8	0.5	0.6	7
Other	5,286	85.9	59.5	84.8	85.9	77.1	8
No. of discharges	6,508	100.0	100.0	100.0	100.0	100.0	7

- - Quantity is zero.

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.6c. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
All medication-assisted opioid detoxification discharges	15,007							7
Marital status								
Never married	10,626	45.3	21.3	27.7	2.9	2.8	100.0	7
Now married	1,269	44.9	20.1	28.4	3.5	3.1	100.0	6
Separated	599	41.2	29.5	23.7	2.0	3.5	100.0	6
Divorced	1,405	42.0	28.2	25.6	1.4	2.8	100.0	7
Widowed	296	39.9	32.8	22.3	2.4	2.7	100.0	7
No. of discharges	14,195	44.7	22.5	27.3	2.7	2.9	100.0	7
Pregnant (female only)								
Yes	114	17.5	38.6	37.7	3.5	2.6	100.0	9
No	4,172	41.2	26.5	26.9	2.6	2.8	100.0	7
No. of discharges	4,286	40.6	26.8	27.2	2.7	2.8	100.0	7
Veteran[1]								
Yes	285	48.1	22.1	23.9	3.2	2.8	100.0	7
No	14,343	44.1	23.1	27.4	2.7	2.7	100.0	7
No. of discharges	14,628	44.2	23.1	27.3	2.7	2.7	100.0	7

Continued. See notes at end of table.

Table 17.6c. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Education								
Less than one school grade, no schooling, nursery school, or kindergarten to Grade 8	1,547	55.6	10.3	27.7	3.1	3.4	100.0	9
Grades 9 to 11	1,717	25.7	42.1	29.1	1.3	1.9	100.0	5
Grade 12 (or GED)	7,920	45.6	21.0	27.9	2.8	2.8	100.0	7
1–3 years of college, university, or vocational school	2,819	40.7	28.1	25.8	2.7	2.8	100.0	7
4 years of college, university, or BA/BS	532	54.7	17.5	22.6	3.0	2.3	100.0	7
Some postgraduate study or more	109	45.0	27.5	22.0	0.9	4.6	100.0	5
No. of discharges	14,644	43.7	23.6	27.4	2.6	2.7	100.0	7
Source of income support[1]								
Wages/salary	1,544	68.7	5.4	21.0	2.3	2.5	100.0	7
Public assistance	596	60.2	6.7	27.7	2.2	3.2	100.0	9
Retirement/pension	45	71.1	11.1	11.1	2.2	4.4	100.0	7
Disability	964	60.3	5.7	27.2	3.3	3.5	100.0	8
Other	1,116	66.8	2.8	25.7	2.9	1.8	100.0	7
None	4,750	60.2	7.8	25.2	3.4	3.4	100.0	7
No. of discharges	9,015	62.5	6.5	24.8	3.1	3.0	100.0	7

Continued. See notes at end of table.

Table 17.6c. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Living arrangements								
Homeless	4,068	43.2	26.4	24.9	2.7	2.8	100.0	7
Dependent living	1,538	43.7	25.6	23.5	2.7	4.5	100.0	6
Independent living	9,114	44.1	21.6	29.2	2.6	2.4	100.0	7
No. of discharges	14,720	43.8	23.4	27.4	2.7	2.7	100.0	7
Primary substance								
Alcohol	2,447	58.6	12.5	22.7	2.9	3.3	100.0	7
Opiates	11,425	39.5	26.5	28.9	2.5	2.6	100.0	7
Marijuana/hashish	47	61.7	6.4	19.1	10.6	2.1	100.0	14
Cocaine	409	57.0	15.4	19.8	4.6	3.2	100.0	14
Stimulants	136	43.4	20.6	30.9	2.9	2.2	100.0	11
Other/none specified[2]	543	68.0	7.6	19.7	2.4	2.4	100.0	7
No. of discharges	15,007	44.2	23.1	27.3	2.7	2.7	100.0	7
Secondary or tertiary substance								
Alcohol	1,230	41.1	26.4	26.8	3.2	2.5	100.0	8
Opiates	1,696	52.5	16.9	24.4	3.1	3.1	100.0	7
Marijuana/hashish	895	37.0	33.1	24.8	2.6	2.6	100.0	6
Cocaine	3,401	40.3	26.6	27.6	3.3	2.3	100.0	7
Stimulants	991	34.9	32.4	28.0	2.1	2.6	100.0	6
Other/none specified[2]	6,794	46.9	19.6	28.2	2.3	3.0	100.0	7
No. of discharges	15,007	44.2	23.1	27.3	2.7	2.7	100.0	7

Continued. See notes at end of table.

Table 17.6c. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at admission: Row percent distribution, 2020 (continued)

Characteristics at admission	Reason for discharge							Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	Total	
Employment status[1]								
Employed	1,867	53.1	16.9	25.2	2.2	2.5	100.0	6
Full-time	1,354	56.7	14.0	24.9	1.8	2.6	100.0	6
Part-time	513	43.7	24.6	26.1	3.3	2.3	100.0	7
Unemployed	5,906	30.4	34.3	30.0	2.5	2.8	100.0	6
Not in labor force	6,743	53.7	16.5	24.3	2.9	2.6	100.0	7
No. of discharges	14,516	44.1	23.8	26.7	2.7	2.7	100.0	7
Detailed not in labor force[1]								
Homemaker	9	44.4	33.3	11.1	- -	11.1	100.0	7
Student	14	71.4	7.1	21.4	- -	- -	100.0	8
Retired	72	58.3	29.2	9.7	- -	2.8	100.0	6
Disabled	1,057	37.3	36.8	20.2	2.5	3.3	100.0	7
Inmate of institution	70	72.9	5.7	18.6	1.4	1.4	100.0	7
Other	5,286	57.8	11.6	25.0	3.1	2.5	100.0	8
No. of discharges	6,508	54.6	15.9	24.0	3.0	2.6	100.0	7

- - Quantity is zero.

[1] Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report.

[2] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.7a. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All medication-assisted opioid detoxification discharges	15,007	6,633	3,465	4,097	400	412	7
Living arrangements							
Homeless	2,857	785	988	910	95	79	6
Dependent living	3,616	2,643	489	314	51	119	7
Independent living	8,098	3,039	1,965	2,647	242	205	7
No. of discharges	14,571	6,467	3,442	3,871	388	403	7
Primary substance							
Alcohol	2,107	1,161	301	510	58	77	7
Opiates	9,054	2,822	2,935	2,790	226	281	7
Marijuana/hashish	47	26	6	9	4	2	17
Cocaine	397	225	62	81	15	14	15
Stimulants	137	56	26	47	5	3	12
Other/none specified[1]	3,265	2,343	135	660	92	35	6
No. of discharges	15,007	6,633	3,465	4,097	400	412	7
Secondary or tertiary substance							
Alcohol	1,029	371	314	281	30	33	8
Opiates	1,447	711	308	339	39	50	7
Marijuana/hashish	748	217	305	191	15	20	7
Cocaine	2,882	992	908	818	94	70	9
Stimulants	838	267	321	204	19	27	6
Other/none specified[1]	8,063	4,075	1,309	2,264	203	212	7
No. of discharges	15,007	6,633	3,465	4,097	400	412	7

Continued. See notes at end of table.

Table 17.7a. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Number, 2020 (continued)

Characteristics at discharge	Reason for discharge						Median LOS (days) among treatment completions
	Total	Completed	Transferred to further treatment	Dropped out	Terminated by facility	Other	
Employment status[2]							
Employed	1,745	927	326	405	41	46	6
Full-time	1,306	750	202	294	26	34	6
Part-time	439	177	124	111	15	12	7
Unemployed	6,068	1,929	2,058	1,764	152	165	6
Not in labor force	6,383	3,487	1,072	1,466	184	174	7
No. of discharges	14,196	6,343	3,456	3,635	377	385	7
Detailed not in labor force[2]							
Homemaker	15	11	2	1	- -	1	10
Student	17	13	2	2	- -	- -	7
Retired	68	40	18	7	1	2	7
Disabled	1,018	380	372	210	23	33	7
Inmate of institution	297	264	4	25	3	1	5
Other	4,807	2,709	601	1,210	153	134	8
No. of discharges	6,222	3,417	999	1,455	180	171	7

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.7b. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
All medication-assisted opioid detoxification discharges	15,007						7
Living arrangements							
Homeless	2,857	12.1	28.7	23.5	24.5	19.6	6
Dependent living	3,616	40.9	14.2	8.1	13.1	29.5	7
Independent living	8,098	47.0	57.1	68.4	62.4	50.9	7
No. of discharges	14,571	100.0	100.0	100.0	100.0	100.0	7
Primary substance							
Alcohol	2,107	17.5	8.7	12.4	14.5	18.7	7
Opiates	9,054	42.5	84.7	68.1	56.5	68.2	7
Marijuana/hashish	47	0.4	0.2	0.2	1.0	0.5	17
Cocaine	397	3.4	1.8	2.0	3.8	3.4	15
Stimulants	137	0.8	0.8	1.1	1.3	0.7	12
Other/none specified[1]	3,265	35.3	3.9	16.1	23.0	8.5	6
No. of discharges	15,007	100.0	100.0	100.0	100.0	100.0	7
Secondary or tertiary substance							
Alcohol	1,029	5.6	9.1	6.9	7.5	8.0	8
Opiates	1,447	10.7	8.9	8.3	9.8	12.1	7
Marijuana/hashish	748	3.3	8.8	4.7	3.8	4.9	7
Cocaine	2,882	15.0	26.2	20.0	23.5	17.0	9
Stimulants	838	4.0	9.3	5.0	4.8	6.6	6
Other/none specified[1]	8,063	61.4	37.8	55.3	50.8	51.5	7
No. of discharges	15,007	100.0	100.0	100.0	100.0	100.0	7

Continued. See notes at end of table.

Table 17.7b. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Column percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*						*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	
Employment status[2]							
Employed	1,745	14.6	9.4	11.1	10.9	11.9	6
Full-time	1,306	11.8	5.8	8.1	6.9	8.8	6
Part-time	439	2.8	3.6	3.1	4.0	3.1	7
Unemployed	6,068	30.4	59.5	48.5	40.3	42.9	6
Not in labor force	6,383	55.0	31.0	40.3	48.8	45.2	7
No. of discharges	14,196	100.0	100.0	100.0	100.0	100.0	7
Detailed not in labor force[2]							
Homemaker	15	0.3	0.2	0.1	- -	0.6	10
Student	17	0.4	0.2	0.1	- -	- -	7
Retired	68	1.2	1.8	0.5	0.6	1.2	7
Disabled	1,018	11.1	37.2	14.4	12.8	19.3	7
Inmate of institution	297	7.7	0.4	1.7	1.7	0.6	5
Other	4,807	79.3	60.2	83.2	85.0	78.4	8
No. of discharges	6,222	100.0	100.0	100.0	100.0	100.0	7

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 17.7c. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
All medication-assisted opioid detoxification discharges	15,007							7
Living arrangements								
Homeless	2,857	27.5	34.6	31.9	3.3	2.8	100.0	6
Dependent living	3,616	73.1	13.5	8.7	1.4	3.3	100.0	7
Independent living	8,098	37.5	24.3	32.7	3.0	2.5	100.0	7
No. of discharges	14,571	44.4	23.6	26.6	2.7	2.8	100.0	7
Primary substance								
Alcohol	2,107	55.1	14.3	24.2	2.8	3.7	100.0	7
Opiates	9,054	31.2	32.4	30.8	2.5	3.1	100.0	7
Marijuana/hashish	47	55.3	12.8	19.1	8.5	4.3	100.0	17
Cocaine	397	56.7	15.6	20.4	3.8	3.5	100.0	15
Stimulants	137	40.9	19.0	34.3	3.6	2.2	100.0	12
Other/none specified[1]	3,265	71.8	4.1	20.2	2.8	1.1	100.0	6
No. of discharges	15,007	44.2	23.1	27.3	2.7	2.7	100.0	7
Secondary or tertiary substance								
Alcohol	1,029	36.1	30.5	27.3	2.9	3.2	100.0	8
Opiates	1,447	49.1	21.3	23.4	2.7	3.5	100.0	7
Marijuana/hashish	748	29.0	40.8	25.5	2.0	2.7	100.0	7
Cocaine	2,882	34.4	31.5	28.4	3.3	2.4	100.0	9
Stimulants	838	31.9	38.3	24.3	2.3	3.2	100.0	6
Other/none specified[1]	8,063	50.5	16.2	28.1	2.5	2.6	100.0	7
No. of discharges	15,007	44.2	23.1	27.3	2.7	2.7	100.0	7

Continued. See notes at end of table.

Table 17.7c. Medication-assisted opioid detoxification discharges aged 18 years and older, by reason for discharge, median length of stay (LOS), and characteristics at discharge: Row percent distribution, 2020 (continued)

Characteristics at discharge	*Reason for discharge*							*Median LOS (days) among treatment completions*
	Total	*Completed*	*Transferred to further treatment*	*Dropped out*	*Terminated by facility*	*Other*	*Total*	
Employment status[2]								
Employed	1,745	53.1	18.7	23.2	2.3	2.6	100.0	6
Full-time	1,306	57.4	15.5	22.5	2.0	2.6	100.0	6
Part-time	439	40.3	28.2	25.3	3.4	2.7	100.0	7
Unemployed	6,068	31.8	33.9	29.1	2.5	2.7	100.0	6
Not in labor force	6,383	54.6	16.8	23.0	2.9	2.7	100.0	7
No. of discharges	14,196	44.7	24.3	25.6	2.7	2.7	100.0	7
Detailed not in labor force[2]								
Homemaker	15	73.3	13.3	6.7	- -	6.7	100.0	10
Student	17	76.5	11.8	11.8	- -	- -	100.0	7
Retired	68	58.8	26.5	10.3	1.5	2.9	100.0	7
Disabled	1,018	37.3	36.5	20.6	2.3	3.2	100.0	7
Inmate of institution	297	88.9	1.3	8.4	1.0	0.3	100.0	5
Other	4,807	56.4	12.5	25.2	3.2	2.8	100.0	8
No. of discharges	6,222	54.9	16.1	23.4	2.9	2.7	100.0	7

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

[2] Only discharges aged 18 years and older are included for employment status and detailed not in labor force in this report.

NOTES: Based on linked admission and discharge data reported by the 38 states and jurisdictions that offered medication-assisted opioid detoxification and reported these data to TEDS. The reason for discharge category "other" includes clients who were discharged because they were incarcerated, died, moved, became ill, were hospitalized, or another reason somewhat out of client's control, or if the client status at discharge was not known. Percentages may not add to 100 percent due to rounding. In LOS calculations, missing values of the associated variables were excluded. Admissions for which values were not collected, unknown, or missing are excluded from the percentage base (denominator).

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

State Discharges

Table 18.1a. Total and linked discharges aged 12 years and older, by state or jurisdiction: Number, 2020

State or jurisdiction	2020 discharges in 46 states and jurisdictions reporting discharges						
		Discharges linked to an admission or transfer record					
			Year of admission				
	Total discharge records	Total linked discharge records	2020	2019	2018	2000–2017	Non-linked discharges
Total	1,528,728	1,391,393	1,093,347	254,315	25,812	17,919	137,335
Alabama	14,929	10,905	7,399	2,964	347	195	4,024
Alaska	6,589	6,466	4,576	1,724	106	60	123
Arizona	147,483	142,965	126,410	14,574	1,955	26	4,518
Arkansas	11,190	10,339	7,349	2,739	86	165	851
California	104,772	103,161	74,429	23,733	2,813	2,186	1,611
Colorado	67,380	55,392	42,657	9,494	1,747	1,494	11,988
Connecticut	42,396	41,009	31,615	7,769	754	871	1,387
Delaware	10,495	8,648	5,951	2,100	322	275	1,847
District of Columbia	3,159	2,821	2,149	571	28	73	338
Florida	20,334	18,416	12,675	5,409	251	81	1,918
Georgia	35,181	34,951	21,972	9,002	1,848	2,129	230
Hawaii	5,919	5,870	4,525	1,312	18	15	49
Illinois	33,898	27,106	20,578	6,496	19	13	6,792
Indiana	15,842	15,747	11,087	4,525	117	18	95
Iowa	24,369	24,049	17,506	6,105	326	112	320
Kansas	5,923	4,937	3,742	1,096	65	34	986
Kentucky	83,674	71,275	68,429	2,625	138	83	12,399
Louisiana	13,009	12,792	8,830	3,429	335	198	217
Maine	5,369	5,136	3,379	1,231	240	286	233
Massachusetts	54,563	53,554	46,469	6,158	550	377	1,009
Michigan	63,789	61,653	48,514	10,915	1,227	997	2,136
Minnesota	31,402	31,196	26,744	4,393	33	26	206
Mississippi	38,169	4,566	3,350	891	167	158	33,603
Missouri	34,707	34,241	21,945	10,615	1,325	356	466
Montana	798	737	484	204	36	13	61
Nebraska	8,677	7,732	6,291	1,300	112	29	945
Nevada	6,687	6,027	5,373	603	31	20	660
New Hampshire	2,663	2,634	1,856	707	56	15	29
New Jersey	83,049	77,284	58,405	15,875	1,411	1,593	5,765

Continued. See notes at end of table.

Table 18.1a. Total and linked discharges aged 12 years and older, by state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	2020 discharges in 46 states and jurisdictions reporting discharges						
		Discharges linked to an admission or transfer record					
			Year of admission				
	Total discharge records	Total linked discharge records	2020	2019	2018	2000–2017	Non-linked discharges
Total	1,528,728	1,391,393	1,093,347	254,315	25,812	17,919	137,335
New York	196,936	191,260	144,021	39,856	4,124	3,259	5,676
North Carolina	177,618	145,965	136,735	8,436	769	25	31,653
North Dakota	2,596	1,996	1,041	949	2	4	600
Ohio	10,330	10,124	5,891	3,311	581	341	206
Oklahoma	12,117	12,088	6,937	3,725	935	491	29
Pennsylvania	23,625	23,254	18,301	4,432	299	222	371
Puerto Rico	1,179	1,088	476	449	99	64	91
Rhode Island	12,096	11,535	8,580	2,091	348	516	561
South Carolina	28,403	27,975	17,869	9,554	471	81	428
South Dakota	14,919	14,771	12,445	2,244	68	14	148
Tennessee	14,586	14,421	11,578	2,653	145	45	165
Texas	19,355	19,047	11,456	6,926	359	306	308
Vermont	5,608	5,573	4,041	1,249	214	69	35
Virginia	17,471	16,166	9,845	5,577	458	286	1,305
Washington	7,390	6,934	5,065	1,497	169	203	456
Wisconsin	3,967	3,538	2,171	1,177	144	46	429
Wyoming	4,117	4,049	2,206	1,630	164	49	68

NOTES: Based on linked admission and discharge data reported to TEDS by 48 states and jurisdictions. Comparisons among states should be made with caution; see Appendix A. The discharges reported exclude codependents and discharges whose length of stay (LOS) was 0 days or whose reason for discharge was unknown/missing. Total linked discharge records may be higher than the values shown for each state due to (a) data suppression and (b) exclusion of missing values in the reason for discharge field.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 18.1b. Total and linked discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	2020 discharges in 46 states and jurisdictions reporting discharges							
		Discharges linked to an admission or transfer record						
			Year of admission					
	Total discharge records	Total linked discharge records	2020	2019	2018	2000–2017	Non-linked discharges	Total
Total	1,528,728	91.0	71.5	16.6	1.7	1.2	9.0	100.0
Alabama	14,929	73.0	49.6	19.9	2.3	1.3	27.0	100.0
Alaska	6,589	98.1	69.4	26.2	1.6	0.9	1.9	100.0
Arizona	147,483	96.9	85.7	9.9	1.3	*	3.1	100.0
Arkansas	11,190	92.4	65.7	24.5	0.8	1.5	7.6	100.0
California	104,772	98.5	71.0	22.7	2.7	2.1	1.5	100.0
Colorado	67,380	82.2	63.3	14.1	2.6	2.2	17.8	100.0
Connecticut	42,396	96.7	74.6	18.3	1.8	2.1	3.3	100.0
Delaware	10,495	82.4	56.7	20.0	3.1	2.6	17.6	100.0
District of Columbia	3,159	89.3	68.0	18.1	0.9	2.3	10.7	100.0
Florida	20,334	90.6	62.3	26.6	1.2	0.4	9.4	100.0
Georgia	35,181	99.3	62.5	25.6	5.3	6.1	0.7	100.0
Hawaii	5,919	99.2	76.4	22.2	0.3	0.3	0.8	100.0
Illinois	33,898	80.0	60.7	19.2	0.1	*	20.0	100.0
Indiana	15,842	99.4	70.0	28.6	0.7	0.1	0.6	100.0
Iowa	24,369	98.7	71.8	25.1	1.3	0.5	1.3	100.0
Kansas	5,923	83.4	63.2	18.5	1.1	0.6	16.6	100.0
Kentucky	83,674	85.2	81.8	3.1	0.2	0.1	14.8	100.0
Louisiana	13,009	98.3	67.9	26.4	2.6	1.5	1.7	100.0
Maine	5,369	95.7	62.9	22.9	4.5	5.3	4.3	100.0
Massachusetts	54,563	98.2	85.2	11.3	1.0	0.7	1.8	100.0
Michigan	63,789	96.7	76.1	17.1	1.9	1.6	3.3	100.0
Minnesota	31,402	99.3	85.2	14.0	0.1	0.1	0.7	100.0
Mississippi	38,169	12.0	8.8	2.3	0.4	0.4	88.0	100.0
Missouri	34,707	98.7	63.2	30.6	3.8	1.0	1.3	100.0
Montana	798	92.4	60.7	25.6	4.5	1.6	7.6	100.0
Nebraska[1]	8,677	89.1	72.5	15.0	1.3	0.3	10.9	100.0
Nevada	6,687	90.1	80.3	9.0	0.5	0.3	9.9	100.0
New Hampshire	2,663	98.9	69.7	26.5	2.1	0.6	1.1	100.0
New Jersey	83,049	93.1	70.3	19.1	1.7	1.9	6.9	100.0

Continued. See notes at end of table.

Table 18.1b. Total and linked discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	2020 discharges in 46 states and jurisdictions reporting discharges							
		Discharges linked to an admission or transfer record						
			Year of admission					
	Total discharge records	Total linked discharge records	2020	2019	2018	2000–2017	Non-linked discharges	Total discharge records
Total	1,528,728	91.0	71.5	16.6	1.7	1.2	9.0	100.0
New York	196,936	97.1	73.1	20.2	2.1	1.7	2.9	100.0
North Carolina	177,618	82.2	77.0	4.7	0.4	*	17.8	100.0
North Dakota	2,596	76.9	40.1	36.6	0.1	0.2	23.1	100.0
Ohio	10,330	98.0	57.0	32.1	5.6	3.3	2.0	100.0
Oklahoma	12,117	99.8	57.3	30.7	7.7	4.1	0.2	100.0
Pennsylvania	23,625	98.4	77.5	18.8	1.3	0.9	1.6	100.0
Puerto Rico	1,179	92.3	40.4	38.1	8.4	5.4	7.7	100.0
Rhode Island	12,096	95.4	70.9	17.3	2.9	4.3	4.6	100.0
South Carolina	28,403	98.5	62.9	33.6	1.7	0.3	1.5	100.0
South Dakota	14,919	99.0	83.4	15.0	0.5	0.1	1.0	100.0
Tennessee	14,586	98.9	79.4	18.2	1.0	0.3	1.1	100.0
Texas	19,355	98.4	59.2	35.8	1.9	1.6	1.6	100.0
Vermont	5,608	99.4	72.1	22.3	3.8	1.2	0.6	100.0
Virginia	17,471	92.5	56.4	31.9	2.6	1.6	7.5	100.0
Washington		93.8	68.5	20.3	2.3	2.7	6.2	100.0
Wisconsin	3,967	89.2	54.7	29.7	3.6	1.2	10.8	100.0
Wyoming	4,117	98.3	53.6	39.6	4.0	1.2	1.7	100.0

* Less than 0.05 percent.

[1] The count of linked discharges reported by Nebraska may be affected by incomplete reporting of admissions.

NOTES: Based on linked admission and discharge data reported to TEDS by 49 states and jurisdictions. Comparisons among states should be made with caution; see Appendix A. The discharges reported exclude codependents and discharges whose length of stay (LOS) was 0 days or whose reason for discharge was unknown/missing. Total linked discharge records may be higher than the values shown for each state due to (a) data suppression and (b) exclusion of missing values in the reason for discharge field. Percentages may not add to 100 percent due to rounding.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 18.2a. Discharges aged 12 and older, by type of treatment service and state or jurisdiction: Number, 2020

State or jurisdiction	Type of treatment service							
	Total	Outpatient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox [1]	Med.-asst. opi.ther./detox [2]
No. of discharges	1,391,393	617,975	165,642	119,312	88,423	3,374	212,044	184,623
Alabama	10,905	4,890	1,615	1,096	1,541	- -	860	903
Alaska	6,466	2,577	841	85	714	- -	1,341	908
Arizona	142,965	129,585	181	- -	- -	680	2,658	9,861
Arkansas	10,339	3,849	2,023	3,522	67	- -	322	556
California	103,161	41,039	8,761	558	23,294	- -	10,837	18,672
Colorado	55,392	16,888	3,479	4,359	1,711	142	25,689	3,124
Connecticut	41,009	10,655	6,413	2,850	3,243	568	11,425	5,855
Delaware	8,648	852	1,999	669	351	- -	2,914	1,863
District of Columbia	2,821	490	323	1,196	227	- -	271	314
Florida	18,416	12,041	1,388	- -	1,620	6	3,361	- -
Georgia	34,951	22,345	3,206	- -	1,381	- -	7,163	856
Hawaii	5,870	1,329	2,175	- -	1,675	- -	642	49
Illinois	27,106	11,301	4,430	6,276	592	- -	3,930	577
Indiana	15,747	9,005	2,777	1,225	893	70	399	1,378
Iowa	24,049	15,959	2,534	2,803	577	854	481	841
Kansas	4,937	2,692	341	567	161	2	1,098	76
Kentucky	71,275	45,023	8,513	3,256	2,348	- -	390	11,745
Louisiana	12,792	5,762	1,005	4,908	659	- -	316	142
Maine	5,136	2,598	318	329	243	- -	737	911
Massachusetts	53,554	4,582	- -	2,185	4,290	- -	31,286	11,211
Michigan	61,653	20,982	3,626	11,972	2,889	- -	8,142	14,042
Minnesota	31,196	74	14,252	6,759	6,185	386	- -	3,540
Mississippi	4,566	1,883	510	1,098	703	9	53	310
Missouri	34,241	9,495	14,908	4,306	- -	- -	3,735	1,797
Montana	737	332	200	- -	158	- -	47	- -
Nebraska	7,732	4,564	470	854	525	- -	1,117	202
Nevada	6,027	2,337	378	793	486	14	1,944	75
New Hampshire	2,634	1,089	549	314	202	- -	17	463
New Jersey	77,284	17,107	16,766	8,672	5,945	6	9,948	18,840

Continued. See notes at end of table.

Table 18.2a. Discharges aged 12 and older, by type of treatment service and state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	Type of treatment service							
	Total	Outpatient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox [1]	Med.-asst. opi.ther./detox [2]
No. of discharges	1,391,393	617,975	165,642	119,312	88,423	3,374	212,044	184,623
New York	191,260	61,722	2,088	26,361	10,493	- -	50,604	39,992
North Carolina	145,965	69,749	35,547	2,099	7,150	127	11,028	20,265
North Dakota	1,996	1,100	208	317	204	- -	53	114
Ohio	10,124	4,506	1,907	135	1,073	210	880	1,413
Oklahoma	12,088	7,482	- -	967	2,220	- -	1,367	52
Pennsylvania	23,254	8,386	3,453	3,972	842	27	3,056	3,518
Puerto Rico	1,088	657	8	- -	83	30	98	212
Rhode Island	11,535	2,706	1,012	2,077	166	4	2,504	3,066
South Carolina	27,975	20,370	4,054	192	124	- -	1,546	1,689
South Dakota	14,771	5,170	2,117	1,148	783	- -	5,389	164
Tennessee	14,421	1,550	5,466	4,069	1,004	- -	2,295	37
Texas	19,047	11,101	1,853	2,923	298	- -	396	2,476
Vermont	5,573	1,729	383	955	17	- -	579	1,910
Virginia	16,166	13,655	269	1,777	154	- -	311	- -
Washington	6,934	2,420	1,851	1,319	169	186	462	527
Wisconsin	3,538	2,660	161	160	145	49	324	39
Wyoming	4,049	1,687	1,284	189	818	4	29	38

- - Quantity is zero.

[1] Includes only free-standing residential detoxification, hospital detoxification, and outpatient detoxification.

[2] Includes only discharges where medication-assisted opioid therapy or detoxification was planned. May include any type of treatment service.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 18.2b. Discharges aged 12 and older, by type of treatment service and state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	No. of discharges	Type of treatment service							
		Outpatient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox [1]	Med.-asst. opi. ther./ detox [2]	Total
Total	1,391,393	44.4	11.9	8.6	6.4	0.2	15.2	13.3	100.0
Alabama	10,905	44.8	14.8	10.1	14.1	- -	7.9	8.3	100.0
Alaska	6,466	39.9	13.0	1.3	11.0	- -	20.7	14.0	100.0
Arizona	142,965	90.6	0.1	- -	- -	0.5	1.9	6.9	100.0
Arkansas	10,339	37.2	19.6	34.1	0.6	- -	3.1	5.4	100.0
California	103,161	39.8	8.5	0.5	22.6	- -	10.5	18.1	100.0
Colorado	55,392	30.5	6.3	7.9	3.1	0.3	46.4	5.6	100.0
Connecticut	41,009	26.0	15.6	6.9	7.9	1.4	27.9	14.3	100.0
Delaware	8,648	9.9	23.1	7.7	4.1	- -	33.7	21.5	100.0
District of Columbia	2,821	17.4	11.4	42.4	8.0	- -	9.6	11.1	100.0
Florida	18,416	65.4	7.5	- -	8.8	*	18.3	- -	100.0
Georgia	34,951	63.9	9.2	- -	4.0	- -	20.5	2.4	100.0
Hawaii	5,870	22.6	37.1	- -	28.5	- -	10.9	0.8	100.0
Illinois	27,106	41.7	16.3	23.2	2.2	- -	14.5	2.1	100.0
Indiana	15,747	57.2	17.6	7.8	5.7	0.4	2.5	8.8	100.0
Iowa	24,049	66.4	10.5	11.7	2.4	3.6	2.0	3.5	100.0
Kansas	4,937	54.5	6.9	11.5	3.3	*	22.2	1.5	100.0
Kentucky	71,275	63.2	11.9	4.6	3.3	- -	0.5	16.5	100.0
Louisiana	12,792	45.0	7.9	38.4	5.2	- -	2.5	1.1	100.0
Maine	5,136	50.6	6.2	6.4	4.7	- -	14.3	17.7	100.0
Massachusetts	53,554	8.6	- -	4.1	8.0	- -	58.4	20.9	100.0
Michigan	61,653	34.0	5.9	19.4	4.7	- -	13.2	22.8	100.0
Minnesota	31,196	0.2	45.7	21.7	19.8	1.2	- -	11.3	100.0
Mississippi	4,566	41.2	11.2	24.0	15.4	0.2	1.2	6.8	100.0
Missouri	34,241	27.7	43.5	12.6	- -	- -	10.9	5.2	100.0
Montana	737	45.0	27.1	- -	21.4	- -	6.4	- -	100.0
Nebraska	7,732	59.0	6.1	11.0	6.8	- -	14.4	2.6	100.0
Nevada	6,027	38.8	6.3	13.2	8.1	0.2	32.3	1.2	100.0
New Hampshire	2,634	41.3	20.8	11.9	7.7	- -	0.6	17.6	100.0
New Jersey	77,284	22.1	21.7	11.2	7.7	*	12.9	24.4	100.0

Continued. See notes at end of table.

Table 18.2b. Discharges aged 12 and older, by type of treatment service and state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	No. of discharges	Type of treatment service							
		Outpatient	Intensive outpatient	Short-term residential	Long-term residential	Hospital residential	Detox [1]	Med.-asst. opi. ther./ detox [2]	Total
Total	1,391,393	44.4	11.9	8.6	6.4	0.2	15.2	13.3	100.0
New York	191,260	32.3	1.1	13.8	5.5	- -	26.5	20.9	100.0
North Carolina	145,965	47.8	24.4	1.4	4.9	0.1	7.6	13.9	100.0
North Dakota	1,996	55.1	10.4	15.9	10.2	- -	2.7	5.7	100.0
Ohio	10,124	44.5	18.8	1.3	10.6	2.1	8.7	14.0	100.0
Oklahoma	12,088	61.9	- -	8.0	18.4	- -	11.3	0.4	100.0
Pennsylvania	23,254	36.1	14.8	17.1	3.6	0.1	13.1	15.1	100.0
Puerto Rico	1,088	60.4	0.7	- -	7.6	2.8	9.0	19.5	100.0
Rhode Island	11,535	23.5	8.8	18.0	1.4	*	21.7	26.6	100.0
South Carolina	27,975	72.8	14.5	0.7	0.4	- -	5.5	6.0	100.0
South Dakota	14,771	35.0	14.3	7.8	5.3	- -	36.5	1.1	100.0
Tennessee	14,421	10.7	37.9	28.2	7.0	- -	15.9	0.3	100.0
Texas	19,047	58.3	9.7	15.3	1.6	- -	2.1	13.0	100.0
Vermont	5,573	31.0	6.9	17.1	0.3	- -	10.4	34.3	100.0
Virginia	16,166	84.5	1.7	11.0	1.0	- -	1.9	- -	100.0
Washington		34.9	26.7	19.0	2.4	2.7	6.7	7.6	100.0
Wisconsin	3,538	75.2	4.6	4.5	4.1	1.4	9.2	1.1	100.0
Wyoming	4,049	41.7	31.7	4.7	20.2	0.1	0.7	0.9	100.0

- - Quantity is zero; * Less than 0.05 percent.

[1] Includes only free-standing residential detoxification, hospital detoxification, and outpatient detoxification.

[2] Includes only discharges where medication-assisted opioid therapy or detoxification was planned. May include any type of treatment service.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 19.1a. Discharges aged 12 years and older, by gender, selected age groups at admission, and state or jurisdiction: Number, 2020

State or jurisdiction	Age groups					Gender		
	Total	12 to 17 years	18 to 44 years	45 to 64 years	65 years and older	Total [1]	Male	Female
All discharges	1,391,393	31,292	971,281	367,639	21,181	1,390,762	896,332	494,430
Alabama	10,905	688	7,875	2,237	105	10,905	6,474	4,431
Alaska	6,466	211	4,694	1,455	106	6,464	3,681	2,783
Arizona	142,965	14	98,051	41,011	3,889	142,965	82,711	60,254
Arkansas	10,339	290	7,929	2,044	76	10,336	6,369	3,967
California	103,161	4,518	73,447	23,549	1,647	103,004	64,017	38,987
Colorado	55,392	1,113	37,163	15,928	1,188	55,392	38,137	17,255
Connecticut	41,009	- -	27,861	12,554	594	40,951	28,603	12,348
Delaware	8,648	9	6,316	2,172	151	8,646	5,594	3,052
District of Columbia	2,821	9	1,132	1,548	132	2,817	2,015	802
Florida	18,416	3,952	10,333	3,843	288	18,416	10,935	7,481
Georgia	34,951	222	24,224	10,136	369	34,909	21,375	13,534
Hawaii	5,870	888	3,790	1,150	42	5,870	3,979	1,891
Illinois	27,106	734	17,957	7,884	531	27,106	18,334	8,772
Indiana	15,747	277	12,241	3,099	130	15,747	9,443	6,304
Iowa	24,049	1,472	17,570	4,691	316	24,024	15,014	9,010
Kansas	4,937	286	3,640	970	41	4,936	2,644	2,292
Kentucky	71,275	522	56,441	14,061	251	71,244	34,260	36,984
Louisiana	12,792	462	8,806	3,328	196	12,782	7,815	4,967
Maine	5,136	35	3,878	1,135	88	5,135	3,007	2,128
Massachusetts	53,554	416	38,084	14,590	464	53,449	38,978	14,471
Michigan	61,653	663	42,181	17,820	989	61,653	39,398	22,255
Minnesota	31,196	989	23,210	6,670	327	31,196	20,421	10,775
Mississippi	4,566	71	3,366	1,088	41	4,566	2,847	1,719
Missouri	34,241	1,777	24,607	7,553	304	34,235	20,249	13,986

Continued. See notes at end of table.

Table 19.1a. Discharges aged 12 years and older, by gender, selected age groups at admission, and state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	Age groups					Gender		
	Total	12 to 17 years	18 to 44 years	45 to 64 years	65 years and older	Total[1]	Male	Female
All discharges	1,391,393	31,292	971,281	367,639	21,181	1,390,762	896,332	494,430
Montana	737	10	580	136	11	737	446	291
Nebraska	7,732	41	5,983	1,648	60	7,727	5,220	2,507
Nevada	6,027	109	4,303	1,552	63	5,931	3,823	2,108
New Hampshire	2,634	- -	2,051	542	41	2,628	1,464	1,164
New Jersey	77,284	736	53,494	22,051	1,003	77,236	52,829	24,407
New York	191,260	3,102	116,137	67,334	4,687	191,260	139,870	51,390
North Carolina	145,965	208	108,715	36,295	747	145,964	96,795	49,169
North Dakota	1,996	65	1,515	388	28	1,994	1,225	769
Ohio	10,124	359	7,729	1,963	73	10,122	6,137	3,985
Oklahoma	12,088	254	9,573	2,184	77	12,088	6,605	5,483
Pennsylvania	23,254	433	16,949	5,368	504	23,252	17,187	6,065
Puerto Rico	1,088	4	695	345	44	1,088	974	114
Rhode Island	11,535	47	7,897	3,413	178	11,533	7,918	3,615
South Carolina	27,975	2,367	19,112	6,017	479	27,975	16,637	11,338
South Dakota	14,771	609	10,053	3,908	201	14,771	10,193	4,578
Tennessee	14,421	373	11,083	2,914	51	14,414	9,383	5,031
Texas	19,047	1,852	14,067	2,984	144	19,047	10,848	8,199
Vermont	5,573	99	4,131	1,234	109	5,571	3,480	2,091
Virginia	16,166	430	11,650	3,835	251	16,164	9,994	6,170
Washington	6,934	342	5,229	1,334	29	6,925	3,967	2,958
Wisconsin	3,538	68	2,473	920	77	3,538	2,384	1,154
Wyoming	4,049	166	3,066	758	59	4,049	2,653	1,396

[1] Excludes admissions for which the client's gender was missing.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 19.1b. Discharges aged 12 years and older, by gender, selected age groups at admission, and state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	No. of discharges	Age groups					Gender		
		12 to 17 years	18 to 44 years	45 to 64 years	65 years and older	Total	Male	Female	Total [1]
Total	1,391,393	2.2	69.8	26.4	1.5	100.0	64.4	35.6	100.0
Alabama	10,905	6.3	72.2	20.5	1.0	100.0	59.4	40.6	100.0
Alaska	6,466	3.3	72.6	22.5	1.6	100.0	56.9	43.1	100.0
Arizona	142,965	*	68.6	28.7	2.7	100.0	57.9	42.1	100.0
Arkansas	10,339	2.8	76.7	19.8	0.7	100.0	61.6	38.4	100.0
California	103,161	4.4	71.2	22.8	1.6	100.0	62.2	37.8	100.0
Colorado	55,392	2.0	67.1	28.8	2.1	100.0	68.8	31.2	100.0
Connecticut	41,009	- -	67.9	30.6	1.4	100.0	69.8	30.2	100.0
Delaware	8,648	0.1	73.0	25.1	1.7	100.0	64.7	35.3	100.0
District of Columbia	2,821	0.3	40.1	54.9	4.7	100.0	71.5	28.5	100.0
Florida	18,416	21.5	56.1	20.9	1.6	100.0	59.4	40.6	100.0
Georgia	34,951	0.6	69.3	29.0	1.1	100.0	61.2	38.8	100.0
Hawaii	5,870	15.1	64.6	19.6	0.7	100.0	67.8	32.2	100.0
Illinois	27,106	2.7	66.2	29.1	2.0	100.0	67.6	32.4	100.0
Indiana	15,747	1.8	77.7	19.7	0.8	100.0	60.0	40.0	100.0
Iowa	24,049	6.1	73.1	19.5	1.3	100.0	62.5	37.5	100.0
Kansas	4,937	5.8	73.7	19.6	0.8	100.0	53.6	46.4	100.0
Kentucky	71,275	0.7	79.2	19.7	0.4	100.0	48.1	51.9	100.0
Louisiana	12,792	3.6	68.8	26.0	1.5	100.0	61.1	38.9	100.0
Maine	5,136	0.7	75.5	22.1	1.7	100.0	58.6	41.4	100.0
Massachusetts	53,554	0.8	71.1	27.2	0.9	100.0	72.9	27.1	100.0
Michigan	61,653	1.1	68.4	28.9	1.6	100.0	63.9	36.1	100.0
Minnesota	31,196	3.2	74.4	21.4	1.0	100.0	65.5	34.5	100.0
Mississippi	4,566	1.6	73.7	23.8	0.9	100.0	62.4	37.6	100.0
Missouri	34,241	5.2	71.9	22.1	0.9	100.0	59.1	40.9	100.0

Continued. See notes at end of table.

Table 19.1b. Discharges aged 12 years and older, by gender, selected age groups at admission, and state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	No. of discharges	Age groups					Gender		
		12 to 17 years	18 to 44 years	45 to 64 years	65 years and older	Total	Male	Female	Total [1]
All discharges	1,391,393	2.2	69.8	26.4	1.5	100.0	64.4	35.6	100.0
Montana	737	1.4	78.7	18.5	1.5	100.0	60.5	39.5	100.0
Nebraska	7,732	0.5	77.4	21.3	0.8	100.0	67.6	32.4	100.0
Nevada	6,027	1.8	71.4	25.8	1.0	100.0	64.5	35.5	100.0
New Hampshire	2,634	- -	77.9	20.6	1.6	100.0	55.7	44.3	100.0
New Jersey	77,284	1.0	69.2	28.5	1.3	100.0	68.4	31.6	100.0
New York	191,260	1.6	60.7	35.2	2.5	100.0	73.1	26.9	100.0
North Carolina	145,965	0.1	74.5	24.9	0.5	100.0	66.3	33.7	100.0
North Dakota	1,996	3.3	75.9	19.4	1.4	100.0	61.4	38.6	100.0
Ohio	10,124	3.5	76.3	19.4	0.7	100.0	60.6	39.4	100.0
Oklahoma	12,088	2.1	79.2	18.1	0.6	100.0	54.6	45.4	100.0
Pennsylvania	23,254	1.9	72.9	23.1	2.2	100.0	73.9	26.1	100.0
Puerto Rico	1,088	0.4	63.9	31.7	4.0	100.0	89.5	10.5	100.0
Rhode Island	11,535	0.4	68.5	29.6	1.5	100.0	68.7	31.3	100.0
South Carolina	27,975	8.5	68.3	21.5	1.7	100.0	59.5	40.5	100.0
South Dakota	14,771	4.1	68.1	26.5	1.4	100.0	69.0	31.0	100.0
Tennessee	14,421	2.6	76.9	20.2	0.4	100.0	65.1	34.9	100.0
Texas	19,047	9.7	73.9	15.7	0.8	100.0	57.0	43.0	100.0
Vermont	5,573	1.8	74.1	22.1	2.0	100.0	62.5	37.5	100.0
Virginia	16,166	2.7	72.1	23.7	1.6	100.0	61.8	38.2	100.0
Washington	6,934	4.9	75.4	19.2	0.4	100.0	57.3	42.7	100.0
Wisconsin	3,538	1.9	69.9	26.0	2.2	100.0	67.4	32.6	100.0
Wyoming	4,049	4.1	75.7	18.7	1.5	100.0	65.5	34.5	100.0

[1] Excludes admissions for which the client's gender was missing.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 19.2a. Race of discharges aged 12 years and older, by state or jurisdiction: Number, 2020

State or jurisdiction	Race						
	Total	American Indian or Alaska Native	Asian [1]	Black or African American	White	Other	Native Hawaiian or Other Pacific Islander
All discharges	1,331,425	42,905	8,074	235,811	920,912	116,776	6,947
Alabama	10,869	54	17	2,465	8,062	262	9
Alaska	6,402	2,451	36	169	2,775	927	44
Arizona	102,952	15,300	684	9,708	76,694	115	451
Arkansas	10,327	145	54	1,844	7,952	318	14
California	102,937	1,598	1,483	11,099	54,758	33,069	930
Colorado	48,571	2,653	251	4,207	40,307	942	211
Connecticut	38,717	192	182	6,519	25,264	6,409	151
Delaware	8,525	54	35	2,332	5,809	171	124
District of Columbia	2,795	10	4	2,552	104	125	- -
Florida	18,396	66	65	4,661	11,999	1,557	48
Georgia	34,271	75	177	12,551	20,386	1,035	47
Hawaii	5,837	85	913	181	1,461	207	2,990
Illinois	27,083	126	83	7,742	16,500	2,586	46
Indiana	15,606	61	34	2,069	12,534	892	16
Iowa	23,281	421	114	1,972	20,498	245	31
Kansas	4,764	134	22	541	3,735	319	13
Kentucky	71,245	178	38	5,576	60,448	4,929	76
Louisiana	12,428	143	24	4,235	7,782	231	13
Maine	5,111	72	9	99	4,763	160	8
Maryland	52,545	242	312	4,684	38,933	8,286	88
Michigan	61,430	624	146	13,527	43,109	3,903	121
Minnesota	31,186	2,684	326	3,601	22,217	2,251	107
Mississippi	4,541	16	14	1,220	3,227	64	- -
Missouri	34,232	92	55	5,536	26,701	1,823	25

Continued. See notes at end of table.

Table 19.2a. Race of discharges aged 12 years and older, by state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	Race						
	Total	*American Indian or Alaska Native*	*Asian* [1]	*Black or African American*	*White*	*Other*	*Native Hawaiian or Other Pacific Islander*
All discharges	1,331,425	42,905	8,074	235,811	920,912	116,776	6,947
Montana	737	183	- -	8	501	43	2
Nebraska	7,699	376	39	689	5,976	573	46
Nevada	5,945	141	82	1,169	3,144	1,336	73
New Hampshire	2,497	15	11	68	2,298	105	- -
New Jersey	76,890	370	634	18,523	56,256	642	465
New York	191,017	1,572	1,426	51,465	102,259	33,888	407
North Carolina	145,858	2,179	209	28,039	112,488	2,837	106
North Dakota	1,946	587	6	88	1,155	110	- -
Ohio	9,902	22	14	1,887	7,721	232	26
Oklahoma	12,075	1,629	26	1,305	8,477	587	51
Pennsylvania	20,767	41	58	2,740	17,347	569	12
Puerto Rico	967	5	- -	19	31	912	- -
Rhode Island	10,457	76	55	851	9,232	209	34
South Carolina	27,899	125	61	8,854	17,736	1,091	32
South Dakota	14,748	7,081	15	164	7,268	208	12
Tennessee	14,333	37	21	2,484	11,561	221	9
Texas	19,039	129	89	3,423	15,120	229	49
Vermont	5,458	50	21	129	5,258	- -	- -
Virginia	15,773	56	119	4,229	10,070	1,284	15
Washington	5,861	429	72	300	4,628	403	29
Wisconsin	3,457	135	27	203	2,990	102	- -
Wyoming	4,049	191	11	84	3,378	369	16

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Excludes admissions for which the client's race was missing.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 19.2b. Race of discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	No. of discharges	Race						
		American Indian or Alaska Native	Asian[1]	Black or African American	White	Other	Native Hawaiian or Other Pacific Islander	Total
Total	1,331,425	3.2	0.6	17.7	69.2	8.8	0.5	100.0
Alabama	10,869	0.5	0.2	22.7	74.2	2.4	0.1	100.0
Alaska	6,402	38.3	0.6	2.6	43.3	14.5	0.7	100.0
Arizona	102,952	14.9	0.7	9.4	74.5	0.1	0.4	100.0
Arkansas	10,327	1.4	0.5	17.9	77.0	3.1	0.1	100.0
California	102,937	1.6	1.4	10.8	53.2	32.1	0.9	100.0
Colorado	48,571	5.5	0.5	8.7	83.0	1.9	0.4	100.0
Connecticut	38,717	0.5	0.5	16.8	65.3	16.6	0.4	100.0
Delaware	8,525	0.6	0.4	27.4	68.1	2.0	1.5	100.0
District of Columbia	2,795	0.4	0.1	91.3	3.7	4.5	- -	100.0
Florida	18,396	0.4	0.4	25.3	65.2	8.5	0.3	100.0
Georgia	34,271	0.2	0.5	36.6	59.5	3.0	0.1	100.0
Hawaii	5,837	1.5	15.6	3.1	25.0	3.5	51.2	100.0
Illinois	27,083	0.5	0.3	28.6	60.9	9.5	0.2	100.0
Indiana	15,606	0.4	0.2	13.3	80.3	5.7	0.1	100.0
Iowa	23,281	1.8	0.5	8.5	88.0	1.1	0.1	100.0
Kansas	4,764	2.8	0.5	11.4	78.4	6.7	0.3	100.0
Kentucky	71,245	0.2	0.1	7.8	84.8	6.9	0.1	100.0
Louisiana	12,428	1.2	0.2	34.1	62.6	1.9	0.1	100.0
Maine	5,111	1.4	0.2	1.9	93.2	3.1	0.2	100.0
Maryland	52,545	0.5	0.6	8.9	74.1	15.8	0.2	100.0
Michigan	61,430	1.0	0.2	22.0	70.2	6.4	0.2	100.0
Minnesota	31,186	8.6	1.0	11.5	71.2	7.2	0.3	100.0
Mississippi	4,541	0.4	0.3	26.9	71.1	1.4	- -	100.0
Missouri	34,232	0.3	0.2	16.2	78.0	5.3	0.1	100.0

Continued. See notes at end of table.

Table 19.2b. Race of discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	No. of discharges	Race						
		American Indian or Alaska Native	Asian[1]	Black or African American	White	Other	Native Hawaiian or Other Pacific Islander	Total
Total	1,331,425	3.2	0.6	17.7	69.2	8.8	0.5	100.0
Montana	737	24.8	- -	1.1	68.0	5.8	0.3	100.0
Nebraska	7,699	4.9	0.5	8.9	77.6	7.4	0.6	100.0
Nevada	5,945	2.4	1.4	19.7	52.9	22.5	1.2	100.0
New Hampshire	2,497	0.6	0.4	2.7	92.0	4.2	- -	100.0
New Jersey	76,890	0.5	0.8	24.1	73.2	0.8	0.6	100.0
New York	191,017	0.8	0.7	26.9	53.5	17.7	0.2	100.0
North Carolina	145,858	1.5	0.1	19.2	77.1	1.9	0.1	100.0
North Dakota	1,946	30.2	0.3	4.5	59.4	5.7	- -	100.0
Ohio	9,902	0.2	0.1	19.1	78.0	2.3	0.3	100.0
Oklahoma	12,075	13.5	0.2	10.8	70.2	4.9	0.4	100.0
Pennsylvania	20,767	0.2	0.3	13.2	83.5	2.7	0.1	100.0
Puerto Rico	967	0.5	- -	2.0	3.2	94.3	- -	100.0
Rhode Island	10,457	0.7	0.5	8.1	88.3	2.0	0.3	100.0
South Carolina	27,899	0.4	0.2	31.7	63.6	3.9	0.1	100.0
South Dakota	14,748	48.0	0.1	1.1	49.3	1.4	0.1	100.0
Tennessee	14,333	0.3	0.1	17.3	80.7	1.5	0.1	100.0
Texas	19,039	0.7	0.5	18.0	79.4	1.2	0.3	100.0
Vermont	5,458	0.9	0.4	2.4	96.3	- -	- -	100.0
Virginia	15,773	0.4	0.8	26.8	63.8	8.1	0.1	100.0
Washington	5,861	7.3	1.2	5.1	79.0	6.9	0.5	100.0
Wisconsin	3,457	3.9	0.8	5.9	86.5	3.0	- -	100.0
Wyoming	4,049	4.7	0.3	2.1	83.4	9.1	0.4	100.0

- - Quantity is zero.

[1] For some states, "Asian" includes "Pacific Islanders."

NOTE: Excludes admissions for which the client's race was missing.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 19.3a. Reason for discharge among discharges aged 12 years and older, by state or jurisdiction: Number, 2020

State or jurisdiction	Reason for discharge							
	Total	Com-pleted	Trans-ferred	Dropped out	Termi-nated	Incar-cerated	Death	Other
No. of discharges	1,391,393	589,879	311,705	341,002	69,178	15,447	4,153	60,029
Alabama	10,905	3,162	1,683	3,991	814	211	32	1,012
Alaska	6,466	2,791	578	1,108	1,329	114	20	526
Arizona	142,965	141,650	36	76	28	1,012	116	47
Arkansas	10,339	6,743	584	2,257	633	90	26	6
California	103,161	24,021	28,403	49,288	68	874	457	50
Colorado	55,392	37,377	3,968	8,325	4,342	661	89	630
Connecticut	41,009	16,831	8,702	9,516	1,503	478	155	3,824
Delaware	8,648	2,913	1,370	1,096	2,716	163	55	335
District of Columbia	2,821	1,390	316	7	143	2	13	950
Florida	18,416	8,430	1,539	2,980	355	167	34	4,911
Georgia	34,951	7,789	580	24,073	1,291	164	67	987
Hawaii	5,870	1,317	2,809	935	695	44	2	68
Illinois	27,106	7,931	9,088	7,059	2,716	257	39	16
Indiana	15,747	3,312	1,158	9,138	726	505	127	781
Iowa	24,049	10,081	1,049	7,899	1,913	636	64	2,407
Kansas	4,937	2,323	729	1,371	232	147	8	127
Kentucky	71,275	3,296	62,585	2,201	1,003	136	28	2,026
Louisiana[1]	12,792	1,759	1,704	9,259	5	5	5	55
Maine	5,136	1,846	507	1,973	432	133	44	201
Massachusetts	53,554	25,136	1,906	20,707	2,535	193	156	2,921
Michigan	61,653	14,880	16,032	23,614	2,620	1,118	238	3,151
Minnesota	31,196	14,637	2,523	10,178	1,921	318	63	1,556
Mississippi	4,566	1,737	940	521	393	3	- -	972
Missouri	34,241	7,661	12,922	10,137	2,119	530	219	653
Montana	737	299	236	162	7	- -	- -	33
Nebraska	7,732	4,980	597	1,287	231	105	13	519
Nevada	6,027	3,327	472	1,818	238	68	7	97
New Hampshire	2,634	1,042	379	477	164	74	5	493
New Jersey	77,284	41,481	1,003	22,175	3,236	830	305	8,254

Continued. See notes at end of table.

Table 19.3a. Reason for discharge among discharges aged 12 years and older, by state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	*Reason for discharge*							
	Total	*Com-pleted*	*Trans-ferred*	*Dropped out*	*Termi-nated*	*Incar-cerated*	*Death*	*Other*
No. of discharges	1,391,393	589,879	311,705	341,002	69,178	15,447	4,153	60,029
New York	191,260	94,465	11,107	66,195	12,329	3,010	1,114	3,040
North Carolina	145,965	23,492	122,024	261	36	37	16	99
North Dakota	1,996	513	365	1,010	3	68	30	7
Ohio	10,124	2,498	756	3,605	1,798	311	66	1,090
Oklahoma	12,088	4,093	1,229	5,517	464	196	46	543
Pennsylvania	23,254	8,339	914	5,618	1,322	821	62	6,178
Puerto Rico	1,088	483	54	438	51	27	19	16
Rhode Island	11,535	3,970	3,581	2,629	1,182	107	57	9
South Carolina	27,975	12,287	982	8,897	4,400	254	96	1,059
South Dakota	14,771	8,876	1,982	1,877	865	370	7	794
Tennessee	14,421	7,045	327	4,288	2,249	194	26	292
Texas	19,047	9,983	1,039	2,221	3,015	1	- -	2,788
Vermont	5,573	1,829	944	1,976	333	81	31	379
Virginia	16,166	5,339	18	25	6,036	585	114	4,049
Washington	6,934	2,401	1,215	1,426	277	78	46	1,491
Wisconsin	3,538	1,990	368	685	285	131	23	56
Wyoming	4,049	2,134	402	706	125	138	13	531

- - Quantity is zero.

[1] Louisiana is in the process of redesigning their data collection system; this process affects how the state is able to report discharges, thus contributing to the relatively high number of treatment dropouts.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 19.3b. Reason for discharge among discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	No. of discharges	Reason for discharge							
		Com-pleted	Trans-ferred	Dropped out	Termi-nated	Incar-cerated	Death	Other	Total
Total	1,391,393	42.4	22.4	24.5	5.0	1.1	0.3	4.3	100.0
Alabama	10,905	29.0	15.4	36.6	7.5	1.9	0.3	9.3	100.0
Alaska	6,466	43.2	8.9	17.1	20.6	1.8	0.3	8.1	100.0
Arizona	142,965	99.1	*	0.1	*	0.7	0.1	*	100.0
Arkansas	10,339	65.2	5.6	21.8	6.1	0.9	0.3	0.1	100.0
California	103,161	23.3	27.5	47.8	0.1	0.8	0.4	*	100.0
Colorado	55,392	67.5	7.2	15.0	7.8	1.2	0.2	1.1	100.0
Connecticut	41,009	41.0	21.2	23.2	3.7	1.2	0.4	9.3	100.0
Delaware	8,648	33.7	15.8	12.7	31.4	1.9	0.6	3.9	100.0
District of Columbia	2,821	49.3	11.2	0.2	5.1	0.1	0.5	33.7	100.0
Florida	18,416	45.8	8.4	16.2	1.9	0.9	0.2	26.7	100.0
Georgia	34,951	22.3	1.7	68.9	3.7	0.5	0.2	2.8	100.0
Hawaii	5,870	22.4	47.9	15.9	11.8	0.7	*	1.2	100.0
Illinois	27,106	29.3	33.5	26.0	10.0	0.9	0.1	0.1	100.0
Indiana	15,747	21.0	7.4	58.0	4.6	3.2	0.8	5.0	100.0
Iowa	24,049	41.9	4.4	32.8	8.0	2.6	0.3	10.0	100.0
Kansas	4,937	47.1	14.8	27.8	4.7	3.0	0.2	2.6	100.0
Kentucky	71,275	4.6	87.8	3.1	1.4	0.2	*	2.8	100.0
Louisiana[1]	12,792	13.8	13.3	72.4	*	*	*	0.4	100.0
Maine	5,136	35.9	9.9	38.4	8.4	2.6	0.9	3.9	100.0
Massachusetts	53,554	46.9	3.6	38.7	4.7	0.4	0.3	5.5	100.0
Michigan	61,653	24.1	26.0	38.3	4.2	1.8	0.4	5.1	100.0
Minnesota	31,196	46.9	8.1	32.6	6.2	1.0	0.2	5.0	100.0
Mississippi	4,566	38.0	20.6	11.4	8.6	0.1	- -	21.3	100.0
Missouri	34,241	22.4	37.7	29.6	6.2	1.5	0.6	1.9	100.0
Montana	737	40.6	32.0	22.0	0.9	- -	- -	4.5	100.0
Nebraska	7,732	64.4	7.7	16.6	3.0	1.4	0.2	6.7	100.0
Nevada	6,027	55.2	7.8	30.2	3.9	1.1	0.1	1.6	100.0
New Hampshire	2,634	39.6	14.4	18.1	6.2	2.8	0.2	18.7	100.0
New Jersey	77,284	53.7	1.3	28.7	4.2	1.1	0.4	10.7	100.0

Continued. See notes at end of table.

Table 19.3b. Reason for discharge among discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	*No. of discharges*	*Reason for discharge*							
		Com-pleted	*Trans-ferred*	*Dropped out*	*Termi-nated*	*Incar-cerated*	*Death*	*Other*	*Total*
Total	1,391,393	42.4	22.4	24.5	5.0	1.1	0.3	4.3	100.0
New York	191,260	49.4	5.8	34.6	6.4	1.6	0.6	1.6	100.0
North Carolina	145,965	16.1	83.6	0.2	*	*	*	0.1	100.0
North Dakota	1,996	25.7	18.3	50.6	0.2	3.4	1.5	0.4	100.0
Ohio	10,124	24.7	7.5	35.6	17.8	3.1	0.7	10.8	100.0
Oklahoma	12,088	33.9	10.2	45.6	3.8	1.6	0.4	4.5	100.0
Pennsylvania	23,254	35.9	3.9	24.2	5.7	3.5	0.3	26.6	100.0
Puerto Rico	1,088	44.4	5.0	40.3	4.7	2.5	1.7	1.5	100.0
Rhode Island	11,535	34.4	31.0	22.8	10.2	0.9	0.5	0.1	100.0
South Carolina	27,975	43.9	3.5	31.8	15.7	0.9	0.3	3.8	100.0
South Dakota	14,771	60.1	13.4	12.7	5.9	2.5	*	5.4	100.0
Tennessee	14,421	48.9	2.3	29.7	15.6	1.3	0.2	2.0	100.0
Texas	19,047	52.4	5.5	11.7	15.8	*	- -	15	100.0
Vermont	5,573	32.8	16.9	35.5	6.0	1.5	0.6	6.8	100.0
Virginia	16,166	33.0	0.1	0.2	37.3	3.6	0.7	25.0	100.0
Washington	6,934	34.6	17.5	20.6	4.0	1.1	0.7	21.5	100.0
Wisconsin	3,538	56.2	10.4	19.4	8.1	3.7	0.7	1.6	100.0
Wyoming	4,049	52.7	9.9	17.4	3.1	3.4	0.3	13.1	100.0

- - Quantity is zero; * Less than 0.05 percent.

[1] Louisiana is in the process of redesigning their data collection system; this process affects how the state is able to report discharges, thus contributing to the relatively high number of treatment dropouts.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 19.4a. Reason for discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number, 2020

State or jurisdiction	Reason for discharge							
	Total	Com-pleted	Trans-ferred	Dropped out	Termi-nated	Incar-cerated	Death	Other
No. of discharges	31,292	11,223	4,402	9,352	2,363	501	29	3,422
Alabama	688	305	102	160	20	35	3	63
Alaska	211	78	30	44	37	5	3	14
Arizona	14	10	- -	1	- -	- -	- -	3
Arkansas	290	135	33	61	40	19	1	1
California	4,518	1,131	933	2,336	2	104	11	1
Colorado	1,113	487	102	284	163	31	- -	46
Delaware	9	2	- -	1	5	- -	- -	1
District of Columbia	9	3	1	- -	- -	- -	- -	5
Florida	3,952	1,355	587	236	89	13	- -	1,672
Georgia	222	28	2	185	3	1	- -	3
Hawaii	888	537	127	187	34	- -	- -	3
Illinois	734	256	170	202	94	11	- -	1
Indiana	277	55	22	171	8	2	- -	19
Iowa	1,472	637	88	434	89	18	3	203
Kansas	286	155	23	53	19	3	- -	33
Kentucky	522	27	412	39	16	2	- -	26
Louisiana[1]	462	7	101	349	2	- -	- -	3
Maine	35	17	3	7	2	6	- -	- -
Massachusetts	416	228	2	102	45	1	- -	38
Michigan	663	250	79	249	18	18	- -	49
Minnesota	989	488	110	201	97	5	2	86
Mississippi	71	17	7	14	20	- -	- -	13
Missouri	1,777	469	586	422	225	27	3	45
Montana	10	3	- -	5	- -	- -	- -	2
Nebraska	41	26	2	11	- -	- -	- -	2
Nevada	109	33	7	62	1	3	- -	3
New Jersey	736	278	8	255	47	2	- -	146

Continued. See notes at end of table.

Table 19.4a. Reason for discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	*Reason for discharge*							
	Total	*Com-pleted*	*Trans-ferred*	*Dropped out*	*Termi-nated*	*Incar-cerated*	*Death*	*Other*
No. of discharges	31,292	11,223	4,402	9,352	2,363	501	29	3,422
New York	3,102	743	281	1,451	449	51	1	126
North Carolina	208	157	27	9	2	- -	- -	13
North Dakota	65	30	10	20	2	1	1	1
Ohio	359	117	26	88	62	17	1	48
Oklahoma	254	87	13	123	11	3	- -	17
Pennsylvania	433	142	21	159	32	9	- -	70
Puerto Rico	4	4	- -	- -	- -	- -	- -	- -
Rhode Island	47	15	11	14	5	2	- -	- -
South Carolina	2,367	965	90	809	281	69	- -	153
South Dakota	609	289	134	97	43	4	- -	42
Tennessee	373	167	29	117	34	9	- -	17
Texas	1,852	1,068	118	254	168	- -	- -	244
Vermont	99	39	4	39	1	- -	- -	16
Virginia	430	180	- -	2	153	17	- -	78
Washington	342	75	56	67	35	9	- -	100
Wisconsin	68	26	21	14	7	- -	- -	- -
Wyoming	166	102	24	18	2	4	- -	16

- - Quantity is zero.

[1] Louisiana is in the process of redesigning their data collection system; this process affects how the state is able to report discharges, thus contributing to the relatively high number of treatment dropouts.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 19.4b. Reason for discharge among discharges aged 12 to 17 years, by state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	No. of discharges	Reason for discharge							
		Completed	Transferred	Dropped out	Terminated	Incarcerated	Death	Other	Total
Total	31,292	35.9	14.1	29.9	7.6	1.6	0.1	10.9	100.0
Alabama	688	44.3	14.8	23.3	2.9	5.1	0.4	9.2	100.0
Alaska	211	37.0	14.2	20.9	17.5	2.4	1.4	6.6	100.0
Arizona	14	71.4	- -	7.1	- -	- -	- -	21.4	100.0
Arkansas	290	46.6	11.4	21.0	13.8	6.6	0.3	0.3	100.0
California	4,518	25.0	20.7	51.7	*	2.3	0.2	*	100.0
Colorado	1,113	43.8	9.2	25.5	14.6	2.8	- -	4.1	100.0
Delaware	9	22.2	- -	11.1	55.6	- -	- -	11.1	100.0
District of Columbia	9	33.3	11.1	- -	- -	- -	- -	55.6	100.0
Florida	3,952	34.3	14.9	6.0	2.3	0.3	- -	42.3	100.0
Georgia	222	12.6	0.9	83.3	1.4	0.5	- -	1.4	100.0
Hawaii	888	60.5	14.3	21.1	3.8	- -	- -	0.3	100.0
Illinois	734	34.9	23.2	27.5	12.8	1.5	- -	0.1	100.0
Indiana	277	19.9	7.9	61.7	2.9	0.7	- -	6.9	100.0
Iowa	1,472	43.3	6.0	29.5	6.0	1.2	0.2	13.8	100.0
Kansas	286	54.2	8.0	18.5	6.6	1.0	- -	11.5	100.0
Kentucky	522	5.2	78.9	7.5	3.1	0.4	- -	5.0	100.0
Louisiana[1]	462	1.5	21.9	75.5	0.4	- -	- -	0.6	100.0
Maine	35	48.6	8.6	20.0	5.7	17.1	- -	- -	100.0
Massachusetts	416	54.8	0.5	24.5	10.8	0.2	- -	9.1	100.0
Michigan	663	37.7	11.9	37.6	2.7	2.7	- -	7.4	100.0
Minnesota	989	49.3	11.1	20.3	9.8	0.5	0.2	8.7	100.0
Mississippi	71	23.9	9.9	19.7	28.2	- -	- -	18.3	100.0
Missouri	1,777	26.4	33.0	23.7	12.7	1.5	0.2	2.5	100.0
Montana	10	30.0	- -	50.0	- -	- -	- -	20.0	100.0
Nebraska	41	63.4	4.9	26.8	- -	- -	- -	4.9	100.0
Nevada	109	30.3	6.4	56.9	0.9	2.8	- -	2.8	100.0
New Jersey	736	37.8	1.1	34.6	6.4	0.3	- -	19.8	100.0

Continued. See notes at end of table.

Table 19.4b. Reason for discharge among discharges aged 12 to 17 years, by state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	*No. of discharges*	*Reason for discharge*							
		Completed	*Transferred*	*Dropped out*	*Terminated*	*Incarcerated*	*Death*	*Other*	*Total*
Total	31,292	35.9	14.1	29.9	7.6	1.6	0.1	10.9	100.0
New York	3,102	24.0	9.1	46.8	14.5	1.6	*	4.1	100.0
North Carolina	208	75.5	13.0	4.3	1.0	- -	- -	6.3	100.0
North Dakota	65	46.2	15.4	30.8	3.1	1.5	1.5	1.5	100.0
Ohio	359	32.6	7.2	24.5	17.3	4.7	0.3	13.4	100.0
Oklahoma	254	34.3	5.1	48.4	4.3	1.2	- -	6.7	100.0
Pennsylvania	433	32.8	4.8	36.7	7.4	2.1	- -	16.2	100.0
Puerto Rico	4	100.0	- -	- -	- -	- -	- -	- -	100.0
Rhode Island	47	31.9	23.4	29.8	10.6	4.3	- -	- -	100.0
South Carolina	2,367	40.8	3.8	34.2	11.9	2.9	- -	6.5	100.0
South Dakota	609	47.5	22.0	15.9	7.1	0.7	- -	6.9	100.0
Tennessee	373	44.8	7.8	31.4	9.1	2.4	- -	4.6	100.0
Texas	1,852	57.7	6.4	13.7	9.1	- -	- -	13.2	100.0
Vermont	99	39.4	4.0	39.4	1.0	- -	- -	16.2	100.0
Virginia	430	41.9	- -	0.5	35.6	4.0	- -	18.1	100.0
Washington	342	21.9	16.4	19.6	10.2	2.6	- -	29.2	100.0
Wisconsin	68	38.2	30.9	20.6	10.3	- -	- -	- -	100.0
Wyoming	166	61.4	14.5	10.8	1.2	2.4	- -	9.6	100.0

- - Quantity is zero; * Less than 0.05 percent.

[1] Louisiana is in the process of redesigning their data collection system; this process affects how the state is able to report discharges, thus contributing to the relatively high number of treatment dropouts.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 19.5a. Reason for discharge among discharges aged 18 years and older, by state or jurisdiction: Number, 2020

State or jurisdiction	Reason for discharge							
	Total	*Com-pleted*	*Trans-ferred*	*Dropped out*	*Termi-nated*	*Incar-cerated*	*Death*	*Other*
No. of discharges	1,360,101	578,656	307,303	331,650	66,815	14,946	4,124	56,607
Alabama	10,217	2,857	1,581	3,831	794	176	29	949
Alaska	6,255	2,713	548	1,064	1,292	109	17	512
Arizona	142,951	141,640	36	75	28	1,012	116	44
Arkansas	10,049	6,608	551	2,196	593	71	25	5
California	98,643	22,890	27,470	46,952	66	770	446	49
Colorado	54,279	36,890	3,866	8,041	4,179	630	89	584
Connecticut	41,009	16,831	8,702	9,516	1,503	478	155	3,824
Delaware	8,639	2,911	1,370	1,095	2,711	163	55	334
District of Columbia	2,812	1,387	315	7	143	2	13	945
Florida	14,464	7,075	952	2,744	266	154	34	3,239
Georgia	34,729	7,761	578	23,888	1,288	163	67	984
Hawaii	4,982	780	2,682	748	661	44	2	65
Illinois	26,372	7,675	8,918	6,857	2,622	246	39	15
Indiana	15,470	3,257	1,136	8,967	718	503	127	762
Iowa	22,577	9,444	961	7,465	1,824	618	61	2,204
Kansas	4,651	2,168	706	1,318	213	144	8	94
Kentucky	70,753	3,269	62,173	2,162	987	134	28	2,000
Louisiana[1]	12,330	1,752	1,603	8,910	3	5	5	52
Maine	5,101	1,829	504	1,966	430	127	44	201
Massachusetts	53,138	24,908	1,904	20,605	2,490	192	156	2,883
Michigan	60,990	14,630	15,953	23,365	2,602	1,100	238	3,102
Minnesota	30,207	14,149	2,413	9,977	1,824	313	61	1,470
Mississippi	4,495	1,720	933	507	373	3	- -	959
Missouri	32,464	7,192	12,336	9,715	1,894	503	216	608
Montana	727	296	236	157	7	- -	- -	31
Nebraska	7,691	4,954	595	1,276	231	105	13	517
Nevada	5,918	3,294	465	1,756	237	65	7	94
New Hampshire	2,634	1,042	379	477	164	74	5	493
New Jersey	76,548	41,203	995	21,920	3,189	828	305	8,108

Continued. See notes at end of table.

Table 19.5a. Reason for discharge among discharges aged 18 years and older, by state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	*Reason for discharge*							
	Total	*Com-pleted*	*Trans-ferred*	*Dropped out*	*Termi-nated*	*Incar-cerated*	*Death*	*Other*
No. of discharges	1,360,101	578,656	307,303	331,650	66,815	14,946	4,124	56,607
New York	188,158	93,722	10,826	64,744	11,880	2,959	1,113	2,914
North Carolina	145,757	23,335	121,997	252	34	37	16	86
North Dakota	1,931	483	355	990	1	67	29	6
Ohio	9,765	2,381	730	3,517	1,736	294	65	1,042
Oklahoma	11,834	4,006	1,216	5,394	453	193	46	526
Pennsylvania	22,821	8,197	893	5,459	1,290	812	62	6,108
Puerto Rico	1,084	479	54	438	51	27	19	16
Rhode Island	11,488	3,955	3,570	2,615	1,177	105	57	9
South Carolina	25,608	11,322	892	8,088	4,119	185	96	906
South Dakota	14,162	8,587	1,848	1,780	822	366	7	752
Tennessee	14,048	6,878	298	4,171	2,215	185	26	275
Texas	17,195	8,915	921	1,967	2,847	1	- -	2,544
Vermont	5,474	1,790	940	1,937	332	81	31	363
Virginia	15,736	5,159	18	23	5,883	568	114	3,971
Washington	6,592	2,326	1,159	1,359	242	69	46	1,391
Wisconsin	3,470	1,964	347	671	278	131	23	56
Wyoming	3,883	2,032	378	688	123	134	13	515

- - Quantity is zero.

[1] Louisiana is in the process of redesigning their data collection system; this process affects how the state is able to report discharges, thus contributing to the relatively high number of treatment dropouts.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 19.5b. Reason for discharge among discharges aged 18 years and older, by state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	No. of discharges	Reason for discharge							
		Completed	Transferred	Dropped out	Terminated	Incarcerated	Death	Other	Total
Total	1,360,101	42.5	22.6	24.4	4.9	1.1	0.3	4.2	100.0
Alabama	10,217	28.0	15.5	37.5	7.8	1.7	0.3	9.3	100.0
Alaska	6,255	43.4	8.8	17.0	20.7	1.7	0.3	8.2	100.0
Arizona	142,951	99.1	*	0.1	*	0.7	0.1	*	100.0
Arkansas	10,049	65.8	5.5	21.9	5.9	0.7	0.2	*	100.0
California	98,643	23.2	27.8	47.6	0.1	0.8	0.5	*	100.0
Colorado	54,279	68.0	7.1	14.8	7.7	1.2	0.2	1.1	100.0
Connecticut	41,009	41.0	21.2	23.2	3.7	1.2	0.4	9.3	100.0
Delaware	8,639	33.7	15.9	12.7	31.4	1.9	0.6	3.9	100.0
District of Columbia	2,812	49.3	11.2	0.2	5.1	0.1	0.5	33.6	100.0
Florida	14,464	48.9	6.6	19.0	1.8	1.1	0.2	22.4	100.0
Georgia	34,729	22.3	1.7	68.8	3.7	0.5	0.2	2.8	100.0
Hawaii	4,982	15.7	53.8	15.0	13.3	0.9	*	1.3	100.0
Illinois	26,372	29.1	33.8	26.0	9.9	0.9	0.1	0.1	100.0
Indiana	15,470	21.1	7.3	58.0	4.6	3.3	0.8	4.9	100.0
Iowa	22,577	41.8	4.3	33.1	8.1	2.7	0.3	9.8	100.0
Kansas	4,651	46.6	15.2	28.3	4.6	3.1	0.2	2.0	100.0
Kentucky	70,753	4.6	87.9	3.1	1.4	0.2	*	2.8	100.0
Louisiana[1]	12,330	14.2	13.0	72.3	*	*	*	0.4	100.0
Maine	5,101	35.9	9.9	38.5	8.4	2.5	0.9	3.9	100.0
Massachusetts	53,138	46.9	3.6	38.8	4.7	0.4	0.3	5.4	100.0
Michigan	60,990	24.0	26.2	38.3	4.3	1.8	0.4	5.1	100.0
Minnesota	30,207	46.8	8.0	33.0	6.0	1.0	0.2	4.9	100.0
Mississippi	4,495	38.3	20.8	11.3	8.3	0.1	- -	21.3	100.0
Missouri	32,464	22.2	38.0	29.9	5.8	1.5	0.7	1.9	100.0
Montana	727	40.7	32.5	21.6	1.0	- -	- -	4.3	100.0
Nebraska	7,691	64.4	7.7	16.6	3.0	1.4	0.2	6.7	100.0
Nevada	5,918	55.7	7.9	29.7	4.0	1.1	0.1	1.6	100.0
New Hampshire	2,634	39.6	14.4	18.1	6.2	2.8	0.2	18.7	100.0
New Jersey	76,548	53.8	1.3	28.6	4.2	1.1	0.4	10.6	100.0

Continued. See notes at end of table.

Table 19.5b. Reason for discharge among discharges aged 18 years and older, by state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	*No. of discharges*	*Reason for discharge*							
		Completed	*Transferred*	*Dropped out*	*Terminated*	*Incarcerated*	*Death*	*Other*	*Total*
Total	1,360,101	42.5	22.6	24.4	4.9	1.1	0.3	4.2	100.0
New York	188,158	49.8	5.8	34.4	6.3	1.6	0.6	1.5	100.0
North Carolina	145,757	16.0	83.7	0.2	*	*	*	0.1	100.0
North Dakota	1,931	25.0	18.4	51.3		3.5	1.5	0.3	100.0
Ohio	9,765	24.4	7.5	36.0	17.8	3.0	0.7	10.7	100.0
Oklahoma	11,834	33.9	10.3	45.6	3.8	1.6	0.4	4.4	100.0
Pennsylvania	22,821	35.9	3.9	23.9	5.7	3.6	0.3	26.8	100.0
Puerto Rico	1,084	44.2	5.0	40.4	4.7	2.5	1.8	1.5	100.0
Rhode Island	11,488	34.4	31.1	22.8	10.2	0.9	0.5	0.1	100.0
South Carolina	25,608	44.2	3.5	31.6	16.1	0.7	0.4	3.5	100.0
South Dakota	14,162	60.6	13.0	12.6	5.8	2.6	*	5.3	100.0
Tennessee	14,048	49.0	2.1	29.7	15.8	1.3	0.2	2.0	100.0
Texas	17,195	51.8	5.4	11.4	16.6	*	- -	14.8	100.0
Vermont	5,474	32.7	17.2	35.4	6.1	1.5	0.6	6.6	100.0
Virginia	15,736	32.8	0.1	0.1	37.4	3.6	0.7	25.2	100.0
Washington	6,592	35.3	17.6	20.6	3.7	1.0	0.7	21.1	100.0
Wisconsin	3,470	56.6	10.0	19.3	8.0	3.8	0.7	1.6	100.0
Wyoming	3,883	52.3	9.7	17.7	3.2	3.5	0.3	13.3	100.0

- - Quantity is zero; * Less than 0.05 percent.

[1] Louisiana is in the process of redesigning their data collection system; this process affects how the state is able to report discharges, thus contributing to the relatively high number of treatment dropouts.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 20.1. Median length of stay (LOS) among discharges aged 12 years and older that completed treatment, by treatment service and state or jurisdiction: Number of days, 2020

State or jurisdiction	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient medication-assisted opioid therapy* [1]	*Medication-assisted opioid detoxification* [2]
All discharges	59	91	26	78	14	5	151	7
Alabama	142	246	26	71	‡	10	351	7
Alaska	138	130	30	78	‡	3	157	5
Arizona	7	44	‡	‡	5	5	98	8
Arkansas	66	157	36	62	‡	30	191	‡
California	147	112	30	87	‡	6	159	20
Colorado	221	73	28	42	15	1	397	5
Connecticut	125	38	28	66	30	5	140	6
Delaware	254	154	85	61	‡	2	174	6
District of Columbia	199	92	28	89	‡	6	69	6
Florida	102	125	‡	91	144	5	‡	‡
Georgia	9	8	‡	183	‡	6	110	7
Hawaii	137	111	‡	43	‡	5	942	‡
Illinois	119	66	28	102	‡	4	240	6
Indiana	135	125	21	30	29	7	149	6
Iowa	96	66	28	84	5	3	104	5
Kansas	143	83	28	56	‡	4	175	5
Kentucky	43	30	24	9	‡	3	58	3
Louisiana	103	100	28	48	‡	5	221	21
Maine	128	65	28	42	‡	6	111	5
Massachusetts	133	‡	15	165	‡	8	177	11
Michigan	133	85	21	38	‡	3	223	3
Minnesota	98	113	28	43	19	‡	135	‡
Mississippi	91	33	30	50	31	7	47	3
Missouri	96	175	28	‡	‡	3	104	5

Continued. See notes at end of table.

Table 20.1. Median length of stay (LOS) among discharges aged 12 years and older that completed treatment, by treatment service and state or jurisdiction: Number of days, 2020 (continued)

State or jurisdiction	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient medication-assisted opioid therapy* [1]	*Medication-assisted opioid detoxification* [2]
All discharges	59	91	26	78	14	5	151	7
Montana	92	201	‡	156	‡	29	‡	‡
Nebraska	6	68	34	161	‡	3	64	1,391
Nevada	63	78	2	85	90	2	177	‡
New Hampshire	129	93	27	88	‡	6	186	‡
New Jersey	111	75	14	84	7	5	125	6
New York	202	165	19	120	‡	5	286	8
North Carolina	64	75	98	29	88	4	183	7
North Dakota	262	320	27	33	‡	68	242	28
Ohio	178	126	54	80	6	6	206	8
Oklahoma	308	‡	54	48	‡	6	172	‡
Pennsylvania	110	72	25	84	15	5	120	5
Puerto Rico	148	596	‡	352	16	4	366	‡
Rhode Island	92	67	23	31	6	7	712	‡
South Carolina	111	78	36	77	‡	6	126	6
South Dakota	148	52	30	56	‡	2	182	9
Tennessee	174	57	28	90	‡	6	85	‡
Texas	114	89	39	45	‡	6	152	4
Vermont	71	76	15	38	‡	14	130	9
Virginia	135	78	16	134	‡	9	‡	‡
Washington	181	153	28	98	45	5	374	‡
Wisconsin	143	66	30	49	28	4	219	‡
Wyoming	203	213	65	85	‡	77	262	7

‡ No discharges were reported.

[1] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[2] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

NOTE: These tables exclude 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 20.2. Median length of stay (LOS) among discharges aged 12 to 17 years that completed treatment, by treatment service and state or jurisdiction: Number of days, 2020

State or jurisdiction	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient medication-assisted opioid therapy* [1]	*Medication-assisted opioid detoxification* [2]
All discharges	129	115	63	82	3	11	113	19
Alabama	162	144	‡	49	‡	‡	‡	‡
Alaska	187	172	‡	114	‡	‡	‡	‡
Arizona	67	‡	‡	‡	‡	‡	‡	‡
Arkansas	146	1,449	113	‡	‡	‡	‡	‡
California	135	95	29	30	‡	‡	211	‡
Colorado	170	91	30	64	‡	3	‡	‡
Delaware	80	‡	‡	‡	‡	‡	‡	‡
District of Columbia	77	‡	39	‡	‡	‡	‡	‡
Florida	107	123	‡	154	‡	3	‡	‡
Georgia	‡	78	‡	‡	‡	7	‡	‡
Hawaii	151	112	‡	195	‡	‡	‡	‡
Illinois	148	78	49	‡	‡	7	‡	‡
Indiana	152	84	51	182	‡	‡	‡	‡
Iowa	103	57	82	204	3	‡	100	‡
Kansas	166	211	28	42	‡	‡	‡	‡
Kentucky	49	‡	‡	5	‡	‡	104	‡
Louisiana	129	‡	‡	15	‡	3	‡	‡
Maine	255	‡	‡	196	‡	‡	‡	‡
Massachusetts	141	‡	‡	81	‡	14	‡	17
Michigan	107	194	89	88	‡	‡	‡	‡
Minnesota	136	85	27	51	‡	‡	‡	‡
Mississippi	142	‡	35	147	‡	‡	‡	‡
Missouri	148	176	64	‡	‡	‡	‡	‡

Continued. See notes at end of table.

Table 20.2. Median length of stay (LOS) among discharges aged 12 to 17 years that completed treatment, by treatment service and state or jurisdiction: Number of days, 2020 (continued)

State or jurisdiction	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient medication-assisted opioid therapy* [1]	*Medication-assisted opioid detoxification* [2]
All discharges	129	115	63	82	3	11	113	19
Montana	91	‡	‡	‡	‡	‡	‡	‡
Nebraska	79	‡	‡	217	‡	‡	‡	‡
Nevada	181	89	‡	‡	‡	‡	‡	‡
New Jersey	93	85	61	‡	‡	10	175	‡
New York	200	‡	25	150	‡	3	‡	‡
North Carolina	138	131	90	152	‡	12	‡	19
North Dakota	200	572	30	269	‡	‡	‡	‡
Ohio	243	280	246	162	‡	‡	‡	‡
Oklahoma	184	‡	‡	231	‡	‡	‡	‡
Pennsylvania	104	63	47	‡	‡	‡	‡	‡
Puerto Rico	‡	‡	‡	314	‡	‡	‡	‡
Rhode Island	84	420	‡	90	‡	‡	‡	‡
South Carolina	109	63	43	51	‡	‡	‡	‡
South Dakota	73	99	44	46	‡	‡	‡	‡
Tennessee	169	126	110	58	‡	‡	‡	‡
Texas	120	112	87	44	‡	‡	‡	‡
Vermont	78	‡	69	‡	‡	‡	‡	34
Virginia	146	97	‡	‡	‡	‡	‡	‡
Washington	159	125	52	‡	‡	‡	‡	‡
Wisconsin	144	‡	108	‡	‡	‡	‡	‡
Wyoming	225	323	‡	85	‡	‡	‡	‡

‡ No discharges were reported.

[1] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[2] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

NOTE: These tables exclude 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 20.3. Median length of stay (LOS) among discharges aged 18 years and older that completed treatment, by treatment service and state or jurisdiction: Number of days, 2020

State or jurisdiction	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient medication-assisted opioid therapy* [1]	*Medication-assisted opioid detoxification* [2]
All discharges	57	90	26	78	14	5	151	7
Alabama	135	246	26	73	‡	10	351	7
Alaska	137	127	30	57	‡	3	157	5
Arizona	7	44	‡	‡	5	5	98	8
Arkansas	63	157	33	62	‡	30	191	‡
California	148	113	31	87	‡	6	159	20
Colorado	224	72	28	41	15	1	397	5
Connecticut	125	38	28	66	30	5	140	6
Delaware	254	154	85	61	‡	2	174	6
District of Columbia	202	92	28	89	‡	6	69	6
Florida	100	132	‡	90	144	5	‡	‡
Georgia	9	8	‡	183	‡	6	110	7
Hawaii	78	110	‡	43	‡	5	942	‡
Illinois	117	66	28	102	‡	4	240	6
Indiana	134	126	21	30	29	7	149	6
Iowa	95	66	28	84	5	3	104	5
Kansas	142	80	27	58	‡	4	175	5
Kentucky	43	30	24	9	‡	3	58	3
Louisiana	103	100	28	49	‡	5	221	21
Maine	127	65	28	42	‡	6	111	5
Massachusetts	133	‡	15	167	‡	8	177	11
Michigan	134	85	21	37	‡	3	223	3
Minnesota	91	114	28	42	19	‡	135	‡
Mississippi	89	33	30	48	31	7	47	3
Missouri	94	175	25	‡	‡	3	104	5

Continued. See notes at end of table.

Table 20.3. Median length of stay (LOS) among discharges aged 18 years and older that completed treatment, by treatment service and state or jurisdiction: Number of days, 2020 (continued)

State or jurisdiction	*Outpatient*	*Intensive outpatient*	*Short-term residential*	*Long-term residential*	*Hospital residential*	*Detoxification*	*Outpatient medication-assisted opioid therapy* [1]	*Medication-assisted opioid detoxification* [2]
All discharges	57	90	26	78	14	5	151	7
Montana	92	201	‡	156	‡	29	‡	‡
Nebraska	6	68	34	161	‡	3	64	1,391
Nevada	58	78	2	85	90	2	177	‡
New Hampshire	129	93	27	88	‡	6	186	‡
New Jersey	112	75	14	84	7	5	125	6
New York	202	165	19	119	‡	5	286	8
North Carolina	64	73	98	28	88	4	183	7
North Dakota	268	307	22	33	‡	68	242	28
Ohio	174	126	53	70	6	6	206	8
Oklahoma	313	‡	54	46	‡	6	172	‡
Pennsylvania	110	72	25	84	15	5	120	5
Puerto Rico	148	596	‡	356	16	4	366	‡
Rhode Island	92	66	23	31	6	7	712	‡
South Carolina	112	79	29	81	‡	6	126	6
South Dakota	155	52	30	78	‡	2	182	9
Tennessee	174	55	28	90	‡	6	85	‡
Texas	113	88	33	46	‡	6	152	4
Vermont	70	76	15	38	‡	14	130	9
Virginia	135	78	16	134	‡	9	‡	‡
Washington	182	154	28	98	45	5	374	‡
Wisconsin	143	66	30	49	28	4	219	‡
Wyoming	199	204	65	85	‡	77	262	7

‡ No discharges were reported.

[1] Outpatient and intensive outpatient medication-assisted opioid therapy was planned.

[2] Medication-assisted opioid detoxification (free-standing, hospital, and outpatient) was planned.

NOTE: These tables exclude 27,069 residential (short-term, long-term, hospital) discharges where medication-assisted opioid therapy was planned.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 21.1a. Primary substance use at admission among discharges aged 12 years and older, by state or jurisdiction: Number, 2020

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]
All discharges	1,391,393	414,162	402,147	130,515	70,747	177,522	196,300
Alabama	10,905	2,222	3,217	2,221	541	2,417	287
Alaska	6,466	3,574	1,469	426	54	829	114
Arizona	142,965	2,618	3,512	1,311	216	2,753	132,555
Arkansas	10,339	2,333	1,439	1,841	336	3,952	438
California	103,161	24,088	30,919	9,931	2,753	33,519	1,951
Colorado	55,392	30,154	8,825	3,641	1,173	10,988	611
Connecticut	41,009	15,608	15,168	3,227	2,758	155	4,093
Delaware	8,648	1,787	4,846	620	447	83	865
District of Columbia	2,821	895	695	245	585	34	367
Florida	18,416	4,444	3,958	3,288	1,743	797	4,186
Georgia	34,951	12,967	4,618	6,205	3,185	6,947	1,029
Hawaii	5,870	976	583	891	149	3,159	112
Illinois	27,106	9,050	8,512	3,268	2,142	3,606	528
Indiana	15,747	4,217	3,710	2,919	633	3,849	419
Iowa	24,049	9,154	1,727	4,992	341	7,465	370
Kansas	4,937	1,491	267	800	179	2,042	158
Kentucky	71,275	13,545	23,734	7,751	1,971	21,800	2,474
Louisiana	12,792	2,032	1,716	1,293	835	2,319	4,597
Maine	5,136	1,859	2,662	126	232	195	62
Massachusetts	53,554	18,601	29,072	1,042	3,018	529	1,292
Michigan	61,653	25,144	21,898	3,448	5,539	4,897	727
Minnesota	31,196	12,686	4,963	3,268	979	8,536	764
Mississippi	4,566	1,161	1,016	713	449	1,115	112
Missouri	34,241	9,267	8,898	4,797	888	9,649	742

Continued. See notes at end of table.

Table 21.1a. Primary substance use at admission among discharges aged 12 years and older, by state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]
All discharges	1,391,393	414,162	402,147	130,515	70,747	177,522	196,300
Montana	737	424	50	35	- -	221	7
Nebraska	7,732	3,765	302	735	98	2,324	508
Nevada	6,027	613	243	230	42	559	4,340
New Hampshire	2,634	722	1,328	87	184	286	27
New Jersey	77,284	25,590	36,137	7,417	4,060	1,459	2,621
New York	191,260	82,404	61,889	19,305	16,683	4,404	6,575
North Carolina	145,965	30,456	71,381	10,053	9,815	10,499	13,761
North Dakota	1,996	646	208	282	9	625	226
Ohio	10,124	2,309	3,825	1,567	645	1,283	495
Oklahoma	12,088	3,332	1,902	1,386	179	4,497	792
Pennsylvania	23,254	7,409	8,890	2,739	1,289	2,440	487
Puerto Rico	1,088	335	512	150	40	- -	51
Rhode Island	11,535	5,015	4,913	411	718	168	310
South Carolina	27,975	11,838	4,898	5,860	1,250	2,255	1,874
South Dakota	14,771	9,371	342	1,276	67	3,194	521
Tennessee	14,421	3,506	5,194	1,442	919	3,157	203
Texas	19,047	4,293	3,954	4,911	1,275	3,747	867
Vermont	5,573	2,298	2,124	411	578	92	70
Virginia	16,166	4,779	4,190	2,649	1,518	2,042	988
Washington	6,934	1,326	1,503	397	45	1,056	2,607
Wisconsin	3,538	1,920	494	388	163	490	83
Wyoming	4,049	1,938	444	520	24	1,089	34

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTE: The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 21.1b. Primary substance use at admission among discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	*No. of discharges*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified* [1]	*Total*
Total	1,391,393	29.8	28.9	9.4	5.1	12.8	14.1	100.0
Alabama	10,905	20.4	29.5	20.4	5.0	22.2	2.6	100.0
Alaska	6,466	55.3	22.7	6.6	0.8	12.8	1.8	100.0
Arizona	142,965	1.8	2.5	0.9	0.2	1.9	92.7	100.0
Arkansas	10,339	22.6	13.9	17.8	3.2	38.2	4.2	100.0
California	103,161	23.3	30.0	9.6	2.7	32.5	1.9	100.0
Colorado	55,392	54.4	15.9	6.6	2.1	19.8	1.1	100.0
Connecticut	41,009	38.1	37.0	7.9	6.7	0.4	10.0	100.0
Delaware	8,648	20.7	56.0	7.2	5.2	1.0	10.0	100.0
District of Columbia	2,821	31.7	24.6	8.7	20.7	1.2	13.0	100.0
Florida	18,416	24.1	21.5	17.9	9.5	4.3	22.7	100.0
Georgia	34,951	37.1	13.2	17.8	9.1	19.9	2.9	100.0
Hawaii	5,870	16.6	9.9	15.2	2.5	53.8	1.9	100.0
Illinois	27,106	33.4	31.4	12.1	7.9	13.3	1.9	100.0
Indiana	15,747	26.8	23.6	18.5	4.0	24.4	2.7	100.0
Iowa	24,049	38.1	7.2	20.8	1.4	31.0	1.5	100.0
Kansas	4,937	30.2	5.4	16.2	3.6	41.4	3.2	100.0
Kentucky	71,275	19.0	33.3	10.9	2.8	30.6	3.5	100.0
Louisiana	12,792	15.9	13.4	10.1	6.5	18.1	35.9	100.0
Maine	5,136	36.2	51.8	2.5	4.5	3.8	1.2	100.0
Massachusetts	53,554	34.7	54.3	1.9	5.6	1.0	2.4	100.0
Michigan	61,653	40.8	35.5	5.6	9.0	7.9	1.2	100.0
Minnesota	31,196	40.7	15.9	10.5	3.1	27.4	2.4	100.0
Mississippi	4,566	25.4	22.3	15.6	9.8	24.4	2.5	100.0
Missouri	34,241	27.1	26.0	14.0	2.6	28.2	2.2	100.0

Continued. See notes at end of table.

Table 21.1b. Primary substance use at admission among discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	*No. of discharges*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified* [1]	*Total*
Total	1,391,393	29.8	28.9	9.4	5.1	12.8	14.1	100.0
Montana	737	57.5	6.8	4.7	- -	30.0	0.9	100.0
Nebraska	7,732	48.7	3.9	9.5	1.3	30.1	6.6	100.0
Nevada	6,027	10.2	4.0	3.8	0.7	9.3	72.0	100.0
New Hampshire	2,634	27.4	50.4	3.3	7.0	10.9	1.0	100.0
New Jersey	77,284	33.1	46.8	9.6	5.3	1.9	3.4	100.0
New York	191,260	43.1	32.4	10.1	8.7	2.3	3.4	100.0
North Carolina	145,965	20.9	48.9	6.9	6.7	7.2	9.4	100.0
North Dakota	1,996	32.4	10.4	14.1	0.5	31.3	11.3	100.0
Ohio	10,124	22.8	37.8	15.5	6.4	12.7	4.9	100.0
Oklahoma	12,088	27.6	15.7	11.5	1.5	37.2	6.6	100.0
Pennsylvania	23,254	31.9	38.2	11.8	5.5	10.5	2.1	100.0
Puerto Rico	1,088	30.8	47.1	13.8	3.7	- -	4.7	100.0
Rhode Island	11,535	43.5	42.6	3.6	6.2	1.5	2.7	100.0
South Carolina	27,975	42.3	17.5	20.9	4.5	8.1	6.7	100.0
South Dakota	14,771	63.4	2.3	8.6	0.5	21.6	3.5	100.0
Tennessee	14,421	24.3	36.0	10.0	6.4	21.9	1.4	100.0
Texas	19,047	22.5	20.8	25.8	6.7	19.7	4.6	100.0
Vermont	5,573	41.2	38.1	7.4	10.4	1.7	1.3	100.0
Virginia	16,166	29.6	25.9	16.4	9.4	12.6	6.1	100.0
Washington	6,934	19.1	21.7	5.7	0.6	15.2	37.6	100.0
Wisconsin	3,538	54.3	14.0	11.0	4.6	13.8	2.3	100.0
Wyoming	4,049	47.9	11.0	12.8	0.6	26.9	0.8	100.0

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTE: The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 21.2a. Primary substance use at discharge among discharges aged 12 years and older, by state or jurisdiction: Number, 2020

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]
All discharges	1,391,393	363,964	356,728	123,617	66,631	176,884	303,569
Alabama	10,905	2,220	3,144	2,222	553	2,454	312
Alaska	6,466	3,554	1,453	428	58	821	152
Arizona	142,965	12,908	11,370	6,262	1,011	10,698	100,716
Arkansas	10,339	2,334	1,431	1,836	337	3,948	453
California	103,161	17,879	26,799	7,746	2,188	28,273	20,276
Colorado	55,392	30,091	8,767	3,637	1,166	10,968	763
Connecticut	41,009	15,623	15,421	3,291	2,805	154	3,715
Delaware	8,648	1,793	4,839	615	456	100	845
District of Columbia	2,821	895	697	244	581	34	370
Florida	18,416	4,436	3,822	3,250	1,703	780	4,425
Georgia	34,951	13,245	4,576	6,112	3,060	6,715	1,243
Hawaii	5,870	971	581	881	148	3,138	151
Illinois	27,106	8,442	8,207	2,822	1,995	3,770	1,870
Indiana	15,747	4,268	3,718	2,864	642	3,843	412
Iowa	24,049	8,074	1,254	4,309	300	6,368	3,744
Kansas	4,937	262	46	124	35	374	4,096
Kentucky	71,275	13,497	23,577	7,641	1,957	21,718	2,885
Louisiana	12,792	1,294	1,216	395	613	1,843	7,431
Maine	5,136	1,825	2,579	127	231	193	181
Massachusetts	53,554	18,483	28,230	1,179	3,254	604	1,804
Michigan	61,653	24,624	21,743	3,329	5,440	4,850	1,667
Minnesota	31,196	12,788	4,857	2,803	874	8,623	1,251
Mississippi	4,566	1,145	944	655	411	1,032	379
Missouri	34,241	9,285	8,924	4,789	893	9,676	674

Continued. See notes at end of table.

Table 21.2a. Primary substance use at discharge among discharges aged 12 years and older, by state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]
All discharges	1,391,393	363,964	356,728	123,617	66,631	176,884	303,569
Montana	737	427	50	29	- -	223	8
Nebraska	7,732	3,800	305	756	97	2,334	440
Nevada	6,027	1,639	1,092	260	149	1,828	1,059
New Hampshire	2,634	717	1,318	88	183	289	39
New Jersey	77,284	3,281	8,091	1,899	1,439	480	62,094
New York	191,260	53,658	43,343	19,113	15,621	4,221	55,304
North Carolina	145,965	30,889	71,827	9,991	9,843	10,632	12,783
North Dakota	1,996	401	137	187	8	404	859
Ohio	10,124	2,078	3,373	1,423	591	1,243	1,416
Oklahoma	12,088	3,325	1,899	1,348	188	4,514	814
Pennsylvania	23,254	7,362	8,758	2,728	1,287	2,436	683
Puerto Rico	1,088	326	449	58	30	- -	225
Rhode Island	11,535	4,838	4,861	391	697	168	580
South Carolina	27,975	11,807	4,891	5,833	1,230	2,263	1,951
South Dakota	14,771	9,347	336	1,267	67	3,183	571
Tennessee	14,421	3,492	5,150	1,425	907	3,125	322
Texas	19,047	4,278	3,840	4,881	1,277	3,734	1,037
Vermont	5,573	2,336	2,118	391	532	101	95
Virginia	16,166	4,843	4,259	2,685	1,546	2,075	758
Washington	6,934	1,326	1,502	397	46	1,070	2,593
Wisconsin	3,538	1,923	493	387	158	500	77
Wyoming	4,049	1,935	441	519	24	1,084	46

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTE: The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 21.2b. Primary substance use at discharge among discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	*No. of discharges*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified* [1]	*Total*
Total	1,391,393	26.2	25.6	8.9	4.8	12.7	21.8	100.0
Alabama	10,905	20.4	28.8	20.4	5.1	22.5	2.9	100.0
Alaska	6,466	55.0	22.5	6.6	0.9	12.7	2.4	100.0
Arizona	142,965	9.0	8.0	4.4	0.7	7.5	70.4	100.0
Arkansas	10,339	22.6	13.8	17.8	3.3	38.2	4.4	100.0
California	103,161	17.3	26.0	7.5	2.1	27.4	19.7	100.0
Colorado	55,392	54.3	15.8	6.6	2.1	19.8	1.4	100.0
Connecticut	41,009	38.1	37.6	8.0	6.8	0.4	9.1	100.0
Delaware	8,648	20.7	56.0	7.1	5.3	1.2	9.8	100.0
District of Columbia	2,821	31.7	24.7	8.6	20.6	1.2	13.1	100.0
Florida	18,416	24.1	20.8	17.6	9.2	4.2	24.0	100.0
Georgia	34,951	37.9	13.1	17.5	8.8	19.2	3.6	100.0
Hawaii	5,870	16.5	9.9	15.0	2.5	53.5	2.6	100.0
Illinois	27,106	31.1	30.3	10.4	7.4	13.9	6.9	100.0
Indiana	15,747	27.1	23.6	18.2	4.1	24.4	2.6	100.0
Iowa	24,049	33.6	5.2	17.9	1.2	26.5	15.6	100.0
Kansas	4,937	5.3	0.9	2.5	0.7	7.6	83.0	100.0
Kentucky	71,275	18.9	33.1	10.7	2.7	30.5	4.0	100.0
Louisiana	12,792	10.1	9.5	3.1	4.8	14.4	58.1	100.0
Maine	5,136	35.5	50.2	2.5	4.5	3.8	3.5	100.0
Massachusetts	53,554	34.5	52.7	2.2	6.1	1.1	3.4	100.0
Michigan	61,653	39.9	35.3	5.4	8.8	7.9	2.7	100.0
Minnesota	31,196	41.0	15.6	9.0	2.8	27.6	4.0	100.0
Mississippi	4,566	25.1	20.7	14.3	9.0	22.6	8.3	100.0
Missouri	34,241	27.1	26.1	14.0	2.6	28.3	2.0	100.0

Continued. See notes at end of table.

Table 21.2b. Primary substance use at discharge among discharges aged 12 years and older, by state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	*No. of discharges*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified* [1]	*Total*
Total	1,391,393	26.2	25.6	8.9	4.8	12.7	21.8	100.0
Montana	737	57.9	6.8	3.9	- -	30.3	1.1	100.0
Nebraska	7,732	49.1	3.9	9.8	1.3	30.2	5.7	100.0
Nevada	6,027	27.2	18.1	4.3	2.5	30.3	17.6	100.0
New Hampshire	2,634	27.2	50.0	3.3	6.9	11.0	1.5	100.0
New Jersey	77,284	4.2	10.5	2.5	1.9	0.6	80.3	100.0
New York	191,260	28.1	22.7	10.0	8.2	2.2	28.9	100.0
North Carolina	145,965	21.2	49.2	6.8	6.7	7.3	8.8	100.0
North Dakota	1,996	20.1	6.9	9.4	0.4	20.2	43.0	100.0
Ohio	10,124	20.5	33.3	14.1	5.8	12.3	14.0	100.0
Oklahoma	12,088	27.5	15.7	11.2	1.6	37.3	6.7	100.0
Pennsylvania	23,254	31.7	37.7	11.7	5.5	10.5	2.9	100.0
Puerto Rico	1,088	30.0	41.3	5.3	2.8	- -	20.7	100.0
Rhode Island	11,535	41.9	42.1	3.4	6.0	1.5	5.0	100.0
South Carolina	27,975	42.2	17.5	20.9	4.4	8.1	7.0	100.0
South Dakota	14,771	63.3	2.3	8.6	0.5	21.5	3.9	100.0
Tennessee	14,421	24.2	35.7	9.9	6.3	21.7	2.2	100.0
Texas	19,047	22.5	20.2	25.6	6.7	19.6	5.4	100.0
Vermont	5,573	41.9	38.0	7.0	9.5	1.8	1.7	100.0
Virginia	16,166	30.0	26.3	16.6	9.6	12.8	4.7	100.0
Washington	6,934	19.1	21.7	5.7	0.7	15.4	37.4	100.0
Wisconsin	3,538	54.4	13.9	10.9	4.5	14.1	2.2	100.0
Wyoming	4,049	47.8	10.9	12.8	0.6	26.8	1.1	100.0

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTE: The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 21.3a. Primary substance use at admission among discharges aged 12 to 17 years, by state or jurisdiction: Number, 2020

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]
All discharges	31,292	2,718	509	22,624	211	1,082	4,148
Alabama	688	55	8	575	2	26	22
Alaska	211	53	5	122	3	21	7
Arizona	14	- -	- -	- -	- -	- -	14
Arkansas	290	6	3	258	1	10	12
California	4,518	306	65	3,800	33	167	147
Colorado	1,113	146	38	804	14	79	32
Delaware	9	- -	1	5	- -	- -	3
District of Columbia	9	- -	- -	9	- -	- -	- -
Florida	3,952	164	5	1,680	6	20	2,077
Georgia	222	18	3	178	1	8	14
Hawaii	888	168	2	604	5	15	94
Illinois	734	35	14	593	8	47	37
Indiana	277	41	5	223	- -	5	3
Iowa	1,472	244	14	1,093	7	48	66
Kansas	286	15	8	211	1	32	19
Kentucky	522	66	27	344	9	28	48
Louisiana	462	15	12	266	1	24	144
Maine	35	6	- -	27	- -	2	- -
Massachusetts	416	63	17	282	20	7	27
Michigan	663	84	7	521	- -	38	13
Minnesota	989	112	43	723	13	52	46
Mississippi	71	3	1	54	3	8	2
Missouri	1,777	99	32	1,449	6	140	51

Continued. See notes at end of table.

Table 21.3a. Primary substance use at admission among discharges aged 12 to 17 years, by state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]
All discharges	31,292	2,718	509	22,624	211	1,082	4,148
Montana	10	4	- -	5	- -	- -	1
Nebraska	41	13	1	10	- -	1	16
Nevada	109	8	1	56	- -	- -	44
New Jersey	736	27	4	678	5	4	18
New York	3,102	290	83	2,548	32	40	109
North Carolina	208	7	14	125	1	11	50
North Dakota	65	5	1	41	1	5	12
Ohio	359	34	8	273	- -	15	29
Oklahoma	254	13	2	207	- -	20	12
Pennsylvania	433	43	10	348	- -	20	12
Puerto Rico	4	1	- -	3	- -	- -	- -
Rhode Island	47	5	1	38	3	- -	- -
South Carolina	2,367	154	33	1,594	6	45	535
South Dakota	609	163	5	340	- -	38	63
Tennessee	373	33	4	290	3	33	10
Texas	1,852	51	8	1,607	22	43	121
Vermont	99	18	1	77	1	1	1
Virginia	430	52	8	300	1	7	62
Washington	342	33	10	119	3	12	165
Wisconsin	68	15	2	46	- -	1	4
Wyoming	166	50	3	98	- -	9	6

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTE: The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 21.3b. Primary substance use at admission among discharges aged 12 to 17 years, by state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	*No. of discharges*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified* [1]	*Total*
Total	31,292	8.7	1.6	72.3	0.7	3.5	13.3	100.0
Alabama	688	8.0	1.2	83.6	0.3	3.8	3.2	100.0
Alaska	211	25.1	2.4	57.8	1.4	10.0	3.3	100.0
Arizona	14	- -	- -	- -	- -	- -	100.0	100.0
Arkansas	290	2.1	1.0	89.0	0.3	3.4	4.1	100.0
California	4,518	6.8	1.4	84.1	0.7	3.7	3.3	100.0
Colorado	1,113	13.1	3.4	72.2	1.3	7.1	2.9	100.0
Delaware	9	- -	11.1	55.6	- -	- -	33.3	100.0
District of Columbia	9	- -	- -	100.0	- -	- -	- -	100.0
Florida	3,952	4.1	0.1	42.5	0.2	0.5	52.6	100.0
Georgia	222	8.1	1.4	80.2	0.5	3.6	6.3	100.0
Hawaii	888	18.9	0.2	68.0	0.6	1.7	10.6	100.0
Illinois	734	4.8	1.9	80.8	1.1	6.4	5.0	100.0
Indiana	277	14.8	1.8	80.5	- -	1.8	1.1	100.0
Iowa	1,472	16.6	1.0	74.3	0.5	3.3	4.5	100.0
Kansas	286	5.2	2.8	73.8	0.3	11.2	6.6	100.0
Kentucky	522	12.6	5.2	65.9	1.7	5.4	9.2	100.0
Louisiana	462	3.2	2.6	57.6	0.2	5.2	31.2	100.0
Maine	35	17.1	- -	77.1	- -	5.7	- -	100.0
Massachusetts	416	15.1	4.1	67.8	4.8	1.7	6.5	100.0
Michigan	663	12.7	1.1	78.6	- -	5.7	2.0	100.0
Minnesota	989	11.3	4.3	73.1	1.3	5.3	4.7	100.0
Mississippi	71	4.2	1.4	76.1	4.2	11.3	2.8	100.0
Missouri	1,777	5.6	1.8	81.5	0.3	7.9	2.9	100.0

Continued. See notes at end of table.

Table 21.3b. Primary substance use at admission among discharges aged 12 to 17 years, by state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified* [1]	*Total*
All discharges	31,292	8.7	1.6	72.3	0.7	3.5	13.3	100.0
Montana	10	40.0	- -	50.0	- -	- -	10.0	100.0
Nebraska	41	31.7	2.4	24.4	- -	2.4	39.0	100.0
Nevada	109	7.3	0.9	51.4	- -	- -	40.4	100.0
New Jersey	736	3.7	0.5	92.1	0.7	0.5	2.4	100.0
New York	3,102	9.3	2.7	82.1	1.0	1.3	3.5	100.0
North Carolina	208	3.4	6.7	60.1	0.5	5.3	24.0	100.0
North Dakota	65	7.7	1.5	63.1	1.5	7.7	18.5	100.0
Ohio	359	9.5	2.2	76.0	- -	4.2	8.1	100.0
Oklahoma	254	5.1	0.8	81.5	- -	7.9	4.7	100.0
Pennsylvania	433	9.9	2.3	80.4	- -	4.6	2.8	100.0
Puerto Rico	4	25.0	- -	75.0	- -	- -	- -	100.0
Rhode Island	47	10.6	2.1	80.9	6.4	- -	- -	100.0
South Carolina	2,367	6.5	1.4	67.3	0.3	1.9	22.6	100.0
South Dakota	609	26.8	0.8	55.8	- -	6.2	10.3	100.0
Tennessee	373	8.8	1.1	77.7	0.8	8.8	2.7	100.0
Texas	1,852	2.8	0.4	86.8	1.2	2.3	6.5	100.0
Vermont	99	18.2	1.0	77.8	1.0	1.0	1.0	100.0
Virginia	430	12.1	1.9	69.8	0.2	1.6	14.4	100.0
Washington	342	9.6	2.9	34.8	0.9	3.5	48.2	100.0
Wisconsin	68	22.1	2.9	67.6	- -	1.5	5.9	100.0
Wyoming	166	30.1	1.8	59.0	- -	5.4	3.6	100.0

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTE: The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 21.4a. Primary substance use at discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number, 2020

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]
All discharges	31,292	2,585	492	20,553	189	1,097	6,376
Alabama	688	51	8	581	2	25	21
Alaska	211	51	5	124	3	21	7
Arizona	14	1	1	3	1	- -	8
Arkansas	290	6	3	258	1	10	12
California	4,518	244	63	2,821	22	160	1,208
Colorado	1,113	145	38	801	14	78	37
Delaware	9	- -	1	5	- -	- -	3
District of Columbia	9	- -	- -	9	- -	- -	- -
Florida	3,952	167	4	1,694	3	16	2,068
Georgia	222	16	3	170	1	7	25
Hawaii	888	164	2	596	5	14	107
Illinois	734	36	11	516	7	113	51
Indiana	277	40	5	223	- -	6	3
Iowa	1,472	194	10	977	7	40	244
Kansas	286	1	- -	32	1	- -	252
Kentucky	522	65	27	342	9	28	51
Louisiana	462	10	10	134	1	22	285
Maine	35	7	- -	26	- -	1	1
Massachusetts	416	60	19	279	18	6	34
Michigan	663	79	7	504	- -	38	35
Minnesota	989	142	46	654	8	53	86
Mississippi	71	3	1	41	3	7	16
Missouri	1,777	100	32	1,448	6	142	49

Continued. See notes at end of table.

Table 21.4a. Primary substance use at discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]
All discharges	31,292	2,585	492	20,553	189	1,097	6,376
Montana	10	5	- -	4	- -	- -	1
Nebraska	41	15	1	12	- -	1	12
Nevada	109	9	1	54	- -	- -	45
New Jersey	736	8	2	203	2	4	517
New York	3,102	285	79	2,546	32	40	120
North Carolina	208	8	16	137	1	12	34
North Dakota	65	7	3	41	1	5	8
Ohio	359	34	4	252	1	17	51
Oklahoma	254	12	2	202	- -	20	18
Pennsylvania	433	44	10	346	- -	20	13
Puerto Rico	4	- -	- -	- -	- -	- -	4
Rhode Island	47	5	1	35	3	- -	3
South Carolina	2,367	152	35	1,600	6	46	528
South Dakota	609	164	5	338	- -	38	64
Tennessee	373	32	4	290	3	31	13
Texas	1,852	52	9	1,602	23	41	125
Vermont	99	20	- -	77	1	1	- -
Virginia	430	53	9	313	1	11	43
Washington	342	33	10	119	3	12	165
Wisconsin	68	15	2	46	- -	2	3
Wyoming	166	50	3	98	- -	9	6

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTE: The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 21.4b. Primary substance use at discharge among discharges aged 12 to 17 years, by state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	*No. of discharges*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]	*Total*
Total	31,292	8.3	1.6	65.7	0.6	3.5	20.4	100.0
Alabama	688	7.4	1.2	84.4	0.3	3.6	3.1	100.0
Alaska	211	24.2	2.4	58.8	1.4	10.0	3.3	100.0
Arizona	14	7.1	7.1	21.4	7.1	- -	57.1	100.0
Arkansas	290	2.1	1.0	89.0	0.3	3.4	4.1	100.0
California	4,518	5.4	1.4	62.4	0.5	3.5	26.7	100.0
Colorado	1,113	13.0	3.4	72.0	1.3	7.0	3.3	100.0
Delaware	9	- -	11.1	55.6	- -	- -	33.3	100.0
District of Columbia	9	- -	- -	100.0	- -	- -	- -	100.0
Florida	3,952	4.2	0.1	42.9	0.1	0.4	52.3	100.0
Georgia	222	7.2	1.4	76.6	0.5	3.2	11.3	100.0
Hawaii	888	18.5	0.2	67.1	0.6	1.6	12.0	100.0
Illinois	734	4.9	1.5	70.3	1.0	15.4	6.9	100.0
Indiana	277	14.4	1.8	80.5	- -	2.2	1.1	100.0
Iowa	1,472	13.2	0.7	66.4	0.5	2.7	16.6	100.0
Kansas	286	0.3	- -	11.2	0.3	- -	88.1	100.0
Kentucky	522	12.5	5.2	65.5	1.7	5.4	9.8	100.0
Louisiana	462	2.2	2.2	29.0	0.2	4.8	61.7	100.0
Maine	35	20.0	- -	74.3	- -	2.9	2.9	100.0
Massachusetts	416	14.4	4.6	67.1	4.3	1.4	8.2	100.0
Michigan	663	11.9	1.1	76.0	- -	5.7	5.3	100.0
Minnesota	989	14.4	4.7	66.1	0.8	5.4	8.7	100.0
Mississippi	71	4.2	1.4	57.7	4.2	9.9	22.5	100.0
Missouri	1,777	5.6	1.8	81.5	0.3	8.0	2.8	100.0

Continued. See notes at end of table.

Table 21.4b. Primary substance use at discharge among discharges aged 12 to 17 years, by state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	*No. of discharges*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]	*Total*
Total	31,292	8.3	1.6	65.7	0.6	3.5	20.4	100.0
Montana	10	50.0	- -	40.0	- -	- -	10.0	100.0
Nebraska	41	36.6	2.4	29.3	- -	2.4	29.3	100.0
Nevada	109	8.3	0.9	49.5	- -	- -	41.3	100.0
New Jersey	736	1.1	0.3	27.6	0.3	0.5	70.2	100.0
New York	3,102	9.2	2.5	82.1	1.0	1.3	3.9	100.0
North Carolina	208	3.8	7.7	65.9	0.5	5.8	16.3	100.0
North Dakota	65	10.8	4.6	63.1	1.5	7.7	12.3	100.0
Ohio	359	9.5	1.1	70.2	0.3	4.7	14.2	100.0
Oklahoma	254	4.7	0.8	79.5	- -	7.9	7.1	100.0
Pennsylvania	433	10.2	2.3	79.9	- -	4.6	3.0	100.0
Puerto Rico	4	- -	- -	- -	- -	- -	100.0	100.0
Rhode Island	47	10.6	2.1	74.5	6.4	- -	6.4	100.0
South Carolina	2,367	6.4	1.5	67.6	0.3	1.9	22.3	100.0
South Dakota	609	26.9	0.8	55.5	- -	6.2	10.5	100.0
Tennessee	373	8.6	1.1	77.7	0.8	8.3	3.5	100.0
Texas	1,852	2.8	0.5	86.5	1.2	2.2	6.7	100.0
Vermont	99	20.2	- -	77.8	1.0	1.0	- -	100.0
Virginia	430	12.3	2.1	72.8	0.2	2.6	10.0	100.0
Washington	342	9.6	2.9	34.8	0.9	3.5	48.2	100.0
Wisconsin	68	22.1	2.9	67.6	- -	2.9	4.4	100.0
Wyoming	166	30.1	1.8	59.0	- -	5.4	3.6	100.0

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTE: The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 21.5a. Primary substance use at admission among discharges aged 18 years and older, by state or jurisdiction: Number, 2020

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]
All discharges	1,360,101	411,444	401,638	107,891	70,536	176,440	192,152
Alabama	10,217	2,167	3,209	1,646	539	2,391	265
Alaska	6,255	3,521	1,464	304	51	808	107
Arizona	142,951	2,618	3,512	1,311	216	2,753	132,541
Arkansas	10,049	2,327	1,436	1,583	335	3,942	426
California	98,643	23,782	30,854	6,131	2,720	33,352	1,804
Colorado	54,279	30,008	8,787	2,837	1,159	10,909	579
Connecticut	41,009	15,608	15,168	3,227	2,758	155	4,093
Delaware	8,639	1,787	4,845	615	447	83	862
District of Columbia	2,812	895	695	236	585	34	367
Florida	14,464	4,280	3,953	1,608	1,737	777	2,109
Georgia	34,729	12,949	4,615	6,027	3,184	6,939	1,015
Hawaii	4,982	808	581	287	144	3,144	18
Illinois	26,372	9,015	8,498	2,675	2,134	3,559	491
Indiana	15,470	4,176	3,705	2,696	633	3,844	416
Iowa	22,577	8,910	1,713	3,899	334	7,417	304
Kansas	4,651	1,476	259	589	178	2,010	139
Kentucky	70,753	13,479	23,707	7,407	1,962	21,772	2,426
Louisiana	12,330	2,017	1,704	1,027	834	2,295	4,453
Maine	5,101	1,853	2,662	99	232	193	62
Massachusetts	53,138	18,538	29,055	760	2,998	522	1,265
Michigan	60,990	25,060	21,891	2,927	5,539	4,859	714
Minnesota	30,207	12,574	4,920	2,545	966	8,484	718
Mississippi	4,495	1,158	1,015	659	446	1,107	110
Missouri	32,464	9,168	8,866	3,348	882	9,509	691

Continued. See notes at end of table.

Table 21.5a. Primary substance use at admission among discharges aged 18 years and older, by state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]
All discharges	1,360,101	411,444	401,638	107,891	70,536	176,440	192,152
Montana	727	420	50	30	- -	221	6
Nebraska	7,691	3,752	301	725	98	2,323	492
Nevada	5,918	605	242	174	42	559	4,296
New Hampshire	2,634	722	1,328	87	184	286	27
New Jersey	76,548	25,563	36,133	6,739	4,055	1,455	2,603
New York	188,158	82,114	61,806	16,757	16,651	4,364	6,466
North Carolina	145,757	30,449	71,367	9,928	9,814	10,488	13,711
North Dakota	1,931	641	207	241	8	620	214
Ohio	9,765	2,275	3,817	1,294	645	1,268	466
Oklahoma	11,834	3,319	1,900	1,179	179	4,477	780
Pennsylvania	22,821	7,366	8,880	2,391	1,289	2,420	475
Puerto Rico	1,084	334	512	147	40	- -	51
Rhode Island	11,488	5,010	4,912	373	715	168	310
South Carolina	25,608	11,684	4,865	4,266	1,244	2,210	1,339
South Dakota	14,162	9,208	337	936	67	3,156	458
Tennessee	14,048	3,473	5,190	1,152	916	3,124	193
Texas	17,195	4,242	3,946	3,304	1,253	3,704	746
Vermont	5,474	2,280	2,123	334	577	91	69
Virginia	15,736	4,727	4,182	2,349	1,517	2,035	926
Washington	6,592	1,293	1,493	278	42	1,044	2,442
Wisconsin	3,470	1,905	492	342	163	489	79
Wyoming	3,883	1,888	441	422	24	1,080	28

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTE: The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 21.5b. Primary substance use at admission among discharges aged 18 years and older, by state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	*No. of discharges*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]	*Total*
Total	1,360,101	30.3	29.5	7.9	5.2	13.0	14.1	100.0
Alabama	10,217	21.2	31.4	16.1	5.3	23.4	2.6	100.0
Alaska	6,255	56.3	23.4	4.9	0.8	12.9	1.7	100.0
Arizona	142,951	1.8	2.5	0.9	0.2	1.9	92.7	100.0
Arkansas	10,049	23.2	14.3	15.8	3.3	39.2	4.2	100.0
California	98,643	24.1	31.3	6.2	2.8	33.8	1.8	100.0
Colorado	54,279	55.3	16.2	5.2	2.1	20.1	1.1	100.0
Connecticut	41,009	38.1	37.0	7.9	6.7	0.4	10.0	100.0
Delaware	8,639	20.7	56.1	7.1	5.2	1.0	10.0	100.0
District of Columbia	2,812	31.8	24.7	8.4	20.8	1.2	13.1	100.0
Florida	14,464	29.6	27.3	11.1	12.0	5.4	14.6	100.0
Georgia	34,729	37.3	13.3	17.4	9.2	20.0	2.9	100.0
Hawaii	4,982	16.2	11.7	5.8	2.9	63.1	0.4	100.0
Illinois	26,372	34.2	32.2	10.1	8.1	13.5	1.9	100.0
Indiana	15,470	27.0	23.9	17.4	4.1	24.8	2.7	100.0
Iowa	22,577	39.5	7.6	17.3	1.5	32.9	1.3	100.0
Kansas	4,651	31.7	5.6	12.7	3.8	43.2	3.0	100.0
Kentucky	70,753	19.1	33.5	10.5	2.8	30.8	3.4	100.0
Louisiana	12,330	16.4	13.8	8.3	6.8	18.6	36.1	100.0
Maine	5,101	36.3	52.2	1.9	4.5	3.8	1.2	100.0
Massachusetts	53,138	34.9	54.7	1.4	5.6	1.0	2.4	100.0
Michigan	60,990	41.1	35.9	4.8	9.1	8.0	1.2	100.0
Minnesota	30,207	41.6	16.3	8.4	3.2	28.1	2.4	100.0
Mississippi	4,495	25.8	22.6	14.7	9.9	24.6	2.4	100.0
Missouri	32,464	28.2	27.3	10.3	2.7	29.3	2.1	100.0

Continued. See notes at end of table.

Table 21.5b. Primary substance use at admission among discharges aged 18 years and older, by state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	*No. of discharges*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]	*Total*
Total	1,360,101	30.3	29.5	7.9	5.2	13.0	14.1	100.0
Montana	727	57.8	6.9	4.1	- -	30.4	0.8	100.0
Nebraska	7,691	48.8	3.9	9.4	1.3	30.2	6.4	100.0
Nevada	5,918	10.2	4.1	2.9	0.7	9.4	72.6	100.0
New Hampshire	2,634	27.4	50.4	3.3	7.0	10.9	1.0	100.0
New Jersey	76,548	33.4	47.2	8.8	5.3	1.9	3.4	100.0
New York	188,158	43.6	32.8	8.9	8.8	2.3	3.4	100.0
North Carolina	145,757	20.9	49.0	6.8	6.7	7.2	9.4	100.0
North Dakota	1,931	33.2	10.7	12.5	0.4	32.1	11.1	100.0
Ohio	9,765	23.3	39.1	13.3	6.6	13.0	4.8	100.0
Oklahoma	11,834	28.0	16.1	10.0	1.5	37.8	6.6	100.0
Pennsylvania	22,821	32.3	38.9	10.5	5.6	10.6	2.1	100.0
Puerto Rico	1,084	30.8	47.2	13.6	3.7	- -	4.7	100.0
Rhode Island	11,488	43.6	42.8	3.2	6.2	1.5	2.7	100.0
South Carolina	25,608	45.6	19.0	16.7	4.9	8.6	5.2	100.0
South Dakota	14,162	65.0	2.4	6.6	0.5	22.3	3.2	100.0
Tennessee	14,048	24.7	36.9	8.2	6.5	22.2	1.4	100.0
Texas	17,195	24.7	22.9	19.2	7.3	21.5	4.3	100.0
Vermont	5,474	41.7	38.8	6.1	10.5	1.7	1.3	100.0
Virginia	15,736	30.0	26.6	14.9	9.6	12.9	5.9	100.0
Washington	6,592	19.6	22.6	4.2	0.6	15.8	37.0	100.0
Wisconsin	3,470	54.9	14.2	9.9	4.7	14.1	2.3	100.0
Wyoming	3,883	48.6	11.4	10.9	0.6	27.8	0.7	100.0

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTE: The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 21.6a. Primary substance use at discharge, among discharges aged 18 years and older, by and state or jurisdiction: Number, 2020

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]
All discharges	1,360,101	361,379	356,236	103,064	66,442	175,787	297,193
Alabama	10,217	2,169	3,136	1,641	551	2,429	291
Alaska	6,255	3,503	1,448	304	55	800	145
Arizona	142,951	12,907	11,369	6,259	1,010	10,698	100,708
Arkansas	10,049	2,328	1,428	1,578	336	3,938	441
California	98,643	17,635	26,736	4,925	2,166	28,113	19,068
Colorado	54,279	29,946	8,729	2,836	1,152	10,890	726
Connecticut	41,009	15,623	15,421	3,291	2,805	154	3,715
Delaware	8,639	1,793	4,838	610	456	100	842
District of Columbia	2,812	895	697	235	581	34	370
Florida	14,464	4,269	3,818	1,556	1,700	764	2,357
Georgia	34,729	13,229	4,573	5,942	3,059	6,708	1,218
Hawaii	4,982	807	579	285	143	3,124	44
Illinois	26,372	8,406	8,196	2,306	1,988	3,657	1,819
Indiana	15,470	4,228	3,713	2,641	642	3,837	409
Iowa	22,577	7,880	1,244	3,332	293	6,328	3,500
Kansas	4,651	261	46	92	34	374	3,844
Kentucky	70,753	13,432	23,550	7,299	1,948	21,690	2,834
Louisiana	12,330	1,284	1,206	261	612	1,821	7,146
Maine	5,101	1,818	2,579	101	231	192	180
Massachusetts	53,138	18,423	28,211	900	3,236	598	1,770
Michigan	60,990	24,545	21,736	2,825	5,440	4,812	1,632
Minnesota	30,207	12,646	4,811	2,149	866	8,570	1,165
Mississippi	4,495	1,142	943	614	408	1,025	363
Missouri	32,464	9,185	8,892	3,341	887	9,534	625

Continued. See notes at end of table.

Table 21.6a. Primary substance use at discharge, among discharges aged 18 years and older, by and state or jurisdiction: Number, 2020 (continued)

State or jurisdiction	*Total*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]
All discharges	1,360,101	361,379	356,236	103,064	66,442	175,787	297,193
Montana	727	422	50	25	- -	223	7
Nebraska	7,691	3,785	304	744	97	2,333	428
Nevada	5,918	1,630	1,091	206	149	1,828	1,014
New Hampshire	2,634	717	1,318	88	183	289	39
New Jersey	76,548	3,273	8,089	1,696	1,437	476	61,577
New York	188,158	53,373	43,264	16,567	15,589	4,181	55,184
North Carolina	145,757	30,881	71,811	9,854	9,842	10,620	12,749
North Dakota	1,931	394	134	146	7	399	851
Ohio	9,765	2,044	3,369	1,171	590	1,226	1,365
Oklahoma	11,834	3,313	1,897	1,146	188	4,494	796
Pennsylvania	22,821	7,318	8,748	2,382	1,287	2,416	670
Puerto Rico	1,084	326	449	58	30	- -	221
Rhode Island	11,488	4,833	4,860	356	694	168	577
South Carolina	25,608	11,655	4,856	4,233	1,224	2,217	1,423
South Dakota	14,162	9,183	331	929	67	3,145	507
Tennessee	14,048	3,460	5,146	1,135	904	3,094	309
Texas	17,195	4,226	3,831	3,279	1,254	3,693	912
Vermont	5,474	2,316	2,118	314	531	100	95
Virginia	15,736	4,790	4,250	2,372	1,545	2,064	715
Washington	6,592	1,293	1,492	278	43	1,058	2,428
Wisconsin	3,470	1,908	491	341	158	498	74
Wyoming	3,883	1,885	438	421	24	1,075	40

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTE: The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 21.6b. Primary substance use at discharge among discharges aged 18 years and older, by state or jurisdiction: Row percent distribution, 2020

State or jurisdiction	*No. of discharges*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]	*Total*
Total	1,360,101	26.6	26.2	7.6	4.9	12.9	21.9	100.0
Alabama	10,217	21.2	30.7	16.1	5.4	23.8	2.8	100.0
Alaska	6,255	56.0	23.1	4.9	0.9	12.8	2.3	100.0
Arizona	142,951	9.0	8.0	4.4	0.7	7.5	70.4	100.0
Arkansas	10,049	23.2	14.2	15.7	3.3	39.2	4.4	100.0
California	98,643	17.9	27.1	5.0	2.2	28.5	19.3	100.0
Colorado	54,279	55.2	16.1	5.2	2.1	20.1	1.3	100.0
Connecticut	41,009	38.1	37.6	8.0	6.8	0.4	9.1	100.0
Delaware	8,639	20.8	56.0	7.1	5.3	1.2	9.7	100.0
District of Columbia	2,812	31.8	24.8	8.4	20.7	1.2	13.2	100.0
Florida	14,464	29.5	26.4	10.8	11.8	5.3	16.3	100.0
Georgia	34,729	38.1	13.2	17.1	8.8	19.3	3.5	100.0
Hawaii	4,982	16.2	11.6	5.7	2.9	62.7	0.9	100.0
Illinois	26,372	31.9	31.1	8.7	7.5	13.9	6.9	100.0
Indiana	15,470	27.3	24.0	17.1	4.1	24.8	2.6	100.0
Iowa	22,577	34.9	5.5	14.8	1.3	28.0	15.5	100.0
Kansas	4,651	5.6	1.0	2.0	0.7	8.0	82.6	100.0
Kentucky	70,753	19.0	33.3	10.3	2.8	30.7	4.0	100.0
Louisiana	12,330	10.4	9.8	2.1	5.0	14.8	58.0	100.0
Maine	5,101	35.6	50.6	2.0	4.5	3.8	3.5	100.0
Massachusetts	53,138	34.7	53.1	1.7	6.1	1.1	3.3	100.0
Michigan	60,990	40.2	35.6	4.6	8.9	7.9	2.7	100.0
Minnesota	30,207	41.9	15.9	7.1	2.9	28.4	3.9	100.0
Mississippi	4,495	25.4	21.0	13.7	9.1	22.8	8.1	100.0
Missouri	32,464	28.3	27.4	10.3	2.7	29.4	1.9	100.0

Continued. See notes at end of table.

Table 21.6b. Primary substance use at discharge among discharges aged 18 years and older, by state or jurisdiction: Row percent distribution, 2020 (continued)

State or jurisdiction	*No. of discharges*	*Alcohol*	*Opiates*	*Marijuana/hashish*	*Cocaine*	*Stimulants*	*Other/none specified*[1]	*Total*
Total	1,360,101	26.6	26.2	7.6	4.9	12.9	21.9	100.0
Montana	727	58.0	6.9	3.4	- -	30.7	1.0	100.0
Nebraska	7,691	49.2	4.0	9.7	1.3	30.3	5.6	100.0
Nevada	5,918	27.5	18.4	3.5	2.5	30.9	17.1	100.0
New Hampshire	2,634	27.2	50.0	3.3	6.9	11.0	1.5	100.0
New Jersey	76,548	4.3	10.6	2.2	1.9	0.6	80.4	100.0
New York	188,158	28.4	23.0	8.8	8.3	2.2	29.3	100.0
North Carolina	145,757	21.2	49.3	6.8	6.8	7.3	8.7	100.0
North Dakota	1,931	20.4	6.9	7.6	0.4	20.7	44.1	100.0
Ohio	9,765	20.9	34.5	12.0	6.0	12.6	14.0	100.0
Oklahoma	11,834	28.0	16.0	9.7	1.6	38.0	6.7	100.0
Pennsylvania	22,821	32.1	38.3	10.4	5.6	10.6	2.9	100.0
Puerto Rico	1,084	30.1	41.4	5.4	2.8	- -	20.4	100.0
Rhode Island	11,488	42.1	42.3	3.1	6.0	1.5	5.0	100.0
South Carolina	25,608	45.5	19.0	16.5	4.8	8.7	5.6	100.0
South Dakota	14,162	64.8	2.3	6.6	0.5	22.2	3.6	100.0
Tennessee	14,048	24.6	36.6	8.1	6.4	22.0	2.2	100.0
Texas	17,195	24.6	22.3	19.1	7.3	21.5	5.3	100.0
Vermont	5,474	42.3	38.7	5.7	9.7	1.8	1.7	100.0
Virginia	15,736	30.4	27.0	15.1	9.8	13.1	4.5	100.0
Washington	6,592	19.6	22.6	4.2	0.7	16.0	36.8	100.0
Wisconsin	3,470	55.0	14.1	9.8	4.6	14.4	2.1	100.0
Wyoming	3,883	48.5	11.3	10.8	0.6	27.7	1.0	100.0

- - Quantity is zero.

[1] Includes none, phencyclidine (PCP), hallucinogens, benzodiazepines, other tranquilizers, barbiturates, other sedatives or hypnotics, inhalants, over-the-counter medications, other drugs, missing, not collected, unknown, and invalid.

NOTE: The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 22.1. Number of arrests in the 30 days prior to admission among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Number				Row percent			
	Total	None	Once	Two or more times	Total	None	Once	Two or more times
All discharges	1,192,841	1,115,278	65,296	12,267	100.0	93.5	5.5	1.0
Alabama	10,898	9,872	927	99	100.0	90.6	8.5	0.9
Alaska	6,452	5,938	440	74	100.0	92.0	6.8	1.1
Arizona	20,329	15,778	2,308	2,243	100.0	77.6	11.4	11.0
Arkansas	10,333	9,056	1,187	90	100.0	87.6	11.5	0.9
California	103,082	96,138	6,036	908	100.0	93.3	5.9	0.9
Colorado	55,342	52,267	2,498	577	100.0	94.4	4.5	1.0
Connecticut	35,482	33,004	1,858	620	100.0	93.0	5.2	1.7
Delaware	8,299	7,921	339	39	100.0	95.4	4.1	0.5
District of Columbia	2,815	2,733	75	7	100.0	97.1	2.7	0.2
Florida	18,136	14,291	2,905	940	100.0	78.8	16.0	5.2
Georgia	34,865	34,676	157	32	100.0	99.5	0.5	0.1
Hawaii	5,858	5,476	364	18	100.0	93.5	6.2	0.3
Illinois	27,095	25,345	1,602	148	100.0	93.5	5.9	0.5
Indiana	15,735	13,665	1,435	635	100.0	86.8	9.1	4.0
Iowa	24,040	21,498	2,356	186	100.0	89.4	9.8	0.8
Kansas	4,486	4,133	322	31	100.0	92.1	7.2	0.7
Kentucky	71,213	67,852	3,068	293	100.0	95.3	4.3	0.4
Louisiana	9,084	8,347	708	29	100.0	91.9	7.8	0.3
Maine	5,094	4,811	251	32	100.0	94.4	4.9	0.6
Massachusetts	53,403	51,688	1,514	201	100.0	96.8	2.8	0.4
Michigan	61,518	57,999	3,273	246	100.0	94.3	5.3	0.4
Minnesota	30,781	27,164	3,166	451	100.0	88.2	10.3	1.5
Mississippi	4,203	3,767	359	77	100.0	89.6	8.5	1.8
Missouri	33,992	31,475	2,234	283	100.0	92.6	6.6	0.8

Continued. See notes at end of table.

Table 22.1. Number of arrests in the 30 days prior to admission among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	None	Once	times	Total	None	Once	times
All discharges	1,192,841	1,115,278	65,296	12,267	100.0	93.5	5.5	1.0
Montana	737	678	59	- -	100.0	92.0	8.0	- -
Nebraska	7,351	6,629	583	139	100.0	90.2	7.9	1.9
Nevada	5,322	5,080	212	30	100.0	95.5	4.0	0.6
New Hampshire	2,525	2,302	190	33	100.0	91.2	7.5	1.3
New Jersey	76,969	72,959	3,367	643	100.0	94.8	4.4	0.8
New York	140,851	133,219	7,070	562	100.0	94.6	5.0	0.4
North Carolina	145,859	142,213	3,169	477	100.0	97.5	2.2	0.3
North Dakota	1,978	1,607	284	87	100.0	81.2	14.4	4.4
Ohio	9,364	8,355	949	60	100.0	89.2	10.1	0.6
Oklahoma	12,078	11,143	856	79	100.0	92.3	7.1	0.7
Pennsylvania	23,209	22,014	1,142	53	100.0	94.9	4.9	0.2
Puerto Rico	1,083	1,046	37	- -	100.0	96.6	3.4	- -
Rhode Island	10,223	9,338	825	60	100.0	91.3	8.1	0.6
South Carolina	27,233	25,924	1,139	170	100.0	95.2	4.2	0.6
South Dakota	14,763	12,879	1,630	254	100.0	87.2	11.0	1.7
Tennessee	14,417	13,436	913	68	100.0	93.2	6.3	0.5
Texas	19,036	17,750	1,150	136	100.0	93.2	6.0	0.7
Vermont	5,557	4,467	372	718	100.0	80.4	6.7	12.9
Virginia	14,340	12,962	1,151	227	100.0	90.4	8.0	1.6
Wisconsin	3,432	2,833	409	190	100.0	82.5	11.9	5.5
Wyoming	3,979	3,550	407	22	100.0	89.2	10.2	0.6

NOTE: Excludes admissions for which the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 22.2. Number of arrests in the 30 days prior to discharge among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Number				Row percent			
	Total	None	Once	Two or more times	Total	None	Once	Two or more times
All discharges	1,126,687	1,064,713	43,809	18,165	100.0	94.5	3.9	1.6
Alabama	10,710	10,335	341	34	100.0	96.5	3.2	0.3
Alaska	6,374	6,374	- -	- -	100.0	100.0	- -	- -
Arizona	61,094	47,002	7,308	6,784	100.0	76.9	12.0	11.1
Arkansas	10,289	10,154	107	28	100.0	98.7	1.0	0.3
California	53,205	51,534	1,374	297	100.0	96.9	2.6	0.6
Colorado	55,163	44,982	4,564	5,617	100.0	81.5	8.3	10.2
Connecticut	34,379	32,394	1,577	408	100.0	94.2	4.6	1.2
Delaware	8,176	7,812	329	35	100.0	95.5	4.0	0.4
District of Columbia	2,811	2,800	9	2	100.0	99.6	0.3	0.1
Florida	17,739	16,454	884	401	100.0	92.8	5.0	2.3
Georgia	14,078	13,676	353	49	100.0	97.1	2.5	0.3
Hawaii	5,753	5,664	82	7	100.0	98.5	1.4	0.1
Illinois	27,048	26,006	937	105	100.0	96.1	3.5	0.4
Indiana	15,710	14,017	1,180	513	100.0	89.2	7.5	3.3
Iowa	20,344	19,347	913	84	100.0	95.1	4.5	0.4
Kansas	4,502	4,260	218	24	100.0	94.6	4.8	0.5
Kentucky	71,129	67,854	2,992	283	100.0	95.4	4.2	0.4
Louisiana	5,823	5,620	193	10	100.0	96.5	3.3	0.2
Maine	5,054	4,795	230	29	100.0	94.9	4.6	0.6
Massachusetts	50,153	49,633	434	86	100.0	99.0	0.9	0.2
Michigan	61,347	59,417	1,815	115	100.0	96.9	3.0	0.2
Minnesota	29,858	28,550	1,076	232	100.0	95.6	3.6	0.8
Mississippi	4,022	3,748	232	42	100.0	93.2	5.8	1.0
Missouri	30,206	28,267	1,721	218	100.0	93.6	5.7	0.7

Continued. See notes at end of table.

Table 22.2. Number of arrests in the 30 days prior to discharge among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	None	Once	Two or more times	Total	None	Once	Two or more times
All discharges	1,126,687	1,064,713	43,809	18,165	100.0	94.5	3.9	1.6
Montana	735	701	34	- -	100.0	95.4	4.6	- -
Nebraska	7,436	6,745	558	133	100.0	90.7	7.5	1.8
Nevada	5,710	5,665	29	16	100.0	99.2	0.5	0.3
New Hampshire	2,562	2,479	70	13	100.0	96.8	2.7	0.5
New Jersey	76,936	74,976	1,720	240	100.0	97.5	2.2	0.3
New York	140,491	136,140	3,961	390	100.0	96.9	2.8	0.3
North Carolina	145,835	142,437	2,959	439	100.0	97.7	2.0	0.3
North Dakota	1,972	1,767	175	30	100.0	89.6	8.9	1.5
Ohio	9,302	8,478	774	50	100.0	91.1	8.3	0.5
Oklahoma	12,020	11,529	454	37	100.0	95.9	3.8	0.3
Pennsylvania	23,136	22,520	596	20	100.0	97.3	2.6	0.1
Puerto Rico	555	528	25	2	100.0	95.1	4.5	0.4
Rhode Island	10,068	9,645	391	32	100.0	95.8	3.9	0.3
South Carolina	15,897	15,521	341	35	100.0	97.6	2.1	0.2
South Dakota	14,737	13,678	947	112	100.0	92.8	6.4	0.8
Tennessee	9,146	9,011	102	33	100.0	98.5	1.1	0.4
Texas	19,002	18,743	205	54	100.0	98.6	1.1	0.3
Vermont	5,544	4,424	206	914	100.0	79.8	3.7	16.5
Virginia	14,502	13,391	998	113	100.0	92.3	6.9	0.8
Washington	2,421	2,209	131	81	100.0	91.2	5.4	3.3
Wyoming	3,713	3,431	264	18	100.0	92.4	7.1	0.5

- - Quantity is zero; * Less than 0.05 percent.

NOTE: Excludes admissions for which the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 22.3. Number of arrests in 30 days prior to admission among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Number				Row percent			
	Total	None	Once	Two or more times	Total	None	Once	Two or more times
All discharges	30,462	26,257	3,738	467	100.0	86.2	12.3	1.5
Alabama	688	579	106	3	100.0	84.2	15.4	0.4
Alaska	211	174	36	1	100.0	82.5	17.1	0.5
Arizona	3	- -	3	- -	100.0	- -	100.0	- -
Arkansas	290	254	35	1	100.0	87.6	12.1	0.3
California	4,517	4,197	291	29	100.0	92.9	6.4	0.6
Colorado	1,113	1,006	94	13	100.0	90.4	8.4	1.2
Delaware	8	6	2	- -	100.0	75.0	25.0	- -
District of Columbia	8	7	1	- -	100.0	87.5	12.5	- -
Florida	3,948	2,115	1,588	245	100.0	53.6	40.2	6.2
Georgia	219	203	15	1	100.0	92.7	6.8	0.5
Hawaii	888	843	44	1	100.0	94.9	5.0	0.1
Illinois	734	646	85	3	100.0	88.0	11.6	0.4
Indiana	277	243	26	8	100.0	87.7	9.4	2.9
Iowa	1,472	1,322	137	13	100.0	89.8	9.3	0.9
Kansas	215	191	19	5	100.0	88.8	8.8	2.3
Kentucky	521	483	37	1	100.0	92.7	7.1	0.2
Louisiana	354	290	59	5	100.0	81.9	16.7	1.4
Maine	34	31	2	1	100.0	91.2	5.9	2.9
Massachusetts	414	400	14	- -	100.0	96.6	3.4	- -
Michigan	663	639	24	- -	100.0	96.4	3.6	- -
Minnesota	977	876	91	10	100.0	89.7	9.3	1.0
Mississippi	63	39	21	3	100.0	61.9	33.3	4.8
Missouri	1,769	1,630	117	22	100.0	92.1	6.6	1.2

Continued. See notes at end of table.

Table 22.3. Number of arrests in 30 days prior to admission among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	None	Once	Two or more times	Total	None	Once	Two or more times
All discharges	30,462	26,257	3,738	467	100.0	86.2	12.3	1.5
Montana	10	10	- -	- -	100.0	100.0	- -	- -
Nebraska	33	32	1	- -	100.0	97.0	3.0	- -
Nevada	106	101	5	- -	100.0	95.3	4.7	- -
New Jersey	725	691	27	7	100.0	95.3	3.7	1.0
New York	3,092	2,932	144	16	100.0	94.8	4.7	0.5
North Carolina	208	195	11	2	100.0	93.8	5.3	1.0
North Dakota	64	47	14	3	100.0	73.4	21.9	4.7
Ohio	309	267	35	7	100.0	86.4	11.3	2.3
Oklahoma	254	234	20	- -	100.0	92.1	7.9	- -
Pennsylvania	433	403	29	1	100.0	93.1	6.7	0.2
Puerto Rico	4	4	- -	- -	100.0	100.0	- -	- -
Rhode Island	45	43	2	- -	100.0	95.6	4.4	- -
South Carolina	2,261	2,145	103	13	100.0	94.9	4.6	0.6
South Dakota	609	488	93	28	100.0	80.1	15.3	4.6
Tennessee	373	336	37	- -	100.0	90.1	9.9	- -
Texas	1,851	1,506	326	19	100.0	81.4	17.6	1.0
Vermont	99	97	1	1	100.0	98.0	1.0	1.0
Virginia	377	352	21	4	100.0	93.4	5.6	1.1
Wisconsin	68	59	8	1	100.0	86.8	11.8	1.5
Wyoming	155	141	14	- -	100.0	91.0	9.0	- -

- - Quantity is zero.

NOTE: Excludes admissions for which the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 22.4. Number of arrests in the 30 days prior to discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 202

State or jurisdiction	Number				Row percent			
	Total	None	Once	Two or more times	Total	None	Once	Two or more times
All discharges	26,168	24,535	1,369	264	100.0	93.8	5.2	1.0
Alabama	682	645	37	- -	100.0	94.6	5.4	- -
Alaska	211	211	- -	- -	100.0	100.0	- -	- -
Arizona	11	8	3	- -	100.0	72.7	27.3	- -
Arkansas	289	255	23	11	100.0	88.2	8.0	3.8
California	2,075	2,027	40	8	100.0	97.7	1.9	0.4
Colorado	1,112	966	96	50	100.0	86.9	8.6	4.5
Delaware	8	7	1	- -	100.0	87.5	12.5	- -
District of Columbia	8	8	- -	- -	100.0	100.0	- -	- -
Florida	3,889	3,263	514	112	100.0	83.9	13.2	2.9
Georgia	56	54	2	- -	100.0	96.4	3.6	- -
Hawaii	846	841	4	1	100.0	99.4	0.5	0.1
Illinois	719	657	58	4	100.0	91.4	8.1	0.6
Indiana	277	258	14	5	100.0	93.1	5.1	1.8
Iowa	1,272	1,224	41	7	100.0	96.2	3.2	0.6
Kansas	274	269	5	- -	100.0	98.2	1.8	- -
Kentucky	519	486	32	1	100.0	93.6	6.2	0.2
Louisiana	191	175	13	3	100.0	91.6	6.8	1.6
Maine	32	31	1	- -	100.0	96.9	3.1	- -
Massachusetts	397	394	3	- -	100.0	99.2	0.8	- -
Michigan	662	637	24	1	100.0	96.2	3.6	0.2
Minnesota	950	890	52	8	100.0	93.7	5.5	0.8
Mississippi	61	53	8	- -	100.0	86.9	13.1	- -
Missouri	1,656	1,559	82	15	100.0	94.1	5.0	0.9

Continued. See notes at end of table.

Table 22.4. Number of arrests in the 30 days prior to discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	None	Once	Two or more times	Total	None	Once	Two or more times
All discharges	26,168	24,535	1,369	264	100.0	93.8	5.2	1.0
Montana	9	9	- -	- -	100.0	100.0	- -	- -
Nebraska	36	36	- -	- -	100.0	100.0	- -	- -
Nevada	106	106	- -	- -	100.0	100.0	- -	- -
New Jersey	731	725	6	- -	100.0	99.2	0.8	- -
New York	3,088	3,010	71	7	100.0	97.5	2.3	0.2
North Carolina	207	203	4	- -	100.0	98.1	1.9	- -
North Dakota	64	57	6	1	100.0	89.1	9.4	1.6
Ohio	302	257	39	6	100.0	85.1	12.9	2.0
Oklahoma	254	246	8	- -	100.0	96.9	3.1	- -
Pennsylvania	430	416	14	- -	100.0	96.7	3.3	- -
Rhode Island	42	39	3	- -	100.0	92.9	7.1	- -
South Carolina	1,375	1,325	46	4	100.0	96.4	3.3	0.3
South Dakota	609	544	62	3	100.0	89.3	10.2	0.5
Tennessee	185	182	2	1	100.0	98.4	1.1	0.5
Texas	1,850	1,825	23	2	100.0	98.6	1.2	0.1
Vermont	99	89	- -	10	100.0	89.9	- -	10.1
Virginia	398	374	22	2	100.0	94.0	5.5	0.5
Wisconsin	35	33	1	1	100.0	94.3	2.9	2.9
Wyoming	151	141	9	1	100.0	93.4	6.0	0.7

- - Quantity is zero.

NOTE: Excludes admissions for which the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 22.5. Number of arrests in the 30 days prior to admission among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Number				Row percent			
	Total	None	Once	Two or more times	Total	None	Once	Two or more times
All discharges	1,162,379	1,089,021	61,558	11,800	100.0	93.7	5.3	1.0
Alabama	10,210	9,293	821	96	100.0	91.0	8.0	0.9
Alaska	6,241	5,764	404	73	100.0	92.4	6.5	1.2
Arizona	20,326	15,778	2,305	2,243	100.0	77.6	11.3	11.0
Arkansas	10,043	8,802	1,152	89	100.0	87.6	11.5	0.9
California	98,565	91,941	5,745	879	100.0	93.3	5.8	0.9
Colorado	54,229	51,261	2,404	564	100.0	94.5	4.4	1.0
Connecticut	35,482	33,004	1,858	620	100.0	93.0	5.2	1.7
Delaware	8,291	7,915	337	39	100.0	95.5	4.1	0.5
District of Columbia	2,807	2,726	74	7	100.0	97.1	2.6	0.2
Florida	14,188	12,176	1,317	695	100.0	85.8	9.3	4.9
Georgia	34,646	34,473	142	31	100.0	99.5	0.4	0.1
Hawaii	4,970	4,633	320	17	100.0	93.2	6.4	0.3
Illinois	26,361	24,699	1,517	145	100.0	93.7	5.8	0.6
Indiana	15,458	13,422	1,409	627	100.0	86.8	9.1	4.1
Iowa	22,568	20,176	2,219	173	100.0	89.4	9.8	0.8
Kansas	4,271	3,942	303	26	100.0	92.3	7.1	0.6
Kentucky	70,692	67,369	3,031	292	100.0	95.3	4.3	0.4
Louisiana	8,730	8,057	649	24	100.0	92.3	7.4	0.3
Maine	5,060	4,780	249	31	100.0	94.5	4.9	0.6
Massachusetts	52,989	51,288	1,500	201	100.0	96.8	2.8	0.4
Michigan	60,855	57,360	3,249	246	100.0	94.3	5.3	0.4
Minnesota	29,804	26,288	3,075	441	100.0	88.2	10.3	1.5
Mississippi	4,140	3,728	338	74	100.0	90.0	8.2	1.8
Missouri	32,223	29,845	2,117	261	100.0	92.6	6.6	0.8

Continued. See notes at end of table.

Table 22.5. Number of arrests in the 30 days prior to admission among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	None	Once	Two or more times	Total	None	Once	Two or more times
All discharges	1,162,379	1,089,021	61,558	11,800	100.0	93.7	5.3	1.0
Montana	727	668	59	- -	100.0	91.9	8.1	- -
Nebraska	7,318	6,597	582	139	100.0	90.1	8.0	1.9
Nevada	5,216	4,979	207	30	100.0	95.5	4.0	0.6
New Hampshire	2,525	2,302	190	33	100.0	91.2	7.5	1.3
New Jersey	76,244	72,268	3,340	636	100.0	94.8	4.4	0.8
New York	137,759	130,287	6,926	546	100.0	94.6	5.0	0.4
North Carolina	145,651	142,018	3,158	475	100.0	97.5	2.2	0.3
North Dakota	1,914	1,560	270	84	100.0	81.5	14.1	4.4
Ohio	9,055	8,088	914	53	100.0	89.3	10.1	0.6
Oklahoma	11,824	10,909	836	79	100.0	92.3	7.1	0.7
Pennsylvania	22,776	21,611	1,113	52	100.0	94.9	4.9	0.2
Puerto Rico	1,079	1,042	37	- -	100.0	96.6	3.4	- -
Rhode Island	10,178	9,295	823	60	100.0	91.3	8.1	0.6
South Carolina	24,972	23,779	1,036	157	100.0	95.2	4.1	0.6
South Dakota	14,154	12,391	1,537	226	100.0	87.5	10.9	1.6
Tennessee	14,044	13,100	876	68	100.0	93.3	6.2	0.5
Texas	17,185	16,244	824	117	100.0	94.5	4.8	0.7
Vermont	5,458	4,370	371	717	100.0	80.1	6.8	13.1
Virginia	13,963	12,610	1,130	223	100.0	90.3	8.1	1.6
Wisconsin	3,364	2,774	401	189	100.0	82.5	11.9	5.6
Wyoming	3,824	3,409	393	22	100.0	89.1	10.3	0.6

NOTE: Excludes admissions for which the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 22.6. Number of arrests in the 30 days prior to discharge among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Number				Row percent			
	Total	None	Once	Two or more times	Total	None	Once	Two or more times
All discharges	1,100,519	1,040,178	42,440	17,901	100.0	94.5	3.9	1.6
Alabama	10,028	9,690	304	34	100.0	96.6	3.0	0.3
Alaska	6,163	6,163	- -	- -	100.0	100.0	- -	- -
Arizona	61,083	46,994	7,305	6,784	100.0	76.9	12.0	11.1
Arkansas	10,000	9,899	84	17	100.0	99.0	0.8	0.2
California	51,130	49,507	1,334	289	100.0	96.8	2.6	0.6
Colorado	54,051	44,016	4,468	5,567	100.0	81.4	8.3	10.3
Connecticut	34,379	32,394	1,577	408	100.0	94.2	4.6	1.2
Delaware	8,168	7,805	328	35	100.0	95.6	4.0	0.4
District of Columbia	2,803	2,792	9	2	100.0	99.6	0.3	0.1
Florida	13,850	13,191	370	289	100.0	95.2	2.7	2.1
Georgia	14,022	13,622	351	49	100.0	97.1	2.5	0.3
Hawaii	4,907	4,823	78	6	100.0	98.3	1.6	0.1
Illinois	26,329	25,349	879	101	100.0	96.3	3.3	0.4
Indiana	15,433	13,759	1,166	508	100.0	89.2	7.6	3.3
Iowa	19,072	18,123	872	77	100.0	95.0	4.6	0.4
Kansas	4,228	3,991	213	24	100.0	94.4	5.0	0.6
Kentucky	70,610	67,368	2,960	282	100.0	95.4	4.2	0.4
Louisiana	5,632	5,445	180	7	100.0	96.7	3.2	0.1
Maine	5,022	4,764	229	29	100.0	94.9	4.6	0.6
Massachusetts	49,756	49,239	431	86	100.0	99.0	0.9	0.2
Michigan	60,685	58,780	1,791	114	100.0	96.9	3.0	0.2
Minnesota	28,908	27,660	1,024	224	100.0	95.7	3.5	0.8
Mississippi	3,961	3,695	224	42	100.0	93.3	5.7	1.1
Missouri	28,550	26,708	1,639	203	100.0	93.5	5.7	0.7

Continued. See notes at end of table.

Table 22.6. Number of arrests in the 30 days prior to discharge among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	None	Once	Two or more times	Total	None	Once	Two or more times
All discharges	1,100,519	1,040,178	42,440	17,901	100.0	94.5	3.9	1.6
Montana	726	692	34	- -	100.0	95.3	4.7	- -
Nebraska	7,400	6,709	558	133	100.0	90.7	7.5	1.8
Nevada	5,604	5,559	29	16	100.0	99.2	0.5	0.3
New Hampshire	2,562	2,479	70	13	100.0	96.8	2.7	0.5
New Jersey	76,205	74,251	1,714	240	100.0	97.4	2.2	0.3
New York	137,403	133,130	3,890	383	100.0	96.9	2.8	0.3
North Carolina	145,628	142,234	2,955	439	100.0	97.7	2.0	0.3
North Dakota	1,908	1,710	169	29	100.0	89.6	8.9	1.5
Ohio	9,000	8,221	735	44	100.0	91.3	8.2	0.5
Oklahoma	11,766	11,283	446	37	100.0	95.9	3.8	0.3
Pennsylvania	22,706	22,104	582	20	100.0	97.3	2.6	0.1
Puerto Rico	555	528	25	2	100.0	95.1	4.5	0.4
Rhode Island	10,026	9,606	388	32	100.0	95.8	3.9	0.3
South Carolina	14,522	14,196	295	31	100.0	97.8	2.0	0.2
South Dakota	14,128	13,134	885	109	100.0	93.0	6.3	0.8
Tennessee	8,961	8,829	100	32	100.0	98.5	1.1	0.4
Texas	17,152	16,918	182	52	100.0	98.6	1.1	0.3
Vermont	5,445	4,335	206	904	100.0	79.6	3.8	16.6
Virginia	14,104	13,017	976	111	100.0	92.3	6.9	0.8
Wisconsin	2,386	2,176	130	80	100.0	91.2	5.4	3.4
Wyoming	3,562	3,290	255	17	100.0	92.4	7.2	0.5

- - Quantity is zero.

NOTE: Excludes admissions for which the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 23.1. Living arrangements at admission among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020

	Number				*Row percent*			
State or jurisdiction	*Total*	*Homeless*	*Dependent living*	*Independent living*	*Total*	*Homeless*	*Dependent living*	*Independent living*
All discharges	1,210,968	208,242	203,236	799,490	100.0	17.2	16.8	66.0
Alabama	10,728	634	2,357	7,737	100.0	5.9	22.0	72.1
Alaska	6,202	1,183	1,170	3,849	100.0	19.1	18.9	62.1
Arkansas	10,327	954	3,036	6,337	100.0	9.2	29.4	61.4
California	103,038	30,972	26,074	45,992	100.0	30.1	25.3	44.6
Colorado	55,341	14,850	8,632	31,859	100.0	26.8	15.6	57.6
Connecticut	36,720	4,573	6,134	26,013	100.0	12.5	16.7	70.8
Delaware	8,204	868	1,055	6,281	100.0	10.6	12.9	76.6
District of Columbia	2,762	1,392	574	796	100.0	50.4	20.8	28.8
Florida	16,642	2,399	5,871	8,372	100.0	14.4	35.3	50.3
Georgia	27,210	3,825	9,179	14,206	100.0	14.1	33.7	52.2
Hawaii	5,587	1,253	2,438	1,896	100.0	22.4	43.6	33.9
Illinois	27,094	3,627	13,766	9,701	100.0	13.4	50.8	35.8
Indiana	15,462	1,435	2,833	11,194	100.0	9.3	18.3	72.4
Iowa	24,031	6,540	5,887	11,604	100.0	27.2	24.5	48.3
Kansas	4,710	796	983	2,931	100.0	16.9	20.9	62.2
Kentucky	71,103	9,556	11,055	50,492	100.0	13.4	15.5	71.0
Louisiana	8,579	1,142	2,562	4,875	100.0	13.3	29.9	56.8
Maine	5,089	531	597	3,961	100.0	10.4	11.7	77.8
Massachusetts	52,614	17,261	2,649	32,704	100.0	32.8	5.0	62.2
Michigan	61,577	14,364	10,626	36,587	100.0	23.3	17.3	59.4
Minnesota	30,641	4,609	10,008	16,024	100.0	15.0	32.7	52.3
Mississippi	4,491	283	1,060	3,148	100.0	6.3	23.6	70.1
Missouri	32,123	4,695	3,833	23,595	100.0	14.6	11.9	73.5

Continued. See notes at end of table.

Table 23.1. Living arrangements at admission among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	Homeless	Dependent living	Independent living	Total	Homeless	Dependent living	Independent living
All discharges	1,210,968	208,242	203,236	799,490	100.0	17.2	16.8	66.0
Montana	737	137	160	440	100.0	18.6	21.7	59.7
Nebraska	6,988	1,501	2,266	3,221	100.0	21.5	32.4	46.1
Nevada	5,110	1,700	1,216	2,194	100.0	33.3	23.8	42.9
New Hampshire	2,614	916	546	1,152	100.0	35.0	20.9	44.1
New Jersey	76,996	7,533	12,092	57,371	100.0	9.8	15.7	74.5
New York	191,161	36,210	15,968	138,983	100.0	18.9	8.4	72.7
North Carolina	144,252	14,354	3,878	126,020	100.0	10.0	2.7	87.4
North Dakota	1,904	480	508	916	100.0	25.2	26.7	48.1
Ohio	9,286	1,016	1,595	6,675	100.0	10.9	17.2	71.9
Oklahoma	12,075	1,379	705	9,991	100.0	11.4	5.8	82.7
Pennsylvania	22,049	1,856	8,852	11,341	100.0	8.4	40.1	51.4
Puerto Rico	1,028	80	64	884	100.0	7.8	6.2	86.0
Rhode Island	11,302	1,435	1,642	8,225	100.0	12.7	14.5	72.8
South Carolina	27,613	1,146	6,012	20,455	100.0	4.2	21.8	74.1
South Dakota	14,763	3,234	2,375	9,154	100.0	21.9	16.1	62.0
Tennessee	14,005	2,560	1,446	9,999	100.0	18.3	10.3	71.4
Texas	18,404	1,671	8,261	8,472	100.0	9.1	44.9	46.0
Vermont	5,494	724	814	3,956	100.0	13.2	14.8	72.0
Virginia	15,222	1,234	980	13,008	100.0	8.1	6.4	85.5
Washington	2,361	813	453	1,095	100.0	34.4	19.2	46.4
Wisconsin	3,299	242	281	2,776	100.0	7.3	8.5	84.1
Wyoming	4,030	279	743	3,008	100.0	6.9	18.4	74.6

- - Quantity is zero.

NOTE: Excludes admissions for which the client's living arrangement at admission was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 23.2. Living arrangements at discharge among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Number				Row percent			
	Total	Homeless	Dependent living	Independent living	Total	Homeless	Dependent living	Independent living
All discharges	1,083,555	145,340	206,577	731,638	100.0	13.4	19.1	67.5
Alabama	10,572	391	1,461	8,720	100.0	3.7	13.8	82.5
Alaska	6,152	1,104	1,176	3,872	100.0	17.9	19.1	62.9
Arkansas	10,290	482	2,790	7,018	100.0	4.7	27.1	68.2
California	53,264	14,079	15,214	23,971	100.0	26.4	28.6	45.0
Colorado	55,165	14,722	8,362	32,081	100.0	26.7	15.2	58.2
Connecticut	37,111	4,040	6,353	26,718	100.0	10.9	17.1	72.0
Delaware	8,149	825	1,066	6,258	100.0	10.1	13.1	76.8
District of Columbia	2,756	1,358	595	803	100.0	49.3	21.6	29.1
Florida	16,435	1,369	5,834	9,232	100.0	8.3	35.5	56.2
Georgia	32,376	3,481	11,067	17,828	100.0	10.8	34.2	55.1
Hawaii	5,612	1,049	2,127	2,436	100.0	18.7	37.9	43.4
Illinois	27,064	2,779	14,734	9,551	100.0	10.3	54.4	35.3
Indiana	15,461	1,353	2,471	11,637	100.0	8.8	16.0	75.3
Iowa	20,350	5,219	4,925	10,206	100.0	25.6	24.2	50.2
Kansas	3,964	520	926	2,518	100.0	13.1	23.4	63.5
Kentucky	71,049	9,526	10,896	50,627	100.0	13.4	15.3	71.3
Louisiana	5,696	815	1,745	3,136	100.0	14.3	30.6	55.1
Maine	5,053	496	569	3,988	100.0	9.8	11.3	78.9
Massachusetts	52,490	9,810	12,536	30,144	100.0	18.7	23.9	57.4
Michigan	61,366	12,793	11,047	37,526	100.0	20.8	18.0	61.2
Minnesota	28,585	1,839	15,421	11,325	100.0	6.4	53.9	39.6
Mississippi	4,049	213	1,075	2,761	100.0	5.3	26.5	68.2
Missouri	29,486	3,980	3,851	21,655	100.0	13.5	13.1	73.4

Continued. See notes at end of table.

Table 23.2. Living arrangements at discharge among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	Homeless	Dependent living	Independent living	Total	Homeless	Dependent living	Independent living
All discharges	1,083,555	145,340	206,577	731,638	100.0	13.4	19.1	67.5
Montana	736	123	161	452	100.0	16.7	21.9	61.4
Nebraska	6,961	1,445	2,150	3,366	100.0	20.8	30.9	48.4
Nevada	5,074	1,322	1,591	2,161	100.0	26.1	31.4	42.6
New Hampshire	2,626	848	535	1,243	100.0	32.3	20.4	47.3
New Jersey	76,938	3,794	14,433	58,711	100.0	4.9	18.8	76.3
New York	140,518	16,908	17,347	106,263	100.0	12.0	12.3	75.6
North Carolina	144,294	14,149	3,738	126,407	100.0	9.8	2.6	87.6
North Dakota	1,615	258	395	962	100.0	16.0	24.5	59.6
Ohio	7,670	725	1,111	5,834	100.0	9.5	14.5	76.1
Oklahoma	12,043	994	1,306	9,743	100.0	8.3	10.8	80.9
Pennsylvania	22,002	1,792	8,868	11,342	100.0	8.1	40.3	51.5
Puerto Rico	1,033	66	86	881	100.0	6.4	8.3	85.3
Rhode Island	11,279	1,409	1,660	8,210	100.0	12.5	14.7	72.8
South Carolina	22,046	747	4,056	17,243	100.0	3.4	18.4	78.2
South Dakota	14,716	3,940	2,706	8,070	100.0	26.8	18.4	54.8
Tennessee	9,042	801	1,372	6,869	100.0	8.9	15.2	76.0
Texas	12,447	599	5,480	6,368	100.0	4.8	44.0	51.2
Vermont	5,332	563	1,010	3,759	100.0	10.6	18.9	70.5
Virginia	15,203	1,134	971	13,098	100.0	7.5	6.4	86.2
Washington	3,312	1,137	649	1,526	100.0	34.3	19.6	46.1
Wisconsin	2,196	147	186	1,863	100.0	6.7	8.5	84.8
Wyoming	3,977	196	525	3,256	100.0	4.9	13.2	81.9

- - Quantity is zero.

NOTE: Excludes admissions for which the client's living arrangement at admission was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 23.3. Living arrangements at admission among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Number				Row percent			
	Total	Homeless	Dependent living	Independent living	Total	Homeless	Dependent living	Independent living
All discharges	30,147	446	21,663	8,038	100.0	1.5	71.9	26.7
Alabama	682	1	629	52	100.0	0.1	92.2	7.6
Alaska	200	3	67	130	100.0	1.5	33.5	65.0
Arkansas	290	1	275	14	100.0	0.3	94.8	4.8
California	4,517	26	3,637	854	100.0	0.6	80.5	18.9
Colorado	1,112	6	271	835	100.0	0.5	24.4	75.1
Delaware	8	- -	1	7	100.0	- -	12.5	87.5
District of Columbia	8	1	6	1	100.0	12.5	75.0	12.5
Florida	3,822	3	3,751	68	100.0	0.1	98.1	1.8
Georgia	187	2	159	26	100.0	1.1	85.0	13.9
Hawaii	831	8	802	21	100.0	1.0	96.5	2.5
Illinois	732	8	499	225	100.0	1.1	68.2	30.7
Indiana	5	- -	5	- -	100.0	- -	100.0	- -
Iowa	1,472	338	1,070	64	100.0	23.0	72.7	4.3
Kansas	278	1	261	16	100.0	0.4	93.9	5.8
Kentucky	514	- -	394	120	100.0	- -	76.7	23.3
Louisiana	340	- -	310	30	100.0	- -	91.2	8.8
Maine	34	- -	31	3	100.0	- -	91.2	8.8
Massachusetts	414	- -	23	391	100.0	- -	5.6	94.4
Michigan	661	2	518	141	100.0	0.3	78.4	21.3
Minnesota	984	8	925	51	100.0	0.8	94.0	5.2
Mississippi	71	- -	27	44	100.0	- -	38.0	62.0
Missouri	1,767	4	1,747	16	100.0	0.2	98.9	0.9

Continued. See notes at end of table.

Table 23.3. Living arrangements at admission among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	Homeless	Dependent living	Independent living	Total	Homeless	Dependent living	Independent living
All discharges	30,147	446	21,663	8,038	100.0	1.5	71.9	26.7
Montana	10	- -	9	1	100.0	- -	90.0	10.0
Nebraska	33	- -	32	1	100.0	- -	97.0	3.0
Nevada	105	- -	69	36	100.0	- -	65.7	34.3
New Jersey	728	5	193	530	100.0	0.7	26.5	72.8
New York	3,101	11	461	2,629	100.0	0.4	14.9	84.8
North Carolina	208	- -	26	182	100.0	- -	12.5	87.5
North Dakota	63	- -	56	7	100.0	- -	88.9	11.1
Ohio	315	2	196	117	100.0	0.6	62.2	37.1
Oklahoma	254	1	5	248	100.0	0.4	2.0	97.6
Pennsylvania	417	1	373	43	100.0	0.2	89.4	10.3
Puerto Rico	4	- -	- -	4	100.0	- -	- -	100.0
Rhode Island	47	- -	10	37	100.0	- -	21.3	78.7
South Carolina	2,347	5	2,184	158	100.0	0.2	93.1	6.7
South Dakota	609	3	591	15	100.0	0.5	97.0	2.5
Tennessee	371	- -	32	339	100.0	- -	8.6	91.4
Texas	1,779	2	1,704	73	100.0	0.1	95.8	4.1
Vermont	99	- -	82	17	100.0	- -	82.8	17.2
Virginia	399	1	34	364	100.0	0.3	8.5	91.2
Washington	99	2	86	11	100.0	2.0	86.9	11.1
Wisconsin	64	- -	43	21	100.0	- -	67.2	32.8
Wyoming	166	1	69	96	100.0	0.6	41.6	57.8

- - Quantity is zero.

NOTE: Excludes admissions for which the client's living arrangement at admission was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 23.4. Living arrangements at discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Number				Row percent			
	Total	Homeless	Dependent living	Independent living	Total	Homeless	Dependent living	Independent living
All discharges	26,194	441	18,048	7,705	100.0	1.7	68.9	29.4
Alabama	670	- -	467	203	100.0	- -	69.7	30.3
Alaska	201	3	66	132	100.0	1.5	32.8	65.7
Arkansas	290	3	255	32	100.0	1.0	87.9	11.0
California	2,076	33	1,715	328	100.0	1.6	82.6	15.8
Colorado	1,112	8	269	835	100.0	0.7	24.2	75.1
Delaware	8	- -	2	6	100.0	- -	25.0	75.0
District of Columbia	8	1	6	1	100.0	12.5	75.0	12.5
Florida	3,830	1	3,613	216	100.0	*	94.3	5.6
Georgia	208	2	176	30	100.0	1.0	84.6	14.4
Hawaii	821	8	790	23	100.0	1.0	96.2	2.8
Illinois	731	10	512	209	100.0	1.4	70.0	28.6
Indiana	44	- -	7	37	100.0	- -	15.9	84.1
Iowa	1,275	300	916	59	100.0	23.5	71.8	4.6
Kansas	271	- -	246	25	100.0	- -	90.8	9.2
Kentucky	513	- -	307	206	100.0	- -	59.8	40.2
Louisiana	190	- -	188	2	100.0	- -	98.9	1.1
Maine	35	- -	32	3	100.0	- -	91.4	8.6
Massachusetts	410	3	58	349	100.0	0.7	14.1	85.1
Michigan	662	3	517	142	100.0	0.5	78.1	21.5
Minnesota	955	19	895	41	100.0	2.0	93.7	4.3
Mississippi	52	- -	25	27	100.0	- -	48.1	51.9
Missouri	1,715	3	1,661	51	100.0	0.2	96.9	3.0

Continued. See notes at end of table.

Table 23.4. Living arrangements at discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	Homeless	Dependent living	Independent living	Total	Homeless	Dependent living	Independent living
All discharges	26,194	441	18,048	7,705	100.0	1.7	68.9	29.4
Montana	9	- -	6	3	100.0	- -	66.7	33.3
Nebraska	35	- -	34	1	100.0	- -	97.1	2.9
Nevada	104	- -	67	37	100.0	- -	64.4	35.6
New Jersey	733	1	120	612	100.0	0.1	16.4	83.5
New York	3,088	16	415	2,657	100.0	0.5	13.4	86.0
North Carolina	206	1	31	174	100.0	0.5	15.0	84.5
North Dakota	64	- -	55	9	100.0	- -	85.9	14.1
Ohio	283	- -	174	109	100.0	- -	61.5	38.5
Oklahoma	254	1	48	205	100.0	0.4	18.9	80.7
Pennsylvania	417	1	374	42	100.0	0.2	89.7	10.1
Puerto Rico	4	- -	- -	4	100.0	- -	- -	100.0
Rhode Island	44	- -	11	33	100.0	- -	25.0	75.0
South Carolina	1,938	9	1,852	77	100.0	0.5	95.6	4.0
South Dakota	609	1	567	41	100.0	0.2	93.1	6.7
Tennessee	231	1	28	202	100.0	0.4	12.1	87.4
Texas	1,243	5	1,192	46	100.0	0.4	95.9	3.7
Vermont	94	1	79	14	100.0	1.1	84.0	14.9
Virginia	413	1	39	373	100.0	0.2	9.4	90.3
Washington	153	6	133	14	100.0	3.9	86.9	9.2
Wisconsin	30	- -	19	11	100.0	- -	63.3	36.7
Wyoming	165	- -	81	84	100.0	- -	49.1	50.9

- - Quantity is zero; * Less than 0.05 percent.

NOTE: Excludes admissions for which the client's living arrangement at admission was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 23.5. Living arrangements at admission among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020

State or jurisdiction	Number				Row percent			
	Total	Homeless	Dependent living	Independent living	Total	Homeless	Dependent living	Independent living
All discharges	1,180,821	207,796	181,573	791,452	100.0	17.6	15.4	67.0
Alabama	10,046	633	1,728	7,685	100.0	6.3	17.2	76.5
Alaska	6,002	1,180	1,103	3,719	100.0	19.7	18.4	62.0
Arkansas	10,037	953	2,761	6,323	100.0	9.5	27.5	63.0
California	98,521	30,946	22,437	45,138	100.0	31.4	22.8	45.8
Colorado	54,229	14,844	8,361	31,024	100.0	27.4	15.4	57.2
Connecticut	36,720	4,573	6,134	26,013	100.0	12.5	16.7	70.8
Delaware	8,196	868	1,054	6,274	100.0	10.6	12.9	76.5
District of Columbia	2,754	1,391	568	795	100.0	50.5	20.6	28.9
Florida	12,820	2,396	2,120	8,304	100.0	18.7	16.5	64.8
Georgia	27,023	3,823	9,020	14,180	100.0	14.1	33.4	52.5
Hawaii	4,756	1,245	1,636	1,875	100.0	26.2	34.4	39.4
Illinois	26,362	3,619	13,267	9,476	100.0	13.7	50.3	35.9
Indiana	15,457	1,435	2,828	11,194	100.0	9.3	18.3	72.4
Iowa	22,559	6,202	4,817	11,540	100.0	27.5	21.4	51.2
Kansas	4,432	795	722	2,915	100.0	17.9	16.3	65.8
Kentucky	70,589	9,556	10,661	50,372	100.0	13.5	15.1	71.4
Louisiana	8,239	1,142	2,252	4,845	100.0	13.9	27.3	58.8
Maine	5,055	531	566	3,958	100.0	10.5	11.2	78.3
Massachusetts	52,200	17,261	2,626	32,313	100.0	33.1	5.0	61.9
Michigan	60,916	14,362	10,108	36,446	100.0	23.6	16.6	59.8
Minnesota	29,657	4,601	9,083	15,973	100.0	15.5	30.6	53.9
Mississippi	4,420	283	1,033	3,104	100.0	6.4	23.4	70.2
Missouri	30,356	4,691	2,086	23,579	100.0	15.5	6.9	77.7

Continued. See notes at end of table.

Table 23.5. Living arrangements at admission among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	Homeless	Dependent living	Independent living	Total	Homeless	Dependent living	Independent living
All discharges	1,180,821	207,796	181,573	791,452	100.0	17.6	15.4	67.0
Montana	727	137	151	439	100.0	18.8	20.8	60.4
Nebraska	6,955	1,501	2,234	3,220	100.0	21.6	32.1	46.3
Nevada	5,005	1,700	1,147	2,158	100.0	34.0	22.9	43.1
New Hampshire	2,614	916	546	1,152	100.0	35.0	20.9	44.1
New Jersey	76,268	7,528	11,899	56,841	100.0	9.9	15.6	74.5
New York	188,060	36,199	15,507	136,354	100.0	19.2	8.2	72.5
North Carolina	144,044	14,354	3,852	125,838	100.0	10.0	2.7	87.4
North Dakota	1,841	480	452	909	100.0	26.1	24.6	49.4
Ohio	8,971	1,014	1,399	6,558	100.0	11.3	15.6	73.1
Oklahoma	11,821	1,378	700	9,743	100.0	11.7	5.9	82.4
Pennsylvania	21,632	1,855	8,479	11,298	100.0	8.6	39.2	52.2
Puerto Rico	1,024	80	64	880	100.0	7.8	6.3	85.9
Rhode Island	11,255	1,435	1,632	8,188	100.0	12.7	14.5	72.7
South Carolina	25,266	1,141	3,828	20,297	100.0	4.5	15.2	80.3
South Dakota	14,154	3,231	1,784	9,139	100.0	22.8	12.6	64.6
Tennessee	13,634	2,560	1,414	9,660	100.0	18.8	10.4	70.9
Texas	16,625	1,669	6,557	8,399	100.0	10.0	39.4	50.5
Vermont	5,395	724	732	3,939	100.0	13.4	13.6	73.0
Virginia	14,823	1,233	946	12,644	100.0	8.3	6.4	85.3
Washington	2,262	811	367	1,084	100.0	35.9	16.2	47.9
Wisconsin	3,235	242	238	2,755	100.0	7.5	7.4	85.2
Wyoming	3,864	278	674	2,912	100.0	7.2	17.4	75.4

- - Quantity is zero.

NOTE: Excludes admissions for which the client's living arrangement at admission was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 23.6. Living arrangements at discharge among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	Homeless	Dependent living	Independent living	Total	Homeless	Dependent living	Independent living
All discharges	1,057,361	144,899	188,529	723,933	100.0	13.7	17.8	68.5
Alabama	9,902	391	994	8,517	100.0	3.9	10.0	86.0
Alaska	5,951	1,101	1,110	3,740	100.0	18.5	18.7	62.8
Arkansas	10,000	479	2,535	6,986	100.0	4.8	25.4	69.9
California	51,188	14,046	13,499	23,643	100.0	27.4	26.4	46.2
Colorado	54,053	14,714	8,093	31,246	100.0	27.2	15.0	57.8
Connecticut	37,111	4,040	6,353	26,718	100.0	10.9	17.1	72.0
Delaware	8,141	825	1,064	6,252	100.0	10.1	13.1	76.8
District of Columbia	2,748	1,357	589	802	100.0	49.4	21.4	29.2
Florida	12,605	1,368	2,221	9,016	100.0	10.9	17.6	71.5
Georgia	32,168	3,479	10,891	17,798	100.0	10.8	33.9	55.3
Hawaii	4,791	1,041	1,337	2,413	100.0	21.7	27.9	50.4
Illinois	26,333	2,769	14,222	9,342	100.0	10.5	54.0	35.5
Indiana	15,417	1,353	2,464	11,600	100.0	8.8	16.0	75.2
Iowa	19,075	4,919	4,009	10,147	100.0	25.8	21.0	53.2
Kansas	3,693	520	680	2,493	100.0	14.1	18.4	67.5
Kentucky	70,536	9,526	10,589	50,421	100.0	13.5	15.0	71.5
Louisiana	5,506	815	1,557	3,134	100.0	14.8	28.3	56.9
Maine	5,018	496	537	3,985	100.0	9.9	10.7	79.4
Massachusetts	52,080	9,807	12,478	29,795	100.0	18.8	24.0	57.2
Michigan	60,704	12,790	10,530	37,384	100.0	21.1	17.3	61.6
Minnesota	27,630	1,820	14,526	11,284	100.0	6.6	52.6	40.8
Mississippi	3,997	213	1,050	2,734	100.0	5.3	26.3	68.4
Missouri	27,771	3,977	2,190	21,604	100.0	14.3	7.9	77.8

Continued. See notes at end of table.

Table 23.6. Living arrangements at discharge among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

State or jurisdiction	Number				Row percent			
	Total	Homeless	Dependent living	Independent living	Total	Homeless	Dependent living	Independent living
All discharges	1,057,361	144,899	188,529	723,933	100.0	13.7	17.8	68.5
Montana	727	123	155	449	100.0	16.9	21.3	61.8
Nebraska	6,926	1,445	2,116	3,365	100.0	20.9	30.6	48.6
Nevada	4,970	1,322	1,524	2,124	100.0	26.6	30.7	42.7
New Hampshire	2,626	848	535	1,243	100.0	32.3	20.4	47.3
New Jersey	76,205	3,793	14,313	58,099	100.0	5.0	18.8	76.2
New York	137,430	16,892	16,932	103,606	100.0	12.3	12.3	75.4
North Carolina	144,088	14,148	3,707	126,233	100.0	9.8	2.6	87.6
North Dakota	1,551	258	340	953	100.0	16.6	21.9	61.4
Ohio	7,387	725	937	5,725	100.0	9.8	12.7	77.5
Oklahoma	11,789	993	1,258	9,538	100.0	8.4	10.7	80.9
Pennsylvania	21,585	1,791	8,494	11,300	100.0	8.3	39.4	52.4
Puerto Rico	1,029	66	86	877	100.0	6.4	8.4	85.2
Rhode Island	11,235	1,409	1,649	8,177	100.0	12.5	14.7	72.8
South Carolina	20,108	738	2,204	17,166	100.0	3.7	11.0	85.4
South Dakota	14,107	3,939	2,139	8,029	100.0	27.9	15.2	56.9
Tennessee	8,811	800	1,344	6,667	100.0	9.1	15.3	75.7
Texas	11,204	594	4,288	6,322	100.0	5.3	38.3	56.4
Vermont	5,238	562	931	3,745	100.0	10.7	17.8	71.5
Virginia	14,790	1,133	932	12,725	100.0	7.7	6.3	86.0
Washington	3,159	1,131	516	1,512	100.0	35.8	16.3	47.9
Wisconsin	2,166	147	167	1,852	100.0	6.8	7.7	85.5
Wyoming	3,812	196	444	3,172	100.0	5.1	11.6	83.2

- - Quantity is zero.

NOTE: Excludes admissions for which the client's living arrangement at admission was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21

Table 24.1. Frequency of attendance at a substance use self-help group in the 30 days prior to admission among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020

	Number						*Row percent*					
State or jurisdiction	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*
All discharges	1,108,979	863,705	59,040	39,159	97,846	49,229	100.0	77.9	5.3	3.5	8.8	4.4
Alabama	7,630	6,800	276	367	187	- -	100.0	89.1	3.6	4.8	2.5	- -
Alaska	6,243	4,969	469	286	415	104	100.0	79.6	7.5	4.6	6.6	1.7
Arizona	16,873	14,015	1,683	603	572	- -	100.0	83.1	10.0	3.6	3.4	- -
Arkansas	8,856	7,573	207	278	600	198	100.0	85.5	2.3	3.1	6.8	2.2
California	100,896	63,084	6,347	6,177	25,288	- -	100.0	62.5	6.3	6.1	25.1	- -
Colorado	55,241	48,336	2,532	1,504	2,869	- -	100.0	87.5	4.6	2.7	5.2	- -
Connecticut	33,014	24,767	3,254	1,811	3,182	- -	100.0	75.0	9.9	5.5	9.6	- -
Delaware	7,521	6,317	341	248	615	- -	100.0	84.0	4.5	3.3	8.2	- -
District of Columbia	1,141	811	115	78	125	12	100.0	71.1	10.1	6.8	11.0	1.1
Florida	17,408	12,075	1,282	526	885	2,640	100.0	69.4	7.4	3.0	5.1	15.2
Georgia	24,414	21,398	811	726	1,479	- -	100.0	87.6	3.3	3.0	6.1	- -
Hawaii	5,472	3,879	323	234	954	82	100.0	70.9	5.9	4.3	17.4	1.5
Illinois	26,024	22,264	2,073	724	963	- -	100.0	85.6	8.0	2.8	3.7	- -
Indiana	15,720	12,333	737	746	1,425	479	100.0	78.5	4.7	4.7	9.1	3.0
Iowa	23,997	20,575	1,313	854	1,255	- -	100.0	85.7	5.5	3.6	5.2	- -
Kansas	4,161	3,325	143	154	467	72	100.0	79.9	3.4	3.7	11.2	1.7
Kentucky	71,128	48,079	3,492	3,146	13,475	2,936	100.0	67.6	4.9	4.4	18.9	4.1
Louisiana	7,505	5,968	542	226	641	128	100.0	79.5	7.2	3.0	8.5	1.7
Maine	4,513	3,436	352	213	437	75	100.0	76.1	7.8	4.7	9.7	1.7
Massachusetts	49,945	36,649	2,624	2,509	7,399	764	100.0	73.4	5.3	5.0	14.8	1.5
Michigan	61,097	47,912	4,643	2,573	5,969	- -	100.0	78.4	7.6	4.2	9.8	- -
Minnesota	30,083	20,234	3,267	2,265	3,661	656	100.0	67.3	10.9	7.5	12.2	2.2
Mississippi	2,413	1,321	515	88	415	74	100.0	54.7	21.3	3.6	17.2	3.1
Missouri	33,939	27,798	2,419	1,520	2,202	- -	100.0	81.9	7.1	4.5	6.5	- -

Continued. See notes at end of table.

Table 24.1. Frequency of attendance at a substance use self-help group in the 30 days prior to admission among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

	Number						Row percent					
State or jurisdiction	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*
All discharges	1,108,979	863,705	59,040	39,159	97,846	49,229	100.0	77.9	5.3	3.5	8.8	4.4
Montana	737	473	56	47	128	33	100.0	64.2	7.6	6.4	17.4	4.5
Nebraska	6,574	4,121	684	360	1,063	346	100.0	62.7	10.4	5.5	16.2	5.3
Nevada	4,833	3,604	259	140	566	264	100.0	74.6	5.4	2.9	11.7	5.5
New Hampshire	2,417	1,546	234	225	380	32	100.0	64.0	9.7	9.3	15.7	1.3
New Jersey	55,929	41,212	4,470	2,996	6,093	1,158	100.0	73.7	8.0	5.4	10.9	2.1
New York	139,778	105,817	- -	- -	- -	33,961	100.0	75.7	- -	- -	- -	24.3
North Carolina	144,499	133,403	4,585	1,590	2,910	2,011	100.0	92.3	3.2	1.1	2.0	1.4
North Dakota	1,956	1,642	132	72	110	- -	100.0	83.9	6.7	3.7	5.6	- -
Ohio	9,086	7,351	494	356	629	256	100.0	80.9	5.4	3.9	6.9	2.8
Oklahoma	12,061	9,476	758	651	1,176	- -	100.0	78.6	6.3	5.4	9.8	- -
Pennsylvania	17,975	14,135	848	473	1,025	1,494	100.0	78.6	4.7	2.6	5.7	8.3
Puerto Rico	1,081	972	56	17	24	12	100.0	89.9	5.2	1.6	2.2	1.1
Rhode Island	10,827	9,680	75	358	714	- -	100.0	89.4	0.7	3.3	6.6	- -
South Carolina	11,271	10,008	392	242	525	104	100.0	88.8	3.5	2.1	4.7	0.9
South Dakota	14,710	13,037	738	375	461	99	100.0	88.6	5.0	2.5	3.1	0.7
Tennessee	13,764	11,798	531	427	948	60	100.0	85.7	3.9	3.1	6.9	0.4
Texas	18,968	13,318	2,365	1,244	1,994	47	100.0	70.2	12.5	6.6	10.5	0.2
Vermont	5,294	3,839	491	415	473	76	100.0	72.5	9.3	7.8	8.9	1.4
Virginia	12,611	7,248	1,746	1,060	2,557	- -	100.0	57.5	13.8	8.4	20.3	- -
Washington	2,289	1,533	159	136	461	- -	100.0	67.0	6.9	5.9	20.1	- -
Wisconsin	3,075	2,620	207	119	129	- -	100.0	85.2	6.7	3.9	4.2	- -
Wyoming	4,010	2,954	- -	- -	- -	1,056	100.0	73.7	- -	- -	- -	26.3

- - Quantity is zero.

NOTE: Excludes admissions for which the client's frequency of attendance at a substance use self-help group in the 30 days prior to admission was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 24.2. Frequency of attendance at a substance use self-help group in the 30 days prior to discharge among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020

	Number						Row percent					
State or jurisdiction	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*
All discharges	1,115,141	766,675	76,938	49,450	147,653	74,425	100.0	68.8	6.9	4.4	13.2	6.7
Alabama	8,828	6,409	325	731	1,363	- -	100.0	72.6	3.7	8.3	15.4	- -
Alaska	6,195	4,398	477	303	482	535	100.0	71.0	7.7	4.9	7.8	8.6
Arizona	56,068	46,402	5,431	2,143	2,092	- -	100.0	82.8	9.7	3.8	3.7	- -
Arkansas	8,754	3,607	383	614	3,276	874	100.0	41.2	4.4	7.0	37.4	10.0
California	53,041	22,818	3,334	4,271	22,618	- -	100.0	43.0	6.3	8.1	42.6	- -
Colorado	55,104	46,718	2,153	1,710	4,523	- -	100.0	84.8	3.9	3.1	8.2	- -
Connecticut	33,505	20,986	4,771	2,515	5,233	- -	100.0	62.6	14.2	7.5	15.6	- -
Delaware	7,566	6,230	311	253	772	- -	100.0	82.3	4.1	3.3	10.2	- -
District of Columbia	1,933	863	266	155	609	40	100.0	44.6	13.8	8.0	31.5	2.1
Florida	16,867	9,767	1,391	842	2,185	2,682	100.0	57.9	8.2	5.0	13.0	15.9
Georgia	9,639	8,368	384	210	677	- -	100.0	86.8	4.0	2.2	7.0	- -
Hawaii	5,033	2,492	394	359	1,610	178	100.0	49.5	7.8	7.1	32.0	3.5
Illinois	23,600	14,645	8,955	- -	- -	- -	100.0	62.1	37.9	- -	- -	- -
Indiana	15,667	11,864	822	740	1,608	633	100.0	75.7	5.2	4.7	10.3	4.0
Iowa	23,945	20,498	1,326	852	1,269	- -	100.0	85.6	5.5	3.6	5.3	- -
Kansas	3,779	2,132	374	422	736	115	100.0	56.4	9.9	11.2	19.5	3.0
Kentucky	71,065	47,126	3,458	3,273	14,210	2,998	100.0	66.3	4.9	4.6	20.0	4.2
Louisiana	5,614	1,516	516	382	3,031	169	100.0	27.0	9.2	6.8	54.0	3.0
Maine	4,013	2,866	286	251	533	77	100.0	71.4	7.1	6.3	13.3	1.9
Massachusetts	47,346	23,916	3,588	3,680	14,226	1,936	100.0	50.5	7.6	7.8	30.0	4.1
Michigan	60,957	33,719	7,374	3,976	15,888	- -	100.0	55.3	12.1	6.5	26.1	- -
Minnesota	27,149	10,545	3,856	3,958	7,401	1,389	100.0	38.8	14.2	14.6	27.3	5.1
Mississippi	2,424	1,247	515	104	480	78	100.0	51.4	21.2	4.3	19.8	3.2
Missouri	28,192	22,041	2,396	1,410	2,345	- -	100.0	78.2	8.5	5.0	8.3	- -

Continued. See notes at end of table.

Table 24.2. Frequency of attendance at a substance use self-help group in the 30 days prior to discharge among discharges aged 12 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

	Number						*Row percent*					
State or jurisdiction	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*
All discharges	1,115,141	766,675	76,938	49,450	147,653	74,425	100.0	68.8	6.9	4.4	13.2	6.7
Montana	736	425	58	81	130	42	100.0	57.7	7.9	11.0	17.7	5.7
Nebraska	6,571	3,646	700	432	1,376	417	100.0	55.5	10.7	6.6	20.9	6.3
Nevada	5,061	3,566	282	144	791	278	100.0	70.5	5.6	2.8	15.6	5.5
New Hampshire	1,871	1,043	252	173	339	64	100.0	55.7	13.5	9.2	18.1	3.4
New Jersey	65,131	35,436	8,260	6,171	12,690	2,574	100.0	54.4	12.7	9.5	19.5	4.0
New York	189,571	136,350	- -	- -	- -	53,221	100.0	71.9	- -	- -	- -	28.1
North Carolina	144,130	133,016	4,631	1,616	2,966	1,901	100.0	92.3	3.2	1.1	2.1	1.3
North Dakota	1,955	1,704	100	57	94	- -	100.0	87.2	5.1	2.9	4.8	- -
Ohio	6,756	3,982	517	445	1,403	409	100.0	58.9	7.7	6.6	20.8	6.1
Oklahoma	12,009	7,423	597	962	3,027	- -	100.0	61.8	5.0	8.0	25.2	- -
Pennsylvania	14,882	9,817	1,306	703	1,305	1,751	100.0	66.0	8.8	4.7	8.8	11.8
Puerto Rico	1,075	900	114	30	16	15	100.0	83.7	10.6	2.8	1.5	1.4
Rhode Island	10,704	7,203	- -	642	2,859	- -	100.0	67.3	- -	6.0	26.7	- -
South Carolina	10,020	8,725	407	266	521	101	100.0	87.1	4.1	2.7	5.2	1.0
South Dakota	14,696	13,061	716	373	447	99	100.0	88.9	4.9	2.5	3.0	0.7
Tennessee	7,752	1,614	878	771	4,446	43	100.0	20.8	11.3	9.9	57.4	0.6
Texas	18,964	11,990	2,232	1,390	3,272	80	100.0	63.2	11.8	7.3	17.3	0.4
Vermont	4,998	2,624	592	418	1,270	94	100.0	52.5	11.8	8.4	25.4	1.9
Virginia	12,664	7,018	1,799	1,219	2,628	- -	100.0	55.4	14.2	9.6	20.8	- -
Washington	3,301	2,163	224	255	659	- -	100.0	65.5	6.8	7.7	20.0	- -
Wisconsin	2,013	1,431	187	148	247	- -	100.0	71.1	9.3	7.4	12.3	- -
Wyoming	3,997	2,365	- -	- -	- -	1,632	100.0	59.2	- -	- -	- -	40.8

- - Quantity is zero.

NOTE: Excludes admissions for which the client's frequency of attendance at a substance use self-help group in the 30 days prior to admission was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 24.3. Frequency of attendance at a substance use self-help group in the 30 days prior to admission among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020

	Number						*Row percent*					
State or jurisdiction	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*
All discharges	27,268	23,576	1,097	443	1,291	861	100.0	86.5	4.0	1.6	4.7	3.2
Alabama	366	363	2	1	- -	- -	100.0	99.2	0.5	0.3	- -	- -
Alaska	186	168	7	1	1	9	100.0	90.3	3.8	0.5	0.5	4.8
Arizona	4	3	1	- -	- -	- -	100.0	75.0	25.0	- -	- -	- -
Arkansas	242	214	3	14	9	2	100.0	88.4	1.2	5.8	3.7	0.8
California	4,468	3,270	267	153	778	- -	100.0	73.2	6.0	3.4	17.4	- -
Colorado	1,111	1,083	8	10	10	- -	100.0	97.5	0.7	0.9	0.9	- -
Delaware	7	7	- -	- -	- -	- -	100.0	100.0	- -	- -	- -	- -
District of Columbia	7	7	- -	- -	- -	- -	100.0	100.0	- -	- -	- -	- -
Florida	3,608	2,659	231	17	93	608	100.0	73.7	6.4	0.5	2.6	16.9
Georgia	157	156	- -	- -	1	- -	100.0	99.4	- -	- -	0.6	- -
Hawaii	818	789	15	7	4	3	100.0	96.5	1.8	0.9	0.5	0.4
Illinois	710	654	50	5	1	- -	100.0	92.1	7.0	0.7	0.1	- -
Indiana	276	248	6	8	8	6	100.0	89.9	2.2	2.9	2.9	2.2
Iowa	1,469	1,404	31	16	18	- -	100.0	95.6	2.1	1.1	1.2	- -
Kansas	170	161	5	4	- -	- -	100.0	94.7	2.9	2.4	- -	- -
Kentucky	519	479	30	8	1	1	100.0	92.3	5.8	1.5	0.2	0.2
Louisiana	265	209	3	- -	51	2	100.0	78.9	1.1	- -	19.2	0.8
Maine	30	27	1	- -	1	1	100.0	90.0	3.3	- -	3.3	3.3
Massachusetts	400	333	22	10	31	4	100.0	83.3	5.5	2.5	7.8	1.0
Michigan	643	621	8	8	6	- -	100.0	96.6	1.2	1.2	0.9	- -
Minnesota	961	817	77	27	31	9	100.0	85.0	8.0	2.8	3.2	0.9
Mississippi	10	8	- -	2	- -	- -	100.0	80.0	- -	20.0	- -	- -
Missouri	1,768	1,623	92	30	23	- -	100.0	91.8	5.2	1.7	1.3	- -

Continued. See notes at end of table.

Table 24.3. Frequency of attendance at a substance use self-help group in the 30 days prior to admission among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

	Number						Row percent					
State or jurisdiction	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*
All discharges	27,268	23,576	1,097	443	1,291	861	100.0	86.5	4.0	1.6	4.7	3.2
Montana	10	10	- -	- -	- -	- -	100.0	100.0	- -	- -	- -	- -
Nebraska	34	28	3	- -	- -	3	100.0	82.4	8.8	- -	- -	8.8
Nevada	99	94	2	1	1	1	100.0	94.9	2.0	1.0	1.0	1.0
New Jersey	407	386	7	9	3	2	100.0	94.8	1.7	2.2	0.7	0.5
New York	3,078	2,904	- -	- -	- -	174	100.0	94.3	- -	- -	- -	5.7
North Carolina	207	178	14	7	5	3	100.0	86.0	6.8	3.4	2.4	1.4
North Dakota	64	57	3	3	1	- -	100.0	89.1	4.7	4.7	1.6	- -
Ohio	296	280	10	- -	1	5	100.0	94.6	3.4	- -	0.3	1.7
Oklahoma	254	247	3	2	2	- -	100.0	97.2	1.2	0.8	0.8	- -
Pennsylvania	314	293	6	3	7	5	100.0	93.3	1.9	1.0	2.2	1.6
Puerto Rico	4	3	1	- -	- -	- -	100.0	75.0	25.0	- -	- -	- -
Rhode Island	41	41	- -	- -	- -	- -	100.0	100.0	- -	- -	- -	- -
South Carolina	728	715	4	1	3	5	100.0	98.2	0.5	0.1	0.4	0.7
South Dakota	604	584	8	1	4	7	100.0	96.7	1.3	0.2	0.7	1.2
Tennessee	345	297	3	2	42	1	100.0	86.1	0.9	0.6	12.2	0.3
Texas	1,851	1,651	106	25	64	5	100.0	89.2	5.7	1.4	3.5	0.3
Vermont	96	68	7	9	12	- -	100.0	70.8	7.3	9.4	12.5	- -
Virginia	318	130	57	56	75	- -	100.0	40.9	17.9	17.6	23.6	- -
Washington	92	82	3	3	4	- -	100.0	89.1	3.3	3.3	4.3	- -
Wisconsin	65	64	1	- -	- -	- -	100.0	98.5	1.5	- -	- -	- -
Wyoming	166	161	- -	- -	- -	5	100.0	97.0	- -	- -	- -	3.0

- - Quantity is zero.

NOTE: Excludes admissions for which the client's frequency of attendance at a substance use self-help group in the 30 days prior to admission was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 24.4. Frequency of attendance at a substance use self-help group in the 30 days prior to discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020

	Number						*Row percent*					
State or jurisdiction	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*
All discharges	24,400	19,022	1,557	804	2,025	992	100.0	78.0	6.4	3.3	8.3	4.1
Alabama	509	474	19	14	2	- -	100.0	93.1	3.7	2.8	0.4	- -
Alaska	188	157	8	2	11	10	100.0	83.5	4.3	1.1	5.9	5.3
Arizona	11	9	2	- -	- -	- -	100.0	81.8	18.2	- -	- -	- -
Arkansas	229	149	7	24	34	15	100.0	65.1	3.1	10.5	14.8	6.6
California	2,072	1,111	142	98	721	- -	100.0	53.6	6.9	4.7	34.8	- -
Colorado	1,110	1,011	7	13	79	- -	100.0	91.1	0.6	1.2	7.1	- -
Delaware	7	7	- -	- -	- -	- -	100.0	100.0	- -	- -	- -	- -
District of Columbia	6	6	- -	- -	- -	- -	100.0	100.0	- -	- -	- -	- -
Florida	3,524	2,452	274	55	152	591	100.0	69.6	7.8	1.6	4.3	16.8
Georgia	24	24	- -	- -	- -	- -	100.0	100.0	- -	- -	- -	- -
Hawaii	776	678	62	32	4	- -	100.0	87.4	8.0	4.1	0.5	- -
Illinois	663	512	151	- -	- -	- -	100.0	77.2	22.8	- -	- -	- -
Indiana	277	249	12	8	5	3	100.0	89.9	4.3	2.9	1.8	1.1
Iowa	1,468	1,405	29	16	18	- -	100.0	95.7	2.0	1.1	1.2	- -
Kansas	255	118	17	101	19		100.0	46.3	6.7	39.6	7.5	- -
Kentucky	518	476	31	9	1	1	100.0	91.9	6.0	1.7	0.2	0.2
Louisiana	184	31	6	4	142	1	100.0	16.8	3.3	2.2	77.2	0.5
Maine	28	27	1	- -	- -	- -	100.0	96.4	3.6	- -	- -	- -
Massachusetts	390	259	50	6	67	8	100.0	66.4	12.8	1.5	17.2	2.1
Michigan	652	578	21	19	34	- -	100.0	88.7	3.2	2.9	5.2	- -
Minnesota	934	510	205	118	94	7	100.0	54.6	21.9	12.6	10.1	0.7
Mississippi	11	9	- -	2	- -	- -	100.0	81.8	- -	18.2	- -	- -
Missouri	1,628	1,373	98	35	122	- -	100.0	84.3	6.0	2.1	7.5	- -

Continued. See notes at end of table.

Table 24.4. Frequency of attendance at a substance use self-help group in the 30 days prior to discharge among discharges aged 12 to 17 years, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

	Number						Row percent					
State or jurisdiction	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*
All discharges	24,400	19,022	1,557	804	2,025	992	100.0	78.0	6.4	3.3	8.3	4.1
Montana	9	9	- -	- -	- -	- -	100.0	100.0	- -	- -	- -	- -
Nebraska	34	25	2	- -	2	5	100.0	73.5	5.9	- -	5.9	14.7
Nevada	103	98	3	- -	1	1	100.0	95.1	2.9	- -	1.0	1.0
New Jersey	584	534	15	10	22	3	100.0	91.4	2.6	1.7	3.8	0.5
New York	3,077	2,799	- -	- -	- -	278	100.0	91.0	- -	- -	- -	9.0
North Carolina	205	171	15	8	10	1	100.0	83.4	7.3	3.9	4.9	0.5
North Dakota	64	45	3	2	14	- -	100.0	70.3	4.7	3.1	21.9	- -
Ohio	225	201	6	6	9	3	100.0	89.3	2.7	2.7	4.0	1.3
Oklahoma	254	238	1	14	1	- -	100.0	93.7	0.4	5.5	0.4	- -
Pennsylvania	227	206	9	8	2	2	100.0	90.7	4.0	3.5	0.9	0.9
Puerto Rico	4	1	1	- -	- -	2	100.0	25.0	25.0	- -	- -	50.0
Rhode Island	43	43	- -	- -	- -	- -	100.0	100.0	- -	- -	- -	- -
South Carolina	714	695	8	1	6	4	100.0	97.3	1.1	0.1	0.8	0.6
South Dakota	606	558	19	9	13	7	100.0	92.1	3.1	1.5	2.1	1.2
Tennessee	169	94	12	3	60	- -	100.0	55.6	7.1	1.8	35.5	- -
Texas	1,850	1,201	251	100	295	3	100.0	64.9	13.6	5.4	15.9	0.2
Vermont	83	55	5	13	9	1	100.0	66.3	6.0	15.7	10.8	1.2
Virginia	346	153	58	66	69	- -	100.0	44.2	16.8	19.1	19.9	- -
Washington	144	123	6	8	7	- -	100.0	85.4	4.2	5.6	4.9	- -
Wisconsin	29	28	1	- -	- -	- -	100.0	96.6	3.4	- -	- -	- -
Wyoming	166	120	- -	- -	- -	46	100.0	72.3	- -	- -	- -	27.7

- - Quantity is zero.

NOTE: Excludes admissions for which the client's frequency of attendance at a substance use self-help group in the 30 days prior to admission was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 24.5. Frequency of attendance at a substance use self-help group in the 30 days prior to admission among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020

	Number						*Row percent*					
State or jurisdiction	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*
All discharges	1,081,711	840,129	57,943	38,716	96,555	48,368	100.0	77.7	5.4	3.6	8.9	4.5
Alabama	7,264	6,437	274	366	187	- -	100.0	88.6	3.8	5.0	2.6	- -
Alaska	6,057	4,801	462	285	414	95	100.0	79.3	7.6	4.7	6.8	1.6
Arizona	16,869	14,012	1,682	603	572	- -	100.0	83.1	10.0	3.6	3.4	- -
Arkansas	8,614	7,359	204	264	591	196	100.0	85.4	2.4	3.1	6.9	2.3
California	96,428	59,814	6,080	6,024	24,510	- -	100.0	62.0	6.3	6.2	25.4	- -
Colorado	54,130	47,253	2,524	1,494	2,859	- -	100.0	87.3	4.7	2.8	5.3	- -
Connecticut	33,014	24,767	3,254	1,811	3,182	- -	100.0	75.0	9.9	5.5	9.6	- -
Delaware	7,514	6,310	341	248	615	- -	100.0	84.0	4.5	3.3	8.2	- -
District of Columbia	1,134	804	115	78	125	12	100.0	70.9	10.1	6.9	11.0	1.1
Florida	13,800	9,416	1,051	509	792	2,032	100.0	68.2	7.6	3.7	5.7	14.7
Georgia	24,257	21,242	811	726	1,478	- -	100.0	87.6	3.3	3.0	6.1	- -
Hawaii	4,654	3,090	308	227	950	79	100.0	66.4	6.6	4.9	20.4	1.7
Illinois	25,314	21,610	2,023	719	962	- -	100.0	85.4	8.0	2.8	3.8	- -
Indiana	15,444	12,085	731	738	1,417	473	100.0	78.3	4.7	4.8	9.2	3.1
Iowa	22,528	19,171	1,282	838	1,237	- -	100.0	85.1	5.7	3.7	5.5	- -
Kansas	3,991	3,164	138	150	467	72	100.0	79.3	3.5	3.8	11.7	1.8
Kentucky	70,609	47,600	3,462	3,138	13,474	2,935	100.0	67.4	4.9	4.4	19.1	4.2
Louisiana	7,240	5,759	539	226	590	126	100.0	79.5	7.4	3.1	8.1	1.7
Maine	4,483	3,409	351	213	436	74	100.0	76.0	7.8	4.8	9.7	1.7
Massachusetts	49,545	36,316	2,602	2,499	7,368	760	100.0	73.3	5.3	5.0	14.9	1.5
Michigan	60,454	47,291	4,635	2,565	5,963	- -	100.0	78.2	7.7	4.2	9.9	- -
Minnesota	29,122	19,417	3,190	2,238	3,630	647	100.0	66.7	11.0	7.7	12.5	2.2
Mississippi	2,403	1,313	515	86	415	74	100.0	54.6	21.4	3.6	17.3	3.1
Missouri	32,171	26,175	2,327	1,490	2,179	- -	100.0	81.4	7.2	4.6	6.8	- -

Continued. See notes at end of table.

Table 24.5. Frequency of attendance at a substance use self-help group in the 30 days prior to admission among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

	Number						*Row percent*					
State or jurisdiction	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*
All discharges	1,081,711	840,129	57,943	38,716	96,555	48,368	100.0	77.7	5.4	3.6	8.9	4.5
Montana	727	463	56	47	128	33	100.0	63.7	7.7	6.5	17.6	4.5
Nebraska	6,540	4,093	681	360	1,063	343	100.0	62.6	10.4	5.5	16.3	5.2
Nevada	4,734	3,510	257	139	565	263	100.0	74.1	5.4	2.9	11.9	5.6
New Hampshire	2,417	1,546	234	225	380	32	100.0	64.0	9.7	9.3	15.7	1.3
New Jersey	55,522	40,826	4,463	2,987	6,090	1,156	100.0	73.5	8.0	5.4	11.0	2.1
New York	136,700	102,913	- -	- -	- -	33,787	100.0	75.3	- -	- -	- -	24.7
North Carolina	144,292	133,225	4,571	1,583	2,905	2,008	100.0	92.3	3.2	1.1	2.0	1.4
North Dakota	1,892	1,585	129	69	109	- -	100.0	83.8	6.8	3.6	5.8	- -
Ohio	8,790	7,071	484	356	628	251	100.0	80.4	5.5	4.1	7.1	2.9
Oklahoma	11,807	9,229	755	649	1,174	- -	100.0	78.2	6.4	5.5	9.9	- -
Pennsylvania	17,661	13,842	842	470	1,018	1,489	100.0	78.4	4.8	2.7	5.8	8.4
Puerto Rico	1,077	969	55	17	24	12	100.0	90.0	5.1	1.6	2.2	1.1
Rhode Island	10,786	9,639	75	358	714	- -	100.0	89.4	0.7	3.3	6.6	- -
South Carolina	10,543	9,293	388	241	522	99	100.0	88.1	3.7	2.3	5.0	0.9
South Dakota	14,106	12,453	730	374	457	92	100.0	88.3	5.2	2.7	3.2	0.7
Tennessee	13,419	11,501	528	425	906	59	100.0	85.7	3.9	3.2	6.8	0.4
Texas	17,117	11,667	2,259	1,219	1,930	42	100.0	68.2	13.2	7.1	11.3	0.2
Vermont	5,198	3,771	484	406	461	76	100.0	72.5	9.3	7.8	8.9	1.5
Virginia	12,293	7,118	1,689	1,004	2,482	- -	100.0	57.9	13.7	8.2	20.2	- -
Washington	2,197	1,451	156	133	457	- -	100.0	66.0	7.1	6.1	20.8	- -
Wisconsin	3,010	2,556	206	119	129	- -	100.0	84.9	6.8	4.0	4.3	- -
Wyoming	3,844	2,793	- -	- -	- -	1,051	100.0	72.7	- -	- -	- -	27.3

- - Quantity is zero.

NOTE: Excludes admissions for which the client's frequency of attendance at a substance use self-help group in the 30 days prior to admission was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 24.6. Frequency of attendance at a substance use self-help group in the 30 days prior to discharge among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020

	Number						*Row percent*					
State or jurisdiction	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*
All discharges	1,090,741	747,653	75,381	48,646	145,628	73,433	100.0	68.5	6.9	4.5	13.4	6.7
Alabama	8,319	5,935	306	717	1,361	- -	100.0	71.3	3.7	8.6	16.4	- -
Alaska	6,007	4,241	469	301	471	525	100.0	70.6	7.8	5.0	7.8	8.7
Arizona	56,057	46,393	5,429	2,143	2,092	- -	100.0	82.8	9.7	3.8	3.7	- -
Arkansas	8,525	3,458	376	590	3,242	859	100.0	40.6	4.4	6.9	38.0	10.1
California	50,969	21,707	3,192	4,173	21,897	- -	100.0	42.6	6.3	8.2	43.0	- -
Colorado	53,994	45,707	2,146	1,697	4,444	- -	100.0	84.7	4.0	3.1	8.2	- -
Connecticut	33,505	20,986	4,771	2,515	5,233	- -	100.0	62.6	14.2	7.5	15.6	- -
Delaware	7,559	6,223	311	253	772	- -	100.0	82.3	4.1	3.3	10.2	- -
District of Columbia	1,927	857	266	155	609	40	100.0	44.5	13.8	8.0	31.6	2.1
Florida	13,343	7,315	1,117	787	2,033	2,091	100.0	54.8	8.4	5.9	15.2	15.7
Georgia	9,615	8,344	384	210	677	- -	100.0	86.8	4.0	2.2	7.0	- -
Hawaii	4,257	1,814	332	327	1,606	178	100.0	42.6	7.8	7.7	37.7	4.2
Illinois	22,937	14,133	8,804	- -	- -	- -	100.0	61.6	38.4	- -	- -	- -
Indiana	15,390	11,615	810	732	1,603	630	100.0	75.5	5.3	4.8	10.4	4.1
Iowa	22,477	19,093	1,297	836	1,251	- -	100.0	84.9	5.8	3.7	5.6	- -
Kansas	3,524	2,014	357	321	717	115	100.0	57.2	10.1	9.1	20.3	3.3
Kentucky	70,547	46,650	3,427	3,264	14,209	2,997	100.0	66.1	4.9	4.6	20.1	4.2
Louisiana	5,430	1,485	510	378	2,889	168	100.0	27.3	9.4	7.0	53.2	3.1
Maine	3,985	2,839	285	251	533	77	100.0	71.2	7.2	6.3	13.4	1.9
Massachusetts	46,956	23,657	3,538	3,674	14,159	1,928	100.0	50.4	7.5	7.8	30.2	4.1
Michigan	60,305	33,141	7,353	3,957	15,854	- -	100.0	55.0	12.2	6.6	26.3	- -
Minnesota	26,215	10,035	3,651	3,840	7,307	1,382	100.0	38.3	13.9	14.6	27.9	5.3
Mississippi	2,413	1,238	515	102	480	78	100.0	51.3	21.3	4.2	19.9	3.2
Missouri	26,564	20,668	2,298	1,375	2,223	- -	100.0	77.8	8.7	5.2	8.4	- -

Continued. See notes at end of table.

Table 24.6. Frequency of attendance at a substance use self-help group in the 30 days prior to discharge among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

	Number						*Row percent*					
State or jurisdiction	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*	*Total*	*None*	*1–3 times*	*4–7 times*	*8–30 times*	*Some attendance but frequency unknown*
All discharges	1,090,741	747,653	75,381	48,646	145,628	73,433	100.0	68.5	6.9	4.5	13.4	6.7
Montana	727	416	58	81	130	42	100.0	57.2	8.0	11.1	17.9	5.8
Nebraska	6,537	3,621	698	432	1,374	412	100.0	55.4	10.7	6.6	21.0	6.3
Nevada	4,958	3,468	279	144	790	277	100.0	69.9	5.6	2.9	15.9	5.6
New Hampshire	1,871	1,043	252	173	339	64	100.0	55.7	13.5	9.2	18.1	3.4
New Jersey	64,547	34,902	8,245	6,161	12,668	2,571	100.0	54.1	12.8	9.5	19.6	4.0
New York	186,494	133,551	- -	- -	- -	52,943	100.0	71.6	- -	- -	- -	28.4
North Carolina	143,925	132,845	4,616	1,608	2,956	1,900	100.0	92.3	3.2	1.1	2.1	1.3
North Dakota	1,891	1,659	97	55	80	- -	100.0	87.7	5.1	2.9	4.2	- -
Ohio	6,531	3,781	511	439	1,394	406	100.0	57.9	7.8	6.7	21.3	6.2
Oklahoma	11,755	7,185	596	948	3,026	- -	100.0	61.1	5.1	8.1	25.7	- -
Pennsylvania	14,655	9,611	1,297	695	1,303	1,749	100.0	65.6	8.9	4.7	8.9	11.9
Puerto Rico	1,071	899	113	30	16	13	100.0	83.9	10.6	2.8	1.5	1.2
Rhode Island	10,661	7,160	- -	642	2,859	- -	100.0	67.2	- -	6.0	26.8	- -
South Carolina	9,306	8,030	399	265	515	97	100.0	86.3	4.3	2.8	5.5	1.0
South Dakota	14,090	12,503	697	364	434	92	100.0	88.7	4.9	2.6	3.1	0.7
Tennessee	7,583	1,520	866	768	4,386	43	100.0	20.0	11.4	10.1	57.8	0.6
Texas	17,114	10,789	1,981	1,290	2,977	77	100.0	63.0	11.6	7.5	17.4	0.4
Vermont	4,915	2,569	587	405	1,261	93	100.0	52.3	11.9	8.2	25.7	1.9
Virginia	12,318	6,865	1,741	1,153	2,559	- -	100.0	55.7	14.1	9.4	20.8	- -
Washington	3,157	2,040	218	247	652	- -	100.0	64.6	6.9	7.8	20.7	- -
Wisconsin	1,984	1,403	186	148	247	- -	100.0	70.7	9.4	7.5	12.4	- -
Wyoming	3,831	2,245	- -	- -	- -	1,586	100.0	58.6	- -	- -	- -	41.4

- - Quantity is zero.

NOTE: Excludes admissions for which the client's frequency of attendance at a substance use self-help group in the 30 days prior to admission was missing. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 25.1. Employment status at admission among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020

	Number					Row percent				
State or jurisdiction	*Total*	*Full time*	*Part time*	*Unemployed*	*Not in labor force*	*Total*	*Full time*	*Part time*	*Unemployed*	*Not in labor force*
All discharges	1,194,532	210,226	79,838	532,946	371,522	100.0	17.6	6.7	44.6	31.1
Alabama	10,182	2,172	695	3,495	3,820	100.0	21.3	6.8	34.3	37.5
Alaska	6,041	1,090	537	2,213	2,201	100.0	18.0	8.9	36.6	36.4
Arizona	18,471	4,109	1,504	- -	12,858	100.0	22.2	8.1	- -	69.6
Arkansas	10,033	1,809	625	5,860	1,739	100.0	18.0	6.2	58.4	17.3
California	98,547	11,230	7,214	31,444	48,659	100.0	11.4	7.3	31.9	49.4
Colorado	54,244	12,744	4,021	31,255	6,224	100.0	23.5	7.4	57.6	11.5
Connecticut	36,035	6,644	2,860	15,237	11,294	100.0	18.4	7.9	42.3	31.3
Delaware	8,189	2,039	686	2,886	2,578	100.0	24.9	8.4	35.2	31.5
District of Columbia	2,737	191	111	1,464	971	100.0	7.0	4.1	53.5	35.5
Florida	14,315	2,612	837	8,089	2,777	100.0	18.2	5.8	56.5	19.4
Georgia	20,248	2,663	1,475	15,864	246	100.0	13.2	7.3	78.3	1.2
Hawaii	4,783	413	218	1,876	2,276	100.0	8.6	4.6	39.2	47.6
Illinois	26,363	3,775	1,707	13,477	7,404	100.0	14.3	6.5	51.1	28.1
Indiana	15,462	4,038	1,559	6,800	3,065	100.0	26.1	10.1	44.0	19.8
Iowa	22,563	7,404	1,998	8,261	4,900	100.0	32.8	8.9	36.6	21.7
Kansas	4,370	960	346	2,103	961	100.0	22.0	7.9	48.1	22.0
Kentucky	70,524	10,779	4,250	40,118	15,377	100.0	15.3	6.0	56.9	21.8
Louisiana	8,232	900	282	776	6,274	100.0	10.9	3.4	9.4	76.2
Maine	3,516	824	361	1,522	809	100.0	23.4	10.3	43.3	23.0
Massachusetts	51,606	3,764	1,417	11,815	34,610	100.0	7.3	2.7	22.9	67.1
Michigan	60,907	5,618	3,511	41,660	10,118	100.0	9.2	5.8	68.4	16.6
Minnesota	28,918	5,625	1,793	17,308	4,192	100.0	19.5	6.2	59.9	14.5
Mississippi	4,391	883	223	2,041	1,244	100.0	20.1	5.1	46.5	28.3
Missouri	32,223	6,551	2,407	11,924	11,341	100.0	20.3	7.5	37.0	35.2

Continued. See notes at end of table.

Table 25.1. Employment status at admission among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

	Number					Row percent				
State or jurisdiction	*Total*	*Full time*	*Part time*	*Unemployed*	*Not in labor force*	*Total*	*Full time*	*Part time*	*Unemployed*	*Not in labor force*
All discharges	1,194,532	210,226	79,838	532,946	371,522	100.0	17.6	6.7	44.6	31.1
Montana	726	261	86	342	37	100.0	36.0	11.8	47.1	5.1
Nebraska	7,365	1,630	584	2,507	2,644	100.0	22.1	7.9	34.0	35.9
Nevada	5,238	651	262	2,801	1,524	100.0	12.4	5.0	53.5	29.1
New Hampshire	2,578	324	168	1,490	596	100.0	12.6	6.5	57.8	23.1
New Jersey	76,259	17,334	5,077	19,727	34,121	100.0	22.7	6.7	25.9	44.7
New York	187,649	34,259	9,812	49,117	94,461	100.0	18.3	5.2	26.2	50.3
North Carolina	145,579	17,744	11,395	107,072	9,368	100.0	12.2	7.8	73.5	6.4
North Dakota	1,883	314	155	1,002	412	100.0	16.7	8.2	53.2	21.9
Ohio	9,248	1,470	635	3,861	3,282	100.0	15.9	6.9	41.7	35.5
Oklahoma	11,822	2,326	722	5,923	2,851	100.0	19.7	6.1	50.1	24.1
Pennsylvania	20,842	4,964	953	10,354	4,571	100.0	23.8	4.6	49.7	21.9
Puerto Rico	1,065	183	102	479	301	100.0	17.2	9.6	45.0	28.3
Rhode Island	11,171	3,195	692	5,125	2,159	100.0	28.6	6.2	45.9	19.3
South Carolina	25,352	9,858	2,356	9,607	3,531	100.0	38.9	9.3	37.9	13.9
South Dakota	14,154	3,424	964	8,139	1,627	100.0	24.2	6.8	57.5	11.5
Tennessee	13,827	1,580	626	6,955	4,666	100.0	11.4	4.5	50.3	33.7
Texas	16,921	4,567	1,797	8,430	2,127	100.0	27.0	10.6	49.8	12.6
Vermont	5,337	1,256	409	2,537	1,135	100.0	23.5	7.7	47.5	21.3
Virginia	15,217	3,358	1,592	6,121	4,146	100.0	22.1	10.5	40.2	27.2
Washington	2,277	287	135	1,298	557	100.0	12.6	5.9	57.0	24.5
Wisconsin	3,246	1,242	294	793	917	100.0	38.3	9.1	24.4	28.3
Wyoming	3,876	1,162	385	1,778	551	100.0	30.0	9.9	45.9	14.2

- - Quantity is zero.

NOTE: Excludes admissions for which the client's employment status at admission was missing. Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table 25.2. Employment status at discharge among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020

	Number					Row percent				
State or jurisdiction	*Total*	*Full time*	*Part time*	*Unemployed*	*Not in labor force*	*Total*	*Full time*	*Part time*	*Unemployed*	*Not in labor force*
All discharges	1,114,907	222,014	81,359	475,890	335,644	100.0	19.9	7.3	42.7	30.1
Alabama	9,773	2,880	712	2,987	3,194	100.0	29.5	7.3	30.6	32.7
Alaska	5,984	1,172	556	2,108	2,148	100.0	19.6	9.3	35.2	35.9
Arizona	59,702	9,880	5,236	- -	44,586	100.0	16.5	8.8	- -	74.7
Arkansas	10,008	1,784	616	5,762	1,846	100.0	17.8	6.2	57.6	18.4
California	51,196	7,584	3,720	14,970	24,922	100.0	14.8	7.3	29.2	48.7
Colorado	54,070	13,349	4,279	30,711	5,731	100.0	24.7	7.9	56.8	10.6
Connecticut	36,988	7,438	3,135	14,774	11,641	100.0	20.1	8.5	39.9	31.5
Delaware	8,160	2,208	687	2,655	2,610	100.0	27.1	8.4	32.5	32.0
District of Columbia	2,733	202	118	1,453	960	100.0	7.4	4.3	53.2	35.1
Florida	14,176	3,208	993	6,962	3,013	100.0	22.6	7.0	49.1	21.3
Georgia	24,422	3,321	1,659	19,256	186	100.0	13.6	6.8	78.8	0.8
Hawaii	4,814	441	267	1,783	2,323	100.0	9.2	5.5	37.0	48.3
Illinois	26,334	4,566	1,834	13,319	6,615	100.0	17.3	7.0	50.6	25.1
Indiana	15,419	4,486	1,424	6,472	3,037	100.0	29.1	9.2	42.0	19.7
Iowa	18,906	6,819	1,740	6,168	4,179	100.0	36.1	9.2	32.6	22.1
Kansas	3,661	1,023	305	1,521	812	100.0	27.9	8.3	41.5	22.2
Kentucky	70,501	10,836	4,303	40,066	15,296	100.0	15.4	6.1	56.8	21.7
Louisiana	5,606	277	80	218	5,031	100.0	4.9	1.4	3.9	89.7
Maine	4,255	1,057	475	1,789	934	100.0	24.8	11.2	42.0	22.0
Massachusetts	48,393	4,660	1,584	11,853	30,296	100.0	9.6	3.3	24.5	62.6
Michigan	60,678	5,846	3,528	41,372	9,932	100.0	9.6	5.8	68.2	16.4
Minnesota	25,972	5,722	1,927	15,158	3,165	100.0	22.0	7.4	58.4	12.2
Mississippi	4,114	813	212	1,890	1,199	100.0	19.8	5.2	45.9	29.1
Missouri	29,024	6,459	2,090	9,810	10,665	100.0	22.3	7.2	33.8	36.7

Continued. See notes at end of table.

Table 25.2. Employment status at discharge among discharges aged 18 years and older, by state or jurisdiction: Number and row percent distribution, 2020 (continued)

	Number					Row percent				
State or jurisdiction	*Total*	*Full time*	*Part time*	*Unemployed*	*Not in labor force*	*Total*	*Full time*	*Part time*	*Unemployed*	*Not in labor force*
All discharges	1,114,907	222,014	81,359	475,890	335,644	100.0	19.9	7.3	42.7	30.1
Montana	726	300	95	284	47	100.0	41.3	13.1	39.1	6.5
Nebraska	7,398	1,903	636	2,294	2,565	100.0	25.7	8.6	31.0	34.7
Nevada	5,148	615	278	2,938	1,317	100.0	11.9	5.4	57.1	25.6
New Hampshire	2,572	362	205	1,424	581	100.0	14.1	8.0	55.4	22.6
New Jersey	76,222	20,564	5,888	17,198	32,572	100.0	27.0	7.7	22.6	42.7
New York	135,283	32,792	9,503	27,442	65,546	100.0	24.2	7.0	20.3	48.5
North Carolina	145,542	17,581	11,361	107,321	9,279	100.0	12.1	7.8	73.7	6.4
North Dakota	1,866	346	179	581	760	100.0	18.5	9.6	31.1	40.7
Ohio	7,701	1,551	545	2,829	2,776	100.0	20.1	7.1	36.7	36.0
Oklahoma	11,801	2,796	805	5,265	2,935	100.0	23.7	6.8	44.6	24.9
Pennsylvania	20,759	4,996	978	10,279	4,506	100.0	24.1	4.7	49.5	21.7
Puerto Rico	1,042	209	126	419	288	100.0	20.1	12.1	40.2	27.6
Rhode Island	10,724	3,239	634	4,705	2,146	100.0	30.2	5.9	43.9	20.0
South Carolina	23,417	9,669	2,279	8,277	3,192	100.0	41.3	9.7	35.3	13.6
South Dakota	14,132	4,354	913	7,497	1,368	100.0	30.8	6.5	53.0	9.7
Tennessee	9,049	1,623	463	4,750	2,213	100.0	17.9	5.1	52.5	24.5
Texas	17,162	5,013	1,959	7,908	2,282	100.0	29.2	11.4	46.1	13.3
Vermont	5,201	1,333	410	2,255	1,203	100.0	25.6	7.9	43.4	23.1
Virginia	15,064	3,702	1,707	5,633	4,022	100.0	24.6	11.3	37.4	26.7
Washington	3,126	383	250	1,705	788	100.0	12.3	8.0	54.5	25.2
Wisconsin	2,216	1,290	203	290	433	100.0	58.2	9.2	13.1	19.5
Wyoming	3,867	1,362	462	1,539	504	100.0	35.2	11.9	39.8	13.0

- - Quantity is zero.

NOTE: Excludes admissions for which the client's employment status at admission was missing. Only discharges aged 18 years and older are included for veteran status, source of income support, employment status, and detailed not in labor force in this report. The characteristics of discharges at the time of admission regardless of admission year were based on admission records. Characteristics of discharges at the time of discharge were based on discharge records.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Appendix A
About the Treatment Episode Data Set (TEDS)

Introduction

This report presents results from the Treatment Episode Data Set (TEDS) on the demographic and substance use characteristics of admissions to substance use treatment, and for discharges from substance use treatment. The Center for Behavioral Health Statistics and Quality (CBHSQ), Substance Abuse and Mental Health Services Administration (SAMHSA), coordinates and manages the collection of TEDS data from the states and jurisdictions.

TEDS is a compilation of client-level data routinely collected by the individual state administrative data systems to monitor their substance use treatment systems. Generally, facilities that are required to report to the state substance abuse agency (SSA) are those that receive public funds and/or are licensed or certified by the SSA to provide substance use treatment (or are administratively tracked for other reasons).

The TEDS system comprises two major components: the Admissions Data Set and the Linked Discharge Data Set. The TEDS Admission Data Set includes client-level data on substance use treatment admissions from 1992 through the present. The TEDS Linked Discharge Data Set includes discharges that can be linked at a record level to admissions; it includes information from clients discharged in 2000 and later. For both data sets, selected data items from the individual state data files are converted to a standardized format consistent across states. These standardized data constitute TEDS.

The TEDS Admission Data Set consists of a Minimum Data Set of items collected by all states, and a Supplemental Data Set where individual data items are reported at the state's option. The Minimum Data Set consists of 19 items that include:

- demographic information
- primary, secondary, and tertiary substances and their route of administration, frequency of use, and age at first use
- source of referral to treatment
- number of prior treatment episodes
- type of treatment service, including planned use of medication-assisted opioid therapy

The Supplemental Data Set items include psychiatric, social, and economic measures. Some items from the Supplemental Data Set are included in the Linked Discharge Data Set to explore how the status changes between admission and discharge.

The TEDS Linked Discharge Data Set was designed to enable TEDS to collect information on entire treatment episodes. Discharge data, when linked to admission data, represent treatment episodes that enable analyses of questions that cannot be answered with admission data alone. Examples are

the proportion of discharges that completed treatment and the average length of stay (LOS) among treatment completers.

History

National-level data collection on admissions to substance use treatment was first mandated in 1972 under the Drug Abuse Office and Treatment Act, P.L. 92-255. This act initiated federal funding for drug treatment and rehabilitation and required reporting on clients entering drug (but not alcohol) use treatment. The Client-Oriented Data Acquisition Process (CODAP) was developed to collect admission and discharge data directly from federally funded drug treatment programs. (Programs for treatment of alcohol use were not included.) Reporting was mandatory for all such programs and data were collected using a standard form. CODAP included all clients in federally funded programs regardless of individual funding source. Reports were issued from 1973 to 1981 based on data from 1,800 to 2,000 programs, including some 200,000 annual admissions.

In 1981, the collection of national-level data on admissions to substance use treatment was discontinued because of the introduction of the Alcohol, Drug Abuse, and Mental Health Services (ADMS) Block Grant. The block grant transferred federal funding from individual programs to the states for distribution, and it included no data reporting requirement. Participation in CODAP became voluntary; although several states submitted data through 1984, the data were in no way nationally representative.

In 1988, the Comprehensive Alcohol Abuse, Drug Abuse, and Mental Health Amendments (P.L. 100-690) established a revised Substance Abuse Prevention and Treatment (SAPT) Block Grant and mandated federal data collection on clients receiving treatment for either alcohol or drug use. The TEDS data collection effort represents the federal response to this mandate. TEDS began in 1989 with the issue of three-year development grants to states.

State Data Collection Systems

TEDS is an exceptionally large and powerful data set that covers a significant proportion of all admissions to substance use treatment. TEDS is a compilation of data collected through the individual data collection systems of the SSAs for substance use treatment. States have cooperated with the federal government in the data collection process, and substantial progress has been made toward developing a standardized data set. However, because each state system is unique, and each state has unique powers and mandates, significant differences exist among state data collection systems. These differences are compounded by evolving health care payment systems, and state-to-state comparisons must be made with extreme caution.

The number and client mix of TEDS admissions do not represent the total national demand for substance use treatment or the prevalence of substance use in the general population.

States differ widely in the amount of public funding available for substance use treatment and in the constraints placed on the use of funds. States may be directed to target special populations such as pregnant women or adolescents. Where funds are limited, states may be compelled to exercise triage in admitting persons to treatment, admitting only those with the most “severe” problems. In states with higher funding levels, a larger proportion of the population in need of treatment may be admitted, including the less severely impaired.

States may include or exclude reporting by certain sectors of the treatment population, and these sectors may change over time. For example, treatment programs based in the criminal justice system may or may not be administered through the SSA. Detoxification facilities, which can generate large numbers of admissions, are not uniformly considered treatment facilities and are not uniformly reported by all states.

Table A1 presents key characteristics of state data collection systems for 2020. However, these characteristics can change as state substance use treatment systems change, and thus may be responsible for some year-to-year variation within states.

- *Facilities included*. The scope of facilities included in TEDS is affected by differences in state licensure, certification, and accreditation practices, and disbursement of public funds. Most SSAs require facilities that receive state/public funding (including federal block grant funds) for the provision of alcohol and/or drug treatment services to report data to the SSA. Generally, this funding is distributed by the SSA, but may be distributed by another public agency.

  Some SSAs regulate private facilities, methadone clinics, and/or individual practitioners and require them to report TEDS data. Others do not because of the difficulty in obtaining data from these facilities, although these facilities may report voluntarily. Facilities operated by federal agencies (e.g., the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs) generally do not report TEDS data to the SSA, although some facilities operated by the Indian Health Service are included. Hospital-based substance use treatment facilities are frequently not licensed through the SSA and do not report TEDS data. Correctional facilities (state prisons and local jails) are monitored by the SSA and report TEDS data in some states but not in others.

  The primary goal of TEDS is to monitor the characteristics of clients admitted to planned, continuing treatment regimens. Thus, early intervention and crisis intervention programs that do not lead to enrollment in continued treatment are excluded from TEDS.

- *Clients included.* About 56 percent of states reported data on all admissions to eligible facilities, although some reported only, or largely, admissions financed by public funds. TEDS is an admission-based system; therefore, TEDS admissions do not represent individuals. For example, an individual admitted to treatment twice within a calendar year is counted as two admissions.
- *Ability to track multi-service episodes.* The goal for the TEDS system is to enumerate treatment episodes by distinguishing the initial admission of a client from his/her subsequent transfer to a different type of treatment service (e.g., from residential treatment to outpatient) within a single continuous treatment episode. Thus, TEDS records are ideally coded as admissions if they represent the initial treatment service in a treatment episode and as transfers if they represent a change in the type of treatment service or a change in provider without an interruption in treatment.

  This requires, however, that clients be assigned unique IDs that can be linked across providers; not all states are legally and/or technologically able to do this. Most states can identify as transfers a change in the type of treatment service within the structure of a given provider; however, fewer can also identify a transfer involving a change of provider. Several states do not tracktransfers, but instead report as transfers those clients who are discharged and readmitted

within a specified time period defined by each state.

Because some admission records, in fact, may represent transfers, the number of admissions reported probably overestimates the number of treatment episodes. Some states reported a limited data set on codependents of substance users entering treatment. On average, from 2009 through 2020, 89 percent of all records submitted were client admissions, 11 percent were client transfers, and less than 1 percent were codependents of substance users. In 2020, for the linked discharges data set, 88 percent of all records submitted were client admissions, 12 percent were client transfers, and less than 1 percent were codependents.

- *Services offered.* A state's mix of types of treatment service (e.g., outpatient, detoxification, residential, opioid therapy) can have a significant effect on its admission rate. There is higher client turnover and therefore more admissions in short-stay services such as detoxification than in long-stay services such as outpatient or long-term residential treatment. Admission rates for individual substances used may be affected as well (e.g., detoxification is more closely associated with alcohol or heroin use than with the use of other substances).
- *Completeness and timeliness of reporting.* SAMHSA, in reporting national-level TEDS data, must balance timeliness of reporting and completeness of the data set. There may be a time lag in the publication of SAMHSA's annual report because preparation cannot begin until states have completed their data submission for that year. States, in turn, rely on individual facilities to report in a timely manner so they can submit TEDS data to SAMHSA at regular intervals.

  Admissions from facilities that report late to the states will appear in a later data submission to SAMHSA, so the number of annual admissions in a report may be higher in subsequent reports. The number of additional admissions submitted late is generally small. Thus, the percentage distributions will change very little in subsequent reports, although Census division- and state- level data may change somewhat more for states with reporting delays.

  States continually review and improve their data collection and processing. When systematic errors are identified, states may revise or replace historical TEDS data files. While this process represents an improvement in the data system, the historical statistics in this report will differ slightly from those in earlier reports. Therefore, public use files differ from year to year, making it difficult to replicate corresponding year reports.

Due to the COVID-19 pandemic, various states have experienced challenges as some substance use treatment providers or facilities temporarily discontinued their substance use treatment services. In addition, some states reported that there has been a decrease in resources and staffing availability at the provider level. Loss of data from these providers may have contributed to the overall decrease of the 2020 admission and discharge data. A few states reported significant decreases in the total number of TEDS admissions due to the impact of Medicaid expansion.

Tables A2 and A3 indicate the proportions of records by state or jurisdiction for which valid data were received for 2020. States are expected to report all variables in the Minimum Data Set (Table A2). Variables in the Supplemental Data Set are collected at each state's option (Table A3).

Tables A4 and A5 indicate the proportions of records for which valid discharge data were received in 2020.

Table A6 indicates the denominators for computing per 100,000 population estimates in 2020.

Table A7 indicates the denominators for computing per 100,000 population estimates for employment status (Table 1.5b) in 2020.

Report-Specific Considerations

National substance use treatment admissions

- This section of the report focuses on treatment admissions for substance use. Treatment admissions for codependents of substance use clients are excluded. Records for identifiable transfers within a single treatment episode are also excluded.
- Records with partially complete data have been retained. Where records include missing or invalid data for a specific variable other than primary, secondary, or tertiary substance, those records are excluded from tabulations of that variable. For substance use variables (primary, secondary, and tertiary), unless otherwise noted, the category "other/none specified" consists of none, other stimulants, over-the-counter medications, other drugs, and responses that were missing, unknown, not collected, and invalid. The total number of admissions on which a percentage distribution is based is reported in each table. The proportion of admissions for which the primary substance was "none reported" increased in 2017, 2018, and 2020. The reason for this increase in 2017, 2018, and 2020 is primarily due to data processing changes in Washington state. Similarly, in 2020, Arizona cannot ascertain primary, secondary, and tertiary substance use, because the state agency is unable to obtain such information from Medicaid claims.
- Primary alcohol admissions are classified as alcohol only or alcohol with secondary drug use. The latter indicates a primary alcohol admission with a specified secondary and/or tertiary drug. All other primary alcohol admissions are classified as alcohol only.
- Cocaine admissions are classified according to route of administration as smoked and other routes. Smoked cocaine primarily represents crack or rock cocaine,but can also include cocaine hydrochloride (powder cocaine) when it is free-based. Non-smoked cocaine includes all cocaine admissions where cocaine is injected, inhaled, or taken orally; it also includes admissions where the route of administration is unknown or not collected. Thus, the TEDS estimate of admissions for smoked cocaine is conservative.
- Methamphetamine/amphetamine admissions include admissions for both substances,but are primarily for methamphetamine. In 2020, methamphetamine constituted about 96 percent of combined methamphetamine/amphetamine admissions.

National substance use treatment discharges

- This section of the report focuses on treatment for substance use according to the type of treatment service. Thus, treatment admissions for codependents of substance use clients are excluded. Records for identifiable transfers within a single treatment episode are included.
- Records with partially complete data have been retained. Where records include missing or invalid data for a specific variable other than primary, secondary, or tertiary substance, those

records are excluded from tabulations of that variable. For substance use variables (primary, secondary, and tertiary), unless otherwise noted, the category "other/none specified" consists of none, other stimulants, over-the-counter medications, other drugs, and responses that were missing, unknown, not collected, and invalid. The total number of discharges on which a percentage distribution is based is reported in each table.

- Records with missing reason for discharge are excluded from this section of the report.
- The total number of records on which a percentage distribution is based is reported in each table.
- The primary, secondary, and tertiary substances reported to TEDS are those substances that led to the treatment episode and not necessarily a complete enumeration of all drugs used at the time of admission.
- Stimulant admissions include methamphetamine, amphetamines, and other stimulants. However, most of these admissions are for methamphetamine or amphetamine abuse.
- The data presented in this section of the report focus on treatment for substance use within the type of treatment service. They do not represent complete treatment episodes, as a single episode may involve stays in more than one type of treatment service. States are asked to submit a record for each initial admission to a treatment service, for each transfer from one service to another, and for a discharge corresponding to each admission or transfer.
- The number of states reporting for treatment discharges shown in Tables 18.1 through 25.1 varies, because not all states reported discharges for every type of treatment service. The first table for each section of the discharge tables details the actual number of states reporting discharges from that type of treatment service.
- Linkage of discharge records from 2020 to admission records from 2000 to 2020 means that the maximum length of stay (LOS) in treatment included in this report is 21 years. However, outpatient medication-assisted opioid therapy can have a much longer duration. Indeed, some admissions may receive this form of treatment indefinitely. Because this section includes data only on discharges, it will underestimate LOS in treatment for those receiving outpatient medication-assisted opioid therapy. Similarly, the number and proportion of treatment completers will reflect only those that have been discharged because treatment is complete and not those that successfully remain in long-term outpatient medication-assisted opioid therapy. In addition, the characteristics at admission of those admitted to and discharged from outpatient medication-assisted opioid therapy within 18 years may differ from those of admissions that remain in outpatient medication-assisted opioid therapy for longer than 18 years.

Table A1. State data system reporting characteristics

tate or jurisdiction	*Facilities reporting TEDS data to the state SSA*		*Eligible clients*	*Change of service within episode*	*Change of provider within episode*
	Facilities required to report to the state SSA [1]	*Facilities reporting voluntarily to the state SSA*			
abama	Facilities that receive state/public funding	None	All clients in facility	Admission	Transfer
aska	Facilities that receive state/public funding, excluding: - Mental Health Physician Clinics - Residental Psychiatric Treatment Facilities - Clients only served under Autism Regulations - State psychiatric facility - Independent LCSW/LPC/LMFT - Behavioral Health Associates working under Indian Health Services billing regulation package	None	All clients in facility	Admission and Discharge (for most providers) Transfer (for some providers)	Admission
izona	Facilities that receive state/public funding	None	State/public-funded clients only	*n/a* [2]	*n/a* [2]
kansas	Facilities that are licensed by state SSA	Some private facilities	All clients in a licensed facility	Transfer	Admission
alifornia	Facilities that receive state/public funding. All licensed narcotic treatment facilities.	None	All clients in facility except DUI	Admission	Admission
olorado	State-licensed facilities Methadone facilities Community-based juvenile and adult justice treatment programs, except institutionally based	None	All clients receiving substance use treatment services in facility	Admission	Admission
onnecticut	Facilities that receive state/public funding Facilities serving adults that are licensed by state Dept of Public Health Some facilities treating youth (less than 18 years old) General hospitals funded by SSA	None	State/public-funded clients only	Admission	Admission
elaware	Facilities that receive state/public funding, excluding: - Child/youth services - Most Medicaid-funded services - Most criminal justice system services	None	State/public-funded clients only	Admission	Admission
st. of Columbia	Facilities that receive state/public funding	None	State/public-funded clients only	*n/a* [2]	*n/a* [2]

ontinued. See notes at end of table.

Table A1. State data system reporting characteristics (continued)

tate or jurisdiction	*Facilities reporting TEDS data to the state SSA*		*Eligible clients*	*Change of service within episode*	*Change of provider within episode*
	Facilities required to report to the state SSA [1]	*Facilities reporting voluntarily to the state SSA*			
orida	Facilities that receive state/public funding	None	State/public-funded clients only	Transfer	Admission
eorgia	Facilities that receive SAPT/BG, state and Medicaid funding through the state SSA. This includes Medicaid eligible aged, blind, and disabled adults and youth. Medicaid individuals in managed care plans are excluded.	None	SSA funded clients with substance use or co-occurring mental and substance use disorders	*n/a* [3]	Admission
awaii	Facilities that receive state/public funding	None	All clients in facility	Admission	Admission
aho	Facilities that receive state/public funding	None	State/public-funded clients only	Transfer	Admission
nois	Facilities that receive funding through the state SSA (this includes Medicaid paid sub-acute addiction treatment services)	None	State/public-funded clients only	Transfer	Admission
diana	Facilities that receive state/public funding	None	State/public-funded clients only	Admission	Admission
wa	Facilities that receive state/public funding Facilities that are licensed/certified by state SSA	None	All clients in facility receiving substance use disorder treatment	Transfer (as of 7/1/2021)	Admission
ansas	Facilities that receive state/public funding Medicaid-certified facilities Department of Corrections 4th-time DUI facilities	None	All clients in facility	Admission	Admission
entucky	Facilities that receive state/public funding	None	All clients in facility	Transfer	Admission
ouisiana	Facilities that receive SAPT/MH Block Grant funding	None	All clients in facility	Admission	Admission
aine	Facilities that receive state/Federal/public funding Facilities licensed by the state	Some private substance use providers report	All clients in facility	Admission	Admission
aryland	Facilities that receive federal/state/public funding	None	All clients receiving Federal/state funding	Admission	Admission

ontinued. See notes at end of table.

Table A1. State data system reporting characteristics (continued)

tate or jurisdiction	*Facilities reporting TEDS data to the state SSA*		*Eligible clients*	*Change of service within episode*	*Change of provider within episode*
	Facilities required to report to the state SSA [1]	*Facilities reporting voluntarily to the state SSA*			
assachusetts	Facilities that are licensed/certified and/or hold a contract with the state SSA	Houses of corrections and some private opioid treatment programs that do not have a contract with the state	All clients in facility	Admission	Admission
ichigan	State licensed facilities that receive state/public funding including, but not limited Medicaid providers of behavioral health services	None	Clients whose services are supported by state/public funds through the Dept. of Health and Human Services, including Medicaid	*n/a* [3]	Admission
innesota	Providers serving publicly funded clients	None	All clients in facility	Admission	Admission
ississippi	Facilities that receive state/public funding Facilities certified by Mental Health Department	None	All clients in facility	*n/a* [3]	Admission
issouri	Facilities that receive state/public funding	None	State/public-funded clients only	Transfer	Admission
ontana	Facilities that receive state/public funding and are State Approved	None	State/public-funded clients only	Transfer	Admission
ebraska	Facilities that receive SSA-administered state/public funding	None	State/public-funded clients only	Admission	Admission
evada	Facilities that receive state/public funding	None	All clients in facility	Transfer	Transfer
ew Hampshire	Facilities that receive state/public funding, methadone maintenance facilities	None	State/public-funded clients only	Transfer	Admission
ew Jersey	Facilities that receive state/public funding Facilities that are licensed by the DOH Office of Certificate of Need and Licensing (CNL) Facilities in state intoxicated driver program certified by the SSA	Some private facilities and solo practitioners	All clients in facility	Admission	Admission
ew Mexico	Facilities that receive SSA substance use funding	None	SSA funded clients with substance use or co-occurring mental and substance use disorders	Transfer	Transfer
ew York	Facilities that receive state/public funding Facilities that are licensed/certified by state SSA	None	All clients in facility	Admission	Admission

ontinued. See notes at end of table.

Table A1. State data system reporting characteristics (continued)

tate or jurisdiction	*Facilities reporting TEDS data to the state SSA*		*Eligible clients*	*Change of service within episode*	*Change of provider within episode*
	Facilities required to report to the state SSA [1]	*Facilities reporting voluntarily to the state SSA*			
orth Carolina	Facilities that receive state/public funding	None	All clients in facility	Transfer	*n/a* [2]
orth Dakota	Facilities that receive state/public funding	None	All clients in facility	*n/a* [3]	Admission
hio	Facilities that receive state/public funding	None	State/public-funded clients only	Transfer	Admission
klahoma	Facilities that receive state/public funding	None	State/public-funded clients only	Transfer	Admission
regon	Facilities licensed/certified by the state that receive state/public funding. All DUII and methadone treatment facilities.	None	All clients in DUII and methadone facilities State/public-funded clients for all other facilities	Admission	Admission
ennsylvania	All facilities that treat single county authority-funded clients. SCAs serve uninsured and under insured individuals. SCAs receive funding from federal, state and local sources, including monies from DDAP and other state agencies.	Some, but not all, county prisons, hospitals, and private providers and solo practitioners	TEDS reporting is required for all SCA-funded clients. Facilities may report on other drug and alcohol clients, including those funded by Medicaid, on voluntary basis.	Transfer	Admission
uerto Rico	Facilities that receive SAPT/BG Certified opioid treatment programs (Methadone facilities) Facilities that receive state/public funding. State/correctional DUI/DWI providers	None	All clients in facility	Admission	Admission
hode Island	Facilities that are licensed/certified by state SSA	None	All clients in facility	Admission	Admission
outh Carolina	Facilities that receive state/public funding	None	All clients in facility	Transfer	Admission
outh Dakota	Facilities that receive state/public funding	None	All clients in facility	Transfer	Admission
ennessee	Facilities that receive state/public funding	None	State/public-funded clients only	Transfer	Admission
exas	Facilities that receive state/public funding	None	State/public-funded clients only	Admission	Admission

ontinued. See notes at end of table.

Table A1. State data system reporting characteristics (continued)

tate or jurisdiction	*Facilities reporting TEDS data to the state SSA*		*Eligible clients*	*Change of service within episode*	*Change of provider within episode*
	Facilities required to report to the state SSA [1]	*Facilities reporting voluntarily to the state SSA*			
tah	Facilities that receive state/public funding	None	State/public-funded clients only are required; data on all clients are requested and received from some facilities	Admission	Transfer
ermont	Facilities that receive state/public funding	None	All clients in facility	Transfer	Admission
rginia	Facilities that receive state/public funding	None	All clients in facility	*n/a* [3]	Admission
ashington	Facilities that receive state/public funding	None	State/public-funded clients only	Transfer	Transfer
est Virginia	Facilities that receive state/public funding	None	All clients in facility	Transfer	Transfer
isconsin	Facilities that receive state/public funding	None	State/county/public-funded clients are required; data on other county-authorized clients such as clients having private payers are requested and received from some facilities	Admission	Admission
yoming	Facilities that receive state/public funding	None	All clients in a facility	Admission	Admission

a Not applicable.

State/public funding generally refers to funding by the state substance abuse agency but may also include funding by another public agency.

Neither an admission nor transfer record results from a change in service or provider.

Neither an admission nor transfer record results from a change in service within a provider.

Not reporting as of July 1, 2015.

OURCE: State substance abuse agencies, December 2021.

Table A2. Item percentage response rate, by state or jurisdiction: TEDS Admissions Minimum Data Set, 2020

State or jurisdiction	Prior treatment	Referral source	Age	Gender	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Type of service	Opioid therapy
									Substance	Route [1]	Frequency [1]	Age at 1st use [1]	Substance	Route [2]	Frequency [2]	Age at 1st use [2]	Substance	Route [3]	Frequency [3]	Age at 1st use [3]		
Total	91	89	100	100	95	96	87	88	90	96	96	96	97	49	49	47	89	20	21	20	100	86
Alabama	99	97	100	100	100	100	94	100	100	100	99	100	100	43	43	43	100	20	20	20	100	100
Alaska	100	97	100	100	99	97	96	96	100	98	99	92	100	63	63	60	99	32	32	31	100	100
Arizona	100	12	100	100	72	74	- -	13	13	38	39	39	100	3	3	3	100	1	1	1	100	100
Arkansas	100	100	100	100	100	94	95	100	99	99	99	98	97	49	49	49	98	18	18	18	100	99
California	100	100	100	100	100	100	99	100	100	100	100	100	98	55	55	55	- -	- -	- -	- -	100	98
Colorado	100	100	100	100	87	100	100	100	100	100	100	98	100	49	49	49	100	19	19	19	100	100
Connecticut	83	91	100	100	94	89	91	82	100	88	89	89	100	47	48	48	100	20	21	21	100	100
Delaware	1	94	100	100	99	98	98	97	98	92	93	91	100	51	52	51	99	17	17	17	100	100
District of Columbia	100	94	100	100	99	98	91	96	100	100	100	92	100	62	62	58	100	24	24	22	100	100
Florida	100	96	100	100	100	99	100	99	99	85	86	83	100	6	6	6	96	2	2	2	100	- -
Georgia	69	87	100	100	98	95	79	60	99	94	91	95	54	92	89	94	67	28	27	29	100	71
Hawaii	100	100	100	100	100	100	96	97	100	100	100	100	100	69	68	69	98	30	30	30	100	100
Idaho	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Illinois	100	100	100	100	100	100	100	100	100	99	99	99	96	57	56	5	97	21	21	2	100	100
Indiana	100	100	100	100	99	98	100	100	100	100	100	100	97	73	73	73	96	42	42	42	100	100
Iowa	100	100	100	100	96	96	100	100	100	98	99	99	100	57	58	58	100	22	22	22	100	100
Kansas	74	84	100	100	80	87	89	87	91	99	98	99	90	51	50	50	92	17	16	17	100	46
Kentucky	100	99	100	100	100	100	99	99	100	100	100	99	100	57	57	57	100	27	27	26	100	100
Louisiana	83	87	100	100	98	97	63	64	63	95	92	85	94	39	37	35	82	19	19	17	100	93
Maine	100	100	100	100	100	100	95	79	100	99	99	97	100	61	61	60	100	31	31	30	100	21
Maryland	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Massachusetts	100	97	100	100	98	98	96	97	100	100	99	98	100	54	54	54	99	19	19	19	100	100
Michigan	96	100	100	100	100	97	100	100	100	100	100	100	100	56	56	56	100	21	21	21	100	43
Minnesota	98	100	100	100	100	100	96	96	99	99	100	100	100	58	59	59	100	22	23	23	100	100
Mississippi	73	97	100	100	100	99	97	98	100	98	95	99	99	53	52	54	99	24	23	24	100	78
Missouri	99	91	100	100	100	100	99	99	99	100	100	100	100	62	62	62	100	24	24	24	100	99
Montana	100	100	100	100	100	100	100	100	100	100	100	100	100	65	65	65	100	34	34	34	100	100
Nebraska	64	96	100	100	99	95	89	95	93	99	97	100	100	50	50	51	31	72	71	73	100	77
Nevada	99	81	100	98	98	89	80	88	45	87	86	80	99	24	23	22	98	9	9	9	100	26
New Hampshire	100	99	100	100	94	94	93	98	100	98	97	96	100	58	58	57	100	24	24	23	100	100

Continued. See notes at end of table.

Table A2. Item percentage response rate, by state or jurisdiction: TEDS Admissions Minimum Data Set, 2020 (continued)

State or jurisdiction	Prior treatment	Referral source	Age	Gender	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Type of service	Opioid therapy
									Substance	Route [1]	Frequency [1]	Age at 1st use [1]	Substance	Route [2]	Frequency [2]	Age at 1st use [2]	Substance	Route [3]	Frequency [3]	Age at 1st use [3]		
New Jersey	100	99	100	100	100	100	100	100	100	100	100	100	100	49	49	49	100	18	18	18	100	31
New Mexico	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
New York	74	100	100	100	100	100	100	100	100	100	100	100	100	65	65	65	100	31	31	31	100	100
North Carolina	100	99	100	100	100	100	96	99	100	85	84	85	100	31	31	31	100	15	14	14	100	100
North Dakota	90	91	100	100	97	98	97	98	100	90	89	92	100	79	80	80	100	52	57	56	100	91
Ohio	93	96	100	100	98	95	97	94	99	96	94	95	77	74	73	74	81	32	34	35	100	95
Oklahoma	100	100	100	100	100	100	99	100	100	96	96	95	52	99	99	99	68	29	29	29	100	100
Oregon	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Pennsylvania	100	99	100	100	89	92	92	92	100	99	97	92	100	52	51	48	100	19	18	18	100	92
Puerto Rico	99	97	100	100	89	100	99	96	97	100	98	99	100	43	42	43	100	18	18	18	100	99
Rhode Island	100	96	100	100	89	96	92	96	100	98	98	90	100	52	53	48	99	21	23	19	100	49
South Carolina	55	100	100	100	100	96	98	99	99	91	95	94	68	93	96	95	73	51	52	51	100	54
South Dakota	92	100	100	100	100	100	100	100	100	95	97	97	100	35	35	35	100	16	17	17	100	100
Tennessee	100	91	100	100	99	98	99	98	100	99	99	96	100	65	65	63	100	29	29	28	100	100
Texas	100	98	100	100	100	100	98	97	100	96	96	96	100	47	47	46	100	16	16	16	100	100
Utah	100	99	100	100	100	100	99	100	100	100	100	100	100	62	62	62	99	28	28	28	100	100
Vermont	97	98	100	100	97	95	98	97	100	100	98	99	100	52	51	51	100	17	17	17	100	99
Virginia	83	88	100	100	97	93	96	97	98	95	92	92	89	69	69	67	87	37	37	35	100	100
Washington	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
West Virginia	98	98	100	97	99	23	98	98	97	92	90	- -	100	41	40	- -	100	13	13	- -	100	- -
Wisconsin	- -	98	100	100	98	95	89	87	100	98	95	94	100	42	41	41	100	15	16	16	100	100
Wyoming	100	100	100	100	100	97	99	100	100	45	100	97	100	18	51	49	100	6	24	23	100	100

- - Quantity is zero; ‡ No data, or less than a full calendar year of data, submitted.

[1] Percent of admissions reporting a specified primary substance.

[2] Percent of admissions reporting a specified secondary substance.

[3] Percent of admissions reporting a specified tertiary substance.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table A3. Item percentage response rate, by state or jurisdiction: TEDS Admissions Supplemental Data Set, 2020

State or jurisdiction	*Primary detailed drug* [1]	*Secondary detailed drug* [2]	*Tertiary detailed drug* [3]	*DSM diagnosis*	*Psychiatric problem*	*Pregnant* [4]	*Veteran*	*Living arrangements*	*Income source*	*Health insurance*	*Payment source*	*Detailed not in labor force* [5]	*Detailed criminal justice referral* [6]	*Marital status*	*Days waiting for treatment*	*Arrests in past 30 days*	*Frequency of attendance at self-help programs*
Total	47	24	11	100	84	95	86	87	68	56	45	85	75	75	51	86	80
Alabama	99	43	20	100	39	96	100	99	99	99	82	100	100	85	100	100	80
Alaska	- -	- -	- -	100	96	96	95	96	99	91	95	99	100	97	99	100	96
Arizona	- -	- -	- -	100	100	100	12	- -	67	100	100	100	- -	30	- -	13	10
Arkansas	- -	- -	- -	100	85	93	93	100	85	88	92	100	96	93	100	100	84
California	- -	- -	- -	100	100	94	100	100	- -	- -	- -	- -	84	- -	99	100	100
Colorado	100	49	19	100	78	100	100	100	91	95	100	99	100	100	100	100	100
Connecticut	- -	- -	- -	100	100	90	93	86	59	66	- -	100	- -	79	38	84	78
Delaware	92	51	16	100	100	99	99	97	98	99	98	100	89	98	1	99	91
District of Columbia	99	62	23	100	100	92	96	96	93	93	95	91	96	94	99	100	35
Florida	86	6	2	100	100	99	94	89	72	4	37	99	99	97	58	99	94
Georgia	100	98	30	100	100	77	87	81	27	97	- -	‡	- -	91	- -	100	72
Hawaii	98	68	30	100	84	93	100	97	94	94	98	99	100	97	100	100	91
Idaho	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Illinois	- -	- -	- -	100	100	100	100	100	100	100	65	98	100	100	100	100	95
Indiana	- -	- -	- -	100	100	100	100	98	- -	96	- -	100	100	99	- -	100	100
Iowa	- -	- -	- -	100	100	100	100	100	100	100	99	100	100	99	100	100	100
Kansas	67	31	9	100	70	68	35	89	19	27	35	13	19	34	29	83	75
Kentucky	99	55	24	100	100	98	100	100	100	100	99	100	100	99	- -	100	100
Louisiana	- -	- -	- -	100	100	91	94	66	91	93	91	100	100	66	73	65	56
Maine	99	61	31	100	22	98	98	99	73	78	73	74	- -	98	71	100	91
Maryland	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Massachusetts	- -	- -	- -	100	100	100	100	98	99	100	- -	100	100	98	76	100	92
Michigan	- -	- -	- -	100	100	99	100	100	- -	- -	- -	100	99	100	100	100	100
Minnesota	- -	- -	- -	100	- -	100	98	98	95	- -	- -	100	- -	98	- -	99	96
Mississippi	96	52	17	100	84	90	98	99	94	79	67	100	76	98	76	91	53
Missouri	100	62	24	100	99	96	99	94	99	99	99	100	100	99	92	99	99
Montana	100	65	34	100	100	100	100	100	100	100	100	100	99	100	100	100	100
Nebraska	99	51	73	100	100	91	81	90	94	92	95	100	100	93	50	94	83
Nevada	82	22	9	100	98	91	83	80	76	81	81	99	99	84	84	94	75
New Hampshire	99	59	24	100	98	99	90	99	95	38	93	98	94	99	99	95	92

Continued. See notes at end of table.

Table A3. Item percentage response rate, by state or jurisdiction: TEDS Admissions Supplemental Data Set, 2020 (continued)

State or jurisdiction	*Primary detailed drug* [1]	*Secondary detailed drug* [2]	*Tertiary detailed drug* [3]	*DSM diagnosis*	*Psychiatric problem*	*Pregnant* [4]	*Veteran*	*Living arrangements*	*Income source*	*Health insurance*	*Payment source*	*Detailed not in labor force* [5]	*Detailed criminal justice referral* [6]	*Marital status*	*Days waiting for treatment*	*Arrests in past 30 days*	*Frequency of attendance at self-help programs*
New Jersey	100	49	18	100	100	100	100	100	100	98	99	100	67	100	99	100	79
New Mexico	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
New York	100	65	31	100	74	79	100	100	100	- -	- -	100	97	74	- -	74	74
North Carolina	- -	- -	- -	100	100	100	100	97	- -	- -	- -	99	- -	100	- -	100	97
North Dakota	89	64	40	100	3	100	100	98	91	98	98	100	81	99	50	100	100
Ohio	- -	- -	- -	100	100	100	99	91	89	49	99	100	39	95	100	93	87
Oklahoma	- -	- -	- -	100	100	100	100	100	- -	25	- -	100	100	99	- -	100	100
Oregon	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Pennsylvania	100	52	19	100	94	97	94	95	85	98	95	97	99	95	97	100	79
Puerto Rico	99	43	18	100	98	100	96	99	85	99	99	61	98	99	99	100	100
Rhode Island	98	53	22	100	100	95	93	97	96	99	96	99	98	92	- -	85	94
South Carolina	- -	- -	- -	100	97	98	99	99	91	99	99	94	99	99	99	98	51
South Dakota	96	35	17	100	90	98	100	100	96	95	100	93	100	100	100	100	100
Tennessee	100	65	29	100	100	97	98	97	93	93	- -	100	99	99	100	100	96
Texas	- -	- -	- -	100	- -	100	99	97	97	100	100	84	100	100	100	100	100
Utah	2	2	1	100	99	95	97	100	98	98	99	99	100	99	99	99	98
Vermont	- -	- -	- -	100	- -	95	- -	98	- -	- -	98	75	- -	- -	- -	100	94
Virginia	- -	- -	- -	100	- -	90	- -	94	- -	- -	- -	100	- -	- -	- -	89	79
Washington	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
West Virginia	92	41	13	100	100	97	99	4	63	25	26	100	99	97	97	98	97
Wisconsin	- -	- -	- -	100	- -	100	- -	90	- -	- -	- -	100	- -	- -	- -	94	81
Wyoming	- -	- -	- -	100	100	99	99	100	98	100	100	100	100	98	100	98	100

- - Quantity is zero; ‡ No data, or less than a full calendar year of data, submitted.

[1] Percentage of admissions reporting a specified primary substance.

[2] Percentage of admissions reporting a specified secondary substance.

[3] Percentage of admissions reporting a specified tertiary substance.

[4] Percentage of female admissions reporting pregnancy status.

[5] Percentage of admissions reporting employment status as "Not in labor force."

[6] Percentage of admissions reporting referral source as "Court/criminal justice referral."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table A4. Item percentage response rate, by state or jurisdiction: TEDS Discharge Minimum Data Set, 2020

State or jurisdiction	Prior treatment	Referral source	Age	Gender	Race	Ethnicity	Education	Employment	Primary substance: Substance	Primary substance: Route[1]	Primary substance: Frequency[1]	Secondary substance	Tertiary substance	Discharge: Employment	Discharge: Primary substance: Substance	Discharge: Primary substance: Frequency	Discharge: Secondary substance	Discharge: Tertiary substance
Total	92	89	100	100	96	96	87	88	90	97	97	97	90	82	88	71	94	93
Alabama	99	97	100	100	100	100	98	100	100	100	99	96	100	96	100	85	100	100
Alaska	99	98	100	100	99	98	97	97	100	99	99	100	98	96	99	97	99	99
Arizona	100	14	100	100	72	73	- -	13	14	50	52	100	100	42	43	18	100	100
Arkansas	100	100	100	100	100	95	95	100	100	98	98	99	99	100	100	98	97	99
California	100	100	100	100	100	100	99	100	100	100	100	98	1	52	100	35	54	51
Colorado	100	100	100	100	88	100	100	100	100	100	100	100	99	100	100	99	95	97
Connecticut	87	94	100	100	94	91	94	88	100	92	93	100	100	90	100	94	100	100
Delaware	- -	95	100	100	99	99	96	95	97	93	94	99	99	94	97	89	99	99
District of Columbia	100	94	100	100	99	99	94	97	100	100	100	100	100	97	99	76	100	100
Florida	98	95	100	100	100	99	99	99	100	78	79	99	96	98	100	76	99	11
Georgia	68	83	100	100	98	96	76	58	99	95	92	54	68	70	99	89	59	65
Hawaii	100	100	100	100	99	98	98	96	100	99	99	100	99	97	100	81	100	100
Idaho	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Illinois	100	100	100	100	100	100	100	100	100	99	99	100	100	100	100	94	100	100
Indiana	100	100	100	100	99	98	100	100	100	100	100	97	96	100	100	99	97	96
Iowa	100	100	100	100	97	96	100	100	100	99	99	100	100	84	86	79	100	100
Kansas	94	96	100	100	96	94	96	94	98	99	97	83	87	79	75	15	98	98
Kentucky	100	99	100	100	100	100	99	100	100	100	99	100	100	100	100	99	100	100
Louisiana	79	81	100	100	97	97	67	67	69	95	92	95	77	45	45	42	99	88
Maine	99	100	100	100	100	100	96	69	100	99	99	100	99	83	99	92	100	99
Maryland	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Massachusetts	100	98	100	100	98	98	97	97	100	100	99	100	99	91	100	97	100	100
Michigan	95	100	100	100	100	97	100	100	100	100	100	100	100	99	98	98	100	100
Minnesota	98	100	100	100	100	100	96	96	99	99	100	100	100	86	98	97	100	100
Mississippi	79	98	100	100	99	99	97	98	100	98	94	98	98	91	95	85	100	99
Missouri	99	93	100	100	100	100	99	99	99	100	100	100	100	90	99	77	100	100
Montana	100	100	100	100	100	100	100	100	99	100	100	100	99	100	99	100	100	99
Nebraska	67	96	100	100	100	95	90	96	94	99	98	100	32	96	95	38	99	31
Nevada	98	86	100	98	99	94	86	89	31	88	87	99	99	87	86	80	51	94
New Hampshire	100	98	100	100	95	95	94	98	100	98	98	100	100	98	99	73	100	100

Continued. See notes at end of table.

Table A4. Item percentage response rate, by state or jurisdiction: TEDS Discharge Minimum Data Set, 2020 (continued)

State or jurisdiction	Prior treatment	Referral source	Age	Gender	Race	Ethnicity	Education	Employment	Primary substance: Substance	Primary substance: Route[1]	Primary substance: Frequency[1]	Secondary substance	Tertiary substance	Discharge: Employment	Discharge: Primary substance: Substance	Discharge: Primary substance: Frequency	Discharge: Secondary substance	Discharge: Tertiary substance
New Jersey	100	99	100	100	99	100	100	100	100	100	100	100	100	100	81	20	100	100
New Mexico	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
New York	74	100	100	100	100	100	100	100	100	100	100	100	100	72	73	71	100	100
North Carolina	100	100	100	100	100	100	97	100	100	93	92	100	100	100	100	93	100	100
North Dakota	86	87	100	100	97	98	98	97	100	89	85	100	99	96	99	34	100	98
Ohio	94	95	100	100	98	97	98	95	100	94	93	89	89	79	100	57	90	91
Oklahoma	100	100	100	100	100	100	99	100	100	96	96	52	69	100	100	95	54	68
Oregon	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Pennsylvania	100	99	100	100	89	92	93	91	100	99	96	100	100	91	99	74	100	100
Puerto Rico	96	98	100	100	89	99	99	98	98	98	97	90	90	96	97	76	99	89
Rhode Island	100	98	100	100	91	97	91	97	100	98	98	100	99	93	99	92	100	99
South Carolina	55	100	100	100	100	96	98	99	99	93	93	70	75	91	100	49	100	99
South Dakota	94	100	100	100	100	100	100	100	100	96	97	100	100	100	100	97	100	100
Tennessee	100	92	100	100	99	99	100	98	100	100	99	100	100	64	100	83	100	100
Texas	100	99	100	100	100	99	99	98	100	98	98	100	100	100	100	97	100	100
Utah	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Vermont	98	98	100	100	98	97	98	98	100	100	98	100	100	95	100	91	100	100
Virginia	85	88	100	100	98	93	96	97	98	95	92	89	87	96	99	89	89	88
Washington	- -	79	100	100	85	93	42	34	63	100	99	100	100	47	64	63	100	100
West Virginia	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Wisconsin	- -	98	100	100	98	95	93	94	99	98	97	100	100	63	99	59	100	100
Wyoming	100	100	100	100	100	97	99	100	100	46	100	100	100	100	100	99	100	100

- - Quantity is zero; ‡ No data, or less than a full calendar year of data, submitted.

[1] Percent of admissions reporting a specified primary substance.

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table A5. Item percentage response rate, by state or jurisdiction: TEDS Discharge Supplemental Data Set, 2020 (continued)

State or jurisdiction	*Pregnant* [1]	*Veteran*	*Living arrangements*	*Living arrangement (discharge)*	*Income source*	*Health insurance*	*Payment source*	*Detailed not in labor force* [2]	*Detailed not in labor force (discharge)* [2]	*Arrests in past 30 days*	*Arrests in past 30 days (discharge)*	*Frequency of attendance at self-help programs*	*Frequency of attendance at self-help programs (discharge)*
Total	95	87	87	78	63	53	44	86	92	86	81	80	80
Alabama	95	100	98	97	99	99	78	100	100	100	98	70	81
Alaska	97	97	96	95	98	91	93	98	99	100	99	97	96
Arizona	100	13	- -	- -	65	100	100	99	100	14	43	12	39
Arkansas	96	95	100	100	86	89	93	96	100	100	100	86	85
California	94	100	100	52	- -	- -	- -	- -	- -	100	52	98	51
Colorado	100	100	100	100	91	94	99	98	99	100	100	100	99
Connecticut	90	93	90	90	47	50	- -	100	100	87	84	81	82
Delaware	97	96	95	94	94	94	94	100	100	96	95	87	87
District of Columbia	93	96	98	98	94	93	94	92	92	100	100	40	69
Florida	100	95	90	89	70	9	37	98	99	98	96	95	92
Georgia	74	89	78	93	25	96	- -	26	32	100	40	70	28
Hawaii	96	100	95	96	94	91	99	99	99	100	98	93	86
Idaho	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Illinois	100	100	100	100	99	99	71	100	100	100	100	96	87
Indiana	100	100	98	98	- -	95	- -	100	100	100	100	100	99
Iowa	100	100	100	85	99	99	99	100	100	100	85	100	100
Kansas	94	23	95	80	10	6	10	30	44	91	91	84	77
Kentucky	99	100	100	100	100	99	99	100	100	100	100	100	100
Louisiana	83	92	67	45	87	88	87	100	100	71	46	59	44
Maine	98	97	99	98	61	66	60	65	95	99	98	88	78
Maryland	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Massachusetts	100	100	98	98	99	98	- -	100	100	100	94	93	88
Michigan	99	100	100	100	- -	- -	- -	99	99	100	100	99	99
Minnesota	100	98	98	92	94	- -	- -	99	100	99	96	96	87
Mississippi	95	98	98	89	93	79	67	100	88	92	88	53	53
Missouri	96	99	94	86	99	98	98	100	100	99	88	99	82
Montana	100	100	100	100	99	99	99	96	100	100	100	100	100
Nebraska	94	82	90	90	94	92	95	99	99	95	96	85	85
Nevada	90	89	85	84	79	88	87	99	100	88	95	80	84
New Hampshire	99	94	99	100	93	34	91	98	99	96	97	92	71

Continued. See notes at end of table.

Table A5. Item percentage response rate, by state or jurisdiction: TEDS Discharge Supplemental Data Set, 2020 (continued)

State or jurisdiction	*Pregnant*[1]	*Veteran*	*Living arrangements*	*Living arrangement (discharge)*	*Income source*	*Health insurance*	*Payment source*	*Detailed not in labor force*[2]	*Detailed not in labor force (discharge)*[2]	*Arrests in past 30 days*	*Arrests in past 30 days (discharge)*	*Frequency of attendance at self-help programs*	*Frequency of attendance at self-help programs (discharge)*
New Jersey	100	100	100	100	98	96	97	100	100	100	100	72	84
New Mexico	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
New York	78	100	100	73	99	- -	- -	100	100	74	73	73	99
North Carolina	100	100	99	99	- -	- -	- -	99	99	100	100	99	99
North Dakota	99	97	95	81	85	96	95	99	100	99	99	98	98
Ohio	100	99	92	76	87	27	96	100	100	92	92	90	67
Oklahoma	100	100	100	100	- -	23	- -	99	100	100	99	100	99
Oregon	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Pennsylvania	98	94	95	95	85	96	95	97	97	100	99	77	64
Puerto Rico	100	96	94	95	84	95	95	63	70	100	51	99	99
Rhode Island	96	95	98	98	91	93	94	98	99	89	87	94	93
South Carolina	98	99	99	79	92	98	97	94	89	97	57	40	36
South Dakota	97	100	100	100	97	94	99	96	98	100	100	100	99
Tennessee	97	98	97	63	93	94	- -	100	100	100	63	95	54
Texas	100	100	97	65	99	99	98	89	100	100	100	100	100
Utah	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Vermont	96	- -	99	96	- -	- -	95	74	69	100	99	95	90
Virginia	89	- -	94	94	- -	- -	- -	100	100	89	90	78	78
Washington	35	9	34	48	- -	- -	- -	97	98	- -	- -	33	48
West Virginia	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡
Wisconsin	100	- -	93	62	- -	- -	- -	100	100	97	68	87	57
Wyoming	100	98	100	98	97	99	99	98	99	98	92	99	99

- - Quantity is zero; ‡ No data, or less than a full calendar year of data, submitted.

[1] Percentage of female admissions reporting pregnancy status.

[2] Percentage of admissions reporting employment status as "Not in labor force."

NOTES: Based on administrative data reported to TEDS by all reporting states and jurisdictions. Comparisons among states should be made with caution.

SOURCE: Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, Treatment Episode Data Set (TEDS). Data received through 11.22.21.

Table A6. Denominator for per 100,000 population estimates: 2020

Census region, Census division, and state or jurisdiction	*Population*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Total (without exclusions)	263,659,371	265,921,481	268,342,917	270,590,246	272,835,912	275,091,922	277,379,622	279,468,046	281,289,297	283,124,327	284,631,747
Total	262,140,955	264,393,165	268,342,917	270,590,246	268,726,788	271,645,243	265,201,627	267,125,653	268,798,556	272,975,112	265,853,441
Census region											
Northeast	47,440,675	47,695,578	47,922,843	48,099,426	48,245,780	48,319,014	48,380,496	48,442,123	48,485,284	48,466,521	48,382,847
Midwest	56,412,355	56,664,329	56,928,058	57,210,619	57,431,185	57,592,211	57,771,198	57,957,542	58,118,350	58,276,035	58,343,829
South	96,400,795	97,505,197	98,745,261	99,864,137	101,046,785	102,314,524	103,589,468	104,752,805	105,805,364	106,902,567	107,950,609
West	60,249,337	60,923,311	61,634,929	62,323,582	63,055,026	63,847,790	64,661,743	65,390,294	66,046,205	66,631,131	67,120,668
Census division											
New England	12,461,582	12,542,082	12,622,649	12,695,756	12,771,122	12,815,262	12,861,795	12,914,263	12,959,971	12,987,754	13,003,770
Middle Atlantic	34,979,093	35,153,496	35,300,194	35,403,670	35,474,658	35,503,752	35,518,701	35,527,860	35,525,313	35,478,767	35,379,077
East North Central	39,190,096	39,334,425	39,482,367	39,646,800	39,762,503	39,826,035	39,911,285	40,001,477	40,071,934	40,136,755	40,134,299
West North Central	17,222,259	17,329,904	17,445,691	17,563,819	17,668,682	17,766,176	17,859,913	17,956,065	18,046,416	18,139,280	18,209,530
South Atlantic	50,861,651	51,425,932	52,073,473	52,666,916	53,294,337	53,982,552	54,728,841	55,415,492	56,029,530	56,637,235	57,192,428
East South Central	15,549,886	15,649,982	15,760,799	15,855,804	15,932,154	16,008,075	16,090,149	16,186,123	16,270,050	16,359,964	16,441,279
West South Central	29,989,258	30,429,283	30,910,989	31,341,417	31,820,294	32,323,897	32,770,478	33,151,190	33,505,784	33,905,368	34,316,902
Mountain	18,275,504	18,511,693	18,782,112	19,052,938	19,334,984	19,654,108	20,004,749	20,343,269	20,704,343	21,078,866	21,434,727
Pacific	41,973,833	42,411,618	42,852,817	43,270,644	43,720,042	44,193,682	44,656,994	45,047,025	45,341,862	45,552,265	45,685,941
State or jurisdiction											
Alabama	4,044,861	4,062,192	4,085,692	4,107,343	4,121,419	4,133,104	4,145,403	4,157,763	4,172,291	4,191,478	4,208,509
Alaska	587,807	594,995	603,542	609,894	609,869	611,343	614,711	614,081	611,323	610,465	609,807
Arizona	5,318,658	5,394,133	5,480,111	5,560,085	5,655,451	5,752,749	5,863,082	5,968,450	6,088,199	6,219,111	6,352,107
Arkansas	2,447,593	2,466,729	2,479,862	2,490,233	2,499,723	2,511,100	2,523,720	2,536,581	2,547,055	2,559,724	2,572,724
California	31,264,467	31,569,548	31,890,506	32,201,595	32,523,541	32,839,955	33,106,303	33,330,464	33,494,203	33,583,479	33,608,435
Colorado	4,217,769	4,288,271	4,360,636	4,438,201	4,518,275	4,616,773	4,707,439	4,785,377	4,867,950	4,938,565	4,995,894
Connecticut	3,061,348	3,078,029	3,092,163	3,101,102	3,107,770	3,107,555	3,105,722	3,106,018	3,109,707	3,106,402	3,102,711
Delaware	764,369	772,263	780,379	789,337	798,411	807,419	815,227	823,352	832,351	842,183	852,604
District of Columbia	535,874	547,346	558,654	570,256	578,896	589,122	597,239	603,793	609,150	612,456	616,245
Florida	16,244,070	16,446,951	16,686,566	16,925,345	17,200,477	17,522,132	17,884,773	18,206,381	18,470,415	18,708,020	18,947,497
Georgia	8,050,511	8,143,934	8,252,049	8,331,820	8,429,546	8,538,969	8,661,355	8,772,650	8,880,952	8,998,650	9,092,922
Hawaii	1,160,236	1,172,406	1,185,589	1,197,330	1,203,137	1,210,296	1,216,921	1,215,206	1,213,907	1,209,106	1,203,638
Idaho	1,280,119	1,294,769	1,308,608	1,325,925	1,345,545	1,365,262	1,395,476	1,428,782	1,461,135	1,497,909	1,536,104
Illinois	10,798,186	10,841,697	10,878,600	10,913,892	10,923,661	10,918,747	10,905,167	10,888,955	10,861,250	10,834,392	10,786,369
Indiana	5,430,762	5,463,135	5,493,494	5,529,063	5,556,851	5,574,956	5,603,869	5,629,767	5,666,602	5,702,204	5,730,557

Continued. See notes at end of table.

Table A6. Denominator for per 100,000 population estimates: 2020 (continued)

Census region, Census division, and state or jurisdiction	*Population*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Iowa	2,566,925	2,583,740	2,595,311	2,611,500	2,626,192	2,637,293	2,647,388	2,658,254	2,666,872	2,680,289	2,688,676
Kansas	2,368,959	2,380,731	2,397,971	2,408,434	2,417,662	2,429,132	2,434,981	2,437,632	2,444,697	2,450,112	2,457,092
Kentucky	3,667,880	3,691,454	3,712,132	3,732,974	3,744,499	3,758,544	3,770,543	3,787,288	3,797,523	3,810,006	3,818,606
Louisiana	3,798,775	3,829,719	3,857,848	3,883,075	3,901,074	3,920,011	3,934,008	3,931,191	3,928,287	3,930,987	3,928,013
Maine	1,153,424	1,156,809	1,158,814	1,161,150	1,165,078	1,164,698	1,168,952	1,173,543	1,179,578	1,185,858	1,191,519
Maryland	4,905,477	4,954,260	5,002,483	5,039,806	5,069,801	5,096,935	5,115,056	5,137,348	5,153,077	5,169,324	5,176,592
Massachusetts	5,653,874	5,704,307	5,758,214	5,811,747	5,864,853	5,902,104	5,937,318	5,975,644	6,001,739	6,019,002	6,025,789
Michigan	8,381,720	8,405,927	8,439,971	8,471,090	8,497,765	8,511,062	8,538,271	8,566,557	8,584,692	8,592,748	8,585,809
Minnesota	4,458,668	4,493,462	4,526,062	4,561,968	4,595,903	4,625,798	4,664,423	4,705,311	4,744,288	4,779,063	4,802,094
Mississippi	2,470,699	2,482,102	2,492,692	2,503,411	2,508,017	2,509,990	2,514,550	2,520,442	2,518,226	2,522,323	2,519,117
Missouri	5,056,658	5,076,589	5,098,185	5,120,231	5,138,297	5,156,949	5,175,339	5,197,500	5,215,879	5,235,564	5,252,193
Montana	843,243	849,527	855,854	864,601	872,062	879,882	889,559	900,499	909,430	918,922	929,894
Nebraska	1,518,416	1,528,316	1,539,962	1,550,956	1,563,622	1,574,092	1,587,346	1,597,722	1,606,882	1,615,390	1,622,564
Nevada	2,259,511	2,274,000	2,308,041	2,339,987	2,378,752	2,423,200	2,468,943	2,517,797	2,572,782	2,631,167	2,679,855
New Hampshire	1,137,040	1,143,421	1,150,998	1,156,067	1,165,521	1,170,540	1,178,076	1,186,006	1,192,151	1,199,226	1,206,141
New Jersey	7,461,957	7,496,933	7,525,981	7,548,728	7,565,359	7,577,275	7,588,867	7,608,105	7,616,085	7,622,586	7,621,003
New Mexico	1,718,540	1,734,452	1,744,614	1,753,026	1,755,040	1,759,080	1,765,812	1,771,434	1,778,332	1,789,613	1,801,549
New York	16,600,394	16,697,103	16,780,796	16,839,751	16,876,301	16,889,670	16,886,172	16,864,264	16,833,522	16,778,746	16,681,994
North Carolina	8,049,538	8,135,004	8,235,772	8,338,349	8,431,702	8,533,518	8,655,750	8,767,286	8,883,090	8,996,700	9,101,057
North Dakota	573,916	582,027	594,391	610,130	621,155	633,315	632,885	633,249	635,631	638,647	640,376
Ohio	9,765,564	9,789,002	9,813,508	9,852,777	9,884,177	9,906,265	9,930,595	9,960,572	9,981,427	10,006,106	10,013,087
Oklahoma	3,131,404	3,157,014	3,185,098	3,214,085	3,236,976	3,264,697	3,282,695	3,292,191	3,305,764	3,327,218	3,350,696
Oregon	3,265,635	3,301,551	3,332,065	3,358,155	3,396,787	3,446,679	3,516,640	3,569,743	3,609,789	3,647,905	3,680,183
Pennsylvania	10,916,742	10,959,460	10,993,417	11,015,191	11,032,998	11,036,807	11,043,662	11,055,491	11,075,706	11,077,435	11,076,080
Puerto Rico	3,156,209	3,133,066	3,111,826	3,092,482	3,057,136	3,018,383	2,976,717	2,925,282	2,834,094	2,848,073	2,833,794

Continued. See notes at end of table.

Table A6. Denominator for per 100,000 population estimates: 2020 (continued)

Census region, Census division, and state or jurisdiction	*Population*										
	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
Rhode Island	911,247	912,527	915,155	917,295	919,675	921,199	922,911	922,998	926,209	926,260	926,386
South Carolina	3,916,804	3,954,947	4,003,071	4,051,970	4,109,124	4,173,033	4,236,244	4,297,360	4,360,339	4,426,998	4,489,377
South Dakota	678,717	685,039	693,809	700,600	705,851	709,597	717,551	726,397	732,167	740,215	746,535
Tennessee	5,366,446	5,414,234	5,470,283	5,512,076	5,558,219	5,606,437	5,659,653	5,720,630	5,782,010	5,836,157	5,895,047
Texas	20,611,486	20,975,821	21,388,181	21,754,024	22,182,521	22,628,089	23,030,055	23,391,227	23,724,678	24,087,439	24,465,469
Utah	2,165,286	2,201,384	2,240,564	2,282,463	2,321,180	2,365,945	2,423,664	2,482,538	2,537,201	2,591,258	2,643,389
Vermont	544,649	546,989	547,305	548,395	548,225	549,166	548,816	550,054	550,587	551,006	551,224
Virginia	6,794,517	6,867,508	6,949,218	7,016,511	7,076,012	7,126,660	7,176,477	7,230,886	7,273,359	7,322,627	7,362,521
Washington	5,695,688	5,773,118	5,841,115	5,903,670	5,986,708	6,085,409	6,202,419	6,317,531	6,412,640	6,501,310	6,583,878
West Virginia	1,600,491	1,603,719	1,605,281	1,603,522	1,600,368	1,594,764	1,586,720	1,576,436	1,566,797	1,560,277	1,553,613
Wisconsin	4,813,864	4,834,664	4,856,794	4,879,978	4,900,049	4,915,005	4,933,383	4,955,626	4,977,963	5,001,305	5,018,477
Wyoming	472,378	475,157	483,684	488,650	488,679	491,217	490,774	488,392	489,314	492,321	495,935

NOTES: Population reported for Census regions and divisions will not sum to the total number of population because Puerto Rico is not included in any Census region or division.

States excluded as per the state exclusions in TEDS data: 2014 (SC), 2015 (OR), 2016 (OR), 2017 (OR), 2018 (OR, WA), 2019 (OR WA), and 2020 (ID, MD, NM, OR, WA).

SOURCES: US state population: Annual Resident Population Estimates for 6 Race Groups (5 Race Alone Groups and Two or More Races) by Age, Sex, and Hispanic Origin for States and the District of Columbia: April 1, 2010 to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/SC-EST2020-ALLDATA6.csv
Puerto Rico population: Annual Estimates of the Resident Population by Single Year of Age and Sex for the Puerto Rico Commonwealth: April 1, 2010, to July 1, 2020, https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/state/asrh/PRC-EST2020-SYASEX.csv

Table A7. U.S. population aged 18 years and older, 2010–2020, used as denominator for per 100,000 for employment status and U.S. population used for adjustment

	2010	*2011*	*2012*	*2013*	*2014*	*2015*	*2016*	*2017*	*2018*	*2019*	*2020*
U.S population used for adjustment	235,204,510	237,666,673	240,164,688	242,468,213	241,050,166	243,930,581	246,150,182	248,215,411	244,269,069	245,936,977	239,521,882
Employment status											
Employed	137,646,000	138,516,000	141,050,000	142,442,000	144,761,000	147,210,000	149,688,000	151,447,000	153,923,000	155,748,000	146,077,000
Full time	111,565,000	112,416,000	114,652,000	116,132,000	118,539,000	121,295,000	123,534,000	125,723,000	128,342,000	130,368,000	122,922,000
Part time	26,081,000	26,100,000	26,398,000	26,310,000	26,222,000	25,915,000	26,154,000	25,724,000	25,581,000	25,380,000	23,155,000
Unemployed	14,243,000	13,228,000	11,972,000	10,925,000	9,192,000	7,934,000	7,371,000	6,635,000	6,019,000	5,709,000	12,583,000
Not in labor force	76,998,000	79,147,000	81,371,000	83,370,000	85,098,000	86,808,000	87,484,000	87,924,000	88,931,000	88,919,000	92,905,000
Total	228,887,000	230,891,000	234,393,000	236,737,000	239,051,000	241,952,000	244,543,000	246,006,000	248,873,000	250,376,000	251,565,000

SOURCES: Population: U.S. Census Bureau, Population Estimates Program, NC-EST2020-ALLDATA: Monthly Population Estimates by Age, Sex, Race, and Hispanic Origin for the United States: April 1, 2010, to July 1, 2020 (with short-term projections to December 2021), https://www2.census.gov/programs-surveys/popest/datasets/2010-2020/national/asrh/NC-EST2020-ALLDATA-R-File20.csv. Employment: Bureau of Labor Statistics, Labor Force Statistics from the Current Population Survey, Tables 3 and 8, https://www.bls.gov/cps/tables.htm

Appendix B
TEDS Data Elements

TEDS Minimum Data Set

Age of first use (primary, secondary, and tertiary substance)

For drugs other than alcohol, these fields identify the age at which the client first used the respective substance. For alcohol, these fields record the age of first intoxication.

- 0—Indicates a newborn with a substance dependency problem
- 1–95—Indicates the age at first use

Client or codependent/collateral

Specifies whether the admission record is for a substance use treatment client, or a person being treated for his/her codependency or collateral relationship with a substance user.

- Client—Must meet all of the following criteria:
  - Has an alcohol or drug related disorder
  - Has completed the screening and intake process
  - Has been formally admitted for treatment or recovery service in an alcohol or drug treatment unit
  - Has his or her own client record

A person is not a client if he or she has completed only a screening or intake process or has been placed on a waiting list.

- Codependent/collateral—Must meet all of the following criteria:
  - Has no alcohol or drug related disorder
  - Is seeking services because of concerns arising from his or her relationship with an alcohol or drug user
  - Has been formally admitted for service to a treatment unit
  - Has his or her own client record or has a record within a primary client record

Guidelines: Reporting of data for *Codependent/collaterals* is optional. If the state opts to report codependent/collateral clients, the mandatory fields are *State code, Provider identifier, Client identifier, Client transaction type, Codependent/collateral*, and *Date of admission*. Reporting of the remaining fields in the TEDS Minimum and Supplemental Data Sets is optional. For all items not reported, the data field should be coded with the appropriate "Not collected" or "Not applicable" code.

If a substance use client with an existing record in TEDS becomes a codependent, a new client record should be submitted indicating that the client has been admitted as a codependent, and vice versa.

If a record does not include a value for this field, it is assumed to be a substance use client record.

Date of admission

The day when the client receives his or her first direct treatment or recovery service. For transfers, this is the date when the client receives his or her first direct treatment after the transfer has occurred.

Demographics

Age

Identifies the client's age at admission. Derived from client's date of birth and date of admission.

- 0—Indicates a newborn with a substance dependency problem
- 1–95—Indicates the age at admission

Education

Specifies the highest school grade (number of school years) completed by the client.

- 0—Less than one grade completed
- 1–25—Grades of school (highest grade) completed. For General Equivalency Degree, use 12.

Guidelines: States that use specific categories for designating education level should map their codes to a logical number of years of school completed. For Associate's Degree, use 14. For Bachelor's degree, use 16.

Employment status

Identifies the client's employment status at the time of admission or transfer.

- Full time—Working 35 hours or more each week, including active duty members of the uniformed services
- Part time—Working fewer than 35 hours each week
- Unemployed—Looking for work during the past 30 days, or on layoff from a job
- Not in labor force—Not looking for work during the past 30 days, or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the TEDS Supplemental Data Set item Detailed not in labor force.

Guidelines: Seasonal workers are coded in this category based on their employment status at admission.

Ethnicity

Identifies the client's specific Hispanic origin.

- Cuban—Of Cuban origin, regardless of race
- Hispanic (specific origin not specified)—Of Hispanic origin, but specific origin not known or not specified

- Mexican—Of Mexican origin, regardless of race
- Not of Hispanic origin
- Other specific Hispanic—Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race
- Puerto Rican—Of Puerto Rican origin, regardless of race

Guidelines: If a state does not collect specific Hispanic detail, code *Ethnicity* for Hispanics as *Hispanic (specific origin not specified)*.

Race

Specifies the client's race.

- Alaska Native (Aleut, Eskimo, Indian)—Origins in any of the original people of Alaska
- American Indian (other than Alaska Native)—Origins in any of the original people of North America and South America (including Central America) and who maintains cultural identification through tribal affiliation or community attachment
- Asian or Pacific Islander—Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific islands
- Asian—Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam
- Native Hawaiian or Other Pacific Islander—Origins in any of the original people of Hawaii, Guam, Samoa, or other Pacific islands
- Black or African American—Origins in any of the black racial groups of Africa
- White—Origins in any of the original people of Europe, North Africa, or the Middle East
- Other single race—Client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories
- Two or more races—For use when the state data system allows multiple race selection and more than one race is indicated

Guidelines: If a state does not distinguish between American Indian and Alaska Native, both should be coded as American Indian. If a state does not distinguish between Asian and Native Hawaiian or other Pacific Islander, both should be coded as Asian or Pacific Islander. For states that collect multiple races: (a) when a single race is designated, the specific race code should be used; (b) if the state collects a primary or preferred race along with additional races, the code for the primary/preferred race should be used; (c) if the state uses a system such as an algorithm to select a single race when multiple races have been designated, the same system may be used to determine the race code for TEDS. When two or more races have been designated and neither (b) nor (c) above apply, the TEDS code for *Two or more races* should be used.

Gender

Identifies the client's biological sex.

- Male
- Female

Substance Use and Treatment Characteristics

Frequency of use (primary, secondary, and tertiary substances)

Identifies the frequency of use for the client's primary, secondary, and tertiary *substance use*.

- No use in the past month
- 1–3 times in the past month
- 1–2 times in the past week
- 3–6 times in the past week
- Daily

Medication-assisted opioid therapy

Identifies whether the use of methadone, naltrexone or buprenorphine is part of the client's treatment plan.

- Yes
- No

Number of prior treatment episodes

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

- 0 previous episodes
- 1 previous episode
- 2 previous episodes
- 3 previous episodes
- 4 previous episodes
- 5 or more previous episodes

Guidelines: It is preferred that the number of prior treatments be a self-reporting field collected at the time of client intake. However, this data item may be derived from the state data system if the system has that capability and episodes can be counted for at least several years.

Principal source of referral

Describes the person or agency referring the client to the alcohol or drug use treatment program.

- Individual (includes self-referral)—Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories; includes self-referral due to pending DWI/DUI
- Alcohol/drug use care provider—Any program, clinic, or other health care provider whose principal objective is treating clients with substance use disorder, or a program whose activities are related to alcohol or other drug use prevention, education, or treatment
- Court/criminal justice referral/DUI/DWI—Any police official, judge, prosecutor, probation officer, or other person affiliated with a federal, state, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals on this category are further defined in the TEDS Supplemental Data Set item Detailed criminal justice referral.
- Employer/EAP—A supervisor or an employee counselor
- Other community referral—Community or religious organization or any federal, state, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are included in this category.
- Other health care provider—A physician, psychiatrist, or other licensed health care professional; or a general hospital, psychiatric hospital, mental health program, or nursing home
- School (educational)—A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency

Substance use (primary, secondary, or tertiary)

Identifies the client's primary, secondary, and tertiary substance use. Each *Substance use* (primary, secondary, and tertiary) has associated fields for *Route of administration, Frequency of use, Age at first use*, and the TEDS Supplemental Data Set item *Detailed drug code*.

- Alcohol
- Barbiturates—Amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- Benzodiazepines—Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines
- Cocaine/crack
- Heroin
- Inhalants—Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- Marijuana/hashish—Includes THC and any other cannabis sativa preparations
- Methamphetamine
- Non-prescription methadone
- Other amphetamines—Includes amphetamines, MDMA, phenmetrazine, and other unspecified

amines and related drugs

- Other hallucinogens—Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- Other non-barbiturate sedatives or hypnotics—Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, and other non-barbiturate sedatives or hypnotics
- Other non-benzodiazepine tranquilizers—Includes meprobamate and other non-benzodiazepine tranquilizers
- Other opiates and synthetics—Includes buprenorphine, codeine, hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects
- Other stimulants—Includes methylphenidate and any other stimulants
- Over-the-counter medications—Includes aspirin, cough syrup, diphenhydramine and other antihistamines, sleep aids, and any other legally obtained nonprescription medication
- PCP—Phencyclidine
- Other—Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.
- None

Guidelines: Substance use is further defined in the TEDS Supplemental Data Set item *Detailed drug code*. For guidance on which specific substances to include in the substance categories, please refer to the detailed drug categories listed for Detailed drug code.

Data set considerations for *Substance use* and *Route of administration*:

For states that do collect *Detailed drug code*—Records may have duplicate *Substance use* and identical *Route of administration* if the corresponding *Detailed drug codes* are different or are "multiple" drug codes.

For states that do not collect *Detailed drug code*—A record may not have duplicate *Substance use* with identical *Routes of administration*.

Transaction type

Identifies whether a record is for an initial admission or a transfer/change in service. Note: Some states may use other terminology such as "initial admission" and "transfer admission" in place of "admission" and "transfer."

- A—Admission
- T—Transfer/change in service

Guidelines: For TEDS, a treatment episode is defined as that period of service between the beginning of treatment for drug or alcohol use and the termination of services for the prescribed treatment plan. The episode includes one admission (when services begin) and at least one discharge (when services end). Within a treatment episode, a client may transfer to a different service, facility, provider, program, or location. Each admission and transfer record should have an associated discharge record.

When it is feasible for the state to identify transfers, they should be reported as transfers in admissions data submissions. When admissions and transfers cannot be differentiated in a state data system, such changes in service or facility should be reported to TEDS as admissions.

Data set considerations for transfers:

- All fields from the transfer record should be updated to reflect values at the time of transfer except the following fields, which must have the same values as in the associated (preceding) admission record: *Client ID, Codependent/collateral, Date of birth, Gender, Race,* and *Ethnicity*. If a field cannot be updated, it should be transmitted to TEDS with its value from the associated (preceding) admission record.
- *Date of admission* is defined as the date services begin after the transfer to another service or facility.

Type of treatment service

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- Ambulatory, detoxification—Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological)
- Ambulatory, intensive outpatient—As a minimum, the client must receive treatment lasting two or more hours per day for three or more days per week
- Ambulatory, non-intensive outpatient—Ambulatory treatment services including individual, family, and/or group services, and may include pharmacological therapies
- Detoxification, 24-hour service, free-standing residential—24-hour per day services in a non-hospital setting providing for safe withdrawal and transition to ongoing treatment
- Detoxification, 24-hour service, hospital inpatient—24-hour per day medical acute care services in a hospital setting for detoxification of persons with severe medical complications associated with withdrawal
- Rehabilitation/residential, hospital (other than detoxification)—24-hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug use and dependency
- Rehabilitation/residential, short-term (30 days or fewer)—Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug use and dependency
- Rehabilitation/residential, long-term (more than 30 days)—Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug use and dependency; this may include transitional living arrangements such as halfway houses

Usual route of administration (primary, secondary, and tertiary substances)

Identifies the usual route of administration of the respective *substance use*.

- Inhalation
- Injection (IV or intramuscular)
- Oral
- Smoking
- Other

TEDS Supplemental Data Set

Days waiting to enter treatment

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

- 0–996—Number of days waiting

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

Detailed criminal justice referral

Provides more information about those clients who are coded as "Court/criminal justice referral/ DUI/DWI" in the TEDS Minimum Data Set item *Principal source of referral*.

- Diversionary program (e.g., TASC)
- DUI/DWI
- Other court (not state or federal)
- Other recognized legal entity (e.g., local law enforcement agency, corrections agency, youth services, review board/agency)
- Prison
- Probation/parole
- State/federal court
- Other
- Not applicable

Detailed drug code (primary, secondary, and tertiary substances)

Identifies, in greater detail, the drug use recorded in the TEDS Minimum Data Set item *Substance use*.

- Aerosols
- Alcohol
- Alprazolam (Xanax)
- Amphetamines
- Anesthetics
- Chlordiazepoxide (Librium)
- Clonazepam (Klonopin, Rivotril)
- Clorazepate (Tranxene)
- Codeine

- Crack
- Diazepam (Valium)
- Diphenhydramine
- Diphenylhydantoin/phenytoin (Dilantin)
- Ethchlorvynol (Placidyl)
- Flunitrazepam (Rohypnol)
- Flurazepam (Dalmane)
- GHB/GBL (gamma-hydroxybutyrate, gamma-butyrolactone)
- Glutethimide (Doriden)
- Heroin
- Hydrocodone (Vicodin)
- Hydromorphone (Dilaudid)
- Ketamine (Special K)
- Lorazepam (Ativan)
- LSD
- Marijuana/hashish
- Meperidine (Demerol)
- Meprobamate (Miltown)
- Methadone (non-prescription)
- Methamphetamine/speed
- Methaqualone
- Methylenedioxymethamphetamine (MDMA, Ecstasy)
- Methylphenidate (Ritalin)
- Nitrites

Detailed not in labor force

Provides more information about those clients who are coded as "Not in labor force" in the TEDS Minimum Data Set item *Employment status*.

- Disabled
- Homemaker
- Inmate of institution (prison or institution that keeps a person, otherwise able, from entering the labor force)
- Retired
- Student
- Other
- Not applicable

DSM criteria diagnosis

Specifies the diagnosis of the substance use disorder from the American Psychiatric Association's *Diagnostic and Statistical Manual of Mental Disorders*.

Expected/actual primary source of payment

Identifies the primary source of payment for this treatment episode.

- Blue Cross/Blue Shield
- Medicaid
- Medicare
- Other government payments
- Other health insurance companies
- Self-pay
- Worker's compensation
- No charge (free, charity, special research, or teaching)
- Other

Frequency of attendance at self-help programs

Records the number of times the client has attended a self-help program in the 30 days preceding the date of admission to treatment services.

- No attendance in the past month
- 1–3 times in the past month
- 4–7 times in the past month
- 8–15 times in the past month

- 16–30 times in the past month
- Some attendance in the past month, but frequency unknown

Health insurance

Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

- Blue Cross/Blue Shield
- Health maintenance organization (HMO)
- Medicaid
- Medicare
- Private insurance (other than Blue Cross/Blue Shield or an HMO)
- Other (e.g., TRICARE)
- None

Living arrangements

Specifies whether the client is homeless, living with parents, in a supervised setting, or living on his or her own.

- Dependent living—Clients living in a supervised setting such as a residential institution, halfway house, or group home, and children (under age 18) living with parents, relatives, or guardians, or in foster care
- Homeless—Clients with no fixed address; includes shelters
- Independent living—Clients living alone or with others without supervision

Marital status

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- Divorced
- Never married—Includes clients whose only marriage was annulled
- Now married—Includes those living together as married
- Separated—Includes those separated legally or otherwise absent from spouse because of marital discord
- Widowed

Number of arrests in the 30 days prior to admission

Records the number of arrests in the 30 days preceding the date of admission to treatment services.

- 0–96—Number of arrests

Pregnant at admission

Specifies whether the client was pregnant at the time of admission.

- Yes
- No
- Not applicable. Use this code for male clients.

Co-occurring mental and substance use disorders

Identifies whether the client has a psychiatric disorder in addition to his or her alcohol or drug use disorder.

- Yes
- No

Source of income/support

Identifies the client's principal source of financial support. For children under 18 years, this field indicates the parents' primary source of income/support.

- Disability
- Public assistance
- Retirement/pension
- Wages/salary
- Other
- None

Veteran status

Identifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc.).

- Yes
- No

TEDS Linked Discharge Data Set

Date of discharge

The date when the client was formally discharged from the treatment facility or service. The date may be the same as the date of last contact. In the event of a change of service or provider within an episode of treatment, it is the date the service terminated or the date the treatment ended at a particular provider.

Date of last contact

The date when the client was last seen for a treatment. The date may be the same as the date of discharge. In the event of a change of service or provider within an episode of treatment, it is the date the client transferred to another service or provider.

Detailed not in labor force at admission/discharge

Records more detailed information about those clients who are coded as *Not in labor force* in the TEDS Minimum Data Set item *Employment status*.

- Disabled
- Homemaker
- Inmate of institution (prison or institution that keeps a person, otherwise able, from entering the labor force)
- Other
- Retired
- Student

Employment status at discharge

See TEDS Minimum Data Set item *Employment status* for definitions.

Frequency of attendance at self-help programs in 30 days prior to admission/discharge

Records the number of times the client has attended a self-help program in the 30 days preceding the date of admission to and discharge from treatment services.

- No attendance in the past month
- 1–3 times in the past month
- 4–7 times in the past month
- 8–15 times in the past month
- 16–30 times in the past month
- Some attendance in the past month, but frequency unknown

Frequency of use at discharge (primary, secondary, and tertiary substances)

See TEDS Minimum Data Set item *Frequency of use* for definitions.

Living arrangements at admission/discharge

Records whether the client is homeless, living with parents, in a supervised setting, or living on his or her own at the time of admission and discharge.

- Dependent living—Clients living in a supervised setting such as a residential institution, half-way house, or group home, and children (under age 18 years) living with parents, relatives, or guardians or in foster care
- Homeless—Clients with no fixed address; includes shelters
- Independent living—Clients living alone or with others without supervision

Number of arrests in 30 days prior to admission/discharge

Records the number of arrests in the 30 days preceding the date of admission to and discharge from treatment services.

- 0–96—Number of arrests

Reason for discharge, transfer, or discontinuance of treatment

Indicates the outcome of treatment or the reason for transfer or discontinuance of treatment.

- Death
- Incarcerated—Jail, prison, house confinement
- Left against professional advice (dropped out)—Client chose not to complete treatment program, with or without specific advice to continue treatment; includes clients who dropped out for unknown reasons and clients who did not receive a treatment service for some time and were discharged for administrative reasons
- Terminated by facility—Treatment terminated by action of facility, generally because of client non-compliance or violation of rules, laws, or procedures (excludes client drop-out, incarceration, or client-motivated reason for discontinuance)
- Transferred to another substance use program or facility—Client was transferred to another substance use treatment service type, program, provider, or facility; client may or may not have reported to the new program or facility
- Treatment completed—All parts of the treatment plan or program were completed.
- Other—Client moved, became ill, was hospitalized, or other reason somewhat out of client's control
- Unknown—Client status at discharge not known (e.g., record incomplete or lost); not to be used for clients who dropped out of treatment

Substance use at discharge (primary, secondary, or tertiary)

See TEDS Minimum Data Set item *Substance use* for definitions.

Type of treatment service at discharge

See TEDS Minimum Data Set item *Type of treatment service* for definitions.

Appendix C
List of Contributors

This report was prepared for the Center for Behavioral Health Statistics and Quality (CBHSQ), Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (HHS), under Contract No. 75S20320C00001.

Production of the report at SAMHSA was managed by Heydy Juarez (COR). SAMHSA contributors and reviewers, listed alphabetically by last name, include Herman Alvarado, Suparna Das, Hamid Ferdosi, Trevor Hsu, Heydy Juarez, and Kasimu Muhetaer.